ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

QC CERTIFICATE SD14186859

Project: 263
P.O. No.: 967113
This report is for 44 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 4-DEC-2014.
The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

Project: 263

QC CERTIFICATE OF ANALYSIS SD14186859

Sample Description	Method / Analyte / Units / LOR	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
STANDARDS																
CDN-PGMS20		1.105	0.811	3.55												
Target Range - Lower Bound		1.060	0.691	3.12												
Upper Bound		1.200	0.789	3.52												
G310-8		8.06	<0.005	0.001												
Target Range - Lower Bound																
Upper Bound																
GBM908-10					2.84	6.90	55.9	1120	1.38	1.23	3.67	1.62	101.5	24.1	131	3.59
GBM908-10					2.93	6.89	56.7	1100	1.38	1.11	3.64	1.80	111.5	26.0	130	3.89
Target Range - Lower Bound					2.69	6.40	51.1	930	1.27	1.12	3.33	1.53	99.0	23.3	125	3.44
Upper Bound					3.31	7.84	62.9	1280	1.66	1.39	4.10	1.91	121.0	28.7	155	4.32
GBM908-5					61.1	7.35	6.1	2450	2.36	1.10	1.85	0.16	219	9.8	25	1.65
Target Range - Lower Bound					52.4	6.79	5.7	2040	2.27	0.81	1.70	0.11	198.0	9.4	23	1.48
Upper Bound					64.0	8.32	7.5	2790	2.89	1.01	2.10	0.20	242	11.7	30	1.92
MRGeo08					4.46	7.52	34.0	1120	3.20	0.63	2.58	2.20	75.6	18.5	92	11.85
MRGeo08					4.43	7.51	33.0	1130	3.31	0.66	2.65	2.38	72.1	18.8	88	12.55
MRGeo08					4.55	7.49	34.2	1150	3.21	0.69	2.68	2.40	68.6	19.3	88	12.65
Target Range - Lower Bound					4.00	6.64	29.7	920	2.91	0.62	2.35	2.05	66.7	17.7	81	11.00
Upper Bound					4.92	8.14	36.7	1270	3.67	0.78	2.90	2.55	81.5	21.9	102	13.60
OGGeo08					21.2	6.98	118.5	760	2.70	10.55	2.24	19.25	72.3	94.6	83	11.10
Target Range - Lower Bound					18.15	6.07	106.0	700	2.59	9.44	1.98	16.70	64.8	87.2	78	9.85
Upper Bound					22.2	7.44	130.0	980	3.27	11.55	2.44	20.5	79.2	107.0	98	12.15
OREAS 90					0.04	8.20	5.5	500	2.65	1.06	0.53	<0.02	90.1	15.8	99	7.54
Target Range - Lower Bound					0.03	6.91	4.4	380	2.38	0.77	0.44	<0.02	83.7	14.2	81	6.45
Upper Bound					0.07	8.47	5.8	540	3.02	0.97	0.56	0.08	102.5	17.6	101	7.99
OREAS-904		0.046	<0.005	0.003												
Target Range - Lower Bound		0.041	<0.005	<0.001												
Upper Bound		0.049	0.011	0.003												
PD1		0.555	0.452	0.572												
Target Range - Lower Bound		0.508	0.424	0.528												
Upper Bound		0.576	0.488	0.598												

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

Project: 263

QC CERTIFICATE OF ANALYSIS SD14186859

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
STANDARDS																
CDN-PGMS20																
Target Range - Lower Bound																
Upper Bound																
G310-8																
Target Range - Lower Bound																
Upper Bound																
GBM908-10		3700	5.41	20.5	0.11	3.7	0.071	2.03	50.5	10.2	1.80	786	60.0	2.13	10.6	2210
GBM908-10		3460	5.42	20.5	0.18	3.8	0.079	2.03	58.0	9.8	1.74	772	61.1	2.12	10.1	2240
Target Range - Lower Bound		3380	4.98	18.65	0.18	3.3	0.064	1.87	49.0	9.8	1.61	715	57.9	1.93	9.5	2030
Upper Bound		3880	6.10	22.9	0.40	4.3	0.092	2.31	61.0	12.4	1.99	885	70.9	2.38	11.9	2480
GBM908-5		486	3.26	22.7	0.32	4.8	0.065	3.50	111.5	12.8	0.84	467	53.9	2.61	18.0	401
Target Range - Lower Bound		465	3.01	21.8	0.18	4.3	0.052	3.15	100.5	12.7	0.76	430	49.5	2.27	16.2	381
Upper Bound		535	3.70	26.7	0.41	5.5	0.078	3.87	124.0	16.0	0.95	537	60.6	2.80	20.0	466
MRGeo08		644	3.89	19.60	0.25	3.2	0.162	3.08	35.0	32.9	1.32	553	15.25	1.99	21.1	685
MRGeo08		630	3.99	19.10	0.22	3.2	0.180	3.15	34.1	35.2	1.31	569	14.50	2.04	21.5	698
MRGeo08		642	4.03	19.45	0.20	3.4	0.180	3.18	32.3	36.0	1.32	570	14.70	2.06	22.0	710
Target Range - Lower Bound		587	3.55	17.50	<0.05	2.8	0.161	2.79	31.1	30.4	1.17	497	13.65	1.76	19.0	622
Upper Bound		675	4.37	21.5	0.27	3.6	0.207	3.43	39.1	37.6	1.45	619	16.75	2.18	23.4	760
OGGeo08		8430	5.47	16.95	0.20	2.9	1.410	2.95	35.5	32.7	1.28	503	936	1.86	17.9	8670
Target Range - Lower Bound		7800	4.81	16.05	0.25	2.5	1.320	2.59	31.0	29.7	1.11	447	841	1.62	15.4	8000
Upper Bound		8980	5.91	19.75	0.49	3.3	1.620	3.19	39.0	36.7	1.38	557	1030	2.00	19.0	9770
OREAS 90		114.5	4.60	21.8	0.22	3.8	0.121	3.23	43.5	31.2	1.78	678	0.46	0.54	16.9	92.2
Target Range - Lower Bound		104.0	3.83	19.40	0.08	3.3	0.112	2.65	40.0	25.2	1.48	565	0.33	0.44	14.4	77.2
Upper Bound		120.0	4.71	23.8	0.30	4.3	0.148	3.27	50.0	31.2	1.83	701	0.57	0.56	17.8	94.8
OREAS-904																
Target Range - Lower Bound																
Upper Bound																
PD1																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

Project: 263

QC CERTIFICATE OF ANALYSIS SD14186859

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
STANDARDS																
CDN-PGMS20																
Target Range - Lower Bound																
Upper Bound																
G310-8																
Target Range - Lower Bound																
Upper Bound																
GBM908-10		1000	1985	159.5	0.003	0.37	1.60	17.5	1	3.1	295	0.75	0.06	16.9	0.660	1.20
GBM908-10		960	1965	162.5	<0.002	0.35	1.87	19.3	2	3.1	289	0.74	0.05	18.1	0.640	1.29
Target Range - Lower Bound		880	1860	153.0	<0.002	0.33	1.40	17.0	<1	2.7	258	0.68	<0.05	16.4	0.591	1.00
Upper Bound		1100	2270	187.0	0.006	0.43	2.01	21.0	4	3.9	316	0.97	0.16	20.4	0.733	1.40
GBM908-5		1280	375	116.5	<0.002	0.14	0.26	7.0	1	3.8	418	1.27	<0.05	39.4	0.354	0.73
Target Range - Lower Bound		1160	344	111.0	<0.002	0.14	0.18	6.8	<1	3.5	381	1.14	<0.05	35.9	0.313	0.59
Upper Bound		1450	422	135.5	0.006	0.19	0.44	8.6	4	4.8	466	1.51	0.18	44.4	0.393	0.85
MRGeo08		1060	1055	193.0	0.010	0.30	4.58	12.1	2	4.0	314	1.54	0.06	21.1	0.501	1.04
MRGeo08		1080	1085	181.0	0.009	0.30	4.45	11.6	2	3.9	319	1.58	<0.05	19.6	0.499	1.16
MRGeo08		1100	1100	178.0	0.010	0.31	4.60	11.5	2	3.9	323	1.67	<0.05	18.5	0.514	1.13
Target Range - Lower Bound		930	971	173.5	0.006	0.27	3.89	11.1	<1	3.5	277	1.39	<0.05	17.7	0.454	0.89
Upper Bound		1160	1185	212	0.016	0.36	5.39	13.7	4	4.7	339	1.81	0.14	22.1	0.566	1.25
OGGeo08		890	7280	183.5	1.335	2.78	25.9	9.8	11	13.5	262	1.35	0.17	18.7	0.407	1.70
Target Range - Lower Bound		760	6520	164.5	1.285	2.51	22.8	9.2	8	12.5	224	1.19	0.09	16.7	0.353	1.43
Upper Bound		950	7970	201	1.575	3.09	31.0	11.4	14	15.7	274	1.57	0.31	20.9	0.443	1.98
OREAS 90		740	7.2	187.5	<0.002	0.07	0.88	13.9	1	7.8	35.2	1.37	<0.05	17.5	0.426	1.04
Target Range - Lower Bound		590	5.3	172.5	<0.002	0.05	0.67	12.5	<1	6.8	30.1	1.14	<0.05	16.1	0.357	0.80
Upper Bound		740	7.9	211	0.006	0.10	1.05	15.5	3	8.8	37.2	1.50	0.16	20.1	0.447	1.14
OREAS-904																
Target Range - Lower Bound																
Upper Bound																
PD1																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

Project: 263

QC CERTIFICATE OF ANALYSIS SD14186859

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
		STANDARDS					
CDN-PGMS20							
Target Range - Lower Bound							
Upper Bound							
G310-8							
Target Range - Lower Bound							
Upper Bound							
GBM908-10		2.1	140	3.2	36.1	1080	137.0
GBM908-10		2.3	137	3.5	38.0	1020	140.5
Target Range - Lower Bound		2.0	123	2.9	35.2	939	117.5
Upper Bound		2.6	153	4.1	43.2	1155	160.5
GBM908-5		4.6	58	4.0	48.6	231	172.0
Target Range - Lower Bound		4.1	52	3.8	45.2	214	148.0
Upper Bound		5.3	66	5.4	55.5	266	201
MRGeo08		5.3	110	4.9	26.3	814	107.0
MRGeo08		5.2	112	4.7	26.1	799	108.5
MRGeo08		5.0	115	5.0	25.9	824	110.5
Target Range - Lower Bound		4.9	97	4.1	23.8	722	92.2
Upper Bound		6.3	121	5.8	29.3	886	126.0
OGGeo08		5.3	89	4.6	23.6	7300	92.3
Target Range - Lower Bound		4.5	77	3.9	21.1	6500	78.6
Upper Bound		5.8	97	5.4	26.0	7950	107.5
OREAS 90		3.5	101	2.9	29.9	67	131.0
Target Range - Lower Bound		2.8	84	2.3	26.8	54	110.5
Upper Bound		3.6	104	3.4	33.0	70	150.5
OREAS-904							
Target Range - Lower Bound							
Upper Bound							
PD1							
Target Range - Lower Bound							
Upper Bound							

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

Project: 263

QC CERTIFICATE OF ANALYSIS SD14186859

Sample Description	Method / Analyte / Units / LOR	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
BLANKS																
BLANK					<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	0.02	<0.01	<0.1	3	<0.05
BLANK					<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05
BLANK					<0.01	<0.01	0.3	<10	<0.05	<0.01	<0.01	0.02	0.01	<0.1	<1	<0.05
Target Range - Lower Bound					<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05
Upper Bound					0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10
BLANK		<0.001	<0.005	0.001												
Target Range - Lower Bound		<0.001	<0.005	<0.001												
Upper Bound		0.002	0.010	0.002												
DUPLICATES																
ORIGINAL					0.31	5.65	0.6	800	1.77	0.97	5.95	0.54	67.0	15.6	44	4.60
DUP					0.29	5.45	0.6	770	1.73	0.96	5.72	0.54	66.2	15.3	44	4.51
Target Range - Lower Bound					0.28	5.26	0.4	720	1.61	0.91	5.53	0.49	63.3	14.6	41	4.28
Upper Bound					0.33	5.84	0.8	850	1.89	1.02	6.14	0.59	69.9	16.3	47	4.83
R230243		<0.001	<0.005	0.001												
DUP		<0.001	<0.005	0.001												
Target Range - Lower Bound		<0.001	<0.005	<0.001												
Upper Bound		0.002	0.010	0.002												
R230249					0.16	5.51	0.6	40	0.09	0.15	4.79	0.07	2.25	81.1	248	0.92
DUP					0.20	5.31	0.8	40	0.12	0.14	4.64	0.07	2.62	85.8	236	1.03
Target Range - Lower Bound					0.16	5.13	0.5	30	<0.05	0.13	4.47	0.05	2.30	79.2	229	0.88
Upper Bound					0.20	5.69	0.9	50	0.16	0.16	4.96	0.09	2.57	87.7	255	1.07
R230263		<0.001	<0.005	0.002												
DUP		<0.001	<0.005	<0.001												
Target Range - Lower Bound		<0.001	<0.005	<0.001												
Upper Bound		0.002	0.010	0.002												
ORIGINAL					0.04	0.99	3.2	<10	0.06	0.03	8.96	0.20	3.48	78.3	2120	0.13
DUP					0.04	1.00	2.7	<10	0.05	0.02	9.08	0.20	3.47	78.6	2050	0.14
Target Range - Lower Bound					0.03	0.94	2.6	<10	<0.05	<0.01	8.56	0.17	3.29	74.4	1980	0.08
Upper Bound					0.05	1.05	3.3	20	0.10	0.04	9.48	0.23	3.66	82.5	2190	0.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

Project: 263

QC CERTIFICATE OF ANALYSIS SD14186859

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
BLANKS																
BLANK		<0.2	<0.01	<0.05	0.09	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	0.3
BLANK		0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		0.4	<0.01	<0.05	0.06	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
Target Range - Lower Bound		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
Upper Bound		0.4	0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4
BLANK																
Target Range - Lower Bound																
Upper Bound																
DUPLICATES																
ORIGINAL		20.8	3.69	14.55	0.18	4.0	0.056	2.36	32.5	40.6	3.31	1340	1.76	1.65	6.7	31.8
DUP		20.1	3.54	14.30	0.18	3.9	0.058	2.28	32.1	40.0	3.17	1320	1.73	1.59	6.3	31.1
Target Range - Lower Bound		19.5	3.42	13.65	0.12	3.7	0.049	2.19	30.2	38.1	3.07	1260	1.61	1.53	6.1	29.7
Upper Bound		21.4	3.81	15.20	0.24	4.2	0.065	2.45	34.4	42.5	3.41	1400	1.88	1.71	6.9	33.2
R230243																
DUP																
Target Range - Lower Bound																
Upper Bound																
R230249		490	8.10	9.54	<0.05	0.2	0.026	0.19	1.0	21.7	9.49	1430	0.52	0.56	0.2	736
DUP		472	7.81	10.90	0.08	0.3	0.027	0.18	1.1	23.6	9.18	1410	0.61	0.54	0.3	711
Target Range - Lower Bound		464	7.55	9.66	<0.05	<0.1	0.020	0.17	<0.5	21.3	8.86	1345	0.49	0.51	<0.1	687
Upper Bound		498	8.36	10.80	0.10	0.4	0.033	0.20	1.6	24.0	9.81	1495	0.64	0.59	0.4	760
R230263																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		20.4	6.45	2.63	0.06	0.2	0.038	0.01	1.6	1.0	14.45	1460	0.05	0.02	0.4	999
DUP		17.4	6.45	2.69	0.06	0.2	0.039	0.01	1.6	1.0	14.45	1440	0.08	0.02	0.4	996
Target Range - Lower Bound		18.0	6.12	2.48	<0.05	<0.1	0.032	<0.01	1.0	0.8	13.70	1375	<0.05	<0.01	0.3	947
Upper Bound		19.8	6.78	2.84	0.10	0.3	0.045	0.02	2.2	1.3	15.20	1530	0.10	0.03	0.5	1050

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

Project: 263

QC CERTIFICATE OF ANALYSIS SD14186859

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
BLANKS																
BLANK		<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK		<10	<0.5	<0.1	0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK		<10	<0.5	<0.1	<0.002	<0.01	0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Target Range - Lower Bound		<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Upper Bound		20	1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010	0.04
BLANK																
Target Range - Lower Bound																
Upper Bound																
DUPLICATES																
ORIGINAL		790	67.4	91.4	<0.002	0.89	0.19	10.2	1	2.4	433	0.49	<0.05	10.1	0.272	0.48
DUP		730	66.8	90.5	<0.002	0.89	0.18	10.0	1	2.3	415	0.47	<0.05	9.8	0.257	0.48
Target Range - Lower Bound		710	63.2	86.3	<0.002	0.84	0.12	9.5	<1	2.0	403	0.41	<0.05	9.3	0.246	0.42
Upper Bound		810	71.0	95.6	0.004	0.94	0.25	10.7	2	2.7	445	0.55	0.10	10.6	0.283	0.54
R230243																
DUP																
Target Range - Lower Bound																
Upper Bound																
R230249		30	5.6	8.1	0.003	0.18	0.36	39.2	2	<0.2	83.6	<0.05	0.45	<0.2	0.104	0.09
DUP		20	5.5	8.8	0.003	0.18	0.65	42.7	1	<0.2	88.8	<0.05	0.50	<0.2	0.101	0.10
Target Range - Lower Bound		<10	4.8	7.9	<0.002	0.16	0.42	38.8	<1	<0.2	81.7	<0.05	0.40	<0.2	0.092	0.07
Upper Bound		40	6.3	9.0	0.004	0.20	0.59	43.1	2	0.4	90.7	0.10	0.55	0.4	0.113	0.12
R230263																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		40	1.5	0.1	<0.002	0.15	2.85	29.6	<1	<0.2	33.9	<0.05	<0.05	<0.2	0.111	0.04
DUP		40	1.6	0.2	<0.002	0.14	2.78	30.1	<1	<0.2	34.6	<0.05	<0.05	<0.2	0.112	0.03
Target Range - Lower Bound		30	1.0	<0.1	<0.002	0.13	2.55	28.3	<1	<0.2	32.3	<0.05	<0.05	<0.2	0.101	<0.02
Upper Bound		50	2.1	0.2	0.004	0.16	3.08	31.4	2	0.4	36.2	0.10	0.10	0.4	0.122	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

Project: 263

QC CERTIFICATE OF ANALYSIS SD14186859

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
				BLANKS			
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5
Target Range - Lower Bound		<0.1	<1	<0.1	<0.1	<2	<0.5
Upper Bound		0.2	2	0.2	0.2	4	1.0
BLANK							
Target Range - Lower Bound							
Upper Bound							
				DUPLICATES			
ORIGINAL		3.5	97	0.9	19.5	66	142.5
DUP		3.4	94	0.9	18.4	65	141.5
Target Range - Lower Bound		3.2	90	0.7	17.9	60	134.5
Upper Bound		3.7	101	1.1	20.0	71	149.5
R230243							
DUP							
Target Range - Lower Bound							
Upper Bound							
R230249		<0.1	154	0.8	2.8	96	6.2
DUP		<0.1	149	1.4	3.1	91	7.2
Target Range - Lower Bound		<0.1	143	0.9	2.7	87	5.9
Upper Bound		0.2	160	1.3	3.2	100	7.5
R230263							
DUP							
Target Range - Lower Bound							
Upper Bound							
ORIGINAL		<0.1	95	1.4	3.8	104	5.3
DUP		<0.1	96	1.4	3.8	95	4.9
Target Range - Lower Bound		<0.1	90	1.2	3.5	93	4.3
Upper Bound		0.2	101	1.6	4.1	106	5.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

Project: 263

QC CERTIFICATE OF ANALYSIS SD14186859

Sample Description	Method	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
DUPLICATES																
ORIGINAL		<0.001	<0.005	<0.001												
DUP		<0.001	<0.005	0.001												
Target Range - Lower Bound		<0.001	<0.005	<0.001												
Upper Bound		0.002	0.010	0.002												

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

Project: 263

QC CERTIFICATE OF ANALYSIS SD14186859

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
		DUPLICATES														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

Project: 263

QC CERTIFICATE OF ANALYSIS SD14186859

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
		DUPLICATES														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

Project: 263

QC CERTIFICATE OF ANALYSIS SD14186859

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
		DUPLICATES					
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 16-DEC-2014
Account: RLH

Project: 263

QC CERTIFICATE OF ANALYSIS SD14186859

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23