ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

QC CERTIFICATE SD14167126

Project: 642

P.O. No.: 967068

This report is for 68 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 30-OCT-2014.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14167126

Sample Description	Method / Analyte / Units / LOR	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
STANDARDS																
AMIS0254		0.213	2.33	1.150												
Target Range - Lower Bound		0.187	2.05	1.050												
Upper Bound		0.213	2.33	1.190												
BP-13		0.369	<0.005	0.001												
Target Range - Lower Bound		0.336	<0.005	<0.001												
Upper Bound		0.380	0.010	0.002												
CDN-PGMS18		0.549	0.350	1.480												
Target Range - Lower Bound		0.485	0.304	1.335												
Upper Bound		0.549	0.354	1.505												
G310-8		7.98	<0.005	0.001												
Target Range - Lower Bound																
Upper Bound																
GBM908-10					2.97	6.76	57.2	1150	1.52	1.14	3.57	1.79	108.0	26.8	129	3.91
Target Range - Lower Bound					2.69	6.40	51.1	930	1.27	1.12	3.33	1.53	99.0	23.3	125	3.44
Upper Bound					3.31	7.84	62.9	1280	1.66	1.39	4.10	1.91	121.0	28.7	155	4.32
GLG307-4		0.047	0.050	0.042												
Target Range - Lower Bound		0.048	0.043	0.041												
Upper Bound		0.056	0.064	0.049												
MRGeo08					4.05	7.12	31.5	1150	3.06	0.66	2.51	2.19	68.8	17.8	86	11.70
Target Range - Lower Bound					4.00	6.64	29.7	920	2.91	0.62	2.35	2.05	66.7	17.7	81	11.00
Upper Bound					4.92	8.14	36.7	1270	3.67	0.78	2.90	2.55	81.5	21.9	102	13.60
OGGeo08					21.6	6.87	116.0	770	3.15	11.15	2.23	19.90	77.3	103.0	84	12.05
OGGeo08					19.35	6.57	120.5	880	3.05	10.25	2.14	19.10	70.8	94.2	90	10.35
Target Range - Lower Bound					18.15	6.07	106.0	700	2.59	9.44	1.98	16.70	64.8	87.2	78	9.85
Upper Bound					22.2	7.44	130.0	980	3.27	11.55	2.44	20.5	79.2	107.0	98	12.15
OREAS 90					0.05	7.63	4.4	490	2.63	0.90	0.50	<0.02	91.4	15.8	89	7.57
OREAS 90					0.04	7.12	5.5	430	2.74	0.78	0.46	<0.02	85.9	15.1	90	6.53
Target Range - Lower Bound					0.03	6.91	4.4	380	2.38	0.77	0.44	<0.02	83.7	14.2	81	6.45
Upper Bound					0.07	8.47	5.8	540	3.02	0.97	0.56	0.08	102.5	17.6	101	7.99
OREAS-904		0.044	<0.005	0.002												
Target Range - Lower Bound		0.041	<0.005	<0.001												
Upper Bound		0.049	0.011	0.003												
OxJ111		2.21	<0.005	0.001												
Target Range - Lower Bound		2.04	<0.005	<0.001												
Upper Bound		2.30	0.010	0.002												
PK2		4.94	5.02	6.09												
Target Range - Lower Bound		4.50	4.46	5.56												
Upper Bound		5.07	5.04	6.27												

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14167126

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
STANDARDS																
AMIS0254																
Target Range - Lower Bound																
Upper Bound																
BP-13																
Target Range - Lower Bound																
Upper Bound																
CDN-PGMS18																
Target Range - Lower Bound																
Upper Bound																
G310-8																
Target Range - Lower Bound																
Upper Bound																
GBM908-10		3510	5.25	21.2	0.19	3.7	0.067	2.00	56.0	11.9	1.75	771	65.9	2.04	9.9	2160
Target Range - Lower Bound		3380	4.98	18.65	0.18	3.3	0.064	1.87	49.0	9.8	1.61	715	57.9	1.93	9.5	2030
Upper Bound		3880	6.10	22.9	0.40	4.3	0.092	2.31	61.0	12.4	1.99	885	70.9	2.38	11.9	2480
GLG307-4																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		625	3.73	18.15	0.11	3.0	0.174	3.00	32.9	35.1	1.28	539	14.10	1.88	19.4	663
Target Range - Lower Bound		587	3.55	17.50	<0.05	2.8	0.161	2.79	31.1	30.4	1.17	497	13.65	1.76	19.0	622
Upper Bound		675	4.37	21.5	0.27	3.6	0.207	3.43	39.1	37.6	1.45	619	16.75	2.18	23.4	760
OGGeo08		8330	5.37	17.30	0.14	3.0	1.530	2.92	38.1	34.1	1.27	499	901	1.83	18.1	8770
OGGeo08		8180	5.19	17.45	0.27	3.0	1.440	2.83	34.5	31.0	1.23	484	910	1.77	16.2	8300
Target Range - Lower Bound		7800	4.81	16.05	0.25	2.5	1.320	2.59	31.0	29.7	1.11	447	841	1.62	15.4	8000
Upper Bound		8980	5.91	19.75	0.49	3.3	1.620	3.19	39.0	36.7	1.38	557	1030	2.00	19.0	9770
OREAS 90		109.5	4.17	20.4	0.19	3.5	0.123	2.97	44.9	28.1	1.68	624	0.40	0.48	15.8	89.9
OREAS 90		106.0	4.09	21.2	0.21	3.6	0.113	2.89	41.5	25.4	1.62	599	0.38	0.48	14.9	85.7
Target Range - Lower Bound		104.0	3.83	19.40	0.08	3.3	0.112	2.65	40.0	25.2	1.48	565	0.33	0.44	14.4	77.2
Upper Bound		120.0	4.71	23.8	0.30	4.3	0.148	3.27	50.0	31.2	1.83	701	0.57	0.56	17.8	94.8
OREAS-904																
Target Range - Lower Bound																
Upper Bound																
OxJ111																
Target Range - Lower Bound																
Upper Bound																
PK2																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14167126

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
STANDARDS																
AMIS0254																
Target Range - Lower Bound																
Upper Bound																
BP-13																
Target Range - Lower Bound																
Upper Bound																
CDN-PGMS18																
Target Range - Lower Bound																
Upper Bound																
G310-8																
Target Range - Lower Bound																
Upper Bound																
GBM908-10		940	1905	163.5	<0.002	0.35	1.73	18.1	1	3.0	278	0.84	0.06	18.7	0.620	1.29
Target Range - Lower Bound		880	1860	153.0	<0.002	0.33	1.40	17.0	<1	2.7	258	0.68	<0.05	16.4	0.591	1.00
Upper Bound		1100	2270	187.0	0.006	0.43	2.01	21.0	4	3.9	316	0.97	0.16	20.4	0.733	1.40
GLG307-4																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		1030	1010	177.5	0.007	0.29	4.45	11.4	2	3.5	297	1.49	<0.05	19.0	0.474	1.02
Target Range - Lower Bound		930	971	173.5	0.006	0.27	3.89	11.1	<1	3.5	277	1.39	<0.05	17.7	0.454	0.89
Upper Bound		1160	1185	212	0.016	0.36	5.39	13.7	4	4.7	339	1.81	0.14	22.1	0.566	1.25
OGGeo08		850	7280	192.5	1.510	2.82	27.0	10.6	11	13.9	256	1.33	0.17	20.7	0.405	1.96
OGGeo08		810	7020	190.5	1.340	2.71	25.3	10.0	12	14.1	243	1.25	0.14	17.5	0.387	1.62
Target Range - Lower Bound		760	6520	164.5	1.285	2.51	22.8	9.2	8	12.5	224	1.19	0.09	16.7	0.353	1.43
Upper Bound		950	7970	201	1.575	3.09	31.0	11.4	14	15.7	274	1.57	0.31	20.9	0.443	1.98
OREAS 90		660	5.5	184.0	<0.002	0.06	0.90	13.7	1	7.3	34.8	1.20	<0.05	18.6	0.399	1.04
OREAS 90		620	5.6	182.5	<0.002	0.07	0.83	13.7	1	7.3	32.1	1.18	<0.05	16.1	0.391	0.97
Target Range - Lower Bound		590	5.3	172.5	<0.002	0.05	0.67	12.5	<1	6.8	30.1	1.14	<0.05	16.1	0.357	0.80
Upper Bound		740	7.9	211	0.006	0.10	1.05	15.5	3	8.8	37.2	1.50	0.16	20.1	0.447	1.14
OREAS-904																
Target Range - Lower Bound																
Upper Bound																
OxJ111																
Target Range - Lower Bound																
Upper Bound																
PK2																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14167126

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
		STANDARDS					
AMIS0254							
Target Range - Lower Bound							
Upper Bound							
BP-13							
Target Range - Lower Bound							
Upper Bound							
CDN-PGMS18							
Target Range - Lower Bound							
Upper Bound							
G310-8							
Target Range - Lower Bound							
Upper Bound							
GBM908-10		2.2	134	3.1	36.6	1050	137.5
Target Range - Lower Bound		2.0	123	2.9	35.2	939	117.5
Upper Bound		2.6	153	4.1	43.2	1155	160.5
GLG307-4							
Target Range - Lower Bound							
Upper Bound							
MRGeo08		5.0	105	4.7	24.2	800	97.5
Target Range - Lower Bound		4.9	97	4.1	23.8	722	92.2
Upper Bound		6.3	121	5.8	29.3	886	126.0
OGGeo08		5.7	88	4.6	25.5	7080	98.8
OGGeo08		4.7	83	4.5	22.0	7090	96.2
Target Range - Lower Bound		4.5	77	3.9	21.1	6500	78.6
Upper Bound		5.8	97	5.4	26.0	7950	107.5
OREAS 90		3.4	93	2.7	29.6	63	122.5
OREAS 90		2.9	89	2.6	27.5	60	122.0
Target Range - Lower Bound		2.8	84	2.3	26.8	54	110.5
Upper Bound		3.6	104	3.4	33.0	70	150.5
OREAS-904							
Target Range - Lower Bound							
Upper Bound							
OxJ111							
Target Range - Lower Bound							
Upper Bound							
PK2							
Target Range - Lower Bound							
Upper Bound							

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14167126

Sample Description	Method	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
BLANKS																
BLANK					<0.01	<0.01	<0.2	10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05
BLANK					<0.01	<0.01	<0.2	20	<0.05	0.01	<0.01	<0.02	0.02	<0.1	<1	<0.05
BLANK					<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	0.02	<0.1	<1	<0.05
Target Range - Lower Bound					<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05
Upper Bound					0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10
BLANK		0.001	<0.005	<0.001												
BLANK		<0.001	<0.005	<0.001												
Target Range - Lower Bound		<0.001	<0.005	<0.001												
Upper Bound		0.002	0.010	0.002												
DUPLICATES																
ORIGINAL					0.24	0.37	52.9	20	0.44	0.07	19.00	0.03	6.05	1.0	5	0.74
DUP					0.25	0.36	52.2	20	0.38	0.06	18.45	0.02	5.89	0.9	6	0.70
Target Range - Lower Bound					0.22	0.34	49.7	<10	0.34	0.05	17.80	<0.02	5.66	0.8	4	0.63
Upper Bound					0.27	0.39	55.4	30	0.48	0.08	19.65	0.04	6.28	1.1	7	0.81
P448781		0.001	<0.005	<0.001												
DUP		0.001	<0.005	0.001												
Target Range - Lower Bound		<0.001	<0.005	<0.001												
Upper Bound		0.002	0.010	0.002												
P448798					0.05	7.94	0.2	710	1.08	0.05	5.42	0.05	111.0	41.7	36	0.37
DUP					0.05	7.41	0.3	660	1.03	0.05	5.10	0.05	105.0	40.4	34	0.36
Target Range - Lower Bound					0.04	7.28	<0.2	620	0.95	0.04	4.99	0.03	102.5	38.9	32	0.30
Upper Bound					0.06	8.07	0.4	750	1.16	0.06	5.53	0.07	113.5	43.2	38	0.43
P448986		<0.001	<0.005	<0.001												
DUP		<0.001	<0.005	<0.001												
Target Range - Lower Bound		<0.001	<0.005	<0.001												
Upper Bound		0.002	0.010	0.002												
R230003					0.02	7.67	0.8	620	1.41	0.05	4.02	<0.02	71.6	31.7	31	0.70
DUP					0.02	7.68	0.2	610	1.39	0.03	3.95	<0.02	79.8	30.5	33	0.73
Target Range - Lower Bound					<0.01	7.28	0.3	560	1.28	0.03	3.78	<0.02	71.9	29.4	29	0.63
Upper Bound					0.03	8.07	0.7	670	1.52	0.05	4.19	0.04	79.5	32.8	35	0.80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14167126

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
BLANKS																
BLANK		0.4	<0.01	0.06	0.14	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		0.4	<0.01	0.05	0.15	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		0.4	<0.01	<0.05	0.09	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
Target Range - Lower Bound		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
Upper Bound		0.4	0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
DUPLICATES																
ORIGINAL		2.8	0.24	1.19	0.22	0.1	0.007	0.15	4.1	5.0	11.60	331	1.53	<0.01	0.8	3.8
DUP		3.2	0.24	1.13	0.06	0.1	0.007	0.15	3.9	4.6	11.25	318	1.57	<0.01	0.7	3.6
Target Range - Lower Bound		2.7	0.22	1.05	0.08	<0.1	<0.005	0.13	3.3	4.4	10.85	303	1.42	<0.01	0.6	3.3
Upper Bound		3.3	0.26	1.27	0.20	0.2	0.010	0.17	4.7	5.2	12.00	346	1.68	0.02	0.9	4.1
P448781																
DUP																
Target Range - Lower Bound																
Upper Bound																
P448798		89.5	8.61	22.6	0.11	1.3	0.066	0.96	51.4	28.1	3.02	927	0.60	2.39	7.3	54.4
DUP		81.8	8.00	21.6	0.11	1.3	0.062	0.91	49.1	24.6	2.87	862	0.59	2.23	7.0	52.1
Target Range - Lower Bound		82.5	7.88	20.9	<0.05	1.1	0.056	0.88	47.2	24.8	2.79	845	0.52	2.18	6.7	50.4
Upper Bound		88.8	8.73	23.3	0.17	1.5	0.072	0.99	53.3	27.9	3.10	944	0.67	2.44	7.6	56.1
P448986																
DUP																
Target Range - Lower Bound																
Upper Bound																
R230003		74.3	6.90	22.6	0.19	1.1	0.069	1.46	31.9	30.6	2.47	819	0.68	2.94	6.8	42.4
DUP		68.7	6.74	22.2	0.21	1.1	0.070	1.43	36.7	30.3	2.43	795	0.66	2.90	6.7	40.6
Target Range - Lower Bound		68.8	6.47	21.2	0.14	0.9	0.061	1.36	32.1	28.7	2.32	762	0.59	2.76	6.3	39.2
Upper Bound		74.2	7.17	23.6	0.26	1.3	0.078	1.53	36.5	32.2	2.58	852	0.75	3.08	7.2	43.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14167126

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
BLANKS																
BLANK		<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK		10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK		<10	<0.5	<0.1	<0.002	<0.01	0.10	0.1	<1	<0.2	0.2	<0.05	<0.05	<0.2	<0.005	0.04
Target Range - Lower Bound		<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Upper Bound		20	1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010	0.04
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
DUPLICATES																
ORIGINAL		1820	1.2	10.8	0.010	0.13	3.61	0.8	<1	0.2	90.5	0.05	0.11	0.5	0.015	1.06
DUP		1800	1.4	10.3	0.012	0.13	3.46	0.7	<1	0.2	87.6	<0.05	0.09	0.5	0.015	1.01
Target Range - Lower Bound		1710	0.7	9.9	0.008	0.11	3.22	0.6	<1	<0.2	84.4	<0.05	<0.05	0.3	0.009	0.94
Upper Bound		1910	1.9	11.2	0.014	0.15	3.85	0.9	2	0.4	93.7	0.10	0.16	0.7	0.021	1.13
P448781																
DUP																
Target Range - Lower Bound																
Upper Bound																
P448798		3400	5.7	20.3	<0.002	0.16	<0.05	23.3	1	1.2	822	0.41	<0.05	3.0	0.948	0.12
DUP		3210	5.3	19.3	<0.002	0.15	<0.05	22.3	1	1.1	765	0.38	<0.05	2.8	0.897	0.11
Target Range - Lower Bound		3130	4.7	18.7	<0.002	0.14	<0.05	21.6	<1	0.9	754	0.33	<0.05	2.6	0.871	0.09
Upper Bound		3480	6.3	20.9	0.004	0.17	0.10	24.0	2	1.4	833	0.46	0.10	3.2	0.974	0.14
P448986																
DUP																
Target Range - Lower Bound																
Upper Bound																
R230003		1500	3.1	32.1	<0.002	0.28	0.11	19.3	1	1.1	590	0.34	<0.05	1.4	0.717	0.23
DUP		1470	3.2	36.8	0.002	0.28	0.09	20.1	1	1.1	580	0.35	<0.05	1.6	0.714	0.24
Target Range - Lower Bound		1400	2.5	32.6	<0.002	0.26	<0.05	18.6	<1	0.8	556	0.28	<0.05	1.2	0.675	0.20
Upper Bound		1570	3.8	36.3	0.004	0.30	0.16	20.8	2	1.4	614	0.41	0.10	1.8	0.756	0.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14167126

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
				BLANKS			
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5
Target Range - Lower Bound		<0.1	<1	<0.1	<0.1	<2	<0.5
Upper Bound		0.2	2	0.2	0.2	4	1.0
BLANK							
BLANK							
Target Range - Lower Bound							
Upper Bound							
				DUPLICATES			
ORIGINAL		2.1	7	3.4	5.9	8	3.2
DUP		2.0	7	3.0	5.7	7	3.1
Target Range - Lower Bound		1.8	6	2.9	5.4	5	2.5
Upper Bound		2.3	8	3.5	6.2	10	3.8
P448781							
DUP							
Target Range - Lower Bound							
Upper Bound							
P448798		0.5	238	0.1	20.3	97	44.5
DUP		0.4	227	0.1	19.3	90	43.2
Target Range - Lower Bound		0.3	220	<0.1	18.7	87	41.2
Upper Bound		0.6	245	0.2	20.9	100	46.5
P448986							
DUP							
Target Range - Lower Bound							
Upper Bound							
R230003		0.3	193	0.1	15.1	69	37.1
DUP		0.3	191	0.1	16.2	68	35.9
Target Range - Lower Bound		0.2	181	<0.1	14.8	63	34.2
Upper Bound		0.4	203	0.2	16.5	74	38.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14167126

Sample Description	Method / Analyte / Units / LOR	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
DUPLICATES																
R230006		<0.001	<0.005	0.001												
DUP		<0.001	<0.005	<0.001												
Target Range - Lower Bound		<0.001	<0.005	<0.001												
Upper Bound		0.002	0.010	0.002												
ORIGINAL		0.001	0.008	0.009												
DUP		0.002	0.008	0.009												
Target Range - Lower Bound		<0.001	<0.005	0.008												
Upper Bound		0.002	0.010	0.010												
ORIGINAL		0.008	0.006	0.062												
DUP		0.007	0.007	0.063												
Target Range - Lower Bound		0.006	<0.005	0.058												
Upper Bound		0.009	0.010	0.067												
ORIGINAL		0.002	<0.005	0.047												
DUP		0.001	<0.005	0.047												
Target Range - Lower Bound		<0.001	<0.005	0.044												
Upper Bound		0.002	0.010	0.050												
PREP DUPLICATES																
P448993		<0.001	<0.005	<0.001	0.05	6.00	<0.2	160	0.95	0.04	5.72	0.05	38.2	52.3	41	0.22
P448993 PREP DUP		<0.001	<0.005	0.001	0.04	6.15	1.1	130	0.96	0.07	5.91	0.04	41.6	52.6	51	0.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14167126

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
		DUPLICATES														
R230006																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
		PREP DUPLICATES														
P448993		180.0	11.40	20.2	0.06	2.1	0.109	0.34	17.9	16.2	3.06	1550	0.68	1.62	8.0	49.2
P448993 PREP DUP		179.0	11.75	20.2	0.17	2.2	0.109	0.35	18.0	14.8	3.12	1610	0.69	1.70	8.1	53.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14167126

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
		DUPLICATES														
R230006																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
		PREP DUPLICATES														
P448993		1140	3.3	10.5	0.003	0.15	0.06	47.3	2	1.4	208	0.56	<0.05	2.6	1.110	0.07
P448993 PREP DUP		1150	3.0	11.5	0.003	0.16	0.14	47.4	2	1.5	221	0.52	<0.05	2.9	1.155	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14167126

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
		DUPLICATES					
R230006	DUP						
	Target Range - Lower Bound						
	Upper Bound						
ORIGINAL	DUP						
	Target Range - Lower Bound						
	Upper Bound						
ORIGINAL	DUP						
	Target Range - Lower Bound						
	Upper Bound						
ORIGINAL	DUP						
	Target Range - Lower Bound						
	Upper Bound						
		PREP DUPLICATES					
P448993		0.6	409	0.3	39.4	119	70.5
P448993 PREP DUP		0.6	418	0.3	40.9	120	73.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 12-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14167126

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23