ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 26-NOV-2014
Account: RLH

QC CERTIFICATE SD14175044

Project: 642

P.O. No.: 967085

This report is for 10 Rock samples submitted to our lab in Sudbury, ON, Canada on 17-NOV-2014.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 26-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14175044

Sample Description	Method / Analyte / Units / LOR	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
STANDARDS																
BP-13		0.364	<0.005	0.002												
Target Range - Lower Bound		0.336	<0.005	<0.001												
Upper Bound		0.380	0.010	0.002												
CDN-PGMS20		1.165	0.763	3.45												
Target Range - Lower Bound		1.060	0.691	3.12												
Upper Bound		1.200	0.789	3.52												
G310-8		8.18	<0.005	<0.001												
Target Range - Lower Bound																
Upper Bound																
GBM908-10					2.91	6.91	60.9	1120	1.50	1.05	3.80	1.75	107.5	27.2	142	3.86
Target Range - Lower Bound					2.69	6.40	51.1	930	1.27	1.12	3.33	1.53	99.0	23.3	125	3.44
Upper Bound					3.31	7.84	62.9	1280	1.66	1.39	4.10	1.91	121.0	28.7	155	4.32
GLG307-4		0.053	0.053	0.047												
Target Range - Lower Bound		0.048	0.043	0.043												
Upper Bound		0.056	0.064	0.051												
MRGeo08					4.29	7.57	34.8	1120	3.16	0.68	2.67	2.30	78.3	20.7	91	13.10
Target Range - Lower Bound					4.00	6.64	29.7	920	2.91	0.62	2.35	2.05	66.7	17.7	81	11.00
Upper Bound					4.92	8.14	36.7	1270	3.67	0.78	2.90	2.55	81.5	21.9	102	13.60
OREAS-904		0.047	<0.005	0.002												
Target Range - Lower Bound		0.041	<0.005	<0.001												
Upper Bound		0.049	0.011	0.003												
OxJ111		2.14	<0.005	0.001												
Target Range - Lower Bound		2.04	<0.005	<0.001												
Upper Bound		2.30	0.010	0.002												
PD1		0.547	0.451	0.560												
Target Range - Lower Bound		0.508	0.424	0.528												
Upper Bound		0.576	0.488	0.598												
PK2		4.88	4.87	5.92												
Target Range - Lower Bound		4.50	4.46	5.56												
Upper Bound		5.07	5.04	6.27												

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 26-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14175044

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
STANDARDS																
BP-13																
Target Range - Lower Bound																
Upper Bound																
CDN-PGMS20																
Target Range - Lower Bound																
Upper Bound																
G310-8																
Target Range - Lower Bound																
Upper Bound																
GBM908-10		3590	5.51	20.2	0.21	3.6	0.077	2.10	54.3	10.7	1.82	791	69.2	2.19	10.8	2230
Target Range - Lower Bound		3380	4.98	18.65	0.18	3.3	0.064	1.87	49.0	9.8	1.61	715	57.9	1.93	9.5	2030
Upper Bound		3880	6.10	22.9	0.40	4.3	0.092	2.31	61.0	12.4	1.99	885	70.9	2.38	11.9	2480
GLG307-4																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		622	4.03	18.50	0.18	3.1	0.182	3.11	38.3	30.8	1.38	561	15.50	1.96	21.9	679
Target Range - Lower Bound		587	3.55	17.50	<0.05	2.8	0.161	2.79	31.1	30.4	1.17	497	13.65	1.76	19.0	622
Upper Bound		675	4.37	21.5	0.27	3.6	0.207	3.43	39.1	37.6	1.45	619	16.75	2.18	23.4	760
OREAS-904																
Target Range - Lower Bound																
Upper Bound																
OxJ111																
Target Range - Lower Bound																
Upper Bound																
PD1																
Target Range - Lower Bound																
Upper Bound																
PK2																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 26-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14175044

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
STANDARDS																
BP-13																
Target Range - Lower Bound																
Upper Bound																
CDN-PGMS20																
Target Range - Lower Bound																
Upper Bound																
G310-8																
Target Range - Lower Bound																
Upper Bound																
GBM908-10		1000	2060	155.5	<0.002	0.39	1.63	18.6	2	3.0	295	0.92	0.05	17.8	0.659	1.28
Target Range - Lower Bound		880	1860	153.0	<0.002	0.33	1.40	17.0	<1	2.7	258	0.68	<0.05	16.4	0.591	1.00
Upper Bound		1100	2270	187.0	0.006	0.43	2.01	21.0	4	3.9	316	0.97	0.16	20.4	0.733	1.40
GLG307-4																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		1060	1080	213	0.008	0.31	4.40	12.5	2	3.8	310	1.54	<0.05	20.9	0.499	1.06
Target Range - Lower Bound		930	971	173.5	0.006	0.27	3.89	11.1	<1	3.5	277	1.39	<0.05	17.7	0.454	0.89
Upper Bound		1160	1185	212	0.016	0.36	5.39	13.7	4	4.7	339	1.81	0.14	22.1	0.566	1.25
OREAS-904																
Target Range - Lower Bound																
Upper Bound																
OxJ111																
Target Range - Lower Bound																
Upper Bound																
PD1																
Target Range - Lower Bound																
Upper Bound																
PK2																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 26-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14175044

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
		STANDARDS					
BP-13							
Target Range - Lower Bound							
Upper Bound							
CDN-PGMS20							
Target Range - Lower Bound							
Upper Bound							
G310-8							
Target Range - Lower Bound							
Upper Bound							
GBM908-10		2.1	140	4.1	37.2	1060	139.5
Target Range - Lower Bound		2.0	123	2.9	35.2	939	117.5
Upper Bound		2.6	153	4.1	43.2	1155	160.5
GLG307-4							
Target Range - Lower Bound							
Upper Bound							
MRGeo08		5.6	110	4.5	27.9	805	107.0
Target Range - Lower Bound		4.9	97	4.1	23.8	722	92.2
Upper Bound		6.3	121	5.8	29.3	886	126.0
OREAS-904							
Target Range - Lower Bound							
Upper Bound							
OxJ111							
Target Range - Lower Bound							
Upper Bound							
PD1							
Target Range - Lower Bound							
Upper Bound							
PK2							
Target Range - Lower Bound							
Upper Bound							

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 26-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14175044

Sample Description	Method / Analyte / Units / LOR	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
BLANKS																
BLANK					<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	0.01	0.1	<1	<0.05
Target Range - Lower Bound					<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05
Upper Bound					0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10
BLANK		0.002	<0.005	0.001												
BLANK		0.001	<0.005	<0.001												
Target Range - Lower Bound		<0.001	<0.005	<0.001												
Upper Bound		0.002	0.010	0.002												
DUPLICATES																
ORIGINAL		0.002	<0.005	0.002												
DUP		0.002	<0.005	0.002												
Target Range - Lower Bound		<0.001	<0.005	<0.001												
Upper Bound		0.003	0.010	0.003												
ORIGINAL					2.02	2.48	313	130	0.73	4.50	2.11	0.49	52.0	19.9	229	5.42
DUP					2.12	2.55	314	130	0.77	4.70	2.17	0.53	53.4	20.1	234	5.57
Target Range - Lower Bound					1.96	2.38	298	110	0.66	4.36	2.02	0.46	50.1	18.9	219	5.17
Upper Bound					2.18	2.65	329	150	0.84	4.84	2.26	0.56	55.3	21.1	244	5.82
ORIGINAL		0.014	<0.005	0.002												
DUP		0.014	<0.005	0.003												
Target Range - Lower Bound		0.012	<0.005	<0.001												
Upper Bound		0.016	0.010	0.004												
ORIGINAL		0.165	<0.005	0.031												
DUP		0.149	<0.005	0.030												
Target Range - Lower Bound		0.148	<0.005	0.028												
Upper Bound		0.166	0.010	0.033												
ORIGINAL		0.039	<0.005	<0.001												
DUP		0.039	<0.005	0.001												
Target Range - Lower Bound		0.036	<0.005	<0.001												
Upper Bound		0.042	0.010	0.002												
ORIGINAL		0.001	<0.005	<0.001												
DUP		0.002	<0.005	<0.001												
Target Range - Lower Bound		<0.001	<0.005	<0.001												
Upper Bound		0.002	0.010	0.002												

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 26-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14175044

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
BLANKS																
BLANK		0.3	<0.01	<0.05	0.08	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	0.09	<0.01	<0.1	0.2
Target Range - Lower Bound		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
Upper Bound		0.4	0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		830	3.42	5.57	0.17	1.1	0.209	2.05	33.6	5.7	0.30	147	56.6	0.05	4.2	172.5
DUP		853	3.54	5.79	0.18	1.1	0.219	2.11	34.2	6.6	0.31	152	59.0	0.05	4.3	178.0
Target Range - Lower Bound		812	3.30	5.35	0.12	0.9	0.198	1.97	31.7	5.6	0.28	137	54.9	0.04	3.9	166.5
Upper Bound		871	3.66	6.01	0.23	1.3	0.230	2.19	36.1	6.7	0.33	162	60.7	0.06	4.6	184.0
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 26-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14175044

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
BLANKS																
BLANK		<10	<0.5	0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Target Range - Lower Bound		<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Upper Bound		20	1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010	0.04
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		4990	92.1	93.9	0.052	3.67	39.9	6.2	6	5.2	47.0	0.33	0.29	5.8	0.117	0.79
DUP		5110	102.5	95.9	0.056	3.79	40.9	6.4	6	5.3	48.4	0.33	0.34	6.0	0.119	0.77
Target Range - Lower Bound		4790	91.9	90.1	0.049	3.53	37.3	5.9	5	4.8	45.1	0.26	0.25	5.4	0.107	0.70
Upper Bound		5310	102.5	99.7	0.059	3.93	43.5	6.7	7	5.7	50.3	0.40	0.38	6.4	0.129	0.86
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 26-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14175044

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
		BLANKS					
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5
Target Range - Lower Bound		<0.1	<1	<0.1	<0.1	<2	<0.5
Upper Bound		0.2	2	0.2	0.2	4	1.0
BLANK							
BLANK							
Target Range - Lower Bound							
Upper Bound							
		DUPLICATES					
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							
ORIGINAL		9.6	332	34.9	34.1	54	57.4
DUP		9.5	341	36.0	35.1	56	58.3
Target Range - Lower Bound		9.0	319	32.7	32.8	50	54.5
Upper Bound		10.1	354	38.2	36.4	60	61.2
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 26-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14175044

Sample Description	Method / Analyte / Units / LOR	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
DUPLICATES																
ORIGINAL		0.001	<0.005	<0.001												
DUP		0.001	<0.005	<0.001												
Target Range - Lower Bound		<0.001	<0.005	<0.001												
Upper Bound		0.002	0.010	0.002												

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 26-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14175044

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
		DUPLICATES														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 26-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14175044

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
		DUPLICATES														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 26-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14175044

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
		DUPLICATES					
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 26-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14175044

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

ME-MS61	PGM-ICP23