ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 21-APR-2015
Account: RLH

CERTIFICATE SD15050582

Project: 674

P.O. No.: 287177

This report is for 46 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 9-APR-2015.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 21-APR-2015
Account: RLH

Project: 674

CERTIFICATE OF ANALYSIS SD15050582

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
R232108		1.59	<0.001	<0.005	0.005	0.06	8.56	0.6	590	1.67	0.03	2.13	0.03	56.4	8.6	32
R232109		1.54	<0.001	0.011	0.006	0.07	8.30	0.3	690	1.47	0.08	1.67	<0.02	50.6	11.9	29
R232110		2.91	0.001	<0.005	<0.001	0.05	8.37	0.4	480	1.69	0.04	2.64	0.02	50.7	8.8	34
R232111		1.77	<0.001	<0.005	<0.001	0.04	8.53	0.3	430	1.37	0.03	2.04	0.02	33.6	5.7	29
R232112		2.59	<0.001	<0.005	<0.001	0.03	7.02	<0.2	800	1.30	0.04	0.79	<0.02	36.1	5.2	22
R232113		0.67	<0.001	<0.005	<0.001	0.04	7.16	1.0	490	1.83	0.07	0.34	<0.02	19.00	5.3	11
R232114		2.15	<0.001	<0.005	<0.001	0.03	6.68	0.3	440	1.17	0.04	1.21	0.02	29.8	5.2	23
R232115		1.52	<0.001	<0.005	0.004	0.05	7.29	<0.2	490	1.59	0.05	3.65	0.06	56.5	26.8	87
R232116		1.41	<0.001	<0.005	0.001	0.07	7.29	0.4	660	1.57	0.05	4.12	0.06	76.7	26.0	84
R232117		1.38	<0.001	<0.005	<0.001	0.03	6.82	0.5	860	1.32	0.04	2.68	0.04	30.0	12.5	47
R232118		1.98	<0.001	<0.005	<0.001	0.05	6.99	0.2	620	1.10	0.03	2.44	0.05	61.2	27.0	168
R232119		2.18	0.001	<0.005	<0.001	0.09	6.93	<0.2	520	1.02	0.03	2.38	0.04	38.4	27.3	60
R232120		2.31	<0.001	<0.005	<0.001	0.03	6.71	<0.2	510	1.19	0.02	2.41	0.04	51.0	15.7	85
R232121		2.34	<0.001	<0.005	0.001	0.05	7.42	0.5	750	0.93	0.03	1.82	0.04	56.3	28.7	173
R232122		0.97	<0.001	<0.005	<0.001	0.02	5.87	0.4	630	1.57	0.03	3.25	0.05	84.8	26.5	233
R232123		0.78	<0.001	<0.005	<0.001	0.02	6.43	<0.2	720	1.23	0.03	2.31	0.06	181.5	23.2	75
R232124		0.96	<0.001	<0.005	<0.001	0.01	6.76	<0.2	860	1.09	0.02	2.93	0.11	90.0	18.9	167
R232125		0.78	<0.001	<0.005	0.001	0.04	7.28	<0.2	660	1.40	0.04	3.29	0.03	77.5	23.0	64
R232126		0.73	<0.001	<0.005	<0.001	0.08	6.83	<0.2	130	0.90	0.23	3.67	0.02	93.3	92.7	74
R232127		0.87	<0.001	<0.005	0.001	0.05	7.36	<0.2	750	1.33	0.04	4.52	0.08	110.0	31.7	56
R232128		0.71	<0.001	<0.005	0.002	0.05	7.56	0.4	600	1.23	0.03	4.66	0.03	110.5	32.2	60
R232129		0.79	<0.001	<0.005	<0.001	0.03	3.29	0.5	160	0.64	0.02	1.82	0.03	24.4	21.9	298
R232130		0.75	<0.001	<0.005	<0.001	0.02	7.67	0.7	650	1.90	0.02	4.17	0.06	56.6	26.8	144
R232131		0.03	0.117	0.319	5.27	0.18	5.31	0.8	40	0.12	0.14	4.76	0.09	2.16	82.7	248
R232132		0.30	<0.001	<0.005	<0.001	0.01	0.30	0.2	10	0.08	0.06	0.03	<0.02	7.11	0.5	36
R232133		2.04	<0.001	<0.005	<0.001	0.02	6.00	0.3	2160	5.29	0.03	0.58	0.04	25.1	3.2	17
R232134		2.28	<0.001	<0.005	<0.001	0.02	5.97	0.8	1490	2.58	0.02	0.48	<0.02	32.3	1.1	22
R232135		3.29	<0.001	<0.005	<0.001	0.04	6.62	0.2	3000	1.56	0.02	0.67	0.04	57.7	5.1	18
R232136		1.39	<0.001	<0.005	0.001	0.04	8.26	<0.2	2100	2.02	0.03	3.90	0.04	248	20.2	27
R232137		1.32	<0.001	<0.005	<0.001	0.03	7.80	<0.2	1780	1.91	0.02	2.84	0.03	248	22.5	26
R232138		2.38	<0.001	<0.005	<0.001	0.02	7.77	<0.2	1710	1.91	0.02	3.41	0.04	211	20.6	28
R232139		2.42	<0.001	<0.005	<0.001	0.03	8.10	<0.2	1570	2.12	0.02	3.87	0.02	204	22.2	32
R232140		2.33	<0.001	<0.005	<0.001	0.03	7.71	<0.2	1720	1.82	0.03	4.14	0.03	300	25.7	40
R232141		1.99	<0.001	<0.005	0.002	0.03	7.42	<0.2	1210	1.89	0.03	4.18	0.03	337	40.8	52
R232142		2.13	<0.001	<0.005	0.001	0.02	7.93	0.5	1750	2.09	0.02	4.38	0.04	258	26.3	30
R232143		3.38	<0.001	<0.005	<0.001	0.02	7.64	0.5	1690	1.75	0.03	3.63	<0.02	236	29.4	36
R232144		2.30	<0.001	<0.005	<0.001	0.02	7.60	<0.2	1760	1.84	0.02	3.74	0.02	238	24.6	26
R232145		2.62	<0.001	<0.005	0.001	<0.01	7.97	0.5	1280	1.85	0.03	4.90	0.02	284	35.4	39
R232146		2.15	<0.001	<0.005	<0.001	0.01	7.99	<0.2	1160	1.77	0.02	3.62	<0.02	189.5	19.5	49
R232147		2.32	<0.001	<0.005	0.001	0.02	7.52	<0.2	610	1.69	0.03	3.31	<0.02	109.0	17.1	55

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 21-APR-2015
Account: RLH

Project: 674

CERTIFICATE OF ANALYSIS SD15050582

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
R232108		0.33	143.0	2.33	23.1	0.18	0.8	0.018	1.70	28.1	26.0	0.94	266	1.07	3.58	3.4
R232109		0.32	188.5	2.23	19.80	0.19	1.0	0.021	1.91	26.1	26.8	0.99	264	0.98	3.61	3.0
R232110		0.25	73.7	2.17	22.1	0.18	1.7	0.020	1.37	25.5	21.0	0.94	256	1.37	3.71	3.3
R232111		0.21	17.4	1.87	20.8	0.13	1.0	0.009	1.38	20.3	19.2	0.65	164	2.16	3.79	2.6
R232112		0.63	20.6	1.60	16.85	0.17	0.7	0.012	2.58	18.0	27.5	0.68	165	0.82	3.36	2.5
R232113		0.63	38.7	1.67	14.05	0.22	0.8	0.023	2.14	8.2	49.6	0.84	202	0.58	3.89	1.7
R232114		0.32	18.2	1.74	16.55	0.25	1.2	0.011	1.60	15.9	17.7	0.59	184	1.08	3.27	3.3
R232115		0.48	45.0	4.85	20.6	0.20	2.0	0.065	1.35	21.6	25.7	2.36	628	2.28	3.07	6.1
R232116		0.59	64.5	5.72	20.5	0.18	2.2	0.070	1.67	32.6	22.0	2.36	741	1.44	2.82	6.0
R232117		0.26	34.3	3.13	17.55	0.28	1.3	0.031	1.78	13.1	13.2	1.08	403	1.17	2.83	3.3
R232118		0.95	49.5	4.90	21.8	0.19	1.5	0.044	2.03	24.7	37.4	2.74	735	4.75	2.56	6.7
R232119		1.08	109.5	5.91	20.0	0.15	2.4	0.052	1.63	18.0	23.1	1.59	605	2.10	2.60	3.1
R232120		0.75	29.0	5.17	20.6	0.18	2.9	0.037	1.47	22.9	21.2	1.52	584	1.65	2.62	5.7
R232121		1.32	45.8	5.04	21.2	0.23	2.6	0.044	2.69	24.9	25.7	2.09	625	1.59	3.03	5.7
R232122		0.48	9.0	6.84	18.30	0.21	3.3	0.092	1.02	35.3	53.6	5.09	998	0.67	1.56	5.9
R232123		0.41	19.8	4.38	19.75	0.38	1.9	0.041	1.57	67.2	34.7	2.22	556	1.46	2.60	6.1
R232124		0.36	10.7	4.99	19.85	0.27	0.9	0.060	1.25	36.6	35.0	3.18	1030	0.57	2.59	3.8
R232125		0.55	41.8	5.24	20.5	0.21	2.0	0.051	1.65	33.7	27.7	2.13	635	0.86	2.63	6.1
R232126		0.30	48.9	10.45	25.0	0.15	0.7	0.092	1.36	41.6	47.3	4.56	1160	1.61	1.53	6.2
R232127		0.48	60.0	6.45	20.8	0.21	2.0	0.060	1.24	47.7	15.3	2.20	902	1.23	2.70	9.6
R232128		0.88	64.2	6.66	21.7	0.22	3.1	0.063	1.52	49.6	15.9	2.22	846	1.22	2.62	8.8
R232129		0.22	24.4	11.35	20.3	<0.05	11.5	0.037	0.41	13.0	10.6	1.02	585	2.00	0.95	10.3
R232130		0.47	15.6	5.09	21.0	0.17	1.4	0.057	1.40	23.1	21.5	2.96	885	0.82	2.60	7.0
R232131		0.97	470	7.94	9.11	<0.05	0.2	0.024	0.19	0.9	21.5	9.35	1410	0.55	0.55	0.2
R232132		<0.05	4.3	0.20	0.80	0.05	0.8	0.006	0.09	3.4	0.5	0.02	21	1.70	0.07	0.1
R232133		0.27	6.9	0.91	20.5	0.23	0.8	0.010	4.89	13.8	4.3	0.20	95	10.80	2.29	5.5
R232134		0.17	7.4	0.91	18.20	0.26	4.5	0.005	5.16	16.3	3.8	0.15	90	2.06	2.01	17.2
R232135		0.24	8.8	1.09	17.85	0.34	3.0	0.010	5.78	31.7	4.1	0.20	103	1.37	2.26	6.1
R232136		0.95	44.2	6.24	26.2	0.45	2.7	0.057	2.65	108.0	18.1	1.68	806	1.37	3.16	17.4
R232137		0.58	16.7	4.67	25.0	0.42	2.9	0.042	2.26	117.5	14.4	1.16	466	1.07	3.52	10.5
R232138		0.71	17.2	5.40	24.9	0.40	2.8	0.044	2.36	92.0	17.7	1.49	579	1.23	3.35	13.5
R232139		0.93	22.9	6.45	27.3	0.41	2.8	0.052	2.33	83.7	19.7	1.66	736	1.00	3.50	13.7
R232140		0.93	28.0	7.41	26.5	0.43	3.4	0.079	2.35	135.0	18.7	1.96	837	1.24	2.87	16.9
R232141		1.17	35.2	9.28	27.1	0.39	3.3	0.088	2.19	154.5	27.9	2.43	881	1.08	2.52	19.1
R232142		1.07	26.2	7.22	26.8	0.30	3.1	0.070	2.42	111.0	22.8	2.16	904	1.21	3.01	17.8
R232143		0.96	28.1	6.14	25.0	0.29	3.4	0.055	2.48	106.0	19.8	1.84	723	1.20	2.90	15.3
R232144		0.76	12.6	5.60	24.2	0.29	2.7	0.057	2.47	105.5	21.7	1.72	668	1.05	2.99	15.4
R232145		1.18	22.4	7.17	25.1	0.31	3.3	0.074	2.25	130.5	23.8	2.45	850	0.97	2.74	15.0
R232146		0.95	34.4	5.13	23.8	0.27	2.7	0.050	2.43	83.3	20.0	1.61	520	1.94	2.86	13.1
R232147		0.67	44.9	3.91	22.5	0.18	3.2	0.047	1.59	48.2	15.7	1.37	446	1.44	3.53	7.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 21-APR-2015
Account: RLH

Project: 674

CERTIFICATE OF ANALYSIS SD15050582

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
R232108		34.1	930	7.8	26.1	<0.002	0.02	0.06	3.9	1	0.8	771	0.13	<0.05	1.2	0.200
R232109		51.6	820	5.9	33.4	<0.002	0.04	0.05	4.4	<1	0.7	573	0.12	<0.05	1.7	0.184
R232110		237	730	9.5	18.2	<0.002	0.06	<0.05	4.6	1	0.7	872	0.15	<0.05	1.3	0.193
R232111		18.8	400	13.0	20.9	<0.002	0.03	<0.05	2.1	1	0.8	768	0.09	<0.05	0.2	0.177
R232112		26.8	700	3.5	51.2	<0.002	0.02	<0.05	1.8	<1	0.8	331	0.08	<0.05	0.8	0.162
R232113		42.8	190	1.4	48.2	<0.002	0.01	0.05	1.4	<1	0.5	160.5	0.06	<0.05	<0.2	0.121
R232114		9.2	220	6.4	30.1	<0.002	0.02	<0.05	1.9	<1	0.7	524	0.11	<0.05	<0.2	0.223
R232115		47.8	750	8.3	22.2	0.003	0.13	<0.05	19.4	1	1.3	633	0.27	<0.05	1.0	0.393
R232116		45.6	1110	7.6	28.2	<0.002	0.13	<0.05	21.0	2	1.3	643	0.31	<0.05	2.9	0.511
R232117		18.9	530	9.9	30.8	<0.002	0.08	<0.05	8.9	1	0.8	684	0.15	<0.05	0.6	0.289
R232118		69.2	1670	6.7	62.3	0.002	0.36	<0.05	13.1	1	1.2	568	0.29	0.06	1.5	0.548
R232119		57.6	710	7.6	57.2	0.002	0.90	<0.05	10.8	1	0.8	569	0.18	0.14	1.8	0.254
R232120		41.0	630	7.7	44.6	0.002	0.22	<0.05	10.9	1	0.7	540	0.35	<0.05	5.6	0.285
R232121		104.5	670	7.5	85.4	0.002	0.37	<0.05	18.6	1	0.8	399	0.26	0.07	4.7	0.378
R232122		83.7	1670	3.0	36.3	<0.002	0.05	<0.05	37.1	1	1.7	318	0.25	<0.05	1.8	0.443
R232123		29.8	5140	5.5	32.9	<0.002	0.23	<0.05	11.1	1	0.9	363	0.30	<0.05	9.2	0.231
R232124		42.0	2030	5.8	22.0	<0.002	0.04	<0.05	13.6	1	1.0	509	0.18	<0.05	1.8	0.244
R232125		45.6	1290	5.7	29.2	<0.002	0.13	<0.05	16.5	1	1.0	515	0.31	<0.05	3.6	0.509
R232126		83.9	1270	2.6	6.5	0.003	2.15	<0.05	25.9	3	1.3	233	0.28	0.41	0.6	0.700
R232127		41.3	2460	8.1	32.7	<0.002	0.21	<0.05	20.6	1	1.3	592	0.46	<0.05	4.0	0.757
R232128		46.8	1750	7.4	57.8	0.002	0.14	<0.05	22.9	1	1.4	511	0.39	<0.05	4.2	0.672
R232129		71.5	90	3.2	17.4	<0.002	0.05	<0.05	7.3	<1	3.2	234	0.39	<0.05	4.4	0.969
R232130		109.0	580	6.0	24.0	<0.002	0.02	<0.05	13.7	1	1.1	380	0.36	<0.05	1.5	0.291
R232131		746	20	3.6	8.3	<0.002	0.18	0.46	40.4	1	<0.2	84.5	<0.05	0.35	<0.2	0.103
R232132		4.4	80	0.9	2.5	<0.002	<0.01	0.07	0.3	<1	<0.2	3.3	<0.05	<0.05	1.1	0.006
R232133		3.5	110	10.3	86.6	<0.002	0.05	<0.05	5.6	<1	0.9	237	0.28	<0.05	19.0	0.092
R232134		2.9	50	10.3	109.0	<0.002	0.01	<0.05	5.3	<1	1.0	216	1.08	<0.05	45.4	0.090
R232135		4.8	210	14.5	125.5	<0.002	0.09	<0.05	1.9	<1	0.6	278	0.41	<0.05	34.5	0.102
R232136		20.1	3440	12.5	85.0	<0.002	0.16	<0.05	17.2	2	2.3	914	0.63	<0.05	10.4	0.892
R232137		15.1	2250	13.8	67.2	<0.002	0.27	<0.05	8.7	1	1.7	759	0.37	<0.05	31.7	0.617
R232138		20.6	2900	10.8	69.6	<0.002	0.14	<0.05	10.9	1	2.1	791	0.49	<0.05	12.2	0.717
R232139		23.1	3320	11.5	73.5	<0.002	0.17	<0.05	11.2	1	2.1	885	0.46	<0.05	7.0	0.789
R232140		26.3	3510	7.2	88.5	0.002	0.19	<0.05	18.9	2	2.8	834	0.68	0.05	20.2	0.894
R232141		34.9	4000	7.3	104.5	<0.002	0.39	<0.05	19.8	2	3.5	815	0.69	0.05	22.8	1.070
R232142		32.4	3730	7.6	87.4	0.002	0.20	0.05	18.4	2	2.8	889	0.69	<0.05	15.4	0.923
R232143		26.9	3100	8.4	94.4	<0.002	0.24	<0.05	14.6	2	2.2	779	0.61	0.05	20.9	0.819
R232144		23.4	3080	7.5	75.8	<0.002	0.18	<0.05	13.9	2	2.7	774	0.57	<0.05	20.0	0.778
R232145		41.2	3800	8.6	105.0	<0.002	0.29	0.05	19.2	2	2.3	912	0.54	<0.05	19.6	0.888
R232146		26.1	2850	6.0	96.0	<0.002	0.17	0.05	13.7	2	2.0	748	0.50	<0.05	13.0	0.653
R232147		31.2	1300	5.6	64.6	0.002	0.20	<0.05	12.5	1	1.3	705	0.33	0.06	9.2	0.459

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 21-APR-2015
Account: RLH

Project: 674

CERTIFICATE OF ANALYSIS SD15050582

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
R232108		0.16	0.2	39	0.1	7.8	48	31.8
R232109		0.19	0.3	39	0.2	7.5	39	37.7
R232110		0.13	0.2	43	0.1	6.5	38	60.6
R232111		0.10	0.1	37	0.1	2.9	31	36.1
R232112		0.22	0.3	31	0.1	5.1	19	26.2
R232113		0.25	0.3	39	0.2	3.5	20	29.4
R232114		0.15	0.1	45	0.1	2.8	28	45.9
R232115		0.16	0.3	120	0.1	18.8	72	73.3
R232116		0.21	0.4	160	0.2	24.4	80	79.2
R232117		0.15	0.2	79	0.1	9.9	41	48.4
R232118		0.55	0.3	101	0.3	13.0	127	57.5
R232119		0.45	0.5	71	0.2	8.9	95	88.7
R232120		0.35	0.9	84	0.4	8.9	89	107.5
R232121		0.66	0.6	125	0.3	10.5	117	93.7
R232122		0.18	0.6	117	0.2	24.6	124	135.0
R232123		0.23	1.2	59	0.2	35.8	74	57.0
R232124		0.17	0.3	57	0.1	18.6	110	37.0
R232125		0.26	0.4	136	0.4	17.6	76	79.8
R232126		0.06	0.2	229	0.8	29.0	138	15.0
R232127		0.23	0.4	167	0.2	23.0	84	74.5
R232128		0.48	0.5	174	0.2	24.3	95	135.5
R232129		0.10	0.6	351	0.3	4.1	63	>500
R232130		0.29	0.2	67	0.1	18.7	106	47.9
R232131		0.09	<0.1	148	1.1	2.8	100	5.6
R232132		0.06	0.3	2	<0.1	0.9	2	30.3
R232133		0.28	2.5	14	0.3	6.1	13	25.4
R232134		0.29	8.0	9	0.3	13.6	11	122.5
R232135		0.42	3.4	15	0.1	7.3	12	84.5
R232136		0.51	0.6	131	0.2	30.6	66	126.5
R232137		0.39	0.8	94	0.2	19.5	48	122.5
R232138		0.44	0.6	115	0.2	23.0	59	120.0
R232139		0.52	0.5	133	0.2	25.5	69	118.5
R232140		0.52	0.8	164	0.2	32.3	73	155.5
R232141		0.59	0.8	216	0.2	36.3	83	154.5
R232142		0.58	0.6	165	0.2	31.1	79	144.5
R232143		0.58	0.7	142	0.2	25.7	69	155.0
R232144		0.52	0.6	125	0.2	25.1	61	126.0
R232145		0.66	0.8	177	0.2	31.8	103	155.5
R232146		0.58	0.7	115	0.2	25.3	54	120.0
R232147		0.46	0.6	100	0.2	15.8	44	132.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 21-APR-2015
Account: RLH

Project: 674

CERTIFICATE OF ANALYSIS SD15050582

Sample Description	Method	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
R232148		2.86	<0.001	<0.005	<0.001	0.02	7.26	<0.2	650	1.66	0.03	2.97	0.02	123.0	15.0	55
R232149		3.53	<0.001	<0.005	<0.001	0.01	8.12	0.3	1500	1.77	0.02	2.92	0.02	165.0	16.4	32
R232150		2.75	<0.001	<0.005	<0.001	0.07	7.18	0.3	1390	1.82	0.02	2.32	0.02	75.2	7.7	54
R232151		2.46	<0.001	<0.005	0.001	0.02	7.65	0.3	1690	1.75	0.02	2.73	0.02	124.0	18.0	38
R232152		0.03	0.135	0.303	5.21	0.19	5.08	0.8	40	0.10	0.17	4.71	0.08	2.59	86.7	284
R232153		0.25	<0.001	<0.005	0.001	0.01	0.40	<0.2	10	0.09	0.05	0.02	0.02	8.69	0.5	37

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 21-APR-2015
Account: RLH

Project: 674

CERTIFICATE OF ANALYSIS SD15050582

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
R232148		0.56	28.8	3.38	21.9	0.18	2.8	0.058	1.42	56.8	18.6	1.42	424	1.04	3.54	7.3
R232149		0.78	26.3	4.81	24.9	0.24	3.5	0.047	2.70	69.2	17.5	1.33	499	1.19	3.23	11.3
R232150		0.40	6.2	2.68	20.7	0.16	1.9	0.033	2.32	33.7	13.4	0.97	353	1.24	3.03	6.0
R232151		0.55	20.0	3.92	22.5	0.23	2.8	0.033	2.77	50.6	14.9	1.12	454	1.42	3.01	10.1
R232152		0.81	493	8.02	9.77	0.07	0.2	0.027	0.19	1.2	22.9	9.25	1460	0.65	0.55	0.3
R232153		<0.05	2.5	0.23	0.91	0.10	1.0	<0.005	0.13	4.4	0.5	0.01	24	2.61	0.04	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 21-APR-2015
Account: RLH

Project: 674

CERTIFICATE OF ANALYSIS SD15050582

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
R232148		30.8	1140	4.9	51.3	<0.002	0.18	<0.05	12.0	1	1.2	625	0.29	<0.05	12.4	0.407
R232149		17.5	2350	6.8	83.9	0.002	0.14	<0.05	11.4	1	2.2	624	0.40	0.05	8.1	0.552
R232150		16.4	540	7.9	58.1	<0.002	0.03	<0.05	9.3	1	1.4	528	0.24	<0.05	8.1	0.270
R232151		15.1	1850	7.4	69.6	<0.002	0.16	<0.05	10.4	1	1.8	577	0.37	<0.05	8.5	0.473
R232152		769	30	4.8	8.1	<0.002	0.19	0.52	49.7	1	<0.2	86.9	<0.05	0.42	<0.2	0.105
R232153		2.3	30	1.0	3.5	<0.002	0.01	0.09	0.3	<1	<0.2	5.3	<0.05	<0.05	1.3	0.008

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 21-APR-2015
Account: RLH

Project: 674

CERTIFICATE OF ANALYSIS SD15050582

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
R232148		0.37	0.7	85	0.2	15.2	43	115.5
R232149		0.46	0.7	97	0.2	22.6	48	151.5
R232150		0.30	0.5	50	0.1	12.4	36	68.2
R232151		0.41	0.6	76	0.2	18.5	39	117.5
R232152		0.10	<0.1	155	2.1	3.0	94	6.3
R232153		0.09	0.3	1	<0.1	0.7	<2	40.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 21-APR-2015
Account: RLH

Project: 674

CERTIFICATE OF ANALYSIS SD15050582

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23