ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 6-MAY-2015
Account: RLH

QC CERTIFICATE SD15062509

Project: 674
P.O. No.: 287198
This report is for 11 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 29-APR-2015.
The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 6-MAY-2015
Account: RLH

Project: 674

QC CERTIFICATE OF ANALYSIS SD15062509

Sample Description	Method / Analyte / Units / LOR	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
STANDARDS																
BP-13		0.352	<0.005	0.001												
Target Range - Lower Bound		0.336	<0.005	<0.001												
Upper Bound		0.380	0.010	0.002												
GLG307-4		0.051	0.054	0.047												
Target Range - Lower Bound		0.048	0.043	0.043												
Upper Bound		0.056	0.064	0.051												
OGGeo08					20.6	6.69	121.5	960	3.11	10.75	2.21	19.65	67.2	97.1	83	11.40
Target Range - Lower Bound					18.15	6.07	106.0	700	2.59	9.44	1.98	16.70	64.8	87.2	78	9.85
Upper Bound					22.2	7.44	130.0	980	3.27	11.55	2.44	20.5	79.2	107.0	98	12.15
OREAS 90					0.05	8.05	5.3	470	2.97	0.90	0.53	<0.02	94.8	16.6	94	7.61
Target Range - Lower Bound					0.03	6.91	4.4	380	2.38	0.77	0.44	<0.02	83.7	14.2	81	6.45
Upper Bound					0.07	8.47	5.8	540	3.02	0.97	0.56	0.08	102.5	17.6	101	7.99
OxJ111		2.14	<0.005	0.001												
Target Range - Lower Bound		2.04	<0.005	<0.001												
Upper Bound		2.30	0.010	0.002												
PK2		4.79	4.72	5.90												
Target Range - Lower Bound		4.50	4.46	5.56												
Upper Bound		5.07	5.04	6.27												
BLANKS																
BLANK					<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05
Target Range - Lower Bound					<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05
Upper Bound					0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10
BLANK		<0.001	<0.005	<0.001												
Target Range - Lower Bound		<0.001	<0.005	<0.001												
Upper Bound		0.002	0.010	0.002												

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 6-MAY-2015
Account: RLH

Project: 674

QC CERTIFICATE OF ANALYSIS SD15062509

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
STANDARDS																
BP-13																
Target Range - Lower Bound																
Upper Bound																
GLG307-4																
Target Range - Lower Bound																
Upper Bound																
OGGeo08		8070	5.45	17.90	0.22	3.1	1.505	2.94	32.5	33.0	1.26	491	892	1.85	17.5	8830
Target Range - Lower Bound		7800	4.81	16.05	0.25	2.5	1.320	2.59	31.0	29.7	1.11	447	841	1.62	15.4	8000
Upper Bound		8980	5.91	19.75	0.49	3.3	1.620	3.19	39.0	36.7	1.38	557	1030	2.00	19.0	9770
OREAS 90		109.5	4.52	22.7	0.21	3.9	0.142	3.26	47.0	29.2	1.76	648	0.44	0.51	16.5	89.3
Target Range - Lower Bound		104.0	3.83	19.40	0.08	3.3	0.112	2.65	40.0	25.2	1.48	565	0.33	0.44	14.4	77.2
Upper Bound		120.0	4.71	23.8	0.30	4.3	0.148	3.27	50.0	31.2	1.83	701	0.57	0.56	17.8	94.8
OxJ111																
Target Range - Lower Bound																
Upper Bound																
PK2																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		0.3	<0.01	<0.05	0.06	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
Target Range - Lower Bound		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
Upper Bound		0.4	0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4
BLANK																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 6-MAY-2015
Account: RLH

Project: 674

QC CERTIFICATE OF ANALYSIS SD15062509

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
STANDARDS																
BP-13																
Target Range - Lower Bound																
Upper Bound																
GLG307-4																
Target Range - Lower Bound																
Upper Bound																
OGGeo08		860	7220	179.0	1.465	2.79	26.7	10.0	10	14.3	246	1.35	0.16	18.1	0.392	1.89
Target Range - Lower Bound		760	6520	164.5	1.285	2.51	22.8	9.2	8	12.5	224	1.19	0.09	16.7	0.353	1.43
Upper Bound		950	7970	201	1.575	3.09	31.0	11.4	14	15.7	274	1.57	0.31	20.9	0.443	1.98
OREAS 90		690	6.4	203	<0.002	0.07	0.91	14.7	1	7.8	36.2	1.33	0.05	18.9	0.412	1.10
Target Range - Lower Bound		590	5.3	172.5	<0.002	0.05	0.67	12.5	<1	6.8	30.1	1.14	<0.05	16.1	0.357	0.80
Upper Bound		740	7.9	211	0.006	0.10	1.05	15.5	3	8.8	37.2	1.50	0.16	20.1	0.447	1.14
OxJ111																
Target Range - Lower Bound																
Upper Bound																
PK2																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<10	1.0	<0.1	<0.002	<0.01	0.08	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Target Range - Lower Bound		<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Upper Bound		20	1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010	0.04
BLANK																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 6-MAY-2015
Account: RLH

Project: 674

QC CERTIFICATE OF ANALYSIS SD15062509

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
STANDARDS							
BP-13							
Target Range - Lower Bound							
Upper Bound							
GLG307-4							
Target Range - Lower Bound							
Upper Bound							
OGGeo08		4.9	85	4.7	23.5	6930	93.2
Target Range - Lower Bound		4.5	77	3.9	21.1	6500	78.6
Upper Bound		5.8	97	5.4	26.0	7950	107.5
OREAS 90		3.5	95	2.9	31.8	64	126.0
Target Range - Lower Bound		2.8	84	2.3	26.8	54	110.5
Upper Bound		3.6	104	3.4	33.0	70	150.5
OxJ111							
Target Range - Lower Bound							
Upper Bound							
PK2							
Target Range - Lower Bound							
Upper Bound							
BLANKS							
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5
Target Range - Lower Bound		<0.1	<1	<0.1	<0.1	<2	<0.5
Upper Bound		0.2	2	0.2	0.2	4	1.0
BLANK							
Target Range - Lower Bound							
Upper Bound							

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 6-MAY-2015
Account: RLH

Project: 674

QC CERTIFICATE OF ANALYSIS SD15062509

Sample Description	Method / Analyte / Units / LOR	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
DUPLICATES																
ORIGINAL					0.01	0.47	0.4	10	0.11	0.02	<0.01	<0.02	13.15	0.5	9	0.22
DUP					0.01	0.46	0.7	10	0.10	0.02	0.04	<0.02	13.30	0.4	9	0.22
Target Range - Lower Bound					<0.01	0.43	0.3	<10	<0.05	<0.01	<0.01	<0.02	12.55	0.3	8	0.16
Upper Bound					0.02	0.50	0.8	20	0.16	0.03	0.04	0.04	13.90	0.6	10	0.28
ORIGINAL		0.065	0.174	0.266												
DUP		0.074	0.177	0.259												
Target Range - Lower Bound		0.065	0.162	0.248												
Upper Bound		0.074	0.189	0.277												
ORIGINAL		0.046	0.168	0.263												
DUP		0.045	0.173	0.268												
Target Range - Lower Bound		0.042	0.157	0.251												
Upper Bound		0.049	0.184	0.280												
ORIGINAL		0.261	0.598	1.655												
DUP		0.276	0.778	1.620												
Target Range - Lower Bound		0.254	0.649	1.555												
Upper Bound		0.283	0.727	1.720												

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 6-MAY-2015
Account: RLH

Project: 674

QC CERTIFICATE OF ANALYSIS SD15062509

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
DUPLICATES																
ORIGINAL		2.1	0.59	1.28	0.11	0.3	<0.005	0.21	6.3	1.6	0.01	44	0.23	0.01	0.8	1.0
DUP		2.3	0.58	1.29	0.11	0.3	<0.005	0.20	6.4	1.7	0.01	43	0.25	0.01	0.9	1.0
Target Range - Lower Bound		1.9	0.55	1.17	<0.05	0.2	<0.005	0.18	5.5	1.4	<0.01	36	0.18	<0.01	0.7	0.8
Upper Bound		2.5	0.62	1.40	0.17	0.4	0.010	0.23	7.2	1.9	0.02	51	0.30	0.02	1.0	1.3
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 6-MAY-2015
Account: RLH

Project: 674

QC CERTIFICATE OF ANALYSIS SD15062509

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
		DUPLICATES														
ORIGINAL		30	0.9	4.3	<0.002	<0.01	0.19	0.8	<1	<0.2	8.5	0.05	<0.05	2.4	0.035	0.03
DUP		30	0.7	4.3	<0.002	<0.01	0.19	0.9	<1	<0.2	8.6	0.05	<0.05	2.5	0.033	0.04
Target Range - Lower Bound		20	<0.5	4.0	<0.002	<0.01	0.13	0.7	<1	<0.2	7.9	<0.05	<0.05	2.1	0.027	<0.02
Upper Bound		40	1.0	4.6	0.004	0.02	0.25	1.0	2	0.4	9.2	0.10	0.10	2.8	0.041	0.04
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 6-MAY-2015
Account: RLH

Project: 674

QC CERTIFICATE OF ANALYSIS SD15062509

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
		DUPLICATES					
ORIGINAL		0.4	4	0.1	1.2	<2	6.1
DUP		0.5	4	0.1	1.2	<2	5.7
Target Range - Lower Bound		0.3	3	<0.1	1.0	<2	5.1
Upper Bound		0.6	5	0.2	1.4	4	6.7
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 6-MAY-2015
Account: RLH

Project: 674

QC CERTIFICATE OF ANALYSIS SD15062509

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23