ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 2-JUN-2015
This copy reported on
3-JUN-2015
Account: RLH

CERTIFICATE SD15074553

Project: 642

P.O. No.: 287287

This report is for 80 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 22-MAY-2015.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 2-JUN-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15074553

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
R232239		1.35	<0.001	<0.005	0.001	0.04	7.80	0.4	1400	1.25	0.06	2.10	0.03	75.3	7.8	25
R232240		2.17	<0.001	<0.005	<0.001	0.04	7.54	0.3	1470	1.17	0.03	1.92	0.03	37.6	5.7	18
R232241		3.45	0.001	0.036	0.019	0.08	8.15	0.2	1310	1.28	0.07	2.40	0.04	42.7	6.8	22
R232242		3.35	<0.001	<0.005	<0.001	0.12	7.80	<0.2	1350	1.10	0.12	2.07	0.05	46.9	11.1	19
R232243		3.60	<0.001	<0.005	0.001	0.08	7.81	<0.2	710	1.39	0.13	2.09	0.03	41.5	6.0	23
R232244		3.44	<0.001	<0.005	<0.001	0.04	7.90	0.5	760	1.43	0.10	1.96	0.03	38.8	5.9	17
R232245		3.43	<0.001	<0.005	0.001	0.09	7.96	<0.2	1130	1.33	0.16	1.94	0.05	48.2	5.6	21
R232246		3.65	0.016	0.196	0.248	0.26	7.68	<0.2	1350	1.26	0.52	2.67	0.05	63.6	10.6	66
R232247		1.81	0.002	0.158	0.159	0.12	7.83	<0.2	520	1.10	0.24	2.17	0.05	81.6	9.7	26
R232248		2.45	0.001	0.079	0.115	0.16	7.95	0.2	470	1.29	0.29	1.70	0.04	38.7	45.8	24
R232249		3.14	<0.001	<0.005	0.001	0.05	7.99	<0.2	570	1.06	0.18	2.22	0.04	43.8	18.3	31
R232250		3.90	<0.001	0.025	0.040	0.04	7.85	<0.2	440	1.24	0.14	3.97	0.04	71.9	21.6	110
R232251		3.88	<0.001	0.013	0.011	0.07	7.76	<0.2	530	1.34	0.17	4.25	0.03	79.2	26.2	129
R232252		1.48	0.017	0.534	0.740	1.23	7.96	<0.2	980	0.98	0.70	2.13	0.04	41.0	8.1	25
R232253		3.37	<0.001	<0.005	0.001	0.15	8.07	0.3	830	1.37	0.06	2.02	0.02	54.7	3.8	24
R232254		3.49	<0.001	<0.005	<0.001	0.04	8.31	<0.2	2190	1.30	0.03	2.14	<0.02	63.6	7.0	25
R232255		3.48	<0.001	<0.005	0.001	0.03	8.08	0.4	2000	1.25	0.06	1.84	<0.02	60.5	7.3	24
R232256		3.54	<0.001	<0.005	<0.001	0.03	7.87	0.6	1090	1.30	0.09	1.77	<0.02	38.1	15.7	31
R232257		3.82	<0.001	<0.005	<0.001	0.03	7.91	<0.2	1490	1.33	0.03	2.04	<0.02	30.7	5.2	23
R232258		0.04	0.127	0.313	5.10	0.19	5.56	1.2	40	0.10	0.16	4.97	0.10	2.44	87.0	274
R232259		0.28	<0.001	<0.005	0.002	0.01	0.46	0.3	10	0.10	0.07	0.01	<0.02	10.10	0.5	24
R232260		3.58	<0.001	<0.005	<0.001	0.05	7.99	<0.2	750	1.34	0.10	1.67	<0.02	33.6	5.7	25
R232261		3.69	<0.001	<0.005	0.001	0.02	7.99	<0.2	1840	1.15	0.07	2.28	<0.02	53.0	10.3	47
R232262		3.43	<0.001	<0.005	0.001	0.02	8.29	0.4	1510	1.42	0.05	1.93	0.02	32.1	7.8	25
R232263		3.20	0.001	<0.005	0.002	0.03	7.74	<0.2	1680	1.51	0.08	3.11	<0.02	115.0	16.8	112
R232264		2.75	<0.001	0.020	0.020	0.05	8.11	<0.2	700	2.28	0.18	3.99	<0.02	131.5	25.1	114
R232265		2.31	<0.001	<0.005	0.003	0.15	7.69	0.5	720	2.07	0.13	4.92	0.02	205	18.3	122
R232266		2.54	0.003	0.192	0.210	0.45	7.71	0.5	1210	1.86	0.28	3.67	0.03	125.0	17.9	104
R232267		1.28	0.021	0.490	0.758	2.96	8.22	<0.2	1130	1.23	0.48	3.14	<0.02	81.3	27.5	48
R232268		1.41	0.005	0.074	0.131	0.67	8.25	<0.2	1100	1.50	0.14	2.96	0.02	62.7	16.8	55
R232269		3.37	0.001	<0.005	0.001	0.19	7.89	0.3	1110	1.50	0.07	3.07	0.02	62.7	12.5	99
R232270		3.62	<0.001	<0.005	<0.001	0.08	8.02	<0.2	1180	1.44	0.07	2.62	0.02	45.1	11.9	45
R232271		3.41	<0.001	<0.005	0.002	0.03	8.02	<0.2	1350	1.31	0.06	2.66	0.03	50.4	13.6	67
R232272		3.60	<0.001	<0.005	<0.001	0.03	7.60	0.4	850	1.56	0.08	3.94	0.03	70.1	21.1	166
R232273		3.68	<0.001	<0.005	<0.001	0.05	8.01	<0.2	1150	1.34	0.08	2.68	0.02	65.1	12.9	42
R232274		3.63	<0.001	<0.005	<0.001	0.05	7.92	<0.2	1240	1.28	0.05	2.06	0.02	37.3	8.0	20
R232275		3.44	<0.001	<0.005	0.001	0.08	7.57	<0.2	1690	1.17	0.05	1.82	0.03	30.2	7.3	26
R232276		3.46	0.002	<0.005	<0.001	0.22	8.18	<0.2	780	1.39	0.08	2.62	0.02	38.5	11.5	24
R232277		3.48	0.004	0.040	0.039	0.21	7.81	<0.2	670	1.31	0.32	3.49	0.04	39.7	17.8	48
R232278		0.05	0.134	0.315	5.02	0.20	5.54	1.4	40	0.11	0.13	4.95	0.07	2.40	85.1	277

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 2-JUN-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15074553

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
R232239		0.28	12.6	2.22	20.1	0.13	1.7	0.027	1.92	40.2	11.8	1.01	349	0.60	3.40	2.4
R232240		0.26	12.1	1.53	19.05	0.10	1.7	0.012	1.92	20.7	11.5	0.68	225	0.19	3.43	1.6
R232241		0.21	73.0	1.90	20.4	0.14	1.0	0.011	1.80	21.8	10.5	0.78	256	0.23	3.67	1.6
R232242		0.23	20.4	1.93	19.90	0.11	1.5	0.024	1.62	25.0	8.0	0.67	249	0.26	3.86	1.7
R232243		0.29	16.8	1.83	20.0	0.10	1.0	0.028	1.19	22.3	10.3	0.79	266	0.15	4.23	1.7
R232244		0.34	18.9	1.66	20.8	0.08	1.0	0.030	1.39	20.9	8.2	0.72	254	0.09	4.09	1.2
R232245		0.28	15.1	1.71	20.5	0.13	1.0	0.043	1.47	26.4	9.2	0.71	250	0.13	4.12	1.5
R232246		0.21	323	2.84	20.8	0.13	1.4	0.043	1.25	32.3	12.9	1.29	429	0.12	3.31	2.3
R232247		0.41	21.3	2.41	21.2	0.09	1.7	0.031	1.00	45.6	9.9	0.81	276	0.18	4.25	2.4
R232248		0.45	64.0	2.29	20.2	0.07	1.0	0.048	1.10	21.0	11.5	0.88	244	0.22	4.51	1.3
R232249		0.40	12.6	2.30	20.0	0.05	1.1	0.026	0.97	23.7	10.8	0.79	264	0.17	4.54	2.0
R232250		0.44	36.4	4.38	20.7	0.09	2.2	0.042	0.74	31.4	26.9	2.77	656	0.18	3.12	3.3
R232251		0.91	60.9	4.66	20.3	0.09	2.1	0.043	1.07	35.2	27.4	3.11	675	0.22	2.96	3.6
R232252		0.44	1480	1.97	20.7	0.09	1.3	0.043	1.47	22.9	11.2	0.82	223	0.27	4.10	1.8
R232253		0.34	43.6	1.90	21.1	0.08	1.2	0.010	1.30	29.8	12.7	0.90	227	0.20	4.21	2.0
R232254		0.33	14.1	2.33	21.8	0.10	1.2	0.009	2.11	35.3	11.7	0.88	229	0.19	3.65	2.3
R232255		0.31	7.9	1.99	21.6	0.10	1.5	0.014	2.11	34.5	10.0	0.76	210	0.17	3.85	1.7
R232256		0.40	5.9	1.98	19.35	0.07	1.3	0.022	1.54	20.6	10.5	0.81	212	0.16	4.07	1.5
R232257		0.23	6.7	1.68	20.1	0.10	1.6	0.012	1.94	15.7	9.0	0.75	220	0.15	3.68	1.5
R232258		0.98	497	8.48	9.98	<0.05	0.2	0.028	0.20	1.1	23.0	9.86	1510	0.59	0.60	0.2
R232259		<0.05	2.7	0.28	1.15	<0.05	0.8	<0.005	0.17	5.1	0.4	0.02	29	0.22	0.03	0.3
R232260		0.59	13.1	2.04	19.95	0.05	1.7	0.022	1.46	17.7	9.0	0.87	228	0.12	4.32	1.7
R232261		0.37	11.5	2.83	21.7	0.11	1.4	0.023	1.79	28.0	11.3	1.13	331	0.20	3.78	3.0
R232262		0.32	17.0	1.92	20.7	0.07	1.6	0.015	1.93	15.7	9.2	0.86	246	0.14	4.18	1.8
R232263		0.27	29.4	4.30	22.1	0.13	4.3	0.041	1.66	52.3	19.6	2.18	512	0.27	3.21	5.4
R232264		0.89	103.5	3.68	20.7	0.15	5.7	0.055	1.08	60.2	30.4	2.34	508	0.16	3.60	6.6
R232265		0.26	104.0	4.51	19.70	0.18	8.9	0.051	0.90	100.5	23.9	2.88	707	0.31	2.50	9.2
R232266		0.40	464	3.29	21.0	0.19	5.6	0.058	1.72	57.1	25.5	2.10	507	0.34	3.38	6.2
R232267		0.37	4760	3.60	21.9	0.11	1.9	0.135	1.64	45.3	19.1	1.31	377	0.21	3.68	2.4
R232268		0.44	600	2.91	22.0	0.12	1.8	0.036	1.80	29.8	23.4	1.47	398	0.24	3.68	3.0
R232269		0.20	109.0	3.47	21.3	0.08	1.8	0.037	1.41	31.2	12.7	1.66	479	0.20	3.42	3.0
R232270		0.25	20.7	2.70	20.7	0.09	1.4	0.026	1.40	22.7	13.4	1.27	371	0.17	3.64	2.9
R232271		0.24	9.6	2.98	21.1	0.10	1.7	0.028	1.57	24.9	15.7	1.49	426	0.19	3.52	3.7
R232272		0.40	14.3	5.30	21.1	0.10	1.9	0.075	1.25	31.8	16.1	2.85	797	0.22	2.81	5.0
R232273		0.32	14.1	3.27	21.5	0.09	1.3	0.020	1.70	30.8	16.9	1.31	354	0.24	3.39	4.1
R232274		0.32	10.1	2.06	19.50	0.06	0.9	0.012	1.86	20.0	12.3	0.67	208	0.19	3.74	1.5
R232275		0.27	17.8	1.72	18.35	0.13	0.9	0.006	2.22	16.7	9.5	0.53	185	0.36	3.48	1.7
R232276		0.30	85.5	3.12	21.2	0.15	1.6	0.025	1.37	18.2	11.7	1.07	348	0.23	3.96	2.9
R232277		0.46	89.5	4.45	21.6	0.13	1.3	0.035	1.28	17.9	13.6	1.75	584	0.32	3.12	4.1
R232278		1.00	481	8.37	9.69	<0.05	0.2	0.028	0.20	1.1	24.1	9.72	1480	0.59	0.59	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 2-JUN-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15074553

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
R232239		21.3	880	9.8	32.0	<0.002	0.14	0.12	6.4	<1	0.9	760	0.10	<0.05	3.5	0.196
R232240		14.3	640	7.8	29.3	<0.002	0.07	0.09	3.0	<1	0.5	760	0.07	<0.05	0.4	0.133
R232241		21.3	840	10.0	23.8	<0.002	0.07	0.10	3.6	<1	0.4	875	0.07	0.05	0.5	0.137
R232242		18.7	860	8.0	28.5	<0.002	0.32	0.09	2.9	<1	0.7	736	0.07	<0.05	0.9	0.156
R232243		19.5	680	5.3	26.0	<0.002	0.41	0.10	3.5	<1	0.5	670	0.07	<0.05	0.5	0.137
R232244		14.7	610	3.7	39.6	<0.002	0.29	0.09	5.0	<1	0.4	582	0.05	<0.05	0.2	0.123
R232245		17.0	700	5.9	33.9	<0.002	0.48	0.09	3.5	<1	0.5	669	0.05	0.05	0.9	0.138
R232246		145.5	1040	13.5	19.2	<0.002	0.38	0.10	10.9	1	4.3	831	0.09	0.59	4.4	0.221
R232247		115.0	900	6.7	30.9	<0.002	0.81	0.10	6.2	1	2.1	656	0.08	0.49	11.1	0.243
R232248		63.5	630	4.7	32.9	<0.002	0.99	0.09	6.8	1	0.6	580	<0.05	0.52	0.6	0.152
R232249		22.9	650	5.5	25.4	<0.002	0.72	0.08	4.8	1	0.6	691	0.06	<0.05	1.2	0.198
R232250		84.3	1580	8.2	15.5	<0.002	0.14	0.10	12.2	1	1.0	903	0.15	0.06	2.2	0.353
R232251		95.1	1750	9.0	26.8	<0.002	0.03	0.09	13.4	1	1.5	900	0.16	<0.05	2.4	0.374
R232252		322	670	17.2	31.8	<0.002	0.19	0.11	2.2	3	4.6	736	0.06	1.79	1.5	0.182
R232253		21.7	630	6.0	30.4	<0.002	0.02	0.10	4.2	<1	0.6	713	0.08	<0.05	5.7	0.157
R232254		19.3	900	6.6	40.4	<0.002	0.04	0.09	4.6	<1	0.6	820	0.09	<0.05	5.3	0.212
R232255		19.5	650	5.5	41.5	<0.002	0.25	0.09	2.9	<1	0.5	768	<0.05	<0.05	5.3	0.180
R232256		21.6	520	3.7	38.3	<0.002	0.65	0.08	4.5	1	0.4	653	<0.05	<0.05	0.2	0.143
R232257		19.5	580	5.0	37.4	<0.002	0.05	0.09	4.3	<1	0.5	786	<0.05	<0.05	<0.2	0.148
R232258		794	20	5.2	8.6	<0.002	0.19	0.53	45.4	2	<0.2	85.1	<0.05	0.42	<0.2	0.109
R232259		3.6	20	0.9	5.3	<0.002	<0.01	0.14	0.4	<1	<0.2	4.8	<0.05	<0.05	1.6	0.009
R232260		20.2	690	2.2	40.3	<0.002	0.52	0.09	2.9	<1	0.6	488	0.05	0.06	0.4	0.167
R232261		24.5	960	3.2	42.0	<0.002	0.28	0.10	5.0	<1	0.8	608	0.11	<0.05	1.0	0.257
R232262		19.6	760	3.1	44.7	<0.002	0.19	0.08	3.4	<1	0.6	589	0.05	<0.05	0.2	0.189
R232263		52.1	2480	4.5	25.8	<0.002	0.10	0.10	12.5	1	1.4	641	0.25	<0.05	7.0	0.391
R232264		56.7	2630	4.9	23.9	<0.002	0.39	0.11	12.8	1	1.7	690	0.30	<0.05	8.4	0.376
R232265		60.6	3340	9.4	16.6	<0.002	0.04	0.11	15.3	1	2.1	1070	0.45	<0.05	16.5	0.431
R232266		121.0	2440	7.2	31.4	<0.002	0.13	0.12	10.5	1	1.8	752	0.28	0.26	8.8	0.329
R232267		492	1180	8.5	35.2	<0.002	0.80	0.11	4.4	4	2.2	929	0.10	0.71	9.2	0.304
R232268		137.5	1420	8.0	35.1	<0.002	0.19	0.10	5.8	1	0.8	789	0.12	0.11	1.3	0.213
R232269		37.7	990	7.2	20.1	<0.002	0.06	0.09	11.7	<1	0.8	800	0.13	<0.05	3.2	0.260
R232270		22.7	880	6.5	24.6	<0.002	0.10	0.10	6.6	<1	0.7	788	0.13	<0.05	0.4	0.247
R232271		38.0	1010	6.1	26.5	<0.002	0.07	0.09	7.6	1	0.9	794	0.15	<0.05	0.6	0.321
R232272		70.4	1190	6.6	18.7	<0.002	0.06	0.09	23.3	1	1.4	811	0.22	<0.05	3.2	0.460
R232273		30.9	1730	6.7	28.1	<0.002	0.11	0.08	5.6	1	1.0	787	0.17	<0.05	0.8	0.334
R232274		10.7	760	6.5	33.6	<0.002	0.09	0.08	2.2	<1	0.5	737	0.05	<0.05	0.3	0.178
R232275		7.9	560	8.1	36.3	<0.002	0.09	0.08	1.7	1	0.5	739	0.06	<0.05	0.8	0.160
R232276		18.4	1130	11.0	25.2	<0.002	0.07	0.09	5.4	1	1.1	797	0.12	<0.05	0.4	0.269
R232277		29.0	1050	10.8	19.5	<0.002	0.11	0.06	10.4	1	1.1	885	0.17	0.23	0.5	0.363
R232278		773	20	5.0	8.4	<0.002	0.19	0.42	46.5	1	<0.2	84.4	<0.05	0.34	<0.2	0.108

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 2-JUN-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15074553

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
R232239		0.22	0.3	46	0.1	7.3	76	66.3
R232240		0.19	0.2	30	3.1	3.5	46	73.5
R232241		0.16	0.1	37	0.2	4.4	60	38.6
R232242		0.20	0.2	39	0.2	4.4	59	55.3
R232243		0.17	0.1	30	0.1	3.8	76	37.6
R232244		0.20	0.1	32	0.1	3.5	70	35.6
R232245		0.18	0.1	32	0.1	3.9	71	39.5
R232246		0.14	0.2	60	0.1	8.5	121	58.3
R232247		0.19	0.2	56	0.1	5.8	64	71.8
R232248		0.18	0.1	37	0.1	4.5	66	35.8
R232249		0.15	0.1	47	0.1	4.1	57	42.9
R232250		0.15	0.4	101	0.2	11.6	130	86.5
R232251		0.34	0.6	112	0.1	13.1	122	80.2
R232252		0.19	0.2	35	0.1	2.9	37	49.8
R232253		0.18	0.4	34	0.1	4.3	38	46.1
R232254		0.23	0.2	54	0.1	4.8	45	49.0
R232255		0.25	0.2	41	0.1	2.9	38	57.3
R232256		0.19	0.1	31	0.1	4.1	37	48.4
R232257		0.21	0.1	31	0.1	4.0	40	48.5
R232258		0.11	<0.1	163	5.7	3.0	101	5.8
R232259		0.13	0.4	2	0.1	1.0	2	27.2
R232260		0.18	0.2	38	0.1	3.5	37	62.4
R232261		0.23	0.2	73	0.1	5.9	50	50.1
R232262		0.22	0.2	40	0.1	4.1	34	55.8
R232263		0.18	1.1	113	0.1	12.8	69	171.0
R232264		0.12	1.6	106	0.2	14.5	63	229
R232265		0.10	4.9	115	0.4	21.1	86	349
R232266		0.26	2.2	78	0.3	12.7	62	212
R232267		0.24	0.2	91	0.1	6.3	48	77.4
R232268		0.24	0.2	50	0.1	8.0	51	71.2
R232269		0.15	0.2	74	0.1	9.3	62	67.1
R232270		0.18	0.1	62	<0.1	6.7	53	53.7
R232271		0.18	0.2	67	<0.1	7.4	63	64.8
R232272		0.22	0.3	122	0.1	14.9	109	69.0
R232273		0.18	0.1	78	0.1	7.6	58	44.2
R232274		0.17	0.1	44	<0.1	2.7	29	35.7
R232275		0.20	0.1	40	<0.1	2.3	27	40.8
R232276		0.20	0.2	78	<0.1	5.9	54	69.4
R232277		0.23	0.1	109	<0.1	7.8	84	51.8
R232278		0.09	<0.1	161	0.8	2.9	97	6.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 2-JUN-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15074553

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
R232279		0.25	0.001	<0.005	0.001	0.01	0.56	0.4	10	0.08	0.06	0.01	<0.02	8.18	0.5	16
R232280		3.38	0.001	<0.005	<0.001	0.06	7.78	<0.2	960	1.28	0.06	2.21	0.05	41.9	7.4	21
R232281		3.39	0.003	<0.005	<0.001	0.16	8.17	<0.2	1720	1.30	0.12	2.48	0.02	65.0	12.3	22
R232282		3.37	0.002	<0.005	<0.001	0.14	6.98	<0.2	3020	0.75	0.06	1.41	0.03	40.4	12.6	13
R232283		3.33	0.001	<0.005	0.001	0.11	8.33	<0.2	1200	1.37	0.05	3.06	<0.02	74.4	13.3	23
R232284		3.27	0.001	<0.005	<0.001	0.06	7.46	<0.2	2300	1.02	0.04	2.21	0.02	60.9	10.9	18
R232285		3.39	0.001	<0.005	<0.001	0.06	8.12	0.5	860	1.70	0.07	2.65	<0.02	62.2	24.0	85
R232286		3.40	0.001	<0.005	0.001	0.05	8.02	<0.2	1430	1.33	0.05	2.46	0.02	97.8	13.7	52
R232287		3.42	0.001	<0.005	<0.001	0.20	7.98	0.2	1590	1.17	0.03	2.29	0.02	70.6	8.9	23
R232288		3.58	0.001	<0.005	<0.001	0.05	7.81	<0.2	900	1.41	0.02	2.32	0.02	38.7	10.6	28
R232289		3.45	0.001	<0.005	<0.001	0.06	8.09	<0.2	850	1.43	0.02	2.10	<0.02	32.1	8.6	26
R232290		2.79	<0.001	<0.005	0.001	0.04	7.60	<0.2	510	1.49	0.02	2.18	0.02	36.2	8.3	35
R232291		3.53	0.001	<0.005	<0.001	0.05	8.01	0.3	340	1.76	0.06	4.08	0.02	55.8	23.3	101
R232292		3.17	0.002	<0.005	0.001	0.06	7.44	0.2	230	1.21	0.06	5.00	0.03	58.1	13.0	73
R232293		3.48	0.002	<0.005	0.001	0.07	7.69	<0.2	800	1.42	0.05	2.13	0.02	33.2	7.8	42
R232294		3.48	0.003	0.031	0.033	0.09	7.22	0.2	650	1.38	0.13	3.60	<0.02	56.6	22.4	317
R232295		3.58	0.002	0.095	0.094	0.05	7.56	0.3	1000	1.22	0.08	2.49	0.02	47.5	12.9	46
R232296		3.92	0.001	<0.005	<0.001	0.03	7.88	<0.2	610	1.36	0.05	1.80	<0.02	30.4	6.0	27
R232297		3.29	0.001	<0.005	0.001	0.03	7.91	0.4	930	1.54	0.05	2.84	<0.02	85.8	15.2	28
R232298		0.04	0.125	0.323	4.87	0.21	5.41	0.9	40	0.10	0.15	4.86	0.06	2.79	85.4	273
R232299		0.25	0.001	<0.005	0.001	0.01	0.31	<0.2	10	0.06	0.05	0.02	<0.02	8.68	0.4	20
R232300		3.73	0.001	<0.005	<0.001	0.03	7.79	0.2	970	1.48	0.06	3.76	<0.02	142.5	23.4	8
R232351		3.14	0.001	<0.005	<0.001	0.08	8.24	0.4	1320	1.39	0.06	3.68	0.02	153.0	20.1	7
R232352		3.09	0.001	<0.005	<0.001	0.05	6.58	<0.2	1250	1.23	0.04	4.31	0.02	98.7	39.3	514
R232353		3.83	0.001	<0.005	<0.001	0.05	7.66	<0.2	1100	1.42	0.03	3.05	<0.02	77.0	19.7	71
R232354		3.52	0.001	<0.005	<0.001	0.07	7.80	<0.2	590	1.76	0.03	4.27	0.03	65.8	28.1	75
R232357		3.51	0.001	<0.005	<0.001	0.06	8.06	<0.2	420	1.43	0.04	4.73	<0.02	61.7	24.0	22
R232358		3.42	0.001	<0.005	<0.001	0.08	7.48	0.4	1330	1.26	0.02	2.31	0.02	35.7	14.5	35
R232359		3.33	0.002	<0.005	<0.001	0.06	8.01	<0.2	1160	1.50	0.05	2.66	0.03	50.7	17.3	32
R232360		1.38	0.004	0.017	0.028	0.13	8.10	0.2	690	1.39	0.28	4.12	0.06	37.8	20.4	31
R232361		1.11	0.040	0.431	0.590	1.16	7.14	<0.2	820	1.35	0.56	3.29	0.08	36.3	24.4	11
R232362		2.43	0.001	<0.005	0.001	0.05	7.68	<0.2	2090	1.15	0.02	1.54	0.03	32.9	6.1	11
R232363		3.24	0.001	<0.005	0.001	0.04	8.23	<0.2	1090	1.56	0.02	3.10	0.03	57.0	15.0	37
R232364		3.02	0.001	<0.005	<0.001	0.05	8.01	<0.2	1700	1.26	0.02	2.01	0.02	55.8	8.5	12
R232365		3.46	0.001	<0.005	<0.001	0.05	7.89	<0.2	1100	1.37	0.02	1.93	<0.02	69.5	9.8	18
R232366		2.01	<0.001	<0.005	<0.001	0.05	8.85	<0.2	1690	1.90	0.01	2.77	0.04	55.8	11.7	13
R232367		1.28	0.001	<0.005	<0.001	0.05	8.01	<0.2	550	1.35	0.02	6.66	0.05	90.0	26.0	60
R232368		2.62	0.001	<0.005	0.001	0.07	8.02	<0.2	1080	1.92	0.01	4.46	0.05	94.2	28.7	91
R232369		0.04	0.141	0.313	5.02	0.20	5.56	0.7	40	0.12	0.14	4.88	0.08	2.46	83.2	254
R232370		0.21	0.001	<0.005	0.001	0.03	0.44	<0.2	10	0.08	0.04	0.03	<0.02	6.94	0.5	16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 2-JUN-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15074553

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
R232279		<0.05	2.2	0.32	1.18	<0.05	0.8	<0.005	0.19	4.3	0.4	0.02	34	0.32	0.08	0.2
R232280		0.29	26.4	2.18	19.65	0.17	1.0	0.011	1.59	21.5	12.3	0.71	229	0.38	3.73	2.7
R232281		0.23	94.2	3.47	22.3	0.18	2.2	0.017	2.13	29.0	12.0	1.10	362	0.29	3.52	3.9
R232282		0.22	69.4	1.77	15.65	0.17	2.1	0.008	3.47	22.2	6.7	0.43	174	0.38	2.56	1.9
R232283		0.33	21.9	4.09	22.1	0.20	1.4	0.018	1.75	32.7	15.9	1.35	402	0.35	3.45	6.0
R232284		0.25	40.6	2.41	18.60	0.19	1.9	0.012	2.77	29.3	10.3	0.78	275	0.24	3.03	3.5
R232285		0.54	18.6	4.37	22.4	0.16	1.9	0.036	1.83	27.8	33.3	2.30	527	0.17	3.16	4.4
R232286		0.33	19.8	3.39	21.4	0.17	2.5	0.025	2.13	48.7	15.0	1.33	371	0.24	3.33	4.2
R232287		0.26	18.4	2.47	19.60	0.17	2.5	0.011	2.44	36.2	11.7	0.86	278	0.21	3.39	3.4
R232288		0.31	28.6	2.29	21.2	0.14	1.9	0.011	1.48	19.8	15.9	1.04	307	0.23	3.72	3.1
R232289		0.38	34.6	1.79	19.65	0.16	1.3	0.011	1.59	17.3	17.9	0.89	243	0.18	3.83	1.9
R232290		0.36	36.1	2.35	19.65	0.15	1.3	0.017	1.17	19.3	18.2	0.96	284	0.18	3.68	2.5
R232291		0.33	50.8	5.08	20.7	0.16	1.8	0.072	0.75	22.7	26.4	2.77	771	0.16	3.15	4.2
R232292		0.15	66.5	3.94	19.70	0.14	1.3	0.059	0.55	26.3	15.1	1.35	527	0.44	3.10	3.8
R232293		0.28	29.1	1.92	18.70	0.15	1.0	0.016	1.39	18.5	13.2	0.87	273	0.24	3.59	2.0
R232294		0.59	77.1	5.46	20.2	0.14	2.6	0.047	1.23	25.0	23.4	3.27	783	0.21	2.70	3.4
R232295		0.33	51.6	3.05	19.65	0.16	2.7	0.022	1.41	23.7	12.9	1.22	369	0.18	3.56	3.4
R232296		0.41	11.5	2.01	18.00	0.10	1.1	0.013	1.20	16.6	9.8	0.84	255	0.16	4.33	1.9
R232297		0.45	19.6	4.02	20.4	0.19	2.5	0.030	1.31	39.4	13.5	1.41	425	0.23	3.79	5.0
R232298		0.97	482	8.22	9.85	0.06	0.2	0.027	0.19	1.3	23.6	9.62	1490	0.58	0.58	0.2
R232299		<0.05	1.6	0.25	0.73	<0.05	0.5	<0.005	0.09	4.3	0.3	0.01	26	0.22	0.06	0.1
R232300		0.47	34.3	5.92	24.1	0.22	1.7	0.030	1.49	57.9	24.1	2.00	511	0.40	3.19	5.3
R232351		0.38	49.3	5.46	24.8	0.21	2.0	0.037	1.66	66.4	19.0	1.59	446	0.29	3.50	5.5
R232352		1.98	18.1	6.15	18.60	0.19	2.7	0.063	2.56	46.6	21.8	5.07	979	0.68	1.75	6.8
R232353		0.19	50.5	3.77	21.1	0.19	2.8	0.031	1.72	36.0	16.6	1.78	445	0.27	3.42	3.8
R232354		0.28	60.9	5.30	22.6	0.14	1.0	0.068	1.14	26.7	12.8	2.64	733	0.31	3.23	4.8
R232357		0.25	82.1	4.93	22.9	0.16	2.5	0.041	0.93	26.2	12.0	1.99	532	1.00	3.46	3.8
R232358		0.27	52.6	2.61	17.30	0.18	1.7	0.027	2.17	17.8	10.8	1.36	312	0.25	3.25	2.5
R232359		0.25	78.1	3.22	19.95	0.21	1.6	0.029	1.92	24.5	14.0	1.74	395	0.32	3.37	3.3
R232360		0.25	98.4	4.42	20.4	0.16	1.1	0.043	1.15	17.7	14.6	2.59	623	0.25	3.29	3.2
R232361		0.35	1235	4.27	18.85	0.16	1.3	0.056	1.42	16.9	13.9	2.46	568	0.20	2.94	3.5
R232362		0.21	21.5	1.26	18.20	0.17	2.1	0.005	3.20	17.8	8.2	0.61	165	0.19	3.49	1.1
R232363		0.31	20.0	3.68	20.7	0.19	1.6	0.035	1.86	27.9	13.8	1.79	430	0.68	3.33	4.1
R232364		0.21	13.2	2.26	19.00	0.25	2.0	0.006	2.70	29.8	9.3	0.74	206	0.35	3.37	3.3
R232365		0.40	14.4	2.88	19.90	0.22	1.7	0.014	2.27	37.0	18.4	1.01	219	0.23	3.50	3.0
R232366		0.16	22.3	3.03	22.4	0.21	1.4	0.015	2.21	26.9	9.6	1.03	372	0.31	4.10	3.3
R232367		0.10	62.3	5.87	23.9	0.17	1.7	0.057	0.93	40.5	9.4	1.73	730	0.35	1.78	5.1
R232368		0.36	71.4	6.59	22.7	0.20	1.6	0.085	1.64	36.9	12.5	2.84	895	0.25	2.85	5.8
R232369		0.97	455	8.10	9.47	0.08	0.2	0.024	0.20	1.1	23.9	9.65	1440	0.55	0.56	0.2
R232370		<0.05	2.1	0.40	0.94	0.07	0.5	<0.005	0.13	3.4	0.4	0.03	44	0.26	0.07	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 2-JUN-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15074553

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
R232279		2.6	10	0.8	5.4	<0.002	0.01	0.11	0.3	<1	<0.2	5.2	<0.05	<0.05	1.3	0.007
R232280		8.3	1080	6.4	25.9	<0.002	0.08	0.07	2.5	<1	0.6	769	0.11	<0.05	0.4	0.224
R232281		20.4	2180	8.5	29.3	<0.002	0.18	0.08	3.2	1	1.0	807	0.15	<0.05	1.7	0.333
R232282		6.1	850	8.5	50.1	0.002	0.22	0.06	1.5	<1	0.5	593	0.07	<0.05	3.1	0.159
R232283		14.0	2610	6.7	24.5	<0.002	0.11	0.07	4.8	1	1.4	865	0.21	<0.05	1.2	0.482
R232284		10.0	1510	7.6	39.7	<0.002	0.10	0.09	2.7	<1	0.8	636	0.14	<0.05	1.2	0.247
R232285		46.6	1670	4.2	33.8	<0.002	0.15	0.08	11.5	1	1.2	687	0.18	<0.05	0.3	0.360
R232286		17.7	1560	6.7	33.4	<0.002	0.18	0.08	5.4	1	1.0	725	0.17	<0.05	3.2	0.321
R232287		13.5	1290	6.7	34.8	<0.002	0.06	0.07	2.9	1	0.9	712	0.13	<0.05	1.9	0.260
R232288		18.5	790	6.3	24.4	<0.002	0.03	0.06	4.1	1	0.7	735	0.11	<0.05	1.1	0.251
R232289		17.4	600	4.6	29.9	<0.002	0.04	0.07	2.2	<1	0.5	696	0.06	<0.05	0.2	0.214
R232290		15.2	510	4.7	24.4	<0.002	0.01	0.07	4.4	<1	0.8	628	0.10	<0.05	0.4	0.199
R232291		32.1	1370	6.0	10.6	<0.002	0.04	0.07	17.8	1	1.6	723	0.21	<0.05	1.1	0.380
R232292		22.4	880	7.2	8.6	<0.002	0.05	0.08	14.1	1	1.6	1120	0.16	<0.05	0.5	0.286
R232293		18.2	460	6.9	25.4	<0.002	0.02	0.08	3.4	1	0.7	686	0.08	<0.05	0.2	0.171
R232294		100.5	1180	8.3	25.1	<0.002	0.04	0.07	13.7	1	2.0	616	0.17	0.11	2.1	0.322
R232295		32.9	980	5.4	25.6	<0.002	0.09	0.07	5.7	<1	1.6	596	0.14	0.27	1.0	0.295
R232296		15.6	490	3.2	31.5	<0.002	0.23	0.07	3.2	<1	0.6	504	0.07	<0.05	<0.2	0.180
R232297		18.3	1850	4.5	25.8	<0.002	0.08	0.06	7.4	1	1.1	675	0.19	<0.05	3.2	0.387
R232298		765	20	5.2	8.5	<0.002	0.18	0.58	47.8	1	<0.2	84.3	<0.05	0.37	0.2	0.107
R232299		2.1	30	0.5	2.7	<0.002	<0.01	0.10	0.2	1	<0.2	4.4	<0.05	<0.05	1.0	0.005
R232300		13.0	4820	5.0	20.8	<0.002	0.18	0.06	11.0	1	1.5	864	0.23	<0.05	2.2	0.490
R232351		8.5	4420	5.6	25.6	<0.002	0.24	0.06	5.8	1	1.4	939	0.27	<0.05	3.3	0.488
R232352		153.5	1420	4.6	108.5	<0.002	0.10	0.06	20.7	1	1.7	518	0.45	<0.05	5.8	0.491
R232353		37.5	1450	6.0	27.0	<0.002	0.14	0.08	9.8	1	1.1	691	0.15	<0.05	3.3	0.334
R232354		49.4	1520	6.1	13.4	<0.002	0.15	0.06	23.7	1	1.5	732	0.20	<0.05	0.6	0.423
R232357		16.8	1570	7.3	12.0	<0.002	0.16	0.06	15.0	1	1.2	911	0.16	<0.05	0.8	0.411
R232358		13.1	690	6.3	37.9	<0.002	0.07	0.06	9.0	1	0.8	592	0.09	<0.05	0.6	0.224
R232359		18.0	1010	6.0	32.4	<0.002	0.08	0.06	9.9	1	0.9	601	0.12	<0.05	0.4	0.295
R232360		32.3	900	7.8	14.7	<0.002	0.06	0.05	17.0	1	1.2	835	0.13	<0.05	0.3	0.334
R232361		364	520	17.4	22.9	<0.002	0.24	0.05	18.0	4	2.9	662	0.14	0.64	<0.2	0.329
R232362		7.3	800	7.1	52.7	<0.002	0.03	0.06	1.3	<1	0.3	543	<0.05	<0.05	<0.2	0.131
R232363		22.2	980	8.3	34.5	0.002	0.06	0.07	11.8	1	1.1	774	0.16	<0.05	0.5	0.339
R232364		9.0	900	7.4	46.1	<0.002	0.08	0.06	2.5	1	0.8	687	0.13	<0.05	0.6	0.258
R232365		10.5	960	5.6	41.7	<0.002	0.04	0.06	2.9	1	0.9	625	0.12	<0.05	1.6	0.272
R232366		8.7	1250	7.0	31.0	<0.002	0.07	0.05	5.7	1	0.8	750	0.13	<0.05	1.2	0.308
R232367		22.5	2250	8.2	14.9	<0.002	0.22	0.06	15.8	1	1.6	1830	0.20	<0.05	1.2	0.517
R232368		26.4	1960	7.6	29.5	<0.002	0.16	0.06	27.2	2	2.1	725	0.25	<0.05	0.9	0.495
R232369		756	20	4.5	8.6	<0.002	0.18	0.85	40.7	2	<0.2	85.5	<0.05	0.62	<0.2	0.102
R232370		2.8	10	0.7	3.9	<0.002	<0.01	0.09	0.3	<1	<0.2	6.7	<0.05	<0.05	0.8	0.007

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 2-JUN-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15074553

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
R232279		0.17	0.3	2	0.1	0.6	<2	30.5
R232280		0.15	0.1	55	<0.1	4.3	34	40.3
R232281		0.19	0.3	77	0.2	7.7	55	88.4
R232282		0.27	0.3	32	0.1	3.3	22	82.7
R232283		0.18	0.2	108	0.1	9.8	59	58.7
R232284		0.27	0.2	55	0.1	6.7	37	81.1
R232285		0.31	0.2	96	0.1	9.8	76	75.2
R232286		0.25	0.4	82	0.1	8.7	53	106.0
R232287		0.22	0.3	61	0.1	5.9	34	104.0
R232288		0.16	0.2	54	0.1	4.6	41	77.6
R232289		0.17	0.1	39	0.1	2.6	31	53.7
R232290		0.15	0.1	54	0.1	4.2	33	51.8
R232291		0.11	0.3	130	0.1	18.4	83	64.9
R232292		0.06	0.1	91	<0.1	13.4	35	47.5
R232293		0.15	0.1	38	0.1	3.5	31	40.7
R232294		0.22	0.3	116	0.1	12.0	91	100.5
R232295		0.14	0.3	70	0.1	6.7	39	115.0
R232296		0.15	0.1	39	0.1	2.8	25	44.7
R232297		0.19	0.4	86	0.1	12.0	50	111.0
R232298		0.09	<0.1	159	0.9	2.9	94	6.5
R232299		0.06	0.3	1	<0.1	1.1	<2	18.6
R232300		0.21	0.3	157	0.1	20.8	63	70.3
R232351		0.19	0.3	136	0.1	14.7	56	84.7
R232352		0.63	0.9	151	0.1	18.4	113	105.5
R232353		0.21	0.3	104	0.1	9.8	46	112.0
R232354		0.16	0.2	144	<0.1	18.7	64	34.6
R232357		0.14	0.4	131	0.1	15.3	51	103.5
R232358		0.20	0.2	58	<0.1	6.8	32	68.4
R232359		0.19	0.2	74	0.1	8.3	46	67.6
R232360		0.16	0.1	102	<0.1	9.1	62	42.7
R232361		0.20	0.2	99	<0.1	9.3	59	48.1
R232362		0.23	0.2	25	<0.1	3.1	19	83.7
R232363		0.17	0.2	92	<0.1	9.9	52	62.2
R232364		0.20	0.2	51	<0.1	4.5	24	84.7
R232365		0.18	0.3	71	0.1	5.2	29	69.6
R232366		0.15	0.2	79	0.1	7.6	46	55.0
R232367		0.07	0.2	161	0.1	20.2	60	56.3
R232368		0.19	0.2	183	<0.1	28.1	102	50.9
R232369		0.09	<0.1	154	3.8	2.9	97	6.4
R232370		0.08	0.2	2	0.2	1.1	<2	20.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 2-JUN-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15074553

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

ME-MS61	PGM-ICP23