ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 22-DEC-2014
Account: RLH

CERTIFICATE SD14190353

Project: 263

P.O. No.: 967120

This report is for 39 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 9-DEC-2014.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 22-DEC-2014
Account: RLH

Project: 263

CERTIFICATE OF ANALYSIS SD14190353

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
R230280		1.59	<0.001	<0.005	0.001	0.03	7.92	1.2	1500	1.34	<0.01	1.48	<0.02	79.4	11.9	39
R230281		0.96	<0.001	<0.005	0.002	0.07	8.27	<0.2	590	1.49	0.04	3.52	<0.02	52.2	14.6	62
R230282		1.06	0.001	<0.005	0.009	0.03	7.64	0.2	590	1.52	0.03	5.19	<0.02	140.5	36.9	36
R230283		1.05	<0.001	<0.005	0.001	0.01	7.99	0.2	1210	1.33	<0.01	3.25	<0.02	121.0	18.7	55
R230284		1.70	<0.001	<0.005	0.001	0.01	8.03	<0.2	2010	1.42	<0.01	4.41	0.04	213	24.8	7
R230285		0.94	0.001	<0.005	<0.001	0.06	7.56	9.4	1840	1.18	0.24	4.07	0.14	173.5	27.2	6
R230286		1.10	<0.001	<0.005	0.001	0.03	6.90	0.3	820	1.31	<0.01	5.21	<0.02	157.5	28.1	76
R230287		1.01	0.019	<0.005	0.002	0.26	4.79	9.5	320	1.13	0.70	6.09	0.04	97.2	49.5	244
R230288		1.23	<0.001	<0.005	0.002	0.06	5.46	<0.2	590	1.77	<0.01	5.52	0.02	95.0	49.7	235
R230289		1.07	0.001	<0.005	<0.001	0.05	7.34	0.3	760	1.17	0.04	2.12	<0.02	30.3	6.1	18
R230290		0.91	<0.001	<0.005	0.001	0.02	7.20	<0.2	1130	1.21	<0.01	2.13	<0.02	31.6	6.2	28
R230291		1.56	<0.001	<0.005	0.001	0.01	7.53	<0.2	2400	1.05	<0.01	1.66	<0.02	37.3	9.6	68
R230292		2.24	<0.001	<0.005	<0.001	0.01	8.23	0.2	1970	1.62	<0.01	3.79	<0.02	154.0	20.5	21
R230293		0.85	0.007	<0.005	<0.001	0.02	7.40	<0.2	980	1.26	<0.01	2.51	<0.02	72.1	11.1	20
R230294		2.30	<0.001	<0.005	0.001	0.01	7.84	0.4	990	1.56	<0.01	2.77	<0.02	58.4	18.8	45
R230295		2.20	<0.001	<0.005	0.001	0.01	7.40	0.3	900	1.21	<0.01	2.24	<0.02	49.2	15.8	30
R230296		1.10	0.001	<0.005	0.001	0.02	6.81	0.7	110	1.31	0.03	2.33	<0.02	37.0	36.7	21
R230297		0.77	0.035	<0.005	<0.001	0.74	8.19	5.6	1240	1.06	0.83	1.30	<0.02	37.7	19.9	34
R230298		0.05	0.126	0.306	5.12	0.19	5.49	0.5	40	0.09	0.13	4.94	0.06	2.78	83.4	279
R230299		0.22	<0.001	<0.005	0.002	0.01	0.29	0.3	10	0.05	0.02	0.01	<0.02	7.48	0.6	36
R230300		1.17	0.001	<0.005	0.001	0.04	7.80	<0.2	1120	1.16	0.04	2.08	<0.02	58.7	7.6	33
R230301		1.80	<0.001	<0.005	0.001	0.02	6.38	0.3	2120	2.95	0.05	7.66	0.06	278	42.6	130
R230302		0.82	<0.001	<0.005	<0.001	0.01	7.59	<0.2	750	0.99	<0.01	2.58	<0.02	36.5	6.5	21
R230303		0.51	0.003	<0.005	0.001	0.32	7.20	1.2	1090	1.06	0.11	2.13	<0.02	30.1	5.6	22
R230304		3.03	<0.001	<0.005	<0.001	0.06	7.82	<0.2	960	1.17	<0.01	2.76	<0.02	47.5	8.7	21
R230305		0.76	0.055	<0.005	0.001	1.93	7.66	0.6	920	1.28	1.05	2.45	<0.02	33.4	8.8	27
R230306		3.29	<0.001	<0.005	<0.001	0.08	7.45	<0.2	1230	1.15	<0.01	2.41	<0.02	29.9	5.1	23
R230307		0.99	<0.001	<0.005	0.001	0.33	7.70	<0.2	900	1.12	0.19	2.62	<0.02	34.3	8.4	23
R230308		2.96	0.005	<0.005	0.001	0.03	7.18	0.3	20	0.90	0.09	7.23	<0.02	47.3	57.1	27
R230309		0.73	0.005	<0.005	0.003	0.03	4.33	<0.2	20	1.24	0.03	7.30	<0.02	33.9	34.3	22
R230310		3.22	<0.001	<0.005	0.001	0.02	6.40	<0.2	100	0.78	0.01	7.78	<0.02	45.1	18.0	31
R230311		0.83	<0.001	<0.005	0.001	0.02	7.68	<0.2	890	1.23	<0.01	3.46	<0.02	71.2	15.9	43
R230312		0.75	0.001	<0.005	0.001	0.09	7.90	<0.2	1000	1.24	0.07	4.13	<0.02	109.5	18.2	34
R230313		0.73	<0.001	<0.005	0.001	0.02	7.49	<0.2	930	1.11	<0.01	2.37	<0.02	36.3	7.1	24
R230314		1.65	<0.001	<0.005	<0.001	0.08	7.00	0.8	890	1.00	0.13	2.35	<0.02	39.6	16.2	91
R230315		0.80	<0.001	<0.005	<0.001	0.06	7.58	<0.2	900	1.16	0.15	2.03	0.02	24.8	8.9	20
R230316		0.97	<0.001	<0.005	<0.001	0.01	7.15	0.2	520	1.28	0.05	2.34	0.03	39.8	9.3	51
R230317		0.04	0.137	0.317	5.18	0.18	5.16	2.4	40	0.13	0.16	4.51	0.06	2.30	82.7	254
R230318		0.28	<0.001	<0.005	0.002	0.01	0.32	<0.2	10	0.07	0.05	0.01	<0.02	7.66	0.4	34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 22-DEC-2014
Account: RLH

Project: 263

CERTIFICATE OF ANALYSIS SD14190353

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
R230280		0.30	24.8	2.58	22.1	0.17	2.4	0.034	2.69	43.5	14.0	1.26	333	0.87	3.44	3.8
R230281		0.22	57.6	3.32	23.9	0.12	0.8	0.046	1.14	23.8	11.2	1.55	521	0.63	3.81	3.2
R230282		0.13	31.7	4.46	24.5	0.20	1.5	0.052	0.88	65.4	14.1	2.27	654	0.53	3.43	3.9
R230283		0.27	34.9	3.66	23.2	0.17	2.1	0.033	1.43	60.0	22.5	2.05	468	0.64	3.83	2.9
R230284		0.55	27.7	7.52	26.7	0.26	1.4	0.083	1.73	98.6	15.0	1.71	800	1.04	2.87	16.2
R230285		0.20	47.2	8.77	23.3	0.23	1.1	0.081	1.64	80.1	11.4	1.66	760	0.84	2.81	12.5
R230286		0.24	21.2	7.09	21.8	0.23	2.1	0.066	0.71	73.8	10.3	2.44	820	0.54	3.51	15.4
R230287		0.58	2310	10.10	17.60	0.14	1.9	0.216	0.83	47.1	32.6	3.95	1300	7.58	1.09	18.9
R230288		0.28	191.0	8.92	16.70	0.14	2.4	0.066	0.75	46.5	5.0	4.42	1170	0.52	2.88	19.9
R230289		0.21	24.8	1.88	19.25	0.10	0.6	0.018	1.29	15.3	10.3	0.68	222	0.57	3.54	1.7
R230290		0.11	12.6	1.49	19.10	0.10	0.6	0.015	1.44	15.8	9.5	0.76	172	0.56	3.65	1.4
R230291		0.54	8.6	2.99	20.8	0.13	2.3	0.024	3.23	16.7	28.3	1.85	331	0.56	2.87	2.4
R230292		0.46	27.3	5.88	24.7	0.24	2.7	0.059	1.45	70.3	26.2	2.43	667	0.56	3.25	9.8
R230293		0.31	446	4.37	20.1	0.14	2.5	0.037	1.31	31.2	22.5	2.62	694	0.40	3.37	6.7
R230294		0.26	26.6	3.16	21.2	0.13	1.5	0.028	1.48	27.2	18.0	1.71	396	0.34	4.02	3.0
R230295		0.48	20.3	4.25	19.75	0.12	2.1	0.028	1.72	23.4	18.8	1.44	358	0.60	3.57	4.5
R230296		0.26	84.4	11.50	19.80	0.12	3.9	0.062	0.22	16.5	28.7	3.82	1080	0.65	2.57	6.1
R230297		0.81	715	3.72	22.5	0.11	1.0	0.092	2.74	16.9	17.6	1.58	360	1.18	2.59	2.1
R230298		1.01	483	8.05	9.69	0.05	0.2	0.028	0.19	1.2	21.6	9.86	1470	0.53	0.57	0.2
R230299		<0.05	5.2	0.47	0.78	<0.05	0.5	<0.005	0.10	3.6	0.4	0.01	49	1.77	0.05	0.1
R230300		0.32	276	2.17	20.7	0.13	0.8	0.067	1.48	26.8	11.3	0.99	309	0.79	4.08	2.3
R230301		0.77	100.0	6.21	19.25	0.36	8.4	0.085	1.61	133.0	13.3	4.40	1130	1.13	1.86	9.7
R230302		0.14	6.9	1.63	20.0	0.13	0.5	0.009	0.89	19.4	7.8	0.57	189	0.64	3.97	1.6
R230303		0.43	202	1.44	18.80	0.11	0.6	0.033	1.93	15.0	17.9	0.73	228	1.05	3.13	1.2
R230304		0.14	22.6	2.32	21.1	0.14	0.7	0.017	1.14	22.6	7.6	0.78	292	0.81	3.82	2.7
R230305		0.16	1130	1.91	20.3	0.09	0.5	0.047	1.26	15.9	10.8	0.80	252	1.42	3.62	1.6
R230306		0.11	6.3	1.45	19.75	0.10	0.8	0.007	1.39	14.5	6.6	0.56	207	0.92	3.65	1.7
R230307		0.18	432	2.24	20.2	0.09	0.6	0.125	1.31	15.7	9.1	0.73	286	0.78	3.79	2.2
R230308		0.16	23.9	7.93	25.9	0.13	3.5	0.098	0.10	21.4	28.3	3.14	1020	0.55	0.21	7.8
R230309		0.62	131.0	6.37	16.70	0.07	2.0	0.066	0.21	14.7	73.6	1.76	573	0.95	0.05	4.2
R230310		0.23	6.9	5.91	23.1	0.09	1.3	0.063	0.54	21.7	31.4	1.18	576	1.05	0.18	3.7
R230311		0.30	31.8	3.79	21.0	0.14	1.7	0.039	1.16	33.1	10.6	1.46	488	0.87	3.76	4.8
R230312		0.30	41.5	4.82	22.6	0.18	1.3	0.048	1.10	49.1	12.2	1.54	614	0.74	3.47	6.8
R230313		0.15	3.7	1.80	20.5	0.10	0.5	0.024	1.04	17.1	8.3	0.80	263	0.68	4.08	1.7
R230314		0.21	23.1	2.49	18.65	0.12	0.5	0.042	1.22	16.8	12.8	1.10	350	0.82	3.18	1.6
R230315		0.15	3.2	1.99	19.25	0.13	0.3	0.015	1.16	12.1	8.3	0.64	248	0.69	3.72	1.4
R230316		0.19	3.1	2.24	18.90	0.13	1.2	0.021	1.26	17.3	18.6	1.03	284	0.85	3.23	2.8
R230317		0.92	483	7.60	9.32	0.10	0.2	0.018	0.19	1.0	22.1	8.84	1360	0.55	0.53	0.2
R230318		<0.05	1.4	0.24	0.79	0.05	0.7	<0.005	0.10	3.7	0.5	0.01	27	1.82	0.04	0.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 22-DEC-2014
Account: RLH

Project: 263

CERTIFICATE OF ANALYSIS SD14190353

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
R230280		22.0	1030	6.9	48.8	0.003	0.18	0.05	5.5	1	0.9	479	0.24	<0.05	3.2	0.294
R230281		76.1	880	6.7	21.0	0.003	0.17	<0.05	11.0	1	0.9	777	0.19	0.10	0.3	0.281
R230282		122.0	1730	9.8	6.6	0.003	0.40	0.05	9.8	1	1.0	1480	0.20	<0.05	2.0	0.317
R230283		55.6	1550	7.4	25.8	0.003	0.29	0.05	8.8	1	0.8	1005	0.13	<0.05	2.7	0.322
R230284		12.0	4400	10.1	30.5	0.004	0.17	<0.05	18.9	1	1.2	926	0.63	<0.05	1.9	1.155
R230285		13.9	3940	7.1	28.3	0.003	1.64	0.06	17.6	2	1.4	694	0.51	0.73	1.8	1.060
R230286		73.2	3200	6.2	19.9	0.003	0.06	0.05	16.7	1	1.4	729	0.76	<0.05	2.3	1.035
R230287		249	1170	6.9	30.3	0.003	1.90	0.07	14.9	1	1.1	502	1.13	0.13	2.3	0.923
R230288		235	1160	4.4	16.8	0.003	0.03	<0.05	15.4	1	1.3	763	1.33	<0.05	5.1	0.875
R230289		16.1	550	6.1	24.4	0.004	0.26	<0.05	1.7	<1	0.5	808	0.07	0.08	0.2	0.162
R230290		22.7	470	5.8	19.6	0.002	0.05	<0.05	2.6	<1	0.4	823	0.07	<0.05	0.3	0.121
R230291		26.1	930	5.0	53.9	0.003	0.01	0.06	6.6	<1	0.8	462	0.11	<0.05	0.4	0.249
R230292		29.7	2870	6.3	31.4	0.003	0.11	0.07	15.3	1	1.8	790	0.39	<0.05	4.1	0.699
R230293		38.1	1610	4.8	17.0	0.003	0.07	0.08	17.2	1	1.5	385	0.34	<0.05	2.8	0.609
R230294		40.2	1180	4.4	30.8	0.003	0.10	0.08	7.7	1	0.7	624	0.14	<0.05	0.9	0.246
R230295		27.2	1010	5.0	31.3	0.004	0.07	0.09	12.0	1	0.9	484	0.24	<0.05	2.7	0.365
R230296		35.1	950	3.1	6.4	0.005	0.39	0.07	40.5	2	1.5	206	0.42	<0.05	3.9	0.909
R230297		37.8	960	3.0	86.4	0.004	1.34	0.06	7.2	1	0.8	372	0.11	2.01	0.5	0.209
R230298		740	30	3.9	9.1	0.004	0.18	0.50	39.0	1	<0.2	84.2	<0.05	0.43	<0.2	0.109
R230299		3.8	20	0.9	2.9	0.003	<0.01	0.08	0.3	<1	0.2	5.3	<0.05	<0.05	0.8	0.005
R230300		26.8	1220	5.7	37.2	0.003	0.33	<0.05	3.6	1	0.5	562	0.10	0.13	1.4	0.174
R230301		99.6	4860	18.1	54.2	0.003	0.24	<0.05	23.2	2	2.1	1240	0.48	<0.05	35.9	0.559
R230302		12.4	500	5.5	15.6	0.003	0.06	<0.05	2.7	<1	0.4	855	0.06	<0.05	0.4	0.130
R230303		14.5	470	3.2	55.3	0.002	0.20	<0.05	2.6	<1	0.4	503	0.06	0.34	<0.2	0.122
R230304		18.0	860	7.4	13.6	0.003	0.07	<0.05	4.2	1	0.6	933	0.13	<0.05	0.9	0.246
R230305		18.2	600	5.3	21.9	0.003	0.30	0.06	3.5	1	0.5	888	0.08	1.06	<0.2	0.162
R230306		14.0	480	9.6	15.1	0.002	0.06	<0.05	1.8	<1	0.4	946	0.08	<0.05	0.4	0.143
R230307		17.5	670	6.4	24.9	0.003	0.38	<0.05	3.7	<1	0.7	786	0.10	0.20	0.5	0.205
R230308		66.5	1040	7.4	3.2	0.003	0.42	0.09	38.7	2	1.4	1870	0.50	0.22	4.0	1.025
R230309		23.2	620	4.7	6.3	0.003	0.18	0.10	23.0	1	0.8	1135	0.28	0.09	2.4	0.537
R230310		16.0	740	6.4	7.8	0.003	0.13	0.08	15.6	1	0.8	2270	0.23	<0.05	2.1	0.444
R230311		30.2	1370	6.1	16.9	0.003	0.25	<0.05	9.2	1	0.9	887	0.24	0.05	2.2	0.368
R230312		31.7	2280	6.4	21.1	0.003	0.70	<0.05	10.4	1	1.4	939	0.32	0.19	3.0	0.546
R230313		17.4	570	5.0	15.1	0.003	0.32	<0.05	3.3	<1	0.4	758	0.07	<0.05	<0.2	0.150
R230314		36.0	490	4.9	23.2	<0.002	0.59	0.05	5.1	1	0.7	588	0.06	0.33	<0.2	0.141
R230315		15.7	470	4.6	19.5	<0.002	0.69	0.08	2.5	1	0.4	662	0.06	0.13	<0.2	0.125
R230316		29.3	530	4.4	23.3	<0.002	0.14	<0.05	4.7	<1	0.7	739	0.09	<0.05	0.2	0.198
R230317		714	20	5.2	8.2	<0.002	0.17	1.76	39.4	2	0.2	82.7	<0.05	0.49	<0.2	0.097
R230318		2.1	10	<0.5	3.4	<0.002	<0.01	0.12	0.2	<1	0.2	3.9	<0.05	<0.05	1.0	0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 22-DEC-2014
Account: RLH

Project: 263

CERTIFICATE OF ANALYSIS SD14190353

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
R230280		0.23	0.4	55	0.1	5.7	52	92.2
R230281		0.15	0.1	76	0.1	10.6	59	27.5
R230282		0.07	0.3	87	0.1	19.4	63	62.5
R230283		0.21	0.3	67	0.1	12.9	58	86.1
R230284		0.20	0.3	194	0.2	29.1	129	63.0
R230285		0.13	0.2	205	0.4	24.8	196	45.0
R230286		0.11	0.4	187	0.3	26.0	107	87.5
R230287		0.17	0.4	175	1.7	20.9	201	64.4
R230288		0.09	0.8	175	0.2	20.6	82	82.1
R230289		0.14	0.1	31	0.1	3.0	37	24.6
R230290		0.12	0.1	26	0.1	4.0	23	21.5
R230291		0.29	0.3	82	0.1	8.2	47	85.0
R230292		0.24	0.8	155	0.4	25.1	109	124.5
R230293		0.13	0.7	134	0.3	18.2	121	102.5
R230294		0.23	0.3	60	0.1	10.3	50	55.5
R230295		0.21	0.6	116	0.1	11.7	35	76.4
R230296		0.04	0.9	373	0.3	30.0	158	146.0
R230297		0.35	0.2	63	0.5	6.4	57	37.2
R230298		0.11	<0.1	160	14.5	2.9	98	6.3
R230299		0.07	0.2	1	0.1	0.5	2	17.4
R230300		0.20	0.2	36	0.3	6.3	47	29.1
R230301		0.35	7.8	159	0.7	37.1	115	327
R230302		0.10	0.1	26	0.1	3.0	23	18.1
R230303		0.27	0.1	28	0.3	4.1	26	20.3
R230304		0.10	0.2	49	0.1	6.5	38	26.3
R230305		0.12	<0.1	41	0.1	5.0	41	17.9
R230306		0.10	0.1	30	0.1	3.1	32	29.3
R230307		0.14	0.1	44	0.2	5.0	69	22.6
R230308		0.02	0.8	332	0.4	33.1	123	122.0
R230309		0.03	0.5	188	0.3	16.2	29	68.8
R230310		0.03	0.5	167	0.2	15.4	29	46.3
R230311		0.18	0.5	88	0.1	11.3	54	65.5
R230312		0.18	0.4	115	0.2	16.3	72	52.0
R230313		0.10	0.1	34	0.1	5.3	38	16.8
R230314		0.13	0.1	39	0.2	8.1	51	14.8
R230315		0.10	<0.1	34	0.2	3.5	36	9.8
R230316		0.20	0.1	44	0.1	6.7	38	38.8
R230317		0.09	<0.1	142	1.1	2.7	91	5.5
R230318		0.10	0.2	1	0.1	0.6	<2	25.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 22-DEC-2014
Account: RLH

Project: 263

CERTIFICATE OF ANALYSIS SD14190353

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

ME-MS61	PGM-ICP23