ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 10-NOV-2014
Account: RLH

QC CERTIFICATE SD14162870

Project: 642
P.O. No.: 967058
This report is for 14 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 27-OCT-2014.
The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 10-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14162870

Sample Description	Method / Analyte / Units / LOR	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
STANDARDS																
AMIS0254		0.208	2.34	1.110												
Target Range - Lower Bound		0.187	2.05	1.050												
Upper Bound		0.213	2.33	1.190												
CCU-1d																
Target Range - Lower Bound																
Upper Bound																
CDN-PGMS18		0.496	0.328	1.450												
Target Range - Lower Bound		0.485	0.304	1.335												
Upper Bound		0.549	0.354	1.505												
G310-8		7.98	<0.005	<0.001												
Target Range - Lower Bound																
Upper Bound																
GBM903-13																
Target Range - Lower Bound																
Upper Bound																
GBM908-10					2.95	6.71	59.0	1060	1.38	1.62	3.47	1.87	111.5	25.7	130	3.92
Target Range - Lower Bound					2.69	6.40	51.1	930	1.27	1.12	3.33	1.53	99.0	23.3	125	3.44
Upper Bound					3.31	7.84	62.9	1280	1.66	1.39	4.10	1.91	121.0	28.7	155	4.32
MRGeo08					4.74	7.29	36.5	1120	3.60	0.74	2.55	2.40	77.8	21.5	91	13.40
MRGeo08					4.53	7.02	34.0	1060	3.36	0.69	2.45	2.39	78.9	20.0	91	12.70
Target Range - Lower Bound					4.00	6.64	29.7	920	2.91	0.62	2.35	2.05	66.7	17.7	81	11.00
Upper Bound					4.92	8.14	36.7	1270	3.67	0.78	2.90	2.55	81.5	21.9	102	13.60
NCSDC70006																
Target Range - Lower Bound																
Upper Bound																
OREAS-133b																
Target Range - Lower Bound																
Upper Bound																
OREAS-904		0.044	<0.005	0.002												
Target Range - Lower Bound		0.041	<0.005	<0.001												
Upper Bound		0.049	0.011	0.003												

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 10-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14162870

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
	Units	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
STANDARDS																
AMIS0254																
Target Range - Lower Bound																
Upper Bound																
CCU-1d																
Target Range - Lower Bound																
Upper Bound																
CDN-PGMS18																
Target Range - Lower Bound																
Upper Bound																
G310-8																
Target Range - Lower Bound																
Upper Bound																
GBM903-13																
Target Range - Lower Bound																
Upper Bound																
GBM908-10		3520	5.13	21.6	0.21	3.9	0.080	1.94	57.7	10.2	1.70	738	62.0	2.01	10.7	2100
Target Range - Lower Bound		3380	4.98	18.65	0.18	3.3	0.064	1.87	49.0	9.8	1.61	715	57.9	1.93	9.5	2030
Upper Bound		3880	6.10	22.9	0.40	4.3	0.092	2.31	61.0	12.4	1.99	885	70.9	2.38	11.9	2480
MRGeo08		607	3.95	20.4	0.16	3.4	0.192	3.12	37.1	36.6	1.30	550	15.60	1.90	23.2	678
MRGeo08		611	3.67	19.90	0.18	3.5	0.182	2.92	36.6	32.5	1.25	522	15.40	1.87	20.7	654
Target Range - Lower Bound		587	3.55	17.50	<0.05	2.8	0.161	2.79	31.1	30.4	1.17	497	13.65	1.76	19.0	622
Upper Bound		675	4.37	21.5	0.27	3.6	0.207	3.43	39.1	37.6	1.45	619	16.75	2.18	23.4	760
NCSDC70006																
Target Range - Lower Bound																
Upper Bound																
OREAS-133b																
Target Range - Lower Bound																
Upper Bound																
OREAS-904																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 10-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14162870

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
	LOR	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02
STANDARDS																
AMIS0254																
Target Range - Lower Bound																
Upper Bound																
CCU-1d																
Target Range - Lower Bound																
Upper Bound																
CDN-PGMS18																
Target Range - Lower Bound																
Upper Bound																
G310-8																
Target Range - Lower Bound																
Upper Bound																
GBM903-13																
Target Range - Lower Bound																
Upper Bound																
GBM908-10		930	1905	169.0	0.002	0.34	1.70	18.6	1	3.1	275	0.75	0.06	18.2	0.614	1.31
Target Range - Lower Bound		880	1860	153.0	<0.002	0.33	1.40	17.0	<1	2.7	258	0.68	<0.05	16.4	0.591	1.00
Upper Bound		1100	2270	187.0	0.006	0.43	2.01	21.0	4	3.9	316	0.97	0.16	20.4	0.733	1.40
MRGeo08		1050	1060	200	0.009	0.30	5.04	12.9	2	4.3	302	1.70	<0.05	20.8	0.480	1.22
MRGeo08		980	1010	193.5	0.007	0.28	4.69	12.9	2	4.0	294	1.58	<0.05	20.5	0.464	1.23
Target Range - Lower Bound		930	971	173.5	0.006	0.27	3.89	11.1	<1	3.5	277	1.39	<0.05	17.7	0.454	0.89
Upper Bound		1160	1185	212	0.016	0.36	5.39	13.7	4	4.7	339	1.81	0.14	22.1	0.566	1.25
NCSDC70006																
Target Range - Lower Bound																
Upper Bound																
OREAS-133b																
Target Range - Lower Bound																
Upper Bound																
OREAS-904																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 10-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14162870

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
					STANDARDS			
AMIS0254								
Target Range - Lower Bound								
Upper Bound								
CCU-1d								23.1
Target Range - Lower Bound								23.1
Upper Bound								24.8
CDN-PGMS18								
Target Range - Lower Bound								
Upper Bound								
G310-8								
Target Range - Lower Bound								
Upper Bound								
GBM903-13								2.80
Target Range - Lower Bound								2.79
Upper Bound								3.00
GBM908-10		2.2	132	3.2	39.9	997	140.0	
Target Range - Lower Bound		2.0	123	2.9	35.2	939	117.5	
Upper Bound		2.6	153	4.1	43.2	1155	160.5	
MRGeo08		6.2	111	5.2	27.5	784	110.0	
MRGeo08		5.7	107	4.9	28.2	767	112.5	
Target Range - Lower Bound		4.9	97	4.1	23.8	722	92.2	
Upper Bound		6.3	121	5.8	29.3	886	126.0	
NCSDC70006								0.017
Target Range - Lower Bound								
Upper Bound								
OREAS-133b								0.033
Target Range - Lower Bound								0.030
Upper Bound								0.034
OREAS-904								
Target Range - Lower Bound								
Upper Bound								

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 10-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14162870

Sample Description	Method / Analyte / Units / LOR	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
BLANKS																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK					0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05
BLANK					0.01	<0.01	0.3	<10	<0.05	0.02	<0.01	<0.02	0.01	<0.1	<1	<0.05
Target Range - Lower Bound					<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05
Upper Bound					0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10
BLANK		<0.001	<0.005	<0.001												
Target Range - Lower Bound		<0.001	<0.005	<0.001												
Upper Bound		0.002	0.010	0.002												
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
P448761					5.23	6.71	0.4	430	0.95	3.95	5.59	1.02	90.7	36.5	39	0.16
DUP					5.09	6.54	0.5	420	1.00	3.91	5.48	0.98	89.2	36.6	39	0.16
Target Range - Lower Bound					4.89	6.28	<0.2	380	0.88	3.72	5.25	0.93	85.4	34.6	36	0.10
Upper Bound					5.43	6.97	0.7	470	1.07	4.14	5.82	1.07	94.5	38.5	42	0.22
P448763					0.37	8.07	0.7	580	1.09	0.31	5.02	0.07	117.0	37.2	44	0.46
DUP					0.28	7.89	0.2	560	1.08	0.37	4.86	0.06	113.5	35.9	42	0.43
Target Range - Lower Bound					0.30	7.57	<0.2	520	0.98	0.31	4.68	0.04	109.5	34.6	40	0.37
Upper Bound					0.35	8.39	0.7	620	1.19	0.37	5.20	0.09	121.0	38.5	46	0.52
P448766		0.005	<0.005	0.001												
DUP		<0.001	<0.005	0.001												
Target Range - Lower Bound		0.002	<0.005	<0.001												
Upper Bound		0.004	0.010	0.002												
ORIGINAL		<0.001	<0.005	0.001												
DUP		<0.001	<0.005	0.001												
Target Range - Lower Bound		<0.001	<0.005	<0.001												
Upper Bound		0.002	0.010	0.002												

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 10-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14162870

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
BLANKS																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		0.2	<0.01	<0.05	0.09	<0.1	0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		<0.2	<0.01	<0.05	0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	0.4
Target Range - Lower Bound		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
Upper Bound		0.4	0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4
BLANK																
Target Range - Lower Bound																
Upper Bound																
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
P448761		>10000	10.40	20.3	0.22	1.4	0.718	0.55	42.5	14.1	2.76	1210	1.39	2.02	7.4	5380
DUP		>10000	10.15	20.4	0.23	1.4	0.715	0.54	41.3	14.4	2.73	1210	1.53	1.96	7.5	5290
Target Range - Lower Bound		9650	9.75	19.30	0.16	1.2	0.676	0.51	39.3	13.3	2.60	1145	1.34	1.88	7.0	5070
Upper Bound		>10000	10.80	21.4	0.29	1.6	0.757	0.58	44.5	15.2	2.89	1275	1.58	2.10	7.9	5600
P448763		526	7.44	22.2	0.22	2.0	0.090	0.93	53.9	31.0	2.74	1340	0.83	2.57	8.7	225
DUP		494	7.29	21.3	0.18	1.9	0.087	0.90	52.3	27.9	2.66	1330	0.85	2.52	8.5	210
Target Range - Lower Bound		492	6.99	20.6	0.14	1.8	0.079	0.86	49.9	27.8	2.56	1265	0.75	2.41	8.1	206
Upper Bound		528	7.74	22.9	0.26	2.1	0.098	0.97	56.3	31.1	2.85	1405	0.93	2.68	9.1	229
P448766																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 10-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14162870

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
BLANKS																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<10	<0.5	<0.1	<0.002	<0.01	0.12	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
BLANK		<10	<0.5	0.1	<0.002	<0.01	0.05	<0.1	<1	<0.2	0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Target Range - Lower Bound		<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Upper Bound		20	1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010	0.04
BLANK																
Target Range - Lower Bound																
Upper Bound																
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
P448761		2920	19.5	15.9	0.002	2.19	0.09	27.9	18	5.9	600	0.44	10.00	1.6	0.953	0.11
DUP		2870	19.0	15.8	<0.002	2.14	0.09	28.1	18	6.0	586	0.41	9.86	1.5	0.942	0.11
Target Range - Lower Bound		2740	17.8	15.0	<0.002	2.05	<0.05	26.5	16	5.5	563	0.35	9.38	1.3	0.895	0.08
Upper Bound		3050	20.7	16.7	0.004	2.28	0.10	29.5	20	6.4	623	0.50	10.50	1.8	1.000	0.14
P448763		4250	15.4	22.3	<0.002	0.10	0.18	18.6	2	2.0	647	0.59	0.54	4.2	0.867	0.14
DUP		4140	14.6	21.5	<0.002	0.09	0.15	17.9	2	1.9	629	0.56	0.75	4.1	0.845	0.15
Target Range - Lower Bound		3980	13.8	20.7	<0.002	0.08	0.10	17.2	<1	1.7	606	0.50	0.56	3.7	0.808	0.11
Upper Bound		4410	16.3	23.1	0.004	0.11	0.23	19.3	3	2.2	670	0.65	0.73	4.6	0.904	0.18
P448766																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 10-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14162870

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
BLANKS								
BLANK								<0.001
Target Range - Lower Bound								<0.001
Upper Bound								0.002
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5	
Target Range - Lower Bound		<0.1	<1	<0.1	<0.1	<2	<0.5	
Upper Bound		0.2	2	0.2	0.2	4	1.0	
BLANK								
Target Range - Lower Bound								
Upper Bound								
DUPLICATES								
ORIGINAL								0.122
DUP								0.121
Target Range - Lower Bound								0.117
Upper Bound								0.126
P448761		0.4	291	0.2	30.2	113	42.4	
DUP		0.3	286	0.1	28.8	111	44.5	
Target Range - Lower Bound		0.2	273	<0.1	27.9	104	40.8	
Upper Bound		0.5	304	0.2	31.1	120	46.1	
P448763		0.9	197	0.2	23.1	106	61.5	
DUP		0.9	190	0.2	22.5	105	60.7	
Target Range - Lower Bound		0.8	183	<0.1	21.6	98	57.5	
Upper Bound		1.0	204	0.3	24.0	113	64.7	
P448766								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 10-NOV-2014
Account: RLH

Project: 642

QC CERTIFICATE OF ANALYSIS SD14162870

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Cu-OG62	ME-MS61	ME-OG62	PGM-ICP23