ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 24-JUL-2015
Account: RLH

CERTIFICATE SD15100512

Project: 642

P.O. No.: 287349

This report is for 24 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 9-JUL-2015.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
SPL-21	Split sample - riffle splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 24-JUL-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15100512

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
S035503		3.03	<0.001	<0.005	<0.001	0.03	8.55	0.9	810	1.22	0.02	3.24	0.04	45.9	12.2	36
S035504		0.59	<0.001	<0.005	<0.001	0.02	8.60	<0.2	520	1.29	0.01	2.80	0.02	39.5	3.9	31
S035505		2.96	<0.001	<0.005	0.003	0.03	8.12	0.4	840	1.12	0.02	3.62	<0.02	36.0	14.3	57
S035506		0.64	<0.001	<0.005	<0.001	0.03	8.60	0.5	1540	1.16	0.02	3.99	0.05	51.4	17.7	88
S035507		3.45	<0.001	0.005	0.004	0.04	6.92	0.5	250	0.74	0.02	6.21	0.06	36.3	33.6	58
S035508		0.70	<0.001	0.005	0.004	0.65	7.94	<0.2	290	0.85	0.02	6.54	0.08	53.9	27.8	60
S035509		3.46	0.001	0.007	0.006	0.05	8.02	<0.2	350	0.84	0.02	6.19	0.05	40.4	33.0	69
S035510		2.43	0.001	<0.005	0.005	0.05	8.12	0.4	520	0.91	0.02	5.50	0.07	48.6	34.3	55
S035511		0.69	0.001	0.008	0.008	0.07	7.58	0.6	680	0.83	0.03	6.08	0.07	33.4	42.6	85
S035512		3.44	0.002	0.011	0.011	0.07	7.98	0.7	370	0.66	0.04	6.61	0.08	29.8	46.3	104
S035513		3.08	0.002	0.013	0.013	0.08	8.00	0.8	340	0.57	0.04	6.74	0.08	28.1	48.2	114
S035514		0.80	<0.001	<0.005	0.003	0.03	7.85	0.7	770	0.85	0.02	3.95	0.09	45.1	26.1	36
S035515		3.06	<0.001	<0.005	<0.001	0.03	8.55	<0.2	1590	0.89	0.01	2.65	0.07	39.2	10.5	25
S035516		4.15	<0.001	<0.005	0.001	0.03	8.67	<0.2	790	0.97	0.02	6.13	0.09	91.8	39.0	87
S035517		0.73	<0.001	<0.005	0.004	0.05	8.07	0.7	410	0.95	0.02	6.40	0.07	65.9	39.2	110
S035518		3.78	0.001	<0.005	0.006	0.07	6.70	<0.2	760	0.90	0.04	7.31	0.12	79.6	51.2	144
S035519		0.95	<0.001	<0.005	0.001	0.14	8.25	0.3	560	1.00	0.02	4.04	0.06	77.2	15.6	26
S035520		0.84	<0.001	<0.005	<0.001	0.05	8.41	<0.2	540	0.86	0.02	6.77	0.08	66.0	30.2	23
S035521		3.36	<0.001	<0.005	<0.001	0.05	7.84	<0.2	2090	0.70	0.02	4.04	0.03	58.3	25.6	73
S035522		1.88	<0.001	<0.005	<0.001	0.03	7.83	0.8	1320	0.82	0.02	2.69	0.04	53.3	17.5	30
S035523		0.67	0.002	<0.005	<0.001	0.07	7.87	0.8	840	0.82	0.04	2.87	0.05	43.0	32.9	19
S035524		3.55	<0.001	<0.005	0.002	0.04	7.99	0.6	550	0.92	0.03	5.83	0.03	56.7	39.2	29
S035525		0.05	0.172	0.314	0.353	2.10	6.74	84.0	220	0.69	10.50	5.25	0.57	42.5	184.5	248
S035526		0.61	<0.001	<0.005	<0.001	0.01	0.35	0.6	10	0.07	0.06	0.02	<0.02	8.40	0.4	31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 24-JUL-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15100512

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
S035503		0.33	34.0	3.12	21.9	0.19	0.8	0.026	1.52	22.2	14.8	1.18	431	1.21	3.92	2.6
S035504		0.20	130.0	1.29	21.9	0.18	0.3	0.030	1.31	19.3	16.4	0.81	193	0.96	4.59	1.1
S035505		0.29	29.5	3.56	20.6	0.14	0.8	0.030	1.30	16.6	15.5	1.59	396	0.90	3.82	2.4
S035506		0.12	60.0	3.88	22.1	0.21	0.8	0.035	1.46	23.5	11.0	1.81	568	0.71	3.80	2.5
S035507		0.32	63.8	8.74	18.05	0.13	1.6	0.068	0.43	14.1	8.1	2.85	1120	0.89	2.10	6.4
S035508		0.31	92.3	7.10	20.1	0.14	1.6	0.069	0.48	24.2	6.3	2.73	941	0.88	2.94	6.3
S035509		0.46	92.9	7.82	19.70	0.12	1.5	0.071	0.68	18.5	11.0	2.91	1040	0.70	2.68	5.4
S035510		0.65	98.1	7.92	20.6	0.12	1.4	0.067	0.96	22.6	13.1	2.72	1040	0.70	2.55	5.6
S035511		0.52	94.8	8.99	19.10	0.12	1.6	0.077	1.05	14.5	19.4	3.58	1220	0.86	1.86	5.5
S035512		0.64	143.0	10.10	18.80	0.11	1.4	0.084	0.79	12.5	15.2	3.80	1500	0.77	1.90	5.1
S035513		0.58	151.0	10.15	18.40	0.13	1.4	0.082	0.96	11.5	17.3	3.96	1600	0.54	1.72	5.1
S035514		0.24	47.9	5.51	21.4	0.14	1.9	0.061	1.12	23.2	11.9	2.05	714	0.46	3.48	5.4
S035515		0.20	39.2	2.59	21.0	0.16	0.7	0.021	2.02	21.1	11.3	0.97	315	0.19	4.09	2.0
S035516		0.78	45.6	8.87	22.1	0.20	1.6	0.069	1.03	41.3	14.8	3.55	1290	0.53	2.63	7.6
S035517		0.28	75.3	8.61	20.6	0.17	1.4	0.073	0.42	28.8	9.4	3.49	1190	0.51	3.02	6.6
S035518		0.31	103.0	9.49	18.95	0.19	1.6	0.108	0.62	29.9	9.1	4.70	1650	0.42	2.05	6.5
S035519		0.17	31.2	4.63	20.8	0.18	3.1	0.071	1.27	33.5	21.6	2.83	472	0.20	3.92	6.7
S035520		0.38	46.5	8.07	23.8	0.16	1.0	0.071	0.65	28.7	10.5	2.75	1100	0.49	2.50	6.7
S035521		0.34	60.1	4.85	17.70	0.18	1.0	0.035	2.08	29.0	13.9	2.40	683	0.31	2.50	3.3
S035522		0.17	52.9	3.71	20.1	0.15	1.4	0.027	1.70	26.5	11.9	1.41	424	0.23	3.66	3.7
S035523		0.09	560	5.07	19.95	0.16	1.6	0.048	1.23	20.3	17.1	2.24	643	0.16	3.32	6.1
S035524		0.46	52.8	8.37	19.45	0.17	1.3	0.076	0.80	23.4	16.2	3.29	1160	0.44	2.28	6.4
S035525		1.52	3650	11.05	15.65	0.18	2.1	0.094	0.69	19.7	13.4	4.34	1240	7.98	1.32	8.5
S035526		<0.05	3.0	0.25	0.87	0.07	0.7	<0.005	0.10	4.0	0.5	0.01	25	0.28	0.04	0.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 24-JUL-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15100512

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
S035503		24.0	810	7.6	20.0	<0.002	0.13	<0.05	8.2	1	0.5	888	0.15	<0.05	0.8	0.328
S035504		16.6	630	4.9	15.7	<0.002	0.07	<0.05	3.1	1	0.4	822	0.06	<0.05	<0.2	0.133
S035505		32.5	790	5.6	14.4	<0.002	0.10	<0.05	10.7	1	0.6	846	0.15	<0.05	0.9	0.285
S035506		22.8	1150	6.6	18.7	0.002	0.58	<0.05	10.2	1	0.7	1050	0.14	<0.05	0.4	0.216
S035507		47.7	710	4.2	11.8	<0.002	0.07	<0.05	32.8	1	1.1	423	0.43	<0.05	2.6	0.848
S035508		46.7	1060	5.8	13.1	<0.002	0.12	<0.05	29.5	1	1.3	540	0.41	<0.05	2.7	0.744
S035509		56.8	820	4.8	17.0	<0.002	0.10	<0.05	28.9	2	1.1	515	0.35	<0.05	2.4	0.673
S035510		45.8	1080	5.6	27.8	<0.002	0.14	<0.05	26.6	2	1.0	602	0.36	<0.05	2.0	0.706
S035511		66.9	640	4.3	24.5	0.002	0.12	<0.05	32.5	1	1.0	583	0.40	<0.05	2.6	0.702
S035512		87.1	630	4.9	21.4	0.002	0.12	0.05	34.6	2	1.0	282	0.37	<0.05	2.3	0.693
S035513		94.1	570	3.8	32.7	0.002	0.14	0.06	36.4	2	0.9	228	0.37	<0.05	2.4	0.685
S035514		30.0	640	6.2	18.7	<0.002	0.12	<0.05	22.7	1	1.0	562	0.38	<0.05	2.7	0.564
S035515		16.8	460	7.4	26.4	<0.002	0.10	<0.05	6.6	1	0.4	761	0.13	<0.05	0.8	0.215
S035516		60.6	2210	7.0	25.1	0.002	0.18	<0.05	22.8	1	1.1	797	0.42	<0.05	2.0	0.797
S035517		56.1	1490	5.0	7.7	<0.002	0.18	<0.05	30.3	1	1.2	667	0.41	<0.05	2.5	0.792
S035518		93.2	2040	6.4	9.7	<0.002	0.43	<0.05	36.0	2	1.1	651	0.37	<0.05	0.9	0.869
S035519		31.0	1640	4.4	11.6	<0.002	0.06	<0.05	19.1	1	1.0	526	0.37	<0.05	13.0	0.722
S035520		30.8	1750	6.7	14.5	<0.002	0.14	<0.05	18.5	1	0.9	1050	0.42	<0.05	1.4	0.801
S035521		52.2	1080	7.1	28.1	<0.002	0.49	<0.05	12.6	1	0.6	728	0.15	<0.05	1.3	0.373
S035522		21.0	830	6.7	18.5	<0.002	0.30	<0.05	9.5	1	0.7	572	0.23	<0.05	1.5	0.367
S035523		23.2	840	5.8	12.3	<0.002	0.34	<0.05	24.6	2	1.1	472	0.42	<0.05	2.0	0.760
S035524		42.2	1290	5.0	19.4	<0.002	0.23	<0.05	26.0	1	1.0	751	0.44	<0.05	1.3	0.785
S035525		3190	1140	8.7	28.3	0.081	1.63	1.05	27.5	10	1.8	346	0.78	2.66	3.8	0.444
S035526		3.0	20	0.7	2.8	<0.002	<0.01	0.07	0.3	<1	<0.2	7.7	<0.05	<0.05	1.0	0.007

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 24-JUL-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15100512

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
S035503		0.12	0.2	89	0.1	8.4	44	25.3
S035504		0.06	0.1	26	<0.1	5.4	17	11.2
S035505		0.09	0.3	96	0.2	9.0	40	25.2
S035506		0.08	0.3	68	0.1	11.5	54	23.7
S035507		0.08	0.7	296	0.2	30.2	76	48.7
S035508		0.09	1.0	260	0.2	26.2	72	45.4
S035509		0.13	0.6	255	0.2	24.2	77	44.6
S035510		0.19	0.5	246	0.2	23.2	86	42.3
S035511		0.14	0.6	283	0.2	25.3	103	47.1
S035512		0.16	0.6	295	0.2	25.9	122	38.7
S035513		0.24	0.6	294	0.3	26.1	127	34.4
S035514		0.10	0.6	196	0.2	22.2	58	64.8
S035515		0.12	0.2	65	0.1	6.5	31	21.9
S035516		0.16	0.4	216	0.1	21.7	141	50.6
S035517		0.06	0.5	253	0.2	25.6	124	38.7
S035518		0.07	0.2	206	0.1	26.9	153	40.7
S035519		0.06	0.5	198	0.1	20.0	58	95.6
S035520		0.11	0.5	218	0.2	17.0	113	26.9
S035521		0.17	0.2	104	0.1	10.0	72	29.8
S035522		0.10	0.4	98	0.1	10.2	52	48.0
S035523		0.07	0.6	202	0.2	22.8	81	52.1
S035524		0.14	0.3	237	0.1	20.6	114	35.5
S035525		0.31	1.3	274	1.3	14.0	105	77.6
S035526		0.10	0.3	2	<0.1	0.7	<2	21.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 24-JUL-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15100512

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23