ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 24-FEB-2015
Account: RLH

CERTIFICATE SD15019901

Project: 8000

P.O. No.: 967197

This report is for 32 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 10-FEB-2015.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
PGM-ICP27	Ore grade Pt, Pd and Au by ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 24-FEB-2015
Account: RLH

Project: 8000

CERTIFICATE OF ANALYSIS SD15019901

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	PGM-ICP27 Au ppm 0.03	PGM-ICP27 Pt ppm 0.03	PGM-ICP27 Pd ppm 0.03	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02
R230374		0.74	<0.001	<0.005	0.002				0.02	7.93	0.8	840	1.66	0.03	4.47	0.03
R230375		0.90	0.001	<0.005	0.001				0.02	6.96	0.9	430	1.31	0.03	6.18	0.04
R230376		0.58	<0.001	<0.005	0.001				0.05	7.38	0.6	630	1.48	0.04	3.30	0.02
R230377		0.72	<0.001	<0.005	0.002				0.03	7.25	0.9	510	1.29	0.02	2.26	0.03
R230378		3.02	<0.001	<0.005	0.003				0.03	7.31	0.2	1080	1.77	0.03	2.88	0.04
R230379		3.26	<0.001	0.008	0.001				0.08	8.10	0.7	1500	1.40	0.03	2.07	0.02
R230380		3.15	<0.001	<0.005	0.002				0.06	8.04	0.7	1520	1.36	0.16	1.91	0.04
R230381		0.99	0.095	1.205	1.075				1.42	7.60	0.9	1290	1.33	3.06	2.56	0.09
R230382		1.48	0.022	0.390	0.360				0.68	7.38	0.7	1250	1.71	1.29	3.46	0.07
R230383		2.04	0.652	4.33	3.15				45.0	7.70	2.3	1140	1.51	30.6	3.71	0.67
R230384		1.32	0.310	1.135	0.510				4.16	7.89	0.9	1260	1.67	6.15	3.00	0.30
R230385		3.35	<0.001	<0.005	0.002				0.20	7.90	0.8	1170	1.34	0.15	1.93	0.06
R230386		0.64	1.110	0.031	0.224				1.41	8.33	0.3	1500	1.33	2.84	2.34	0.10
R230387		1.91	0.083	0.104	0.431				1.79	8.03	0.9	1650	1.26	3.56	1.53	0.10
R230388		3.59	0.523	1.995	1.120				7.88	8.46	2.0	700	1.51	13.25	2.85	0.58
R230389		2.12	0.017	<0.005	0.032				1.23	7.98	1.1	1030	1.33	1.19	2.99	0.26
R230390		3.32	0.001	<0.005	0.002				0.28	7.97	0.4	1160	1.31	0.25	2.40	0.10
R230391		3.06	<0.001	<0.005	0.002				0.26	7.91	0.3	1410	1.08	0.07	1.93	0.09
R230392		3.24	<0.001	<0.005	0.001				0.07	7.99	<0.2	1590	0.98	0.03	1.57	0.02
R230393		3.44	<0.001	<0.005	0.001				0.07	8.22	<0.2	520	2.02	0.05	3.84	0.05
R230394		0.05	0.113	0.298	5.05				0.16	5.73	0.7	40	0.12	0.16	4.97	0.07
R230395		0.36	<0.001	<0.005	0.007				0.01	0.36	0.3	10	0.07	0.05	0.02	<0.02
R230396		3.45	<0.001	<0.005	0.001				0.04	8.32	0.4	1400	1.55	0.06	2.23	0.03
R230397		1.37	0.005	<0.005	0.002				0.27	8.04	0.5	940	1.41	0.08	2.12	0.03
R230398		0.76	<0.001	<0.005	0.001				0.13	7.45	0.2	1220	1.36	0.05	2.06	0.02
R230399		1.39	0.182	7.02	>10.0	0.19	6.95	14.50	2.68	7.57	1.8	1160	1.62	15.85	2.18	0.03
R230400		1.04	0.017	0.010	0.016				0.47	7.56	<0.2	1190	1.24	0.31	2.60	0.10
R232001		3.30	0.001	<0.005	0.002				0.16	7.72	0.8	1450	1.41	0.11	2.01	0.05
R232002		2.79	<0.001	0.012	0.022				0.07	8.17	0.6	1390	1.78	0.10	3.56	0.04
R232003		0.89	0.001	<0.005	0.001				0.04	7.81	0.2	1000	1.46	0.05	3.30	0.05
R232004		0.05	0.145	0.314	4.97				0.16	5.48	0.8	40	0.12	0.17	4.74	0.07
R232005		0.38	<0.001	<0.005	0.002				0.01	0.34	0.5	10	0.06	0.06	0.02	<0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 24-FEB-2015
Account: RLH

Project: 8000

CERTIFICATE OF ANALYSIS SD15019901

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5
R230374		166.0	30.7	72	0.51	57.8	6.24	20.3	0.27	1.9	0.057	1.48	77.4	49.0	3.16	668
R230375		188.5	42.4	205	0.30	19.0	6.98	19.95	0.27	1.5	0.072	0.74	87.1	35.5	4.90	982
R230376		73.5	17.8	59	0.19	25.7	3.92	19.40	0.17	1.1	0.040	0.85	32.8	21.8	1.79	527
R230377		48.2	14.3	44	0.12	72.9	2.59	17.55	0.17	1.4	0.022	0.87	22.3	11.3	1.20	360
R230378		91.8	18.6	129	0.27	18.2	3.75	20.0	0.22	2.5	0.072	2.55	37.3	33.6	2.37	710
R230379		62.2	11.4	49	0.25	20.9	3.23	18.45	0.21	1.4	0.022	3.23	28.8	29.9	1.45	447
R230380		53.1	11.7	86	0.26	13.0	3.21	18.55	0.23	1.4	0.029	3.39	25.0	29.5	1.64	464
R230381		48.9	16.1	137	0.47	759	3.84	19.05	0.20	2.2	0.056	3.43	18.7	19.3	2.00	617
R230382		85.2	21.8	188	0.68	148.5	5.03	20.6	0.24	2.1	0.083	3.57	31.2	18.9	2.74	934
R230383		89.4	24.4	234	0.73	2330	5.66	20.2	0.24	2.1	0.114	3.43	33.4	21.3	3.05	1000
R230384		66.2	15.6	70	0.44	426	3.89	19.50	0.23	1.7	0.071	3.38	26.1	14.3	1.77	689
R230385		85.5	6.9	36	0.24	143.0	2.06	19.00	0.21	1.5	0.015	3.28	44.9	12.0	0.69	246
R230386		268	12.1	62	0.26	1910	3.44	21.7	0.31	2.7	0.043	3.68	135.0	17.2	1.06	363
R230387		83.4	6.3	28	0.34	939	1.90	17.60	0.20	1.7	0.023	4.14	45.1	12.0	0.60	192
R230388		63.4	16.3	25	0.34	1790	4.38	20.4	0.20	1.2	0.045	2.01	27.6	16.8	1.58	545
R230389		53.5	15.1	49	0.28	280	4.22	18.45	0.20	1.9	0.037	2.35	24.9	14.5	1.48	594
R230390		53.1	9.1	35	0.20	20.2	2.82	18.10	0.21	1.2	0.021	2.47	24.9	13.0	1.06	414
R230391		37.3	5.9	35	0.17	9.1	1.98	17.80	0.19	1.2	0.013	2.95	19.0	11.8	0.71	302
R230392		39.9	6.0	20	0.17	11.2	1.99	17.40	0.21	1.6	0.012	3.56	20.4	16.1	0.64	235
R230393		83.1	19.7	47	0.26	35.7	5.02	23.4	0.22	2.2	0.060	1.49	31.6	18.3	2.00	708
R230394		2.29	83.2	256	0.91	504	8.40	8.92	0.13	0.2	0.028	0.20	1.0	23.0	9.86	1500
R230395		10.10	0.3	29	<0.05	2.9	0.29	0.67	0.14	0.6	<0.005	0.10	4.4	0.3	0.02	30
R230396		78.5	7.2	28	0.30	22.6	2.31	20.7	0.25	1.0	0.021	3.01	36.8	16.0	0.84	253
R230397		65.4	8.3	40	0.30	212	2.42	20.2	0.22	0.8	0.026	2.21	30.3	16.3	0.92	249
R230398		39.5	5.9	32	0.25	41.6	1.66	17.70	0.23	0.8	0.016	2.44	19.6	9.8	0.65	207
R230399		53.3	55.7	53	0.23	2180	2.48	18.45	0.26	1.1	0.267	2.43	24.6	12.1	0.89	261
R230400		43.3	3.4	42	0.10	1090	2.09	20.3	0.20	0.9	0.065	2.07	19.1	7.2	0.58	249
R232001		43.0	7.7	42	0.20	103.0	2.09	18.55	0.21	1.1	0.027	2.55	20.6	11.4	0.86	270
R232002		182.0	16.8	28	0.89	24.6	4.86	22.2	0.28	2.0	0.037	2.29	79.9	22.0	1.53	536
R232003		58.3	16.8	40	0.27	28.6	3.93	18.35	0.19	1.2	0.039	1.53	23.9	15.1	1.61	594
R232004		2.27	81.6	236	0.91	487	8.02	8.88	0.13	0.2	0.026	0.19	1.0	22.7	9.46	1450
R232005		8.66	0.4	40	<0.05	4.1	0.32	0.70	0.12	1.0	<0.005	0.10	3.8	0.4	0.02	34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 24-FEB-2015
Account: RLH

Project: 8000

CERTIFICATE OF ANALYSIS SD15019901

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05
R230374		1.31	2.48	12.8	80.4	2750	5.5	29.0	<0.002	0.18	0.05	15.5	1	1.5	874	0.46
R230375		0.36	1.80	8.4	200	2420	4.1	27.4	<0.002	0.42	<0.05	21.5	1	1.3	1030	0.29
R230376		0.61	3.15	4.6	53.1	1320	5.7	12.3	<0.002	0.21	0.05	10.0	1	0.9	751	0.18
R230377		0.67	3.91	2.7	32.0	840	6.4	12.3	<0.002	0.10	<0.05	6.1	<1	0.8	530	0.13
R230378		0.68	2.49	5.8	45.7	1580	10.1	62.5	<0.002	0.08	0.05	16.0	1	1.7	558	0.28
R230379		0.51	3.00	3.8	21.2	1560	12.2	58.7	<0.002	0.13	0.05	4.7	<1	0.9	643	0.13
R230380		1.32	2.82	3.0	26.6	1310	16.6	62.9	<0.002	0.06	0.05	6.9	<1	0.8	611	0.10
R230381		0.58	2.82	4.9	116.5	1760	45.8	67.8	<0.002	0.12	0.10	10.6	1	5.9	610	0.18
R230382		0.56	2.43	8.6	89.3	2270	41.3	81.8	<0.002	0.08	0.09	20.2	1	3.9	574	0.38
R230383		0.93	2.38	8.1	388	2570	746	108.5	<0.002	0.26	0.28	18.5	3	19.1	614	0.30
R230384		0.61	2.85	5.3	90.7	1470	241	77.7	<0.002	0.12	0.18	14.6	1	4.6	654	0.19
R230385		0.87	3.14	2.4	16.3	700	25.0	66.1	<0.002	0.08	0.07	2.9	<1	0.7	645	0.05
R230386		0.87	2.98	6.2	320	1410	29.7	63.1	<0.002	0.20	0.09	3.5	1	6.6	716	0.26
R230387		1.53	2.93	2.2	97.0	680	111.5	81.8	0.002	0.09	0.13	1.9	1	2.3	611	0.07
R230388		1.34	3.65	6.3	213	1770	430	37.1	0.002	0.27	0.28	6.8	2	11.3	836	0.21
R230389		0.87	3.24	4.8	36.3	1220	85.9	42.7	<0.002	0.13	0.12	9.4	1	1.7	682	0.21
R230390		0.87	3.43	4.0	14.7	1150	43.9	43.2	<0.002	0.11	0.06	5.5	1	1.1	784	0.14
R230391		0.88	3.40	2.2	12.5	720	28.3	48.0	<0.002	0.06	<0.05	3.2	<1	0.7	817	0.07
R230392		0.73	3.05	2.0	12.4	930	12.3	63.1	<0.002	0.05	<0.05	1.8	<1	0.6	790	0.06
R230393		0.77	3.81	6.6	19.4	1600	12.6	26.9	<0.002	0.22	<0.05	13.4	1	2.0	886	0.32
R230394		0.50	0.57	0.2	770	20	4.7	8.2	<0.002	0.19	0.38	39.4	2	<0.2	83.7	<0.05
R230395		1.10	0.05	0.1	2.5	20	0.8	3.1	<0.002	<0.01	0.08	0.2	<1	<0.2	4.9	<0.05
R230396		0.90	3.48	3.1	17.0	1220	18.3	61.3	<0.002	0.07	<0.05	3.8	<1	0.9	749	0.12
R230397		0.81	3.91	2.8	52.3	1400	22.0	54.5	<0.002	0.11	<0.05	3.8	1	2.7	632	0.08
R230398		0.70	3.28	1.9	18.4	440	26.4	55.3	<0.002	0.13	<0.05	3.9	<1	0.6	749	0.07
R230399		1.12	3.27	2.4	2160	640	76.2	47.5	<0.002	0.92	0.08	4.3	18	30.8	672	0.09
R230400		0.83	3.75	1.9	106.5	640	34.1	27.5	<0.002	0.13	0.06	5.1	1	2.0	839	0.05
R232001		0.81	3.71	1.8	36.8	630	22.6	48.7	<0.002	0.11	0.06	5.3	1	1.4	762	0.06
R232002		0.81	3.54	5.6	17.4	2420	23.6	55.4	<0.002	0.15	<0.05	9.7	1	1.3	1130	0.24
R232003		0.70	3.75	3.8	20.9	1130	11.2	31.3	<0.002	0.15	<0.05	10.5	1	1.4	774	0.16
R232004		0.52	0.55	0.2	744	20	4.0	8.3	<0.002	0.18	0.42	39.6	1	<0.2	82.5	<0.05
R232005		1.82	0.06	0.1	2.9	20	0.8	2.7	<0.002	<0.01	0.08	0.2	<1	<0.2	3.8	<0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 24-FEB-2015
Account: RLH

Project: 8000

CERTIFICATE OF ANALYSIS SD15019901

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
R230374		<0.05	8.7	0.665	0.22	1.0	123	0.2	23.0	89	82.0
R230375		<0.05	1.4	0.637	0.15	0.3	147	0.1	28.2	124	66.2
R230376		<0.05	0.7	0.364	0.10	0.1	78	0.2	13.4	61	47.9
R230377		<0.05	0.8	0.243	0.07	0.2	59	0.1	6.8	39	47.9
R230378		<0.05	2.0	0.322	0.37	0.4	81	0.1	17.3	101	93.0
R230379		<0.05	0.8	0.336	0.35	0.2	63	0.1	6.2	71	55.6
R230380		<0.05	1.0	0.264	0.35	0.4	56	0.1	7.3	72	52.0
R230381		2.51	0.2	0.414	0.56	0.3	83	<0.1	10.5	100	82.6
R230382		0.85	1.7	0.489	0.67	0.5	103	<0.1	18.6	131	78.1
R230383		19.85	0.8	0.609	1.01	0.4	129	<0.1	19.1	149	75.1
R230384		1.53	0.6	0.364	0.60	0.3	92	<0.1	13.7	99	66.6
R230385		<0.05	4.7	0.229	0.38	0.2	42	<0.1	3.2	46	55.5
R230386		0.38	21.4	0.481	0.41	0.3	78	<0.1	6.7	67	119.0
R230387		1.15	5.0	0.203	0.47	0.2	44	0.1	3.0	42	68.3
R230388		2.26	0.7	0.515	0.39	0.2	105	<0.1	8.5	90	49.6
R230389		0.11	1.5	0.436	0.31	0.3	111	0.1	9.8	69	69.2
R230390		<0.05	0.8	0.339	0.23	0.2	70	<0.1	6.6	47	43.8
R230391		<0.05	0.2	0.202	0.24	0.1	39	0.1	4.0	41	45.2
R230392		<0.05	0.2	0.200	0.31	0.2	45	0.1	3.9	37	60.7
R230393		<0.05	1.3	0.483	0.24	0.4	139	0.1	18.4	85	84.7
R230394		0.39	<0.2	0.113	0.09	<0.1	158	1.0	2.7	92	5.2
R230395		<0.05	1.1	0.007	0.08	0.2	2	<0.1	0.6	<2	19.6
R230396		<0.05	4.3	0.239	0.33	0.6	46	0.1	7.8	33	35.6
R230397		0.29	2.2	0.256	0.36	0.3	47	0.1	7.1	33	32.2
R230398		<0.05	0.8	0.146	0.34	0.2	30	0.1	4.8	22	28.2
R230399		36.4	1.1	0.169	0.32	0.4	32	0.1	7.6	33	40.7
R230400		0.06	<0.2	0.175	0.16	0.1	30	<0.1	7.7	28	31.2
R232001		<0.05	0.4	0.186	0.28	0.2	40	0.1	6.8	29	40.1
R232002		0.08	7.4	0.517	0.43	0.4	112	0.1	15.3	57	100.0
R232003		<0.05	0.9	0.351	0.20	0.2	99	0.1	13.4	64	48.5
R232004		0.46	<0.2	0.108	0.08	<0.1	151	1.0	2.7	90	5.1
R232005		<0.05	1.1	0.006	0.07	0.3	1	<0.1	0.6	<2	37.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 24-FEB-2015
Account: RLH

Project: 8000

CERTIFICATE OF ANALYSIS SD15019901

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

ME-MS61	PGM-ICP23	PGM-ICP27