ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

QC CERTIFICATE SD15024430

Project: 8000
P.O. No.: 967209
This report is for 5 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 18-FEB-2015.
The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

Project: 8000

QC CERTIFICATE OF ANALYSIS SD15024430

Sample Description	Method / Analyte / Units / LOR	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05
STANDARDS																
CDN-PGMS20		1.130	0.768	3.54												
Target Range - Lower Bound		1.060	0.691	3.12												
Upper Bound		1.200	0.789	3.52												
G310-8		8.18	<0.005	0.001												
Target Range - Lower Bound																
Upper Bound																
OGGeo08					19.65	6.86	117.5	910	2.94	10.55	2.20	19.65	72.1	98.9	86	11.95
Target Range - Lower Bound					18.15	6.07	106.0	700	2.59	9.44	1.98	16.70	64.8	87.2	78	9.85
Upper Bound					22.2	7.44	130.0	980	3.27	11.55	2.44	20.5	79.2	107.0	98	12.15
OREAS 90					0.05	7.30	4.4	430	2.56	1.05	0.47	<0.02	88.5	16.0	84	7.49
Target Range - Lower Bound					0.03	6.91	4.4	380	2.38	0.77	0.44	<0.02	83.7	14.2	81	6.45
Upper Bound					0.07	8.47	5.8	540	3.02	0.97	0.56	0.08	102.5	17.6	101	7.99
OREAS-904		0.046	<0.005	0.002												
Target Range - Lower Bound		0.041	<0.005	<0.001												
Upper Bound		0.049	0.011	0.003												
PD1		0.542	0.449	0.567												
Target Range - Lower Bound		0.508	0.424	0.528												
Upper Bound		0.576	0.488	0.598												
BLANKS																
BLANK					<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05
Target Range - Lower Bound					<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05
Upper Bound					0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10
BLANK		<0.001	<0.005	<0.001												
Target Range - Lower Bound		<0.001	<0.005	<0.001												
Upper Bound		0.002	0.010	0.002												

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

Project: 8000

QC CERTIFICATE OF ANALYSIS SD15024430

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
STANDARDS																
CDN-PGMS20																
Target Range - Lower Bound																
Upper Bound																
G310-8																
Target Range - Lower Bound																
Upper Bound																
OGGeo08		8900	5.40	19.30	0.36	3.2	1.495	2.95	35.8	34.6	1.28	510	947	1.82	18.5	9040
Target Range - Lower Bound		7800	4.81	16.05	0.25	2.5	1.320	2.59	31.0	29.7	1.11	447	841	1.62	15.4	8000
Upper Bound		8980	5.91	19.75	0.49	3.3	1.620	3.19	39.0	36.7	1.38	557	1030	2.00	19.0	9770
OREAS 90		107.0	4.00	22.1	0.29	4.0	0.125	2.88	43.8	27.9	1.58	597	0.45	0.46	15.9	83.1
Target Range - Lower Bound		104.0	3.83	19.40	0.08	3.3	0.112	2.65	40.0	25.2	1.48	565	0.33	0.44	14.4	77.2
Upper Bound		120.0	4.71	23.8	0.30	4.3	0.148	3.27	50.0	31.2	1.83	701	0.57	0.56	17.8	94.8
OREAS-904																
Target Range - Lower Bound																
Upper Bound																
PD1																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		0.2	<0.01	0.05	0.09	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	0.05	<0.01	<0.1	<0.2
Target Range - Lower Bound		<0.2	<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
Upper Bound		0.4	0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4
BLANK																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

Project: 8000

QC CERTIFICATE OF ANALYSIS SD15024430

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
STANDARDS																
CDN-PGMS20																
Target Range - Lower Bound																
Upper Bound																
G310-8																
Target Range - Lower Bound																
Upper Bound																
OGGeo08		870	7110	196.5	1.380	2.78	28.5	10.9	13	14.5	262	1.43	0.15	18.4	0.401	1.93
Target Range - Lower Bound		760	6520	164.5	1.285	2.51	22.8	9.2	8	12.5	224	1.19	0.09	16.7	0.353	1.43
Upper Bound		950	7970	201	1.575	3.09	31.0	11.4	14	15.7	274	1.57	0.31	20.9	0.443	1.98
OREAS 90		630	7.1	189.0	<0.002	0.06	0.89	13.6	2	7.6	34.2	1.33	<0.05	17.3	0.373	1.02
Target Range - Lower Bound		590	5.3	172.5	<0.002	0.05	0.67	12.5	<1	6.8	30.1	1.14	<0.05	16.1	0.357	0.80
Upper Bound		740	7.9	211	0.006	0.10	1.05	15.5	3	8.8	37.2	1.50	0.16	20.1	0.447	1.14
OREAS-904																
Target Range - Lower Bound																
Upper Bound																
PD1																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Target Range - Lower Bound		<10	<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02
Upper Bound		20	1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010	0.04
BLANK																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

Project: 8000

QC CERTIFICATE OF ANALYSIS SD15024430

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
STANDARDS							
CDN-PGMS20							
Target Range - Lower Bound							
Upper Bound							
G310-8							
Target Range - Lower Bound							
Upper Bound							
OGGeo08		5.5	87	5.1	25.3	7070	100.5
Target Range - Lower Bound		4.5	77	3.9	21.1	6500	78.6
Upper Bound		5.8	97	5.4	26.0	7950	107.5
OREAS 90		3.5	87	2.9	30.2	56	124.0
Target Range - Lower Bound		2.8	84	2.3	26.8	54	110.5
Upper Bound		3.6	104	3.4	33.0	70	150.5
OREAS-904							
Target Range - Lower Bound							
Upper Bound							
PD1							
Target Range - Lower Bound							
Upper Bound							
BLANKS							
BLANK		<0.1	<1	<0.1	<0.1	<2	<0.5
Target Range - Lower Bound		<0.1	<1	<0.1	<0.1	<2	<0.5
Upper Bound		0.2	2	0.2	0.2	4	1.0
BLANK							
Target Range - Lower Bound							
Upper Bound							

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

Project: 8000

QC CERTIFICATE OF ANALYSIS SD15024430

Sample Description	Method	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
DUPLICATES																
ORIGINAL		0.034	0.034	0.074												
DUP		0.029	0.021	0.069												
Target Range - Lower Bound		0.029	0.021	0.067												
Upper Bound		0.034	0.034	0.076												
R228125					0.06	7.13	<0.2	480	1.16	0.03	5.21	0.13	60.9	39.1	51	0.97
DUP					0.07	7.20	0.3	490	1.19	0.03	5.23	0.12	62.8	40.9	50	0.98
Target Range - Lower Bound					0.05	6.80	<0.2	440	1.07	0.02	4.95	0.10	58.7	37.9	47	0.88
Upper Bound					0.08	7.53	0.4	530	1.28	0.04	5.49	0.15	65.0	42.1	54	1.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

Project: 8000

QC CERTIFICATE OF ANALYSIS SD15024430

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
R228125		107.0	9.34	21.5	0.24	2.6	0.091	0.83	28.7	7.1	2.26	1460	0.73	2.20	12.1	44.4
DUP		111.0	9.51	22.2	0.25	2.7	0.087	0.85	29.7	7.3	2.28	1480	0.85	2.22	12.8	46.0
Target Range - Lower Bound		105.0	8.94	20.7	0.18	2.4	0.080	0.79	27.2	6.6	2.15	1390	0.70	2.09	11.7	42.7
Upper Bound		113.0	9.91	23.0	0.31	2.9	0.098	0.89	31.2	7.8	2.39	1550	0.88	2.33	13.2	47.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

Project: 8000

QC CERTIFICATE OF ANALYSIS SD15024430

Sample Description	Method / Analyte / Units / LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
R228125		1230	6.1	28.0	0.002	0.13	0.07	30.1	2	1.3	428	0.70	<0.05	5.1	0.870	0.17
DUP		1230	7.0	29.0	0.003	0.14	0.08	31.4	2	1.4	437	0.74	<0.05	5.5	0.882	0.18
Target Range - Lower Bound		1160	5.7	27.0	<0.002	0.12	<0.05	29.1	<1	1.1	411	0.63	<0.05	4.8	0.827	0.14
Upper Bound		1300	7.4	30.0	0.004	0.15	0.10	32.4	3	1.6	454	0.81	0.10	5.8	0.925	0.21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

Project: 8000

QC CERTIFICATE OF ANALYSIS SD15024430

Sample Description	Method / Analyte / Units / LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
		DUPLICATES					
ORIGINAL							
DUP							
Target Range - Lower Bound							
Upper Bound							
R228125		0.9	258	0.4	35.5	114	86.3
DUP		1.0	264	0.4	36.7	116	88.1
Target Range - Lower Bound		0.8	247	0.3	34.2	107	82.3
Upper Bound		1.1	275	0.5	38.0	123	92.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 28-FEB-2015
Account: RLH

Project: 8000

QC CERTIFICATE OF ANALYSIS SD15024430

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method: CRU-31 CRU-QC LOG-22 LOG-23
PUL-31 SPL-21 WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23