ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 20-MAR-2015
Account: RLH

CERTIFICATE SD15032493

Project: 675

P.O. No.: 967226

This report is for 25 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 6-MAR-2015.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 20-MAR-2015
Account: RLH

Project: 675

CERTIFICATE OF ANALYSIS SD15032493

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
R232029		3.56	<0.001	<0.005	<0.001	0.03	7.63	0.5	410	1.27	0.01	3.72	0.05	34.5	14.1	43
R232030		0.93	<0.001	<0.005	0.001	0.04	7.09	0.7	780	1.02	0.01	2.48	0.05	31.9	11.8	34
R232031		2.45	<0.001	0.005	0.003	0.05	7.31	<0.2	690	1.54	0.07	3.76	0.07	52.6	27.6	513
R232032		3.56	<0.001	<0.005	0.001	0.01	7.75	<0.2	240	0.95	0.01	4.09	0.05	26.4	17.3	63
R232033		3.45	<0.001	<0.005	<0.001	0.04	7.71	0.2	460	1.02	0.02	3.36	0.04	30.5	14.8	30
R232034		3.61	<0.001	<0.005	0.001	0.01	7.56	0.2	320	0.87	<0.01	3.77	0.04	29.1	15.5	54
R232035		3.48	<0.001	<0.005	<0.001	0.45	7.51	<0.2	400	1.09	0.01	3.95	0.04	32.4	16.8	54
R232036		3.49	<0.001	<0.005	0.001	0.01	6.76	0.2	840	0.81	<0.01	1.39	0.05	38.7	4.5	26
R232037		3.50	<0.001	<0.005	0.003	0.02	7.38	<0.2	320	1.11	0.01	3.46	0.04	55.3	17.8	59
R232038		2.20	<0.001	<0.005	<0.001	0.02	7.02	<0.2	1010	1.17	<0.01	1.27	0.03	26.3	3.2	28
R232039		3.66	<0.001	<0.005	0.001	0.03	6.99	0.7	600	1.40	0.02	3.54	0.02	82.8	17.5	176
R232040		3.57	<0.001	<0.005	<0.001	0.01	7.20	0.4	510	1.53	<0.01	3.28	0.04	57.4	12.6	92
R232041		2.86	<0.001	<0.005	<0.001	0.02	7.37	<0.2	290	1.52	0.01	3.92	0.05	58.4	14.3	87
R232042		3.25	<0.001	<0.005	<0.001	0.02	7.44	0.7	230	1.21	<0.01	3.62	0.05	39.8	12.8	58
R232043		3.60	<0.001	<0.005	<0.001	0.01	7.12	<0.2	190	1.08	<0.01	2.49	0.03	32.7	5.6	35
R232044		3.75	<0.001	<0.005	<0.001	0.02	7.67	<0.2	1220	1.96	0.01	2.18	0.03	85.3	12.0	25
R232045		3.78	<0.001	<0.005	<0.001	0.02	7.75	<0.2	750	2.65	<0.01	2.23	0.08	69.9	10.6	25
R232046		3.30	<0.001	<0.005	<0.001	0.02	7.42	0.3	1130	1.64	0.01	1.36	0.04	63.8	13.7	26
R232047		3.57	<0.001	<0.005	<0.001	0.03	7.12	0.4	1230	1.19	<0.01	0.83	0.04	48.0	5.1	22
R232048		3.75	<0.001	<0.005	<0.001	0.03	7.88	<0.2	1530	1.55	0.01	4.62	0.06	187.0	15.1	10
R232049		3.68	<0.001	<0.005	0.001	0.07	7.94	0.4	1310	1.65	0.01	3.56	0.04	168.5	13.3	13
R232050		3.02	<0.001	<0.005	0.002	0.02	4.54	<0.2	530	1.25	0.02	4.89	0.12	69.7	61.4	1160
R232051		3.73	<0.001	<0.005	0.002	0.02	5.68	<0.2	870	1.85	0.04	5.59	0.10	96.0	45.4	743
R232052		0.04	0.120	0.301	4.95	0.17	5.26	0.7	40	0.12	0.13	5.01	0.08	2.47	85.3	298
R232053		0.26	<0.001	<0.005	0.001	<0.01	0.30	<0.2	10	<0.05	0.03	0.02	0.02	7.43	0.4	49

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 20-MAR-2015
Account: RLH

Project: 675

CERTIFICATE OF ANALYSIS SD15032493

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
R232029		0.13	8.8	3.02	19.15	0.11	1.3	0.025	1.13	14.1	9.9	1.45	477	1.26	3.52	3.4
R232030		0.27	38.3	2.56	18.10	0.15	1.3	0.020	2.63	14.7	10.6	0.85	331	1.30	2.67	2.5
R232031		0.76	38.2	4.66	20.1	0.17	1.7	0.047	2.00	23.8	27.0	3.97	907	0.58	2.79	4.4
R232032		0.20	10.0	3.82	19.55	0.10	1.5	0.035	0.62	11.1	17.0	1.83	590	1.03	3.45	4.2
R232033		0.24	31.9	4.04	20.1	0.12	2.1	0.030	1.15	12.7	19.5	1.28	549	1.03	3.10	5.6
R232034		0.20	16.2	3.56	18.45	0.09	1.4	0.024	0.71	12.8	14.7	1.59	541	0.93	3.22	3.9
R232035		0.26	8.4	3.74	20.0	0.10	1.4	0.034	1.04	13.8	18.1	1.64	550	0.89	3.04	4.6
R232036		0.19	12.2	1.46	15.75	0.18	2.1	0.009	3.77	19.2	6.6	0.41	173	1.18	2.66	1.8
R232037		0.35	23.6	4.04	19.05	0.14	1.8	0.033	1.34	27.5	13.3	1.64	514	1.37	3.30	4.5
R232038		0.33	7.1	1.17	16.50	0.18	2.7	0.005	3.58	12.2	11.9	0.44	152	1.02	2.75	1.8
R232039		0.44	27.3	3.59	17.50	0.17	2.1	0.030	1.76	40.9	40.2	2.77	494	1.10	2.49	6.1
R232040		0.17	10.6	2.82	17.80	0.13	2.4	0.022	1.43	25.8	15.5	1.88	406	0.98	3.33	5.7
R232041		0.14	13.7	2.89	19.20	0.13	2.4	0.030	0.76	26.1	19.5	2.13	460	1.09	3.44	6.1
R232042		0.12	9.3	3.14	19.25	0.07	2.6	0.028	0.76	16.4	15.7	1.30	467	1.37	3.08	5.6
R232043		0.26	3.2	1.99	18.70	0.10	2.6	0.023	1.14	13.5	16.9	0.81	262	0.75	3.75	4.0
R232044		0.52	7.4	3.17	23.5	0.22	3.0	0.031	2.95	37.6	20.4	0.94	514	1.04	2.82	11.2
R232045		0.58	13.6	3.63	24.6	0.16	2.4	0.044	2.27	30.8	23.4	1.09	589	1.04	3.41	14.0
R232046		0.33	5.3	2.58	22.0	0.18	1.4	0.035	3.54	29.4	24.0	0.89	377	1.05	2.31	8.1
R232047		0.26	6.3	1.82	19.10	0.21	2.5	0.012	4.20	25.3	12.3	0.49	274	0.84	2.66	3.7
R232048		0.39	8.1	5.25	23.8	0.25	1.0	0.058	1.84	82.8	20.8	1.12	1100	1.18	3.54	16.2
R232049		0.11	48.6	4.85	24.7	0.23	3.3	0.067	1.69	75.9	23.0	1.05	875	1.30	3.70	14.0
R232050		10.55	2.4	6.05	14.45	0.19	1.9	0.044	2.58	29.7	31.9	10.75	1080	0.24	0.67	5.4
R232051		4.62	5.0	6.12	16.70	0.19	2.4	0.067	2.13	40.3	23.6	7.56	1140	0.27	1.72	6.4
R232052		0.94	509	8.40	9.82	0.08	0.1	0.023	0.20	1.1	21.0	9.48	1460	0.56	0.58	0.2
R232053		<0.05	2.2	0.32	0.78	0.08	0.3	<0.005	0.09	3.5	0.6	0.02	35	2.28	0.06	0.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 20-MAR-2015
Account: RLH

Project: 675

CERTIFICATE OF ANALYSIS SD15032493

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
R232029		45.5	310	7.3	18.0	<0.002	0.01	0.08	9.0	1	0.8	308	0.24	<0.05	1.6	0.213
R232030		22.0	360	9.5	63.7	0.002	0.05	0.05	6.6	<1	0.5	335	0.17	<0.05	3.0	0.204
R232031		230	1040	7.2	66.8	<0.002	0.02	0.06	16.5	1	0.9	343	0.31	0.05	2.1	0.348
R232032		57.9	480	5.1	7.2	<0.002	0.01	0.05	11.0	<1	0.9	350	0.32	<0.05	1.0	0.335
R232033		29.0	640	6.1	19.9	<0.002	0.02	0.05	9.5	<1	1.0	349	0.41	<0.05	1.0	0.416
R232034		47.2	520	5.4	9.3	<0.002	0.01	<0.05	10.2	1	0.8	336	0.23	<0.05	0.9	0.320
R232035		47.8	480	6.5	15.7	<0.002	<0.01	<0.05	11.0	<1	0.8	331	0.28	<0.05	1.6	0.336
R232036		12.6	180	12.5	64.6	<0.002	0.01	<0.05	3.0	1	0.4	208	0.11	<0.05	14.1	0.102
R232037		43.8	420	8.2	28.3	<0.002	0.01	0.06	13.5	1	1.0	255	0.36	<0.05	12.7	0.318
R232038		9.4	280	8.0	85.7	<0.002	<0.01	<0.05	2.0	<1	0.4	260	0.11	<0.05	8.9	0.093
R232039		71.6	1400	7.5	42.5	<0.002	0.02	0.05	10.7	1	1.0	376	0.36	<0.05	4.2	0.293
R232040		51.9	1150	7.8	28.0	<0.002	0.01	0.06	7.9	<1	0.9	363	0.40	<0.05	5.0	0.296
R232041		63.0	1040	10.5	15.9	<0.002	0.01	0.05	8.9	1	1.2	383	0.47	<0.05	5.2	0.297
R232042		35.9	920	9.2	17.1	<0.002	0.02	0.06	8.4	1	1.0	412	0.39	<0.05	1.6	0.310
R232043		19.5	640	3.2	18.9	<0.002	<0.01	0.05	5.2	1	0.9	304	0.26	<0.05	1.8	0.212
R232044		8.0	1480	5.4	105.0	<0.002	0.11	<0.05	7.0	<1	1.3	354	0.69	<0.05	6.2	0.428
R232045		8.9	1330	11.8	73.1	<0.002	0.05	<0.05	12.4	1	1.6	519	1.04	<0.05	1.7	0.458
R232046		7.6	950	3.1	87.5	<0.002	0.13	<0.05	6.2	1	1.0	215	0.35	<0.05	2.7	0.316
R232047		5.7	500	10.4	113.0	<0.002	0.04	<0.05	3.1	1	0.5	282	0.15	<0.05	3.1	0.150
R232048		5.5	2940	4.1	66.0	<0.002	0.18	<0.05	13.2	1	1.5	511	0.68	<0.05	3.7	0.916
R232049		5.4	2360	5.2	39.2	<0.002	0.14	<0.05	10.2	1	1.4	483	0.58	<0.05	16.5	0.791
R232050		820	1120	11.5	227	<0.002	0.01	0.05	16.3	1	1.0	222	0.34	<0.05	4.4	0.356
R232051		343	1990	11.3	167.5	<0.002	0.10	0.07	25.1	1	1.4	716	0.37	<0.05	4.5	0.453
R232052		800	30	5.3	8.4	0.002	0.19	0.42	43.7	1	<0.2	87.2	<0.05	0.38	<0.2	0.106
R232053		2.9	10	0.6	2.7	<0.002	<0.01	0.07	0.2	<1	<0.2	3.3	<0.05	<0.05	1.1	0.006

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 20-MAR-2015
Account: RLH

Project: 675

CERTIFICATE OF ANALYSIS SD15032493

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
R232029		0.12	0.6	78	0.1	10.2	49	38.5
R232030		0.36	0.9	62	0.1	6.0	34	42.7
R232031		0.34	0.7	103	0.1	14.7	108	52.8
R232032		0.07	0.4	101	0.1	9.5	59	54.7
R232033		0.13	0.4	104	0.1	11.7	61	66.9
R232034		0.08	0.3	93	0.1	9.2	60	48.8
R232035		0.13	0.5	94	1.6	10.3	59	53.1
R232036		0.27	1.2	28	0.1	3.6	15	66.3
R232037		0.20	1.1	110	0.2	11.9	42	59.8
R232038		0.43	1.3	22	0.1	3.3	11	85.6
R232039		0.27	1.0	73	0.2	12.7	49	77.9
R232040		0.16	1.0	67	0.1	9.6	42	83.6
R232041		0.14	1.2	67	0.1	11.5	47	82.2
R232042		0.12	0.8	70	0.1	10.3	44	101.5
R232043		0.09	0.8	46	0.1	7.4	19	94.0
R232044		0.65	0.8	52	0.5	13.0	64	117.5
R232045		0.58	0.6	65	0.1	13.5	95	97.8
R232046		0.38	0.6	45	0.8	11.3	47	57.9
R232047		0.61	0.6	20	0.1	5.7	38	91.0
R232048		0.37	0.3	78	0.4	25.8	111	49.2
R232049		0.23	0.6	73	0.6	17.5	105	154.5
R232050		1.50	1.1	116	0.1	14.1	114	66.3
R232051		1.08	1.2	144	0.1	22.0	119	87.6
R232052		0.10	<0.1	158	0.8	2.8	97	5.5
R232053		0.06	0.2	1	<0.1	0.6	<2	13.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 20-MAR-2015
Account: RLH

Project: 675

CERTIFICATE OF ANALYSIS SD15032493

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23