ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 26-MAY-2015
Account: RLH

CERTIFICATE SD15068910

Project: 642

P.O. No.: 287270

This report is for 27 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 12-MAY-2015.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 26-MAY-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15068910

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
R232212		2.34	<0.001	<0.005	<0.001	0.03	7.91	<0.2	2290	1.63	0.04	2.33	0.06	264	13.7	24
R232213		1.63	<0.001	<0.005	<0.001	0.04	7.36	0.6	1860	1.50	0.03	3.09	0.04	222	17.3	142
R232214		2.35	<0.001	<0.005	<0.001	0.04	8.02	<0.2	2490	1.53	0.02	2.45	0.06	254	13.0	25
R232215		2.51	<0.001	<0.005	<0.001	0.02	7.62	0.7	1270	1.53	0.04	1.36	0.03	68.1	11.8	30
R232216		1.88	0.001	<0.005	<0.001	0.09	8.10	0.6	740	1.40	0.24	1.14	0.03	70.9	12.9	28
R232217		4.05	<0.001	<0.005	<0.001	0.02	7.56	0.3	900	1.54	0.03	1.48	0.02	111.0	8.2	41
R232218		1.87	<0.001	<0.005	<0.001	0.03	7.56	0.2	1320	1.23	0.02	1.61	0.02	58.0	3.7	33
R232219		1.33	<0.001	<0.005	<0.001	0.02	7.51	0.8	590	1.10	0.02	1.61	0.04	74.7	2.9	32
R232220		1.03	<0.001	<0.005	<0.001	0.01	7.63	0.3	1490	1.42	0.02	1.87	0.03	85.5	4.8	40
R232221		0.87	<0.001	<0.005	<0.001	0.03	7.74	<0.2	800	1.89	0.03	2.37	0.04	92.6	11.8	80
R232222		2.97	<0.001	<0.005	<0.001	0.02	7.85	<0.2	400	1.74	0.03	2.89	0.05	181.0	10.1	121
R232223		2.79	<0.001	<0.005	<0.001	0.01	7.16	0.3	280	1.08	0.03	2.06	0.02	70.2	6.3	44
R232224		3.68	0.001	<0.005	<0.001	0.02	7.58	0.2	1050	1.41	0.03	2.91	<0.02	92.2	4.0	40
R232225		2.81	<0.001	<0.005	<0.001	0.02	7.77	0.3	1050	1.49	0.03	2.81	0.02	146.0	6.8	27
R232226		1.20	0.001	<0.005	<0.001	0.02	7.96	<0.2	1680	1.77	0.03	2.36	<0.02	232	15.7	28
R232227		1.02	<0.001	<0.005	<0.001	0.02	7.04	0.5	1060	0.92	0.03	3.12	0.03	93.8	28.2	31
R232228		1.54	<0.001	<0.005	<0.001	0.02	7.57	<0.2	1510	1.47	0.02	1.29	0.02	52.3	6.9	21
R232229		1.30	<0.001	<0.005	<0.001	0.04	8.51	<0.2	3330	0.90	0.03	1.55	0.02	312	8.9	23
R232230		1.73	<0.001	<0.005	<0.001	0.05	8.17	0.3	1700	1.24	0.05	2.34	0.02	208	13.2	25
R232231		1.74	<0.001	<0.005	<0.001	0.02	8.18	<0.2	1850	1.59	0.02	2.38	<0.02	236	8.9	26
R232232		2.41	<0.001	<0.005	<0.001	0.02	8.23	<0.2	1940	1.57	0.02	2.29	0.02	145.5	10.4	25
R232233		0.04	0.118	0.312	5.12	0.19	5.57	0.6	40	0.11	0.23	4.92	0.09	2.58	84.1	301
R232234		0.22	<0.001	<0.005	<0.001	0.01	0.33	0.2	10	0.07	0.07	0.01	<0.02	9.80	0.5	63
R232235		1.85	<0.001	<0.005	<0.001	0.03	8.32	<0.2	1510	1.54	0.08	2.54	<0.02	204	10.5	30
R232236		2.27	<0.001	<0.005	<0.001	0.02	8.44	<0.2	1340	1.38	0.03	1.87	0.02	179.0	6.0	37
R232237		0.04	0.122	0.307	5.10	0.15	5.20	<0.2	40	0.12	0.12	4.84	0.06	2.52	83.4	284
R232238		0.19	<0.001	<0.005	<0.001	0.01	0.31	<0.2	10	0.07	0.05	0.01	<0.02	8.31	0.3	50

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 26-MAY-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15068910

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
R232212		0.81	14.6	4.30	23.2	0.38	2.6	0.051	4.22	120.0	23.0	1.22	506	1.07	2.78	11.7
R232213		0.98	26.8	4.82	22.3	0.26	2.7	0.044	3.44	97.3	25.1	1.88	628	1.17	2.61	9.3
R232214		0.92	12.3	4.25	21.7	0.32	2.3	0.078	4.06	108.5	19.6	1.19	512	1.02	2.88	12.3
R232215		0.30	6.1	2.07	19.60	0.16	0.9	0.057	2.18	38.4	11.4	0.79	189	1.10	4.23	2.8
R232216		0.49	88.1	3.83	19.40	0.11	0.8	0.053	1.91	38.3	12.2	0.83	207	1.45	4.53	2.6
R232217		0.33	5.8	1.65	19.65	0.16	1.0	0.047	1.78	62.0	11.7	0.68	205	1.56	4.55	2.5
R232218		0.13	8.3	1.57	17.90	0.14	0.6	0.029	2.34	34.5	8.3	0.48	223	0.78	3.82	2.4
R232219		0.10	2.4	1.31	18.35	0.16	0.7	0.038	1.42	44.1	8.0	0.46	203	0.73	4.71	2.2
R232220		0.17	3.9	1.44	18.95	0.18	0.8	0.032	2.98	48.9	10.1	0.62	272	0.91	3.40	2.8
R232221		0.15	7.7	2.48	18.80	0.17	1.4	0.065	1.44	42.6	14.1	1.50	437	0.82	4.36	5.7
R232222		0.20	3.3	2.60	22.4	0.21	1.8	0.057	1.06	99.6	11.3	1.15	451	0.87	4.58	5.1
R232223		0.10	1.9	1.66	19.70	0.11	0.6	0.043	0.85	39.8	6.6	0.36	210	1.28	4.71	2.3
R232224		0.15	4.4	2.42	20.2	0.19	1.3	0.045	2.09	43.6	9.0	0.69	315	1.25	3.53	6.3
R232225		0.34	4.5	2.82	22.4	0.24	1.9	0.054	2.07	67.6	12.7	1.04	408	0.69	3.85	9.4
R232226		0.45	11.2	4.13	24.4	0.30	2.2	0.045	3.15	109.5	22.3	1.65	458	0.71	3.25	11.7
R232227		0.17	3.4	3.33	20.2	0.20	1.5	0.039	2.49	42.7	9.8	0.81	363	1.11	2.50	6.0
R232228		0.28	5.0	1.79	19.15	0.16	0.7	0.024	3.07	28.6	12.6	0.66	217	0.62	3.61	2.9
R232229		0.49	12.6	3.31	21.7	0.31	2.1	0.024	4.50	171.5	8.5	0.91	308	0.71	2.41	4.6
R232230		0.16	12.1	3.87	23.6	0.27	2.7	0.050	3.21	106.0	15.6	1.23	338	0.60	3.26	8.0
R232231		0.34	5.5	4.05	23.4	0.27	2.2	0.043	3.42	120.0	17.3	1.27	358	0.76	3.28	11.0
R232232		0.23	4.7	3.92	23.1	0.22	2.1	0.037	3.44	68.6	13.6	1.15	363	0.62	3.28	9.3
R232233		0.94	508	8.24	9.58	0.06	0.2	0.033	0.20	1.2	24.8	9.71	1520	0.63	0.58	0.3
R232234		<0.05	2.0	0.38	0.75	<0.05	0.7	0.008	0.09	4.9	0.5	0.01	42	2.94	0.05	0.2
R232235		0.35	3.3	3.93	24.8	0.27	2.3	0.048	2.80	102.5	16.5	1.27	393	0.82	3.82	9.3
R232236		0.16	5.4	3.23	22.7	0.26	2.3	0.035	2.76	92.1	16.2	1.21	323	0.70	3.99	9.4
R232237		0.77	488	8.16	9.54	0.05	0.2	0.036	0.20	1.2	24.8	9.44	1490	0.66	0.56	0.2
R232238		<0.05	1.6	0.36	0.72	<0.05	0.4	0.006	0.08	4.2	0.3	0.01	39	2.12	0.05	0.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 26-MAY-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15068910

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
R232212		13.1	2160	17.6	120.5	<0.002	0.13	<0.05	12.6	1	2.2	561	0.46	<0.05	21.0	0.601
R232213		45.3	1750	10.6	102.5	0.002	0.10	<0.05	12.0	1	1.5	524	0.39	<0.05	12.5	0.512
R232214		13.7	2150	15.7	111.0	<0.002	0.12	<0.05	12.1	2	2.4	597	0.46	<0.05	12.5	0.605
R232215		18.2	590	9.3	58.1	<0.002	0.74	0.10	6.6	1	0.6	434	0.07	0.05	0.7	0.195
R232216		19.6	570	34.1	75.6	<0.002	3.17	0.09	8.4	3	0.5	207	0.06	0.19	0.6	0.165
R232217		14.7	490	7.0	49.4	<0.002	0.53	0.09	5.8	1	0.6	343	0.06	<0.05	9.4	0.161
R232218		8.2	350	16.4	46.8	<0.002	0.08	0.11	4.6	<1	0.5	452	0.06	<0.05	2.5	0.168
R232219		8.3	300	10.1	33.3	<0.002	0.12	0.11	5.2	1	0.5	427	0.06	<0.05	5.7	0.139
R232220		12.4	330	12.1	80.0	<0.002	0.10	0.10	4.9	1	0.5	525	0.08	<0.05	6.0	0.166
R232221		27.5	840	6.4	32.1	<0.002	0.30	0.12	12.2	1	1.2	540	0.17	0.05	1.5	0.264
R232222		31.2	650	7.8	27.0	0.002	0.13	0.11	9.9	1	1.2	746	0.16	<0.05	14.2	0.258
R232223		9.6	320	5.4	15.6	<0.002	0.15	0.10	4.4	1	0.6	610	0.06	<0.05	4.0	0.146
R232224		10.4	1030	8.3	39.4	<0.002	0.06	0.12	7.6	1	1.2	744	0.21	<0.05	2.9	0.307
R232225		15.3	1790	9.1	45.1	<0.002	0.04	0.10	10.1	1	1.7	684	0.31	<0.05	5.2	0.463
R232226		17.3	2400	10.7	60.2	<0.002	0.07	0.11	9.8	1	1.9	476	0.44	<0.05	17.4	0.599
R232227		13.1	1480	8.5	42.4	<0.002	0.36	0.10	6.3	1	1.1	820	0.22	<0.05	1.0	0.356
R232228		12.9	430	7.4	66.0	<0.002	0.18	0.10	5.1	1	0.6	428	0.08	<0.05	0.2	0.160
R232229		11.3	1650	18.5	76.3	<0.002	0.19	0.09	3.7	1	0.9	519	0.14	<0.05	41.4	0.352
R232230		14.3	2280	8.3	72.1	<0.002	0.67	0.10	7.3	1	1.6	579	0.26	0.09	10.9	0.505
R232231		11.6	2250	13.7	67.8	<0.002	0.04	0.09	10.1	1	1.9	606	0.41	<0.05	17.7	0.586
R232232		11.3	2130	13.5	62.5	<0.002	0.05	0.08	8.4	1	1.6	643	0.34	<0.05	5.5	0.515
R232233		776	30	6.5	8.5	0.002	0.18	1.13	42.6	1	<0.2	86.1	<0.05	0.84	<0.2	0.108
R232234		3.5	20	0.8	2.8	<0.002	<0.01	0.15	0.3	<1	<0.2	3.5	<0.05	<0.05	1.2	0.006
R232235		15.7	2300	8.2	62.6	<0.002	0.77	0.09	8.2	1	1.6	648	0.31	0.05	13.5	0.548
R232236		15.4	1870	5.8	62.7	0.002	0.06	0.09	7.6	1	1.5	505	0.33	<0.05	12.7	0.491
R232237		781	30	5.5	8.0	<0.002	0.18	0.45	45.1	1	<0.2	84.0	<0.05	0.33	<0.2	0.104
R232238		2.6	10	0.5	2.4	<0.002	<0.01	0.13	0.2	<1	<0.2	3.9	<0.05	<0.05	0.9	<0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 26-MAY-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15068910

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
R232212		0.74	0.8	81	0.1	23.3	81	123.5
R232213		0.78	0.5	94	0.1	20.4	124	118.0
R232214		0.69	0.6	82	0.1	29.4	80	106.5
R232215		0.26	0.1	33	<0.1	8.2	33	30.8
R232216		0.32	0.1	33	0.1	8.3	35	31.3
R232217		0.24	0.2	30	<0.1	10.5	26	37.8
R232218		0.24	0.1	29	<0.1	5.6	29	21.3
R232219		0.21	0.1	29	<0.1	6.9	20	23.2
R232220		0.47	0.1	26	<0.1	8.7	31	31.6
R232221		0.19	0.2	51	0.1	20.0	47	53.2
R232222		0.16	0.3	56	0.1	16.7	42	67.6
R232223		0.09	0.1	31	0.1	7.6	12	22.5
R232224		0.22	0.3	48	0.1	14.5	28	54.5
R232225		0.30	0.3	64	0.1	21.0	50	85.3
R232226		0.37	0.5	79	0.1	21.9	76	104.5
R232227		0.23	0.3	64	0.1	12.5	41	64.9
R232228		0.30	0.1	25	<0.1	7.0	30	25.4
R232229		0.62	0.5	71	0.1	13.0	47	94.1
R232230		0.36	0.4	88	0.1	19.1	50	124.5
R232231		0.37	0.5	89	0.1	21.0	54	98.5
R232232		0.37	0.4	86	0.1	18.5	54	98.0
R232233		0.09	<0.1	159	0.9	2.9	96	6.7
R232234		0.06	0.3	2	<0.1	0.7	2	25.1
R232235		0.34	0.4	93	0.1	21.3	50	108.5
R232236		0.32	0.4	78	0.1	18.3	46	100.0
R232237		0.09	<0.1	157	0.8	2.8	94	5.9
R232238		0.05	0.2	1	<0.1	0.5	<2	14.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 26-MAY-2015
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD15068910

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23