ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 5-NOV-2014
Account: RLH

CERTIFICATE SD14160403

Project: 642

P.O. No.: 967056

This report is for 47 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 24-OCT-2014.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um
CRU-21	Crush entire sample >70% -6 mm

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61	48 element four acid ICP-MS	

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 5-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14160403

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1
P448923		3.28	0.001	<0.005	0.001	0.07	7.42	0.5	350	0.70	0.04	6.18	0.11	34.5	54.2	19
P448924		2.90	0.002	<0.005	0.002	0.05	7.27	0.3	310	0.72	0.03	6.14	0.08	32.7	53.2	18
P448925		3.40	0.001	<0.005	0.001	0.06	7.21	0.5	370	0.78	0.03	6.36	0.12	53.1	49.5	27
P448926		3.10	0.002	<0.005	0.001	0.07	7.64	0.3	400	0.78	0.04	6.30	0.17	51.3	51.1	25
P448927		3.45	0.002	<0.005	0.001	0.08	7.40	0.6	330	0.73	0.06	6.24	0.19	35.5	58.0	20
P448928		2.20	0.002	<0.005	0.001	0.06	7.35	0.5	320	0.73	0.05	6.30	0.14	34.7	54.1	20
P448929		2.80	0.001	<0.005	0.001	0.03	7.88	<0.2	930	1.05	0.02	5.21	0.06	97.1	31.3	118
P448930		3.07	0.001	<0.005	<0.001	0.02	8.61	<0.2	820	1.34	0.01	5.15	0.03	124.0	34.6	40
P448931		2.97	0.001	<0.005	<0.001	0.01	8.20	0.2	800	1.26	0.01	4.55	0.03	94.6	25.4	43
P448932		3.09	0.001	<0.005	0.001	0.02	8.73	<0.2	740	1.21	0.01	5.09	0.04	90.9	28.7	61
P448933		2.82	0.001	<0.005	<0.001	0.02	6.94	<0.2	530	1.15	0.02	6.01	0.08	82.3	39.5	393
P448934		3.14	0.001	<0.005	0.001	0.02	8.34	0.6	1130	1.22	0.03	4.55	0.07	96.8	25.9	62
P448935		2.04	0.003	<0.005	0.004	0.13	8.65	<0.2	940	1.28	0.10	5.16	0.06	116.0	27.4	59
P448936		0.73	0.018	0.092	0.104	0.57	8.59	0.3	1020	1.24	0.31	5.37	0.13	108.0	35.5	48
P448937		2.96	0.002	<0.005	0.001	0.09	8.66	<0.2	1120	1.28	0.08	5.53	0.08	119.0	31.0	49
P448938		2.49	0.001	<0.005	<0.001	0.05	8.22	<0.2	1090	1.32	0.06	6.38	0.09	131.0	40.4	140
P448939		3.00	0.001	<0.005	<0.001	0.04	8.31	<0.2	1130	1.22	0.05	5.55	0.05	140.5	32.8	95
P448940		1.15	0.009	0.058	0.092	0.36	7.72	0.2	1810	1.00	0.05	2.86	0.10	86.7	11.8	16
P448941		3.01	0.001	<0.005	<0.001	0.03	8.48	0.3	860	1.16	0.04	4.76	0.03	107.5	26.1	41
P448942		3.37	0.001	<0.005	<0.001	0.01	9.18	0.3	750	1.01	0.02	5.79	0.05	66.9	33.5	51
P448943		0.04	0.133	0.323	5.08	0.17	5.55	0.7	40	0.09	0.19	4.81	0.09	2.39	81.8	242
P448944		0.59	0.001	<0.005	<0.001	0.01	0.31	0.2	10	0.09	0.05	0.02	<0.02	8.98	0.5	23
P448945		3.64	0.001	<0.005	<0.001	0.03	8.00	0.2	670	0.93	0.02	5.77	0.04	105.0	40.5	27
P448946		3.28	0.001	<0.005	<0.001	0.01	8.49	<0.2	450	0.94	0.01	5.96	0.05	65.1	31.9	52
P448947		3.81	0.001	<0.005	<0.001	0.01	8.82	0.6	650	0.95	0.01	5.77	0.03	74.8	37.2	35
P448948		3.45	0.001	<0.005	<0.001	0.01	7.78	<0.2	600	1.03	0.01	5.22	0.03	91.8	27.5	83
P448949		3.17	0.001	<0.005	<0.001	0.01	8.50	<0.2	670	1.07	0.01	5.78	0.02	80.6	29.5	61
P448950		3.35	0.001	<0.005	0.002	0.02	8.35	<0.2	650	0.94	0.01	5.94	0.04	74.0	42.6	59
P448951		3.60	0.001	<0.005	<0.001	0.02	8.20	0.2	530	0.92	0.01	5.76	0.03	73.1	45.2	50
P448952		3.22	0.002	0.014	0.014	0.02	7.51	0.3	310	0.68	0.02	5.88	0.02	43.6	46.5	44
P448953		3.09	0.002	0.011	0.010	0.03	7.67	<0.2	380	0.77	0.02	5.82	0.04	51.4	39.2	61
P448954		3.35	0.005	<0.005	<0.001	0.14	7.37	<0.2	570	1.07	0.05	5.02	0.04	89.7	38.2	114
P448955		3.48	0.024	0.274	0.172	0.48	8.03	0.4	620	1.14	0.58	5.15	0.12	84.4	33.8	91
P448956		3.13	0.009	0.058	0.047	0.14	7.80	<0.2	550	0.93	0.12	5.45	0.07	83.6	34.3	87
P448957		3.40	0.002	<0.005	<0.001	0.05	8.40	<0.2	570	0.95	0.07	5.79	0.06	96.1	35.2	93
P448958		3.28	0.002	<0.005	0.001	0.04	7.54	<0.2	980	1.01	0.06	4.77	0.04	79.7	29.9	86
P448959		3.34	0.002	<0.005	0.001	0.05	8.08	0.2	730	1.01	0.05	5.10	0.03	83.2	31.8	102
P448960		3.01	0.003	<0.005	0.001	0.07	6.86	0.2	510	1.03	0.16	4.98	0.07	90.4	43.0	150
P448961		3.48	0.004	0.030	0.034	0.13	6.15	<0.2	460	0.86	0.17	5.32	0.13	85.7	51.7	173
P448962		2.95	0.003	0.006	0.006	0.10	5.72	0.5	380	0.87	0.05	5.27	0.06	82.3	48.4	158

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 5-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14160403

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1
P448923		0.77	160.0	11.05	19.15	0.10	1.8	0.072	0.80	15.4	10.5	2.88	1540	0.59	2.03	4.2
P448924		0.66	133.0	10.60	19.15	0.09	1.7	0.079	0.87	14.4	20.9	3.17	1420	0.51	1.97	4.0
P448925		0.73	136.5	9.80	19.50	0.12	1.5	0.080	0.62	24.4	9.7	2.80	1360	0.63	2.22	4.8
P448926		0.88	145.0	10.35	20.4	0.10	1.7	0.072	0.76	23.1	10.5	2.86	1360	0.59	2.29	5.0
P448927		0.92	161.0	11.25	20.2	0.09	1.7	0.078	0.81	15.6	12.3	3.03	1500	0.64	2.05	4.3
P448928		0.94	150.0	11.00	19.10	0.09	1.8	0.078	0.80	15.6	9.9	2.91	1460	0.59	2.08	4.2
P448929		0.39	44.8	6.89	20.3	0.16	1.3	0.053	1.61	44.3	21.2	3.17	923	0.51	2.55	5.5
P448930		0.58	47.2	7.93	22.7	0.18	1.0	0.062	1.28	56.3	27.5	2.89	958	0.57	2.81	7.8
P448931		0.66	37.3	6.44	22.1	0.15	1.3	0.048	1.31	43.1	28.1	2.41	640	0.64	3.03	7.2
P448932		0.83	31.3	6.66	21.7	0.16	0.8	0.047	1.61	41.9	30.4	2.81	864	0.66	2.76	6.3
P448933		0.58	21.1	8.67	18.80	0.15	1.2	0.078	1.18	35.6	22.2	5.38	1400	0.49	1.85	4.9
P448934		0.52	33.2	6.14	21.9	0.16	1.0	0.043	1.71	45.1	34.3	2.71	841	0.44	2.89	6.9
P448935		0.54	195.0	6.55	21.8	0.19	1.1	0.052	1.35	53.7	21.3	2.71	906	0.44	2.88	7.4
P448936		0.29	884	7.03	23.2	0.16	1.0	0.088	1.36	49.3	20.5	2.71	971	0.60	2.98	8.8
P448937		0.52	114.5	7.27	22.6	0.17	1.1	0.062	1.30	54.9	17.0	2.75	1030	0.55	3.07	8.6
P448938		0.42	80.7	7.71	22.2	0.20	1.2	0.079	1.11	59.2	14.0	3.58	1220	0.53	2.69	8.1
P448939		0.59	57.8	7.67	22.8	0.20	1.0	0.065	1.31	64.3	16.9	3.03	1100	0.53	2.79	8.8
P448940		0.17	697	4.43	23.1	0.16	1.7	0.038	2.00	44.7	10.7	0.92	367	0.48	3.12	4.5
P448941		0.50	46.7	6.57	23.5	0.17	1.2	0.052	1.12	50.4	16.5	2.16	817	0.60	3.22	6.8
P448942		0.44	37.8	7.88	23.0	0.14	1.1	0.067	1.24	31.0	21.3	3.00	1020	0.44	2.91	3.2
P448943		1.01	467	8.20	9.28	0.05	0.2	0.025	0.19	1.0	21.1	9.43	1440	0.51	0.57	0.2
P448944		<0.05	3.3	0.36	0.66	<0.05	0.7	<0.005	0.08	4.1	0.6	0.02	39	0.28	0.03	0.1
P448945		0.29	54.5	8.45	22.2	0.18	1.0	0.068	0.93	46.7	16.8	3.01	1150	0.52	2.52	5.3
P448946		0.12	34.1	7.79	21.5	0.12	0.9	0.067	0.55	29.8	16.4	2.98	945	0.42	3.10	2.8
P448947		0.46	48.2	8.89	23.0	0.15	1.2	0.069	1.05	33.9	24.7	3.02	1030	0.51	2.82	4.2
P448948		0.64	24.5	6.70	20.0	0.16	1.1	0.053	1.44	41.5	31.6	3.08	853	0.34	2.63	5.4
P448949		0.56	31.5	7.10	21.3	0.15	1.0	0.050	1.25	35.7	30.6	3.11	974	0.42	2.99	6.3
P448950		0.61	66.3	9.05	21.0	0.13	1.2	0.058	1.03	33.3	17.9	3.45	1160	0.48	2.63	5.7
P448951		0.42	60.9	9.60	19.25	0.15	1.2	0.057	1.10	33.1	18.6	3.75	1160	0.53	2.56	5.8
P448952		0.28	90.1	9.53	18.35	0.09	1.6	0.060	0.66	19.8	16.0	3.35	1080	0.41	2.43	4.3
P448953		0.25	69.7	7.97	18.00	0.11	1.3	0.055	0.81	23.8	15.3	3.51	1200	0.27	2.63	3.8
P448954		0.49	166.0	6.12	18.35	0.19	0.9	0.054	1.10	42.6	23.5	4.32	898	0.38	2.31	4.4
P448955		0.44	1100	5.74	20.1	0.17	1.1	0.073	1.10	39.9	18.7	3.60	742	0.39	2.86	4.9
P448956		0.33	211	5.57	18.80	0.18	0.7	0.050	0.90	38.7	15.8	3.60	782	0.36	2.47	4.2
P448957		0.25	54.2	5.94	19.65	0.19	0.7	0.045	0.83	44.4	15.0	3.64	831	0.89	2.67	5.7
P448958		0.65	45.5	5.21	19.20	0.17	1.1	0.038	1.42	37.8	18.6	3.10	669	0.63	2.54	5.2
P448959		0.36	95.0	5.47	19.50	0.19	0.9	0.041	1.21	39.2	24.3	3.71	838	0.39	2.77	6.0
P448960		0.54	128.0	7.29	17.40	0.17	1.4	0.060	0.94	42.6	23.1	5.23	1100	0.47	2.12	5.5
P448961		0.57	123.0	8.06	15.95	0.17	1.0	0.068	0.83	38.9	15.1	6.20	1300	0.41	1.72	5.1
P448962		0.52	114.5	7.51	15.05	0.17	1.1	0.061	0.71	36.8	12.5	6.00	1180	0.28	1.84	4.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 5-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14160403

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005
P448923		60.7	670	5.2	26.2	0.002	0.15	0.14	33.5	1	0.8	302	0.29	<0.05	2.9	0.716
P448924		65.1	620	4.3	26.9	<0.002	0.07	0.14	33.7	1	0.8	334	0.27	<0.05	2.8	0.670
P448925		61.3	1180	5.1	20.9	0.002	0.06	0.12	31.0	1	1.0	399	0.29	<0.05	2.6	0.704
P448926		60.7	1140	8.1	26.2	<0.002	0.15	0.12	32.0	1	0.9	381	0.32	<0.05	2.9	0.737
P448927		68.2	690	7.3	28.8	0.002	0.15	0.13	36.7	1	0.9	298	0.28	<0.05	2.7	0.725
P448928		64.2	670	6.5	27.8	0.002	0.14	0.12	34.2	1	0.8	292	0.29	<0.05	3.0	0.713
P448929		67.1	2720	5.7	24.6	<0.002	0.15	0.09	18.6	1	1.0	740	0.35	<0.05	3.9	0.636
P448930		38.0	4120	6.3	30.7	<0.002	0.19	0.09	20.1	1	1.4	778	0.48	<0.05	1.7	0.875
P448931		43.8	2760	5.1	24.1	<0.002	0.08	0.09	15.7	1	1.3	778	0.39	<0.05	1.8	0.669
P448932		59.9	3020	6.2	31.9	<0.002	0.13	0.10	16.1	1	1.2	846	0.36	<0.05	0.9	0.652
P448933		143.5	1960	4.4	29.0	<0.002	0.09	0.09	27.9	1	1.2	630	0.30	<0.05	1.8	0.519
P448934		46.9	2690	8.7	30.9	<0.002	0.10	0.08	16.0	1	1.3	803	0.35	<0.05	1.6	0.624
P448935		44.4	2750	8.3	29.2	<0.002	0.13	0.10	18.3	1	1.2	821	0.41	<0.05	1.6	0.681
P448936		101.0	2560	18.0	26.4	<0.002	0.41	0.09	17.6	2	1.6	873	0.42	0.15	0.7	0.746
P448937		50.0	3140	10.2	23.2	<0.002	0.15	0.09	19.8	1	1.4	783	0.42	<0.05	2.3	0.784
P448938		74.6	2720	10.0	20.8	<0.002	0.27	0.09	28.7	1	1.3	806	0.37	<0.05	1.0	0.704
P448939		49.1	3400	8.8	31.0	<0.002	0.16	0.09	22.1	1	1.3	759	0.42	<0.05	1.5	0.760
P448940		41.1	940	9.3	23.6	<0.002	0.12	0.10	6.1	1	1.3	654	0.22	0.18	13.7	0.351
P448941		33.6	2510	6.9	24.7	<0.002	0.13	0.14	15.8	1	1.3	810	0.36	<0.05	2.9	0.680
P448942		40.3	1600	5.7	30.4	<0.002	0.19	0.10	23.5	1	0.8	971	0.17	<0.05	1.0	0.679
P448943		735	20	4.3	8.4	<0.002	0.18	0.59	37.5	1	<0.2	83.6	<0.05	0.43	<0.2	0.102
P448944		2.6	20	0.7	2.2	<0.002	<0.01	0.12	0.3	<1	<0.2	4.1	<0.05	<0.05	1.2	0.007
P448945		39.7	3580	5.5	19.0	<0.002	0.27	0.08	26.2	1	1.0	848	0.29	<0.05	1.1	0.987
P448946		48.8	1670	4.4	8.9	<0.002	0.08	0.08	23.6	1	0.8	910	0.16	<0.05	1.0	0.626
P448947		68.7	2410	4.7	24.9	<0.002	0.25	0.09	23.8	1	0.9	874	0.23	<0.05	0.9	0.936
P448948		46.8	3080	4.0	29.8	<0.002	0.02	0.09	18.9	1	0.9	606	0.32	<0.05	1.7	0.696
P448949		57.7	3500	4.0	20.9	<0.002	0.05	0.09	18.9	1	1.1	757	0.38	<0.05	1.5	0.857
P448950		80.7	2210	4.9	30.1	<0.002	0.14	0.08	24.3	1	1.0	716	0.36	<0.05	1.6	0.930
P448951		82.7	1770	5.4	30.5	<0.002	0.19	0.08	22.2	1	0.9	718	0.37	<0.05	1.1	1.025
P448952		72.8	960	3.3	18.8	<0.002	0.09	0.09	30.8	1	0.7	515	0.27	<0.05	2.3	0.661
P448953		81.1	1180	7.3	25.9	<0.002	0.06	0.08	26.4	1	0.7	546	0.23	<0.05	1.8	0.572
P448954		79.6	2350	6.8	21.9	<0.002	0.10	<0.05	22.4	<1	0.9	807	0.21	<0.05	1.7	0.435
P448955		279	2230	31.9	12.3	<0.002	0.15	<0.05	16.5	1	1.5	918	0.26	0.60	2.9	0.415
P448956		92.7	2330	16.3	9.6	<0.002	0.15	<0.05	16.8	1	0.9	938	0.21	0.11	1.0	0.416
P448957		67.7	2860	8.6	8.1	<0.002	0.16	<0.05	16.8	1	0.9	1010	0.28	0.05	1.2	0.550
P448958		58.0	2070	8.0	19.4	<0.002	0.08	<0.05	13.5	1	1.0	869	0.27	<0.05	3.6	0.440
P448959		69.7	2490	5.1	13.8	<0.002	0.06	<0.05	16.4	1	0.9	938	0.31	<0.05	1.2	0.559
P448960		125.0	1980	5.4	22.4	<0.002	0.11	<0.05	25.5	1	0.9	677	0.28	<0.05	2.7	0.556
P448961		145.0	1760	7.8	24.2	<0.002	0.16	<0.05	30.6	1	0.9	644	0.27	0.05	1.2	0.524
P448962		152.0	1600	6.3	21.1	<0.002	0.13	<0.05	29.4	1	0.9	586	0.24	<0.05	1.4	0.464

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 5-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14160403

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
P448923		0.20	0.7	354	0.1	22.7	109	56.7
P448924		0.15	0.7	339	0.1	21.5	103	53.7
P448925		0.16	0.5	312	0.1	22.1	99	48.5
P448926		0.26	0.6	327	0.1	23.3	107	52.7
P448927		0.25	0.7	364	0.1	24.0	113	58.5
P448928		0.28	0.7	352	0.1	22.8	104	57.1
P448929		0.15	0.5	170	<0.1	18.4	100	44.3
P448930		0.18	0.3	202	<0.1	22.7	93	32.3
P448931		0.15	0.3	176	<0.1	18.0	77	47.9
P448932		0.27	0.2	161	<0.1	17.7	105	23.8
P448933		0.17	0.3	194	<0.1	23.8	156	36.1
P448934		0.20	0.3	151	<0.1	18.0	95	32.6
P448935		0.17	0.3	167	<0.1	20.0	89	34.6
P448936		0.17	0.1	182	<0.1	18.8	97	31.1
P448937		0.17	0.3	197	<0.1	20.8	102	35.8
P448938		0.12	0.2	180	<0.1	27.9	110	32.5
P448939		0.18	0.2	185	<0.1	24.5	102	34.3
P448940		0.11	0.7	116	<0.1	8.2	46	67.0
P448941		0.16	0.3	150	<0.1	17.3	80	42.3
P448942		0.14	0.2	199	<0.1	16.6	95	36.9
P448943		0.10	<0.1	156	0.7	2.9	92	5.9
P448944		0.06	0.3	2	<0.1	1.2	<2	25.3
P448945		0.08	0.2	211	<0.1	22.6	91	32.5
P448946		0.04	0.2	188	<0.1	16.6	92	29.5
P448947		0.13	0.2	241	<0.1	17.9	87	42.9
P448948		0.15	0.3	166	<0.1	19.4	66	38.6
P448949		0.18	0.4	215	<0.1	17.1	66	33.2
P448950		0.17	0.4	256	<0.1	20.3	81	41.9
P448951		0.15	0.3	299	<0.1	17.0	80	38.4
P448952		0.09	0.5	276	<0.1	21.3	76	52.7
P448953		0.12	0.4	206	<0.1	18.9	77	42.6
P448954		0.15	0.3	113	0.1	16.8	68	30.8
P448955		0.16	0.5	107	0.1	14.8	74	38.1
P448956		0.10	0.2	111	0.1	14.6	62	20.1
P448957		0.07	0.3	131	0.1	16.0	63	23.4
P448958		0.21	0.5	107	0.1	12.2	64	39.5
P448959		0.12	0.3	126	0.1	14.0	58	29.1
P448960		0.14	0.4	142	0.1	18.2	100	52.6
P448961		0.13	0.2	145	<0.1	20.2	114	31.9
P448962		0.11	0.2	132	0.1	19.6	91	35.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 5-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14160403

Sample Description	Method	WEI-21	PGM-ICP23	PGM-ICP23	PGM-ICP23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Pt	Pd	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.005	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
P448963		3.20	0.003	<0.005	<0.001	0.02	8.61	1.1	850	1.19	0.02	2.08	0.03	115.5	28.6	61
P448964		3.03	0.047	<0.005	0.001	0.04	9.74	0.7	1070	1.47	0.03	4.02	0.04	51.6	36.3	88
P448965		4.25	0.058	0.006	0.006	0.15	8.82	1.4	410	0.86	0.07	7.19	0.15	35.7	49.9	117
P448966		3.51	0.006	<0.005	0.001	0.02	8.59	1.3	560	1.30	0.04	6.25	0.06	66.6	38.4	132
P448967		3.81	0.008	<0.005	0.002	0.07	8.59	0.5	790	1.07	0.04	6.60	0.10	83.4	37.4	90
P448968		0.03	0.117	0.320	5.03	0.19	5.87	1.2	40	0.10	0.17	5.02	0.08	2.42	87.0	256
P448969		0.61	0.001	<0.005	<0.001	<0.01	0.25	0.3	10	0.05	0.04	0.02	<0.02	8.41	0.3	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 5-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14160403

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
P448963		0.30	29.8	6.16	20.0	0.06	2.2	0.047	1.69	56.2	35.2	2.78	534	0.33	3.01	4.8
P448964		0.33	101.0	7.12	23.5	<0.05	1.4	0.063	2.36	25.1	32.0	2.67	717	0.53	2.53	4.1
P448965		0.21	155.0	8.50	21.0	<0.05	1.4	0.093	0.86	17.3	13.5	2.46	1240	0.72	2.05	3.8
P448966		0.37	40.6	8.52	20.3	<0.05	1.2	0.089	1.10	32.3	28.1	3.38	1080	0.56	2.08	5.8
P448967		0.20	56.4	7.78	20.6	<0.05	1.6	0.075	0.96	40.5	13.0	2.35	1130	2.01	2.37	5.2
P448968		0.99	507	8.47	9.50	<0.05	0.2	0.025	0.20	1.1	22.1	9.88	1500	0.62	0.58	0.2
P448969		<0.05	1.4	0.27	0.55	<0.05	0.8	<0.005	0.07	4.1	0.3	0.02	30	0.25	0.05	0.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 5-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14160403

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005
P448963		62.2	2160	4.9	26.5	<0.002	0.13	0.14	15.2	1	0.9	425	0.24	0.05	8.1	0.624
P448964		70.0	900	4.5	40.7	<0.002	0.20	0.11	21.9	1	0.7	563	0.24	<0.05	2.4	0.585
P448965		132.0	840	10.8	26.3	0.002	0.43	0.11	31.2	1	0.7	554	0.23	0.10	1.5	0.619
P448966		98.6	1710	5.5	25.9	<0.002	0.14	0.11	31.7	1	0.8	597	0.32	<0.05	1.7	0.763
P448967		77.5	1510	8.7	24.9	0.003	0.14	0.12	29.0	1	0.9	599	0.30	<0.05	7.4	0.673
P448968		789	20	5.6	8.4	<0.002	0.19	1.01	41.3	2	<0.2	88.0	<0.05	0.36	<0.2	0.107
P448969		2.5	10	0.8	2.1	<0.002	<0.01	0.11	0.2	<1	<0.2	3.1	<0.05	<0.05	1.4	0.006

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 5-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14160403

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
P448963		0.16	0.6	169	0.3	19.1	117	89.8
P448964		0.20	0.3	236	0.2	14.8	102	54.5
P448965		0.12	0.4	254	0.1	18.9	140	45.5
P448966		0.14	0.3	238	0.2	23.4	131	41.1
P448967		0.12	0.6	235	0.2	20.8	112	55.4
P448968		0.09	<0.1	165	1.1	2.8	101	5.9
P448969		0.04	0.3	2	<0.1	0.7	<2	29.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 5-NOV-2014
Account: RLH

Project: 642

CERTIFICATE OF ANALYSIS SD14160403

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-21	CRU-31	CRU-QC	LOG-22
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: ME-MS61 PGM-ICP23