

Quality Analysis ...




Innovative Technologies

Date Submitted: 18-Feb-15
Invoice No.: A15-01031
Invoice Date: 25-Feb-15
Your Reference:

Dan Whaley
Box 771
Atikoken Ontario P0T 1C0
Germany

ATTN: Dan Whaley



CERTIFICATE OF ANALYSIS

6 Rock samples were submitted for analysis.

The following analytical package was requested:

Code 1A2-Tbay Au - Fire Assay AA (QOP Fire Assay Tbay)
Code 1E3-Tbay Aqua Regia ICP(AQUAGEO)

REPORT **A15-01031**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3
Values which exceed the upper limit should be assayed for accurate numbers.

CERTIFIED BY:


Emmanuel Esemé, Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.
1201 Walsh Street West, Thunder Bay, Ontario, Canada, P7E 4X6
TELEPHONE +807 622-6707 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Tbay@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com




Results

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Lower Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Method Code	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
#1	< 5	< 0.2	< 0.5	9	30	3	< 1	< 2	< 2	0.03	< 2	< 10	< 10	< 0.5	< 2	0.02	< 1	19	0.31	< 10	< 1	< 0.01	< 10
#2	< 5	< 0.2	< 0.5	30	608	< 1	32	< 2	30	1.89	< 2	< 10	14	< 0.5	< 2	2.50	16	86	2.68	< 10	< 1	0.04	< 10
#3	< 5	< 0.2	< 0.5	53	145	1	18	< 2	27	0.26	< 2	< 10	< 10	< 0.5	< 2	0.39	6	26	0.72	< 10	< 1	0.01	< 10
#4	< 5	< 0.2	< 0.5	79	673	< 1	50	< 2	47	2.35	2	< 10	14	< 0.5	< 2	2.61	20	70	4.53	< 10	< 1	0.08	< 10
#5	< 5	< 0.2	< 0.5	112	770	< 1	63	< 2	45	2.80	< 2	< 10	13	< 0.5	< 2	2.97	24	74	4.68	< 10	< 1	0.12	< 10
#6	< 5	< 0.2	< 0.5	11	57	46	1	19	22	0.05	< 2	< 10	< 10	< 0.5	< 2	0.04	3	19	0.75	< 10	< 1	0.02	< 10



Results

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
#1	0.01	0.016	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	< 1	< 2	< 10	1	< 10	< 1	< 1
#2	1.30	0.187	0.019	< 0.01	3	10	14	0.23	1	< 2	< 10	71	< 10	4	2
#3	0.15	0.030	0.007	< 0.01	< 2	< 1	3	0.04	< 1	< 2	< 10	5	< 10	1	< 1
#4	1.54	0.337	0.034	0.02	< 2	18	9	0.28	3	< 2	< 10	146	< 10	10	3
#5	2.19	0.349	0.031	< 0.01	2	14	15	0.20	< 1	< 2	< 10	115	< 10	7	3
#6	0.04	0.017	0.002	0.31	< 2	< 1	1	< 0.01	< 1	< 2	< 10	2	< 10	< 1	< 1




QC

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg	K	La
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
Lower Limit	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1	0.01	10
Method Code	FA-AA	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-1 Meas		29.6	2.1	1170	807	15	30	615	700	0.34	376	10	283	0.7	1530	0.73	9	6	22.1	< 10	4	0.03	< 10
GXR-1 Cert		31.0	3.30	1110	852	18.0	41.0	730	760	3.52	427	15.0	750	1.22	1380	0.960	8.20	12.0	23.6	13.8	3.90	0.050	7.50
GXR-4 Meas		3.5	< 0.5	6500	140	316	35	43	66	2.81	94	< 10	51	1.3	25	0.85	12	51	2.97	10	< 1	1.70	46
GXR-4 Cert		4.0	0.860	6520	155	310	42.0	52.0	73.0	7.20	98.0	4.50	1640	1.90	19.0	1.01	14.6	64.0	3.09	20.0	0.110	4.01	64.5
GXR-6 Meas		< 0.2	< 0.5	69	1020	2	20	89	120	7.14	249	< 10	783	0.8	< 2	0.12	11	75	5.48	20.0	< 1	1.13	< 10
GXR-6 Cert		1.30	1.00	66.0	1010	2.40	27.0	101	118	17.7	330	9.80	1300	1.40	0.290	0.180	13.8	96.0	5.58	35.0	0.0680	1.87	13.9
SAR-M (U.S.G.S.) Meas		3.2	5.4	337	4640	13	42	1020	1010	1.07	34		172	0.9	< 2	0.28	10	89	2.71	< 10		0.25	47
SAR-M (U.S.G.S.) Cert		3.64	5.27	331.0000	5220	13.1	41.5	982	930.0	6.30	38.8		801	2.20	1.94	0.61	10.70	79.7	2.99	17		2.94	57.4
OxD108 Meas	429																						
OxD108 Cert	414.000																						
SE68 Meas	622																						
SE68 Cert	599																						
#1 Orig	< 5																						
#1 Dup	< 5																						
#6 Orig	< 5	< 0.2	< 0.5	11	57	46	1	19	22	0.05	< 2	< 10	< 10	< 0.5	< 2	0.04	3	19	0.75	< 10	< 1	0.02	< 10
#6 Split	< 5	< 0.2	< 0.5	10	55	44	< 1	19	23	0.04	< 2	< 10	< 10	< 0.5	< 2	0.04	3	21	0.73	< 10	< 1	0.02	< 10
Method Blank	< 5																						
Method Blank		< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1	< 0.01	< 10

QC

Analyte Symbol	Mg	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.01	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-1 Meas	0.13	0.048	0.042	0.20	95	1	160	< 0.01	14	3	28	76	148	24	17
GXR-1 Cert	0.217	0.0520	0.0650	0.257	122	1.58	275	0.036	13.0	0.390	34.9	80.0	164	32.0	38.0
GXR-4 Meas	1.59	0.137	0.121	1.74	3	7	69	0.13	1	< 2	< 10	78	12	11	11
GXR-4 Cert	1.66	0.564	0.120	1.77	4.80	7.70	221	0.29	0.970	3.20	6.20	87.0	30.8	14.0	186
GXR-6 Meas	0.39	0.071	0.034	0.01	3	19	26	< 1	< 2	< 10	163	< 10	5	14	
GXR-6 Cert	0.609	0.104	0.0350	0.0160	3.60	27.6	35.0	0.0180	2.20	1.54	186	1.90	14.0	110	
SAR-M (U.S.G.S.) Meas	0.34	0.031	0.064		6	3	28	0.05	3	< 2	< 10	33	< 10	19	
SAR-M (U.S.G.S.) Cert	0.50	1.140	0.07		6.0	7.83	151	0.38	0.96	2.7	3.57	67.2	9.78	28.00	
OxD108 Meas															
OxD108 Cert															
SE68 Meas															
SE68 Cert															
#1 Orig															
#1 Dup															
#6 Orig	0.04	0.017	0.002	0.31	< 2	< 1	1	< 0.01	< 1	< 2	< 10	2	< 10	< 1	< 1
#6 Split	0.04	0.018	0.002	0.29	< 2	< 1	1	< 0.01	< 1	< 2	< 10	2	< 10	< 1	< 1
Method Blank															
Method Blank	< 0.01	0.009	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	< 1	< 2	< 10	< 1	< 10	< 1	< 1



Quality Analysis ...




Innovative Technologies

Date Submitted: 24-Jul-15
Invoice No.: A15-05671
Invoice Date: 10-Aug-15
Your Reference:

Dan Whaley
Box 771
Atikoken Ontario P0T 1C0
Canada

ATTN: Dan Whaley



CERTIFICATE OF ANALYSIS

17 Rock samples were submitted for analysis.

The following analytical package was requested:

Code 1C-OES-Tbay Fire Assay ICPOES (QOP Fire Assay Tbay)
Code 1E3-Tbay Aqua Regia ICP(AQUAGEO)

REPORT **A15-05671**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

Values which exceed the upper limit should be assayed for accurate numbers.

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Esemé".

Emmanuel Esemé, Ph.D.
Quality Control


ACTIVATION LABORATORIES LTD.

1201 Walsh Street West, Thunder Bay, Ontario, Canada, P7E 4X6
TELEPHONE +807 622-6707 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Tbay@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com




Results

Analyte Symbol	Au	Pd	Pt	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg
Unit Symbol	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
Lower Limit	2	5	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1
Method Code	FA-ICP	FA-ICP	FA-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
7	< 2	< 5	< 5	< 0.2	< 0.5	45	438	< 1	46	3	43	2.01	3	< 10	84	< 0.5	< 2	1.24	21	95	3.36	< 10	< 1
8	< 2	< 5	< 5	< 0.2	< 0.5	39	467	< 1	40	< 2	49	2.05	< 2	< 10	154	< 0.5	< 2	1.63	19	77	3.41	< 10	< 1
9	< 2	< 5	< 5	< 0.2	< 0.5	14	463	< 1	23	< 2	71	2.21	< 2	< 10	296	< 0.5	< 2	0.75	18	53	3.90	10	< 1
10	< 2	< 5	< 5	< 0.2	< 0.5	59	413	< 1	37	< 2	46	1.73	< 2	< 10	75	< 0.5	< 2	1.32	18	65	2.82	< 10	< 1
11	< 2	< 5	< 5	< 0.2	< 0.5	57	369	< 1	31	< 2	31	1.67	< 2	< 10	87	< 0.5	< 2	2.00	15	70	2.45	< 10	< 1
12	< 2	< 5	10	< 0.2	< 0.5	< 1	782	< 1	49	< 2	45	2.30	< 2	< 10	17	< 0.5	< 2	2.95	24	131	4.46	< 10	< 1
13	2	< 5	< 5	< 0.2	< 0.5	51	741	1	78	< 2	79	2.57	< 2	< 10	52	< 0.5	< 2	2.11	25	86	4.07	< 10	< 1
14	< 2	< 5	< 5	< 0.2	< 0.5	35	451	< 1	46	< 2	61	2.06	< 2	< 10	81	< 0.5	< 2	1.44	19	94	3.72	< 10	< 1
15	3	13	16	< 0.2	< 0.5	118	620	5	61	< 2	44	2.00	< 2	< 10	28	< 0.5	< 2	2.79	25	70	4.13	< 10	< 1
16	< 2	17	16	< 0.2	< 0.5	154	628	< 1	66	< 2	44	2.74	< 2	< 10	38	< 0.5	< 2	2.98	27	74	4.50	< 10	< 1
17	< 2	< 5	< 5	< 0.2	< 0.5	2	73	< 1	4	< 2	< 2	0.03	< 2	< 10	< 10	< 0.5	< 2	0.23	< 1	71	0.42	< 10	< 1
19	< 2	< 5	< 5	< 0.2	< 0.5	92	564	< 1	107	< 2	60	2.20	< 2	< 10	76	< 0.5	< 2	1.74	28	110	4.23	< 10	< 1
20	6	< 5	< 5	< 0.2	< 0.5	136	885	< 1	13	< 2	88	1.91	4	< 10	87	< 0.5	< 2	1.19	17	13	7.20	10	< 1
21	3	9	9	< 0.2	< 0.5	53	546	3	49	< 2	40	1.82	3	< 10	66	< 0.5	< 2	2.65	21	73	3.37	< 10	< 1
22	< 2	< 5	< 5	< 0.2	< 0.5	195	795	< 1	33	< 2	59	2.63	3	< 10	46	< 0.5	< 2	3.31	33	59	6.74	< 10	< 1
23	< 2	< 5	< 5	< 0.2	< 0.5	145	765	1	33	< 2	59	2.42	< 2	< 10	36	< 0.5	< 2	3.21	31	56	6.14	< 10	< 1
24	< 2	< 5	< 5	< 0.2	0.6	95	877	< 1	37	< 2	81	2.83	< 2	< 10	72	< 0.5	< 2	3.70	32	37	7.56	10	< 1



Results

Analyte Symbol	K	La	Mg	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	ppm	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.01	10	0.01	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
7	0.41	11	1.68	0.144	0.044	< 0.01	3	10	13	0.22	1	< 2	< 10	86	< 10	9	7
8	0.51	< 10	1.60	0.152	0.060	0.02	< 2	9	18	0.20	< 1	< 2	< 10	79	< 10	9	3
9	1.22	14	1.36	0.092	0.065	< 0.01	< 2	9	20	0.28	3	< 2	< 10	82	< 10	11	4
10	0.30	14	1.25	0.128	0.064	0.04	< 2	10	15	0.20	< 1	< 2	< 10	74	< 10	10	4
11	0.26	13	1.08	0.169	0.065	< 0.01	3	9	21	0.19	9	< 2	< 10	64	< 10	9	6
12	0.10	< 10	2.07	0.264	0.017	< 0.01	< 2	19	7	0.20	5	< 2	< 10	137	< 10	8	2
13	0.23	< 10	1.84	0.103	0.042	0.04	3	10	37	0.32	2	< 2	< 10	100	< 10	9	5
14	0.29	20	1.50	0.119	0.085	< 0.01	< 2	9	32	0.24	11	< 2	< 10	101	< 10	9	8
15	0.11	< 10	1.80	0.188	0.031	0.10	< 2	13	27	0.32	12	< 2	< 10	118	< 10	9	3
16	0.14	< 10	1.97	0.201	0.034	0.06	2	14	24	0.33	5	< 2	< 10	131	< 10	10	3
17	< 0.01	< 10	0.02	0.025	< 0.001	0.01	< 2	< 1	4	< 0.01	< 1	< 2	< 10	2	< 10	< 1	< 1
19	0.37	< 10	2.16	0.148	0.060	0.01	< 2	9	20	0.24	< 1	< 2	< 10	92	< 10	6	4
20	1.08	38	1.06	0.102	0.157	0.72	3	2	134	0.34	7	< 2	< 10	55	< 10	11	8
21	0.18	< 10	1.38	0.206	0.078	0.09	2	11	26	0.22	4	< 2	< 10	98	< 10	7	2
22	0.13	< 10	1.77	0.311	0.056	0.32	< 2	19	26	0.32	7	< 2	< 10	185	< 10	13	4
23	0.18	< 10	1.65	0.324	0.057	0.19	< 2	19	19	0.29	6	< 2	< 10	174	< 10	12	4
24	0.22	< 10	1.69	0.376	0.078	0.18	4	22	31	0.33	8	< 2	< 10	251	< 10	24	7



QC

Analyte Symbol	Au	Pd	Pt	Ag	Cd	Cu	Mn	Mo	Ni	Pb	Zn	Al	As	B	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg
Unit Symbol	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
Lower Limit	2	5	5	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1
Method Code	FA-ICP	FA-ICP	FA-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-1 Meas				28.0	1.9	1180	855	15	20	654	699	0.34	389	< 10	500	0.8	1440	0.86	7	7	23.9	< 10	3
GXR-1 Cert				31.0	3.30	1110	852	18.0	41.0	730	760	3.52	427	15.0	750	1.22	1380	0.960	8.20	12.0	23.6	13.8	3.90
GXR-4 Meas				3.3	< 0.5	6750	137	326	39	42	74	2.68	100	< 10	77	1.4	12	1.02	15	61	3.15	10	< 1
GXR-4 Cert				4.0	0.860	6520	155	310	42.0	52.0	73.0	7.20	98.0	4.50	1640	1.90	19.0	1.01	14.6	64.0	3.09	20.0	0.110
GXR-6 Meas				< 0.2	< 0.5	69	1040	2	20	91	122	6.69	201	< 10	1190	0.9	4	0.19	13	79	5.58	20	< 1
GXR-6 Cert				1.30	1.00	66.0	1010	2.40	27.0	101	118	17.7	330	9.80	1300	1.40	0.290	0.180	13.8	96.0	5.58	35.0	0.0680
PK2 Meas	4720	5680	4740																				
PK2 Cert	4785.000	5918.000	4749.000																				
CDN-PGMS-25 Meas	450	1730	376																				
CDN-PGMS-25 Cert	483	1830	400																				
17 Orig	< 2	< 5	< 5																				
17 Dup	< 2	< 5	< 5																				
20 Orig				< 0.2	< 0.5	135	901	< 1	12	< 2	88	1.90	5	< 10	91	< 0.5	< 2	1.20	17	13	7.30	10	< 1
20 Dup				< 0.2	< 0.5	137	870	< 1	14	< 2	89	1.92	3	< 10	82	< 0.5	< 2	1.18	18	13	7.10	10	< 1
24 Orig	< 2	< 5	< 5	< 0.2	0.6	95	877	< 1	37	< 2	81	2.83	< 2	< 10	72	< 0.5	< 2	3.70	32	37	7.56	10	< 1
24 Split	< 2	< 5	< 5	< 0.2	< 0.5	92	888	< 1	32	< 2	79	2.81	< 2	< 10	70	< 0.5	< 2	3.68	32	34	7.44	10	< 1
Method Blank				< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1
Method Blank	< 2	< 5	< 5																				

QC

Analyte Symbol	K	La	Mg	Na	P	S	Sb	Sc	Sr	Ti	Te	Tl	U	V	W	Y	Zr
Unit Symbol	%	ppm	%	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.01	10	0.01	0.001	0.001	0.01	2	1	1	0.01	1	2	10	1	10	1	1
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-1 Meas	0.03	< 10	0.14	0.048	0.047	0.21	85	1	183	< 0.01	19	< 2	31	80	148	24	18
GXR-1 Cert	0.050	7.50	0.217	0.0520	0.0650	0.257	122	1.58	275	0.036	13.0	0.390	34.9	80.0	164	32.0	38.0
GXR-4 Meas	1.74	46	1.68	0.134	0.129	1.82	6	8	76	0.14	3	< 2	< 10	85	12	12	12
GXR-4 Cert	4.01	64.5	1.66	0.564	0.120	1.77	4.80	7.70	221	0.29	0.970	3.20	6.20	87.0	30.8	14.0	186
GXR-6 Meas	1.16	11	0.41	0.081	0.034	0.01	< 2	23	37		< 1	< 2	< 10	171	< 10	6	10
GXR-6 Cert	1.87	13.9	0.609	0.104	0.0350	0.0160	3.60	27.6	35.0		0.0180	2.20	1.54	186	1.90	14.0	110
PK2 Meas																	
PK2 Cert																	
CDN-PGMS-25 Meas																	
CDN-PGMS-25 Cert																	
17 Orig																	
17 Dup																	
20 Orig	1.08	37	1.06	0.102	0.157	0.72	2	2	133	0.34	10	< 2	< 10	55	< 10	11	9
20 Dup	1.08	38	1.06	0.103	0.157	0.72	3	2	134	0.33	3	< 2	< 10	55	< 10	11	8
24 Orig	0.22	< 10	1.69	0.376	0.078	0.18	4	22	31	0.33	8	< 2	< 10	251	< 10	24	7
24 Split	0.22	< 10	1.67	0.371	0.075	0.18	< 2	21	30	0.34	4	< 2	< 10	245	< 10	23	7
Method Blank	< 0.01	< 10	< 0.01	0.012	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	< 1	< 2	< 10	< 1	< 10	< 1	< 1
Method Blank																	

