ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 15-SEP-2015
Account: DETGLD

CERTIFICATE SD15133022

Project: DGEX-312

P.O. No.: DGC 4800002115

This report is for 152 Drill Core samples submitted to our lab in Timmins, ON, Canada on 2-SEP-2015.

The following have access to data associated with this certificate:

APRIL COOMBS	ADREE DELAZZER	GUY MAC GILLIVRAY
KELLY MALCOLM	JEAN FRANCOIS METAIL	LARRY THON
JAMES TOLHURST	DETOUR GOLD WEBTRIEVE	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM

To: **DETOUR GOLD CORPORATION**
ATTN: JAMES TOLHURST
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Additional Au-AA24 check assay for sample D1202360 are 0.974 g/t and 3.54 g/t.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 15-SEP-2015
Account: DETGLD

Project: DGEX-312

CERTIFICATE OF ANALYSIS SD15133022

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1202225		3.83	<0.005	<0.5	6.84	<5	630	1.1	5	1.40	<0.5	13	32	54	6.59	20
D1202226		6.38	<0.005	<0.5	6.73	<5	40	0.6	4	5.93	0.6	42	40	138	11.25	20
D1202227		6.98	<0.005	<0.5	6.85	<5	30	0.5	5	8.02	<0.5	45	37	97	11.70	20
D1202228		6.53	<0.005	<0.5	6.94	<5	20	<0.5	<2	7.46	0.6	48	34	109	11.20	20
D1202229		6.43	<0.005	<0.5	6.84	<5	20	<0.5	4	8.01	0.6	50	36	109	11.40	20
D1202230		6.08	<0.005	<0.5	6.28	<5	20	<0.5	<2	6.85	0.5	45	33	105	11.40	20
D1202231		6.38	<0.005	<0.5	6.45	<5	30	<0.5	<2	7.82	0.5	44	31	100	10.45	20
D1202232		6.40	<0.005	<0.5	6.82	6	20	<0.5	<2	7.08	0.9	49	75	109	11.00	20
D1202233		6.40	<0.005	<0.5	6.79	<5	30	<0.5	<2	8.21	0.5	48	35	99	10.85	20
D1202234		0.06	1.230	<0.5	6.97	829	430	1.0	<2	5.38	0.5	41	184	96	9.69	20
D1202235		6.58	<0.005	<0.5	6.34	<5	50	<0.5	3	8.16	0.5	45	31	100	10.15	20
D1202236		6.11	0.014	<0.5	6.38	<5	310	0.5	3	8.17	<0.5	37	27	73	9.44	20
D1202237		6.47	<0.005	<0.5	6.69	<5	90	0.5	<2	7.69	<0.5	46	34	89	10.60	20
D1202238		6.11	<0.005	<0.5	6.70	<5	150	0.5	<2	7.18	0.8	47	36	113	10.45	20
D1202239		5.96	<0.005	<0.5	6.59	<5	110	0.5	<2	6.75	0.7	44	36	96	10.55	20
D1202240		6.05	<0.005	<0.5	6.95	<5	30	<0.5	<2	7.05	0.7	49	33	103	10.90	20
D1202241		6.52	<0.005	<0.5	6.74	<5	40	<0.5	<2	6.89	<0.5	47	33	91	10.80	20
D1202242		6.53	<0.005	<0.5	6.41	<5	90	<0.5	<2	6.82	<0.5	44	32	93	10.35	20
D1202243		4.51	<0.005	<0.5	6.53	<5	80	<0.5	<2	7.29	<0.5	45	32	104	10.15	20
D1202244		0.36	<0.005	<0.5	3.02	5	400	0.5	<2	22.2	<0.5	6	20	9	1.84	10
D1202245		3.55	0.348	<0.5	7.38	<5	200	0.6	<2	6.51	<0.5	42	54	83	8.92	20
D1202246		6.48	0.029	<0.5	7.47	<5	570	1.0	<2	3.06	<0.5	10	31	25	2.86	20
D1202247		5.00	<0.005	<0.5	6.45	<5	110	<0.5	2	6.82	<0.5	44	32	88	10.25	20
D1202248		6.22	<0.005	<0.5	6.86	<5	110	<0.5	<2	6.82	0.5	47	32	102	10.45	20
D1202249		6.60	<0.005	<0.5	6.73	<5	50	<0.5	<2	6.55	<0.5	48	33	109	11.50	20
D1202250		6.55	<0.005	<0.5	6.46	<5	50	<0.5	<2	6.93	0.5	46	31	97	10.30	20
D1202251		6.67	<0.005	<0.5	6.38	<5	140	<0.5	<2	7.33	0.7	46	32	94	10.30	20
D1202252		6.57	<0.005	<0.5	6.47	<5	30	<0.5	<2	7.44	0.5	47	33	98	10.85	20
D1202253		6.44	<0.005	<0.5	6.51	<5	150	<0.5	<2	7.20	0.5	47	33	94	10.40	20
D1202254		0.07	0.339	<0.5	7.63	210	340	1.1	4	5.69	<0.5	43	197	116	8.05	20
D1202255		6.89	<0.005	<0.5	6.29	<5	230	0.5	<2	7.48	0.9	46	32	94	9.94	20
D1202256		6.54	<0.005	<0.5	6.30	<5	30	<0.5	3	6.00	0.6	47	32	100	10.30	20
D1202257		6.12	<0.005	<0.5	6.49	<5	20	<0.5	<2	5.98	0.6	46	32	90	10.45	20
D1202258		6.59	<0.005	<0.5	6.39	<5	20	0.5	<2	6.15	<0.5	48	33	108	11.30	20
D1202259		6.77	<0.005	<0.5	6.48	<5	20	<0.5	<2	6.48	0.7	48	34	88	11.55	20
D1202260		6.50	<0.005	<0.5	6.10	<5	30	0.5	3	6.94	<0.5	47	33	115	10.65	20
D1202261		6.63	<0.005	<0.5	7.41	<5	190	0.6	<2	5.40	<0.5	37	42	92	9.46	20
D1202262		6.62	0.110	<0.5	6.65	<5	270	0.6	<2	5.07	<0.5	27	45	27	6.77	20
D1202263		5.92	<0.005	<0.5	6.27	<5	90	0.5	3	6.69	0.6	44	36	93	9.22	20
D1202264		0.35	<0.005	<0.5	3.17	5	410	0.5	<2	20.5	<0.5	3	19	8	1.48	10

Comments: Additional Au-AA24 check assay for sample D1202360 are 0.974 g/t and 3.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 15-SEP-2015
Account: DETGLD

Project: DGEX-312

CERTIFICATE OF ANALYSIS SD15133022

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1202225		1.03	20	1.44	1030	1	1.25	18	530	4	0.91	<5	11	91	<20	0.33
D1202226		0.15	10	1.53	2420	1	1.55	36	550	4	0.62	<5	38	114	<20	0.89
D1202227		0.13	<10	1.52	2610	<1	1.33	34	580	4	0.17	<5	42	119	<20	0.99
D1202228		0.11	<10	1.53	2660	<1	1.35	37	610	<2	0.13	<5	44	129	<20	1.02
D1202229		0.11	<10	1.82	2290	<1	0.98	38	620	<2	0.14	<5	44	125	<20	1.04
D1202230		0.10	<10	2.36	2060	<1	0.81	35	580	<2	0.07	<5	39	85	<20	0.93
D1202231		0.07	<10	1.31	2470	<1	1.65	35	560	<2	0.17	<5	40	123	<20	0.93
D1202232		0.09	<10	1.39	2570	<1	1.64	48	600	<2	0.18	<5	43	111	<20	1.02
D1202233		0.09	<10	1.29	2610	<1	1.81	37	600	<2	0.16	<5	43	131	<20	1.01
D1202234		0.70	20	3.72	2600	1	1.93	143	2070	<2	1.02	<5	18	412	<20	0.93
D1202235		0.12	<10	1.40	2580	<1	1.51	34	530	<2	0.16	5	39	124	<20	0.92
D1202236		0.84	10	0.96	2370	<1	1.67	28	580	<2	0.25	<5	32	174	<20	0.78
D1202237		0.50	<10	1.23	2220	<1	1.90	36	590	<2	0.28	<5	41	125	<20	0.96
D1202238		0.67	<10	1.52	2110	<1	1.75	37	590	10	0.35	<5	41	115	<20	0.95
D1202239		0.42	<10	1.60	2400	<1	1.59	35	560	3	0.22	<5	40	93	<20	0.94
D1202240		0.16	<10	1.69	2630	<1	1.81	37	590	<2	0.15	<5	44	137	<20	1.01
D1202241		0.16	<10	1.71	2540	<1	1.75	36	580	<2	0.16	<5	42	149	<20	0.99
D1202242		0.27	<10	1.71	2290	<1	1.60	33	580	<2	0.18	<5	40	114	<20	0.95
D1202243		0.30	<10	1.73	2300	<1	1.79	34	560	<2	0.15	<5	41	133	<20	0.96
D1202244		1.55	20	0.73	1080	<1	0.62	12	3030	6	0.38	9	6	479	<20	0.18
D1202245		0.75	10	2.01	1780	<1	2.20	46	710	2	0.29	<5	34	258	<20	0.77
D1202246		1.33	10	0.90	607	<1	3.72	16	650	7	0.35	<5	6	499	<20	0.25
D1202247		0.39	<10	1.64	2640	<1	1.70	33	560	<2	0.16	<5	40	124	<20	0.95
D1202248		0.24	<10	1.50	2540	<1	1.88	36	620	<2	0.20	<5	43	101	<20	0.99
D1202249		0.19	<10	1.68	2630	<1	1.62	35	600	<2	0.19	<5	43	117	<20	0.99
D1202250		0.15	<10	1.23	2270	<1	2.03	33	570	<2	0.17	<5	41	127	<20	0.95
D1202251		0.28	<10	1.31	1980	<1	1.78	32	570	<2	0.27	<5	40	105	<20	0.93
D1202252		0.11	<10	1.44	2060	<1	2.05	34	570	<2	0.41	<5	40	110	<20	0.96
D1202253		0.26	<10	1.13	2150	<1	1.75	33	580	<2	0.23	6	41	99	<20	0.96
D1202254		0.80	20	3.78	1440	3	2.24	147	1730	<2	0.28	<5	20	455	<20	1.05
D1202255		0.63	<10	1.26	2000	<1	1.84	30	580	<2	0.44	<5	40	126	<20	0.93
D1202256		0.09	<10	1.87	1870	<1	1.88	31	570	2	0.18	<5	40	83	<20	0.94
D1202257		0.09	<10	1.33	2210	<1	2.27	32	610	<2	0.16	<5	42	106	<20	0.99
D1202258		0.09	<10	1.61	2250	<1	1.92	30	610	<2	0.20	<5	43	111	<20	1.01
D1202259		0.08	<10	2.53	1990	<1	1.31	31	620	<2	0.13	<5	43	93	<20	1.03
D1202260		0.10	<10	1.52	1930	<1	1.75	28	580	<2	0.24	<5	41	151	<20	0.96
D1202261		0.44	<10	2.33	1400	<1	1.98	30	620	<2	0.21	<5	34	272	<20	0.81
D1202262		0.78	10	1.50	1430	<1	2.16	26	540	<2	0.23	<5	26	305	<20	0.62
D1202263		0.24	<10	1.43	2110	<1	1.93	30	590	<2	0.25	<5	41	176	<20	0.97
D1202264		1.70	20	0.73	1005	<1	0.64	12	2530	9	0.25	<5	5	398	<20	0.19

Comments: Additional Au-AA24 check assay for sample D1202360 are 0.974 g/t and 3.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 15-SEP-2015
Account: DETGLD

Project: DGEX-312

CERTIFICATE OF ANALYSIS SD15133022

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1202225		<10	<10	50	<10	275	
D1202226		<10	<10	333	<10	211	
D1202227		<10	<10	377	<10	140	
D1202228		<10	<10	382	<10	144	
D1202229		<10	<10	388	<10	149	
D1202230		<10	<10	342	<10	161	
D1202231		<10	<10	351	<10	132	
D1202232		<10	<10	382	<10	144	
D1202233		<10	<10	388	<10	136	
D1202234		<10	<10	160	<10	131	
D1202235		<10	<10	353	<10	133	
D1202236		<10	<10	291	<10	122	
D1202237		<10	<10	376	<10	142	
D1202238		<10	<10	368	<10	203	
D1202239		<10	<10	355	<10	160	
D1202240		<10	<10	390	<10	147	
D1202241		<10	<10	377	<10	144	
D1202242		<10	<10	361	<10	132	
D1202243		<10	<10	368	<10	138	
D1202244		<10	<10	28	<10	27	
D1202245		<10	<10	302	<10	122	
D1202246		<10	<10	65	<10	72	
D1202247		<10	<10	357	<10	134	
D1202248		<10	<10	385	<10	138	
D1202249		<10	<10	377	<10	147	
D1202250		<10	<10	362	<10	122	
D1202251		<10	<10	348	<10	139	
D1202252		<10	<10	367	<10	144	
D1202253		10	<10	371	<10	146	
D1202254		<10	<10	162	<10	117	
D1202255		<10	<10	358	<10	164	
D1202256		<10	<10	351	<10	151	
D1202257		<10	<10	374	<10	136	
D1202258		<10	<10	385	<10	142	
D1202259		<10	<10	382	<10	158	
D1202260		<10	<10	363	<10	129	
D1202261		<10	<10	302	<10	122	
D1202262		<10	<10	230	<10	120	
D1202263		<10	<10	368	<10	144	
D1202264		<10	<10	23	<10	78	

Comments: Additional Au-AA24 check assay for sample D1202360 are 0.974 g/t and 3.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 15-SEP-2015
Account: DETGLD

Project: DGEX-312

CERTIFICATE OF ANALYSIS SD15133022

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1202265		6.45	<0.005	<0.5	6.11	5	300	0.5	4	5.83	<0.5	33	38	84	7.54	20
D1202266		6.21	<0.005	<0.5	6.64	<5	170	0.6	<2	5.99	<0.5	36	37	83	7.92	20
D1202267		6.71	<0.005	<0.5	6.53	<5	20	0.5	<2	7.04	<0.5	42	35	100	10.45	20
D1202268		5.60	0.010	<0.5	5.75	<5	140	0.5	<2	5.77	<0.5	31	34	83	8.65	20
D1202269		6.07	0.072	<0.5	6.54	<5	80	0.5	2	5.23	<0.5	39	48	82	9.62	20
D1202270		6.06	0.050	<0.5	6.59	<5	60	<0.5	2	4.63	<0.5	42	34	102	10.70	20
D1202271		6.37	<0.005	<0.5	6.61	<5	90	0.5	<2	8.62	<0.5	44	33	98	11.40	20
D1202272		6.08	<0.005	<0.5	6.78	<5	10	0.5	<2	7.33	<0.5	46	33	85	11.75	20
D1202273		6.12	0.005	<0.5	6.37	<5	30	<0.5	3	4.94	<0.5	43	31	101	10.95	20
D1202274		0.06	6.37	0.8	5.73	4280	530	0.8	<2	5.66	<0.5	32	135	187	11.80	10
D1202275		5.82	<0.005	<0.5	6.25	12	20	0.5	4	6.01	<0.5	40	32	88	10.45	20
D1202276		6.03	<0.005	<0.5	6.35	<5	30	<0.5	<2	6.66	<0.5	40	33	100	10.55	20
D1202277		6.20	<0.005	<0.5	6.58	<5	110	0.5	2	7.01	<0.5	39	35	99	9.55	20
D1202278		6.06	<0.005	<0.5	6.19	<5	80	<0.5	3	8.32	<0.5	38	32	91	9.69	20
D1202279		6.02	<0.005	<0.5	6.14	<5	70	0.5	<2	8.32	<0.5	38	32	92	9.22	20
D1202280		6.07	0.012	<0.5	6.39	5	120	<0.5	2	7.57	<0.5	42	34	94	10.25	20
D1202281		5.86	<0.005	<0.5	6.27	<5	40	<0.5	6	6.21	<0.5	41	32	105	10.15	20
D1202282		5.95	0.006	<0.5	6.41	<5	30	<0.5	3	7.33	<0.5	45	35	106	10.90	20
D1202283		5.90	<0.005	<0.5	6.72	<5	30	<0.5	3	6.12	<0.5	41	132	67	9.83	20
D1202284		0.36	<0.005	<0.5	3.18	<5	270	0.6	<2	21.4	<0.5	3	25	7	1.68	10
D1202285		6.04	<0.005	<0.5	6.41	5	80	<0.5	2	6.90	<0.5	41	59	97	10.45	20
D1202286		6.05	<0.005	<0.5	6.31	6	70	<0.5	<2	9.20	<0.5	40	33	96	10.80	20
D1202287		6.22	<0.005	<0.5	5.91	<5	50	<0.5	2	10.05	<0.5	38	30	90	9.96	20
D1202288		6.10	<0.005	<0.5	6.25	<5	80	<0.5	<2	8.10	<0.5	39	31	93	10.45	20
D1202289		4.02	0.007	<0.5	5.96	<5	180	0.5	<2	6.59	<0.5	30	29	70	8.26	20
D1202290		4.44	0.006	<0.5	6.46	5	60	0.5	<2	7.60	<0.5	44	42	93	10.95	20
D1202291		4.01	0.021	<0.5	6.28	<5	50	0.6	<2	8.43	<0.5	37	50	78	10.25	20
D1202292		2.82	0.005	<0.5	5.95	<5	70	0.5	<2	9.03	<0.5	35	32	100	10.15	20
D1202293		3.60	0.006	<0.5	6.35	5	70	0.8	2	7.59	<0.5	38	68	70	10.25	20
D1202294		0.06	4.43	5.1	4.47	17	260	0.9	<2	4.94	<0.5	7	26	59	2.59	10
D1202295		5.46	0.154	<0.5	7.54	<5	540	0.9	<2	3.21	<0.5	7	26	8	2.29	20
D1202296		5.69	<0.005	<0.5	7.20	5	590	0.9	<2	3.03	<0.5	4	23	<1	1.63	20
D1202297		5.89	0.013	<0.5	7.24	<5	670	0.9	<2	3.06	<0.5	4	24	3	1.68	20
D1202298		5.87	0.016	<0.5	7.42	<5	650	0.9	<2	2.73	<0.5	5	23	3	1.78	20
D1202299		5.76	0.010	<0.5	7.56	6	630	0.9	<2	2.74	<0.5	5	26	<1	1.78	20
D1202300		3.12	<0.005	<0.5	7.40	<5	600	0.9	<2	2.74	<0.5	4	22	2	1.68	20
D1202301		5.33	0.009	<0.5	5.62	<5	100	0.5	2	8.98	<0.5	36	28	109	9.42	20
D1202302		4.15	<0.005	<0.5	6.66	<5	120	0.5	<2	7.55	<0.5	45	34	100	11.05	20
D1202303		0.39	<0.005	<0.5	4.03	6	300	0.7	<2	17.9	<0.5	10	26	19	2.94	10
D1202304		5.84	0.026	<0.5	5.93	<5	190	0.5	3	7.22	<0.5	37	48	73	9.17	20

Comments: Additional Au-AA24 check assay for sample D1202360 are 0.974 g/t and 3.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 15-SEP-2015
Account: DETGLD

Project: DGEX-312

CERTIFICATE OF ANALYSIS SD15133022

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1202265		0.68	10	1.39	1625	<1	1.76	25	530	6	0.28	<5	31	218	<20	0.76
D1202266		0.23	10	1.48	1800	<1	2.38	27	570	20	0.22	<5	34	231	<20	0.80
D1202267		0.11	<10	1.70	2520	<1	1.72	28	590	2	0.21	<5	42	149	<20	1.03
D1202268		0.54	10	1.77	1415	<1	1.70	26	510	17	0.26	<5	32	173	<20	0.76
D1202269		0.33	10	2.92	1420	<1	1.81	41	530	<2	0.18	<5	34	180	<20	0.78
D1202270		0.34	10	3.11	1375	<1	1.44	27	560	5	0.39	<5	38	109	<20	0.92
D1202271		0.47	<10	1.12	2390	<1	0.74	34	550	<2	0.23	<5	40	87	<20	0.96
D1202272		0.07	<10	1.56	1985	<1	1.57	36	560	<2	0.12	<5	40	107	<20	0.96
D1202273		0.26	<10	2.55	1540	<1	1.89	32	540	<2	0.19	<5	38	86	<20	0.92
D1202274		0.54	20	2.99	4000	2	1.20	99	2250	12	3.48	9	19	231	<20	0.56
D1202275		0.11	<10	1.70	1720	<1	2.33	31	530	<2	0.12	<5	38	87	<20	0.92
D1202276		0.07	<10	1.27	2170	<1	1.62	30	540	3	0.19	<5	39	87	<20	0.94
D1202277		0.39	<10	0.84	2220	<1	0.94	31	540	<2	0.16	<5	40	109	<20	0.98
D1202278		0.26	<10	0.92	2380	<1	0.69	30	520	<2	0.13	<5	38	93	<20	0.93
D1202279		0.29	<10	0.94	1995	<1	0.64	29	510	<2	0.14	<5	38	91	<20	0.92
D1202280		0.40	<10	1.37	2200	<1	1.15	34	550	<2	0.18	<5	40	75	<20	0.96
D1202281		0.17	<10	1.40	2240	<1	1.78	33	530	<2	0.21	<5	39	82	<20	0.93
D1202282		0.09	<10	1.37	2490	<1	2.05	31	550	<2	0.30	<5	40	100	<20	0.96
D1202283		0.31	<10	3.23	1890	<1	1.79	76	430	3	0.20	<5	37	95	<20	0.76
D1202284		1.72	20	0.94	990	<1	0.54	14	2750	9	0.24	<5	6	445	<20	0.19
D1202285		0.51	<10	2.13	1715	<1	0.90	46	500	<2	0.22	<5	38	82	<20	0.87
D1202286		0.77	<10	0.88	2280	<1	0.55	32	530	3	0.41	<5	38	76	<20	0.91
D1202287		0.94	<10	0.88	2040	<1	1.36	31	490	<2	0.68	<5	36	197	<20	0.85
D1202288		0.39	<10	1.10	2130	<1	0.80	28	540	<2	0.17	<5	38	97	<20	0.91
D1202289		0.71	10	1.03	1710	<1	1.32	23	510	<2	0.31	<5	30	238	<20	0.71
D1202290		0.26	<10	1.24	2150	<1	1.17	44	660	3	0.14	<5	36	130	<20	1.09
D1202291		0.31	<10	1.22	1890	<1	1.08	58	790	<2	0.17	<5	30	126	<20	1.26
D1202292		0.48	<10	0.87	2300	<1	0.71	35	560	<2	0.18	<5	37	111	<20	0.91
D1202293		0.45	<10	1.16	1585	<1	1.15	73	990	<2	0.19	<5	24	148	<20	1.50
D1202294		2.00	10	0.81	607	4	0.66	9	520	14	0.79	5	10	243	<20	0.23
D1202295		0.83	<10	0.67	404	<1	4.22	10	450	6	0.51	<5	4	683	<20	0.17
D1202296		0.91	<10	0.59	312	<1	4.04	8	440	3	0.13	<5	2	817	<20	0.12
D1202297		1.19	<10	0.60	349	<1	3.72	11	440	2	0.16	<5	3	675	<20	0.13
D1202298		1.16	<10	0.60	333	1	3.69	9	440	4	0.28	<5	3	628	<20	0.14
D1202299		1.14	<10	0.63	315	<1	3.89	10	440	3	0.37	<5	3	655	<20	0.15
D1202300		1.11	10	0.60	304	<1	3.74	8	440	4	0.18	<5	3	615	<20	0.15
D1202301		0.52	<10	0.82	2410	<1	0.66	25	460	<2	0.22	<5	35	127	<20	0.80
D1202302		0.50	<10	1.06	2470	<1	0.89	34	520	<2	0.25	<5	41	112	<20	0.98
D1202303		1.96	30	1.21	1510	<1	0.69	21	2490	12	0.53	<5	8	513	<20	0.35
D1202304		0.57	<10	1.47	1845	<1	0.98	50	640	<2	0.26	<5	28	137	<20	1.07

Comments: Additional Au-AA24 check assay for sample D1202360 are 0.974 g/t and 3.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 15-SEP-2015
Account: DETGLD

Project: DGEX-312

CERTIFICATE OF ANALYSIS SD15133022

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1202265		<10	<10	288	<10	128	
D1202266		<10	<10	304	<10	140	
D1202267		<10	<10	395	<10	149	
D1202268		<10	<10	290	<10	161	
D1202269		<10	<10	302	10	121	
D1202270		<10	<10	347	<10	144	
D1202271		<10	<10	365	<10	141	
D1202272		<10	<10	371	<10	142	
D1202273		<10	<10	354	<10	131	
D1202274		<10	<10	174	10	119	6.83
D1202275		<10	<10	352	<10	124	
D1202276		<10	<10	360	<10	135	
D1202277		<10	<10	368	<10	121	
D1202278		<10	<10	353	<10	129	
D1202279		<10	<10	349	<10	123	
D1202280		<10	<10	372	<10	140	
D1202281		<10	<10	353	<10	139	
D1202282		<10	<10	366	<10	161	
D1202283		<10	<10	310	<10	110	
D1202284		<10	<10	27	<10	18	
D1202285		<10	<10	339	<10	129	
D1202286		<10	<10	349	<10	141	
D1202287		<10	<10	330	<10	128	
D1202288		<10	<10	351	<10	127	
D1202289		<10	<10	270	<10	97	
D1202290		10	<10	326	<10	139	
D1202291		<10	<10	269	<10	137	
D1202292		<10	<10	329	<10	112	
D1202293		<10	<10	224	<10	149	
D1202294		<10	<10	86	<10	50	
D1202295		<10	<10	43	<10	36	
D1202296		<10	<10	31	<10	37	
D1202297		<10	<10	32	<10	39	
D1202298		<10	<10	31	<10	36	
D1202299		<10	<10	33	<10	30	
D1202300		<10	<10	31	<10	44	
D1202301		<10	<10	304	<10	103	
D1202302		<10	<10	369	<10	135	
D1202303		<10	<10	59	<10	36	
D1202304		<10	<10	253	<10	133	

Comments: Additional Au-AA24 check assay for sample D1202360 are 0.974 g/t and 3.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 15-SEP-2015
Account: DETGLD

Project: DGEX-312

CERTIFICATE OF ANALYSIS SD15133022

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1202305		6.04	<0.005	<0.5	6.67	<5	160	0.7	<2	6.92	<0.5	39	62	67	10.25	20
D1202306		6.29	<0.005	<0.5	6.79	5	170	0.5	<2	7.39	<0.5	44	35	87	10.60	20
D1202307		6.09	<0.005	<0.5	5.77	<5	160	0.5	<2	9.83	<0.5	37	29	89	9.55	20
D1202308		6.31	<0.005	<0.5	6.49	<5	120	<0.5	<2	7.18	<0.5	44	33	111	10.55	20
D1202309		6.09	<0.005	<0.5	6.55	<5	90	0.5	<2	6.58	<0.5	49	34	125	11.45	20
D1202310		6.10	<0.005	<0.5	6.35	<5	70	0.5	5	5.81	<0.5	47	32	86	10.80	20
D1202311		6.05	<0.005	<0.5	6.17	<5	60	<0.5	<2	6.23	<0.5	43	31	91	10.65	20
D1202312		6.00	<0.005	<0.5	6.26	<5	40	<0.5	<2	6.42	<0.5	43	33	94	10.60	20
D1202313		0.05	1.240	<0.5	6.55	672	430	1.0	<2	5.20	<0.5	37	183	89	9.18	20
D1202314		6.14	<0.005	<0.5	6.30	<5	20	<0.5	4	6.78	<0.5	41	34	95	10.30	20
D1202315		6.26	<0.005	<0.5	6.40	<5	30	<0.5	<2	7.06	<0.5	41	34	81	10.55	20
D1202316		5.54	<0.005	<0.5	6.44	<5	20	<0.5	<2	6.78	<0.5	42	33	84	10.15	20
D1202317		6.29	<0.005	<0.5	6.40	5	20	0.5	<2	6.74	<0.5	40	36	90	10.55	20
D1202318		6.29	<0.005	<0.5	6.70	<5	20	0.5	<2	5.96	<0.5	44	35	102	10.55	20
D1202319		6.26	<0.005	<0.5	6.63	<5	20	<0.5	<2	6.28	<0.5	43	36	95	10.55	20
D1202320		6.26	<0.005	<0.5	6.66	6	30	0.5	<2	6.75	<0.5	45	36	107	10.35	20
D1202321		6.52	<0.005	<0.5	6.73	6	30	0.5	<2	6.93	<0.5	46	38	117	11.55	20
D1202322		6.71	<0.005	<0.5	6.67	<5	20	<0.5	<2	7.26	<0.5	46	39	111	11.55	20
D1202323		0.37	<0.005	<0.5	3.58	7	330	0.6	3	19.7	<0.5	4	25	10	1.54	<10
D1202324		6.85	<0.005	<0.5	6.77	<5	30	<0.5	4	5.94	<0.5	50	39	125	12.05	20
D1202325		6.29	<0.005	<0.5	6.74	5	30	<0.5	5	6.03	<0.5	48	39	101	11.50	20
D1202326		6.39	<0.005	<0.5	6.73	6	30	<0.5	4	5.92	<0.5	47	39	62	11.90	20
D1202327		6.51	<0.005	<0.5	6.67	<5	30	<0.5	3	5.97	<0.5	49	38	102	11.60	20
D1202328		6.36	<0.005	<0.5	6.64	<5	30	0.5	<2	4.99	<0.5	51	36	104	11.50	20
D1202329		5.54	<0.005	<0.5	6.20	<5	20	<0.5	<2	6.61	<0.5	46	33	94	10.85	20
D1202330		5.91	<0.005	<0.5	6.45	<5	40	<0.5	3	7.01	<0.5	45	35	146	10.95	20
D1202331		3.94	<0.005	<0.5	6.19	<5	40	<0.5	<2	7.46	<0.5	42	33	72	10.60	20
D1202332		4.00	<0.005	<0.5	6.97	<5	50	<0.5	<2	7.15	<0.5	47	39	88	12.90	20
D1202333		0.05	0.338	<0.5	7.24	175	340	1.1	<2	5.51	<0.5	38	189	110	7.64	20
D1202334		4.42	<0.005	<0.5	6.50	<5	380	0.7	2	5.44	<0.5	9	30	15	2.85	20
D1202335		4.18	<0.005	<0.5	6.80	<5	680	0.6	<2	8.74	<0.5	32	35	108	6.23	20
D1202336		4.49	<0.005	<0.5	6.85	<5	30	<0.5	<2	7.25	<0.5	45	36	46	11.30	20
D1202337		6.75	<0.005	<0.5	6.71	6	30	<0.5	<2	7.53	<0.5	44	35	58	10.80	20
D1202338		5.57	0.014	<0.5	6.67	5	50	0.5	2	5.04	<0.5	21	21	75	8.31	20
D1202339		3.52	0.011	<0.5	6.10	<5	80	0.8	<2	3.75	4.0	68	35	296	10.50	20
D1202340		4.82	<0.005	<0.5	6.79	<5	50	0.5	<2	7.94	<0.5	40	37	41	10.90	20
D1202341		3.90	<0.005	<0.5	6.89	<5	30	<0.5	<2	5.56	<0.5	44	37	101	11.60	20
D1202342		6.79	<0.005	<0.5	6.86	<5	30	<0.5	<2	5.59	<0.5	43	36	92	11.45	20
D1202343		6.95	<0.005	<0.5	7.16	<5	40	0.5	<2	5.67	<0.5	46	38	104	11.45	20
D1202344		0.32	<0.005	<0.5	3.76	7	310	0.7	<2	18.2	<0.5	6	30	15	2.25	10

Comments: Additional Au-AA24 check assay for sample D1202360 are 0.974 g/t and 3.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 15-SEP-2015
Account: DETGLD

Project: DGEX-312

CERTIFICATE OF ANALYSIS SD15133022

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1202305		0.66	<10	1.58	1810	<1	1.27	63	860	<2	0.18	<5	30	157	<20	1.39
D1202306		0.52	<10	1.20	2160	<1	1.13	37	520	2	0.21	<5	39	136	<20	0.96
D1202307		0.51	<10	0.88	2540	<1	0.98	30	480	4	0.27	<5	36	126	<20	0.84
D1202308		0.29	<10	1.17	2230	<1	1.25	35	530	2	0.21	<5	40	127	<20	0.95
D1202309		0.18	<10	1.43	1975	<1	1.62	35	550	<2	0.31	<5	40	169	<20	0.97
D1202310		0.19	<10	2.30	1565	<1	1.52	35	530	3	0.13	<5	38	117	<20	0.93
D1202311		0.16	<10	2.99	1480	<1	1.05	39	520	<2	0.09	<5	37	82	<20	0.89
D1202312		0.08	<10	2.32	1620	<1	1.72	32	540	<2	0.20	<5	39	77	<20	0.95
D1202313		0.66	20	3.58	2520	2	1.86	131	1900	5	0.90	<5	17	363	<20	0.89
D1202314		0.05	<10	1.91	1925	<1	1.83	27	550	<2	0.18	5	39	70	<20	0.95
D1202315		0.06	<10	1.44	2230	<1	1.95	31	570	2	0.16	<5	40	95	<20	0.98
D1202316		0.05	<10	1.63	2250	<1	2.11	27	570	3	0.17	<5	40	78	<20	0.96
D1202317		0.08	<10	1.80	2150	<1	2.02	31	590	<2	0.15	<5	39	94	<20	0.99
D1202318		0.11	<10	1.90	2200	<1	2.08	33	590	<2	0.16	<5	42	96	<20	1.01
D1202319		0.08	<10	1.79	2320	<1	2.22	30	600	<2	0.18	<5	42	112	<20	1.02
D1202320		0.15	<10	1.63	2310	<1	2.10	31	600	<2	0.17	<5	42	121	<20	1.01
D1202321		0.18	<10	1.75	2310	<1	1.93	34	600	<2	0.17	6	43	121	<20	1.02
D1202322		0.16	<10	1.79	2050	<1	2.44	32	610	5	0.20	<5	43	129	<20	1.04
D1202323		1.90	30	0.75	958	<1	0.71	13	3380	11	0.24	<5	6	441	<20	0.20
D1202324		0.16	<10	2.86	1855	<1	1.97	40	600	<2	0.16	<5	42	124	<20	1.01
D1202325		0.15	<10	2.92	1710	<1	1.49	45	570	3	0.14	<5	41	149	<20	0.97
D1202326		0.14	<10	3.28	1830	<1	1.31	47	580	<2	0.03	<5	41	123	<20	0.98
D1202327		0.15	<10	3.16	1780	<1	1.41	52	570	<2	0.15	5	40	126	<20	0.96
D1202328		0.11	<10	3.51	1830	<1	1.56	50	550	4	0.13	<5	40	86	<20	0.96
D1202329		0.06	<10	3.10	1670	<1	1.07	40	500	4	0.12	<5	37	64	<20	0.88
D1202330		0.06	<10	2.13	1575	<1	1.47	39	540	2	0.20	<5	39	99	<20	0.93
D1202331		0.10	<10	1.75	1625	<1	1.01	35	520	<2	0.06	<5	38	107	<20	0.89
D1202332		0.08	<10	1.46	1685	<1	1.08	36	610	4	0.21	<5	43	151	<20	1.04
D1202333		0.76	20	3.68	1395	4	2.18	135	1570	4	0.25	<5	19	414	<20	1.00
D1202334		0.64	10	0.74	540	<1	2.84	11	460	5	0.31	<5	6	318	<20	0.23
D1202335		0.75	10	0.74	1075	<1	1.76	27	520	6	0.50	<5	30	220	<20	0.73
D1202336		0.05	<10	1.30	1840	<1	0.40	37	600	5	0.09	<5	42	77	<20	1.00
D1202337		0.06	<10	1.22	1830	<1	0.51	35	580	4	0.17	<5	41	73	<20	0.99
D1202338		0.07	20	0.89	1090	2	1.04	20	510	7	0.57	<5	19	90	<20	0.48
D1202339		0.13	10	0.95	842	3	1.96	55	450	3	3.38	<5	16	108	<20	0.36
D1202340		0.16	10	1.95	2110	<1	1.82	33	590	3	0.14	<5	42	106	<20	1.01
D1202341		0.14	<10	2.81	1915	<1	1.85	31	590	2	0.14	<5	42	115	<20	1.00
D1202342		0.14	<10	2.87	1760	<1	2.02	28	600	<2	0.13	<5	42	119	<20	1.03
D1202343		0.16	<10	3.02	1735	<1	1.89	34	570	<2	0.17	<5	42	147	<20	1.01
D1202344		1.97	20	0.91	1180	<1	0.59	19	2700	11	0.34	<5	6	442	<20	0.19

Comments: Additional Au-AA24 check assay for sample D1202360 are 0.974 g/t and 3.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 15-SEP-2015
Account: DETGLD

Project: DGEX-312

CERTIFICATE OF ANALYSIS SD15133022

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1202305		<10	<10	260	<10	137	
D1202306		<10	<10	359	<10	125	
D1202307		<10	<10	320	<10	110	
D1202308		<10	<10	361	<10	120	
D1202309		<10	<10	365	<10	127	
D1202310		<10	<10	348	<10	126	
D1202311		<10	<10	334	<10	141	
D1202312		<10	<10	356	<10	137	
D1202313		<10	<10	150	<10	123	
D1202314		<10	<10	354	<10	135	
D1202315		<10	<10	368	<10	139	
D1202316		<10	<10	361	<10	130	
D1202317		<10	<10	355	<10	134	
D1202318		<10	<10	380	<10	138	
D1202319		<10	<10	386	<10	131	
D1202320		10	<10	383	<10	144	
D1202321		<10	<10	388	<10	152	
D1202322		<10	<10	384	<10	146	
D1202323		<10	20	24	<10	28	
D1202324		<10	<10	383	<10	156	
D1202325		<10	<10	366	<10	141	
D1202326		<10	<10	370	<10	145	
D1202327		<10	<10	363	<10	141	
D1202328		<10	<10	357	<10	136	
D1202329		<10	<10	341	<10	142	
D1202330		<10	<10	348	<10	149	
D1202331		<10	<10	337	<10	154	
D1202332		<10	<10	391	<10	183	
D1202333		<10	<10	151	<10	111	
D1202334		<10	<10	62	<10	61	
D1202335		<10	<10	269	<10	99	
D1202336		<10	<10	383	<10	175	
D1202337		<10	<10	372	<10	226	
D1202338		<10	<10	136	<10	244	
D1202339		<10	<10	78	<10	597	
D1202340		<10	<10	384	<10	244	
D1202341		<10	<10	376	<10	137	
D1202342		<10	<10	380	<10	138	
D1202343		<10	<10	383	<10	134	
D1202344		<10	10	32	<10	30	

Comments: Additional Au-AA24 check assay for sample D1202360 are 0.974 g/t and 3.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 15-SEP-2015
Account: DETGLD

Project: DGEX-312

CERTIFICATE OF ANALYSIS SD15133022

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1202345		6.82	<0.005	<0.5	6.87	5	40	<0.5	4	5.53	<0.5	44	37	93	11.50	20
D1202346		7.03	<0.005	<0.5	6.93	6	40	<0.5	<2	5.98	<0.5	44	42	101	11.50	20
D1202347		7.86	<0.005	<0.5	6.95	<5	30	0.5	<2	7.11	<0.5	43	42	49	11.75	20
D1202348		6.26	<0.005	<0.5	7.34	5	30	0.5	<2	6.66	<0.5	49	40	116	12.45	20
D1202349		7.28	<0.005	<0.5	7.16	5	20	0.5	<2	6.73	<0.5	45	40	104	11.75	20
D1202350		6.36	<0.005	<0.5	6.98	<5	30	0.5	6	5.93	<0.5	46	38	101	11.70	20
D1202351		6.79	<0.005	<0.5	7.02	<5	30	0.5	<2	5.79	<0.5	48	37	88	11.80	20
D1202352		7.31	<0.005	<0.5	7.22	<5	20	<0.5	<2	5.97	<0.5	45	38	103	11.95	20
D1202353		6.85	<0.005	<0.5	6.98	<5	30	0.5	2	5.50	<0.5	45	37	83	11.90	20
D1202354		0.06	4.41	5.2	4.40	16	270	0.8	<2	4.80	<0.5	7	24	57	2.49	10
D1202355		6.83	<0.005	<0.5	7.10	<5	20	0.5	<2	5.33	<0.5	44	36	98	11.85	20
D1202356		3.72	<0.005	<0.5	6.90	<5	20	<0.5	<2	7.40	<0.5	47	35	85	10.65	20
D1202357		3.48	<0.005	<0.5	6.97	<5	40	<0.5	2	7.42	<0.5	45	39	56	10.75	20
D1202358		4.42	<0.005	<0.5	7.15	<5	60	<0.5	2	5.82	<0.5	39	41	58	10.25	20
D1202359		4.09	<0.005	<0.5	6.72	<5	60	<0.5	<2	5.17	<0.5	44	34	86	10.90	20
D1202360		4.43	0.369	<0.5	6.44	<5	50	<0.5	2	6.32	<0.5	42	33	63	10.40	20
D1202361		4.35	0.979	<0.5	7.80	<5	420	0.9	<2	2.15	<0.5	33	27	132	5.96	20
D1202362		5.01	0.010	<0.5	7.35	<5	410	0.6	<2	0.47	<0.5	6	5	1	2.48	20
D1202363		3.87	0.105	<0.5	6.51	<5	360	0.6	<2	0.82	0.6	7	21	39	2.82	10
D1202364		0.37	<0.005	<0.5	3.17	<5	340	0.6	<2	20.7	<0.5	5	24	7	1.56	10
D1202365		3.88	0.030	<0.5	7.02	<5	160	0.6	2	2.44	<0.5	25	80	76	5.99	20
D1202366		5.77	<0.005	<0.5	7.40	<5	40	<0.5	<2	5.42	<0.5	44	397	25	8.26	20
D1202367		5.90	0.008	<0.5	7.13	<5	10	<0.5	2	6.17	<0.5	44	261	43	8.06	20
D1202368		4.00	0.016	<0.5	7.23	<5	20	<0.5	<2	5.47	<0.5	53	176	270	8.86	20
D1202369		4.02	0.016	<0.5	7.21	<5	10	<0.5	3	6.26	<0.5	43	169	132	8.49	20
D1202370		5.87	0.016	<0.5	7.53	<5	220	0.6	3	6.27	<0.5	13	56	28	3.07	20
D1202371		5.67	0.009	<0.5	7.12	<5	20	<0.5	<2	5.73	<0.5	42	187	52	8.45	20
D1202372		3.89	<0.005	<0.5	7.46	<5	110	<0.5	3	4.69	<0.5	51	204	46	9.43	20
D1202373		5.99	<0.005	<0.5	7.76	<5	60	<0.5	2	4.86	<0.5	50	190	79	10.20	20
D1202374		0.06	1.260	<0.5	6.85	794	450	1.0	<2	5.43	<0.5	38	173	91	9.80	20
D1202375		6.36	<0.005	<0.5	7.87	<5	50	<0.5	2	6.36	<0.5	49	177	67	9.40	20
D1202376		6.36	<0.005	<0.5	8.13	<5	70	<0.5	<2	6.36	<0.5	51	179	72	9.47	20

Comments: Additional Au-AA24 check assay for sample D1202360 are 0.974 g/t and 3.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 15-SEP-2015
Account: DETGLD

Project: DGEX-312

CERTIFICATE OF ANALYSIS SD15133022

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1202345		0.18	<10	2.88	1705	<1	1.72	30	590	3	0.16	<5	42	151	<20	1.01
D1202346		0.18	<10	2.78	1750	<1	1.79	34	590	<2	0.16	<5	42	169	<20	1.01
D1202347		0.15	<10	2.43	1885	<1	1.96	33	590	4	0.09	<5	42	169	<20	1.02
D1202348		0.17	<10	2.84	1845	<1	1.74	33	630	3	0.22	<5	44	197	<20	1.08
D1202349		0.13	<10	2.67	1760	<1	1.64	33	600	<2	0.21	<5	43	215	<20	1.03
D1202350		0.14	<10	2.86	1770	<1	1.70	35	590	2	0.15	<5	42	188	<20	1.01
D1202351		0.16	<10	2.93	1815	<1	1.81	32	570	2	0.18	<5	41	164	<20	0.99
D1202352		0.17	<10	2.93	1915	<1	1.86	32	610	<2	0.15	<5	43	182	<20	1.05
D1202353		0.18	<10	3.00	1760	<1	1.69	34	590	3	0.19	<5	42	158	<20	1.04
D1202354		1.96	10	0.79	598	5	0.65	7	500	14	0.77	<5	10	242	<20	0.22
D1202355		0.15	<10	3.33	1780	<1	1.69	33	600	2	0.15	<5	43	138	<20	1.03
D1202356		0.19	<10	2.19	1855	<1	1.89	40	580	3	0.28	<5	41	173	<20	0.99
D1202357		0.23	<10	2.06	1985	<1	1.79	41	570	<2	0.09	<5	41	162	<20	0.98
D1202358		0.11	10	2.46	1560	<1	2.46	37	610	<2	0.42	<5	42	90	<20	1.01
D1202359		0.13	<10	2.78	1600	<1	1.60	37	580	5	0.36	<5	40	115	<20	0.97
D1202360		0.12	<10	2.11	1625	<1	1.74	30	550	<2	0.48	<5	39	137	<20	0.93
D1202361		1.17	20	2.32	481	1	2.75	18	660	10	1.85	7	21	109	<20	0.43
D1202362		1.49	20	6.03	188	1	0.43	1	830	<2	<0.01	8	14	32	<20	0.34
D1202363		1.20	20	3.93	214	1	0.92	10	730	25	0.15	5	13	73	<20	0.30
D1202364		1.71	30	0.80	1060	<1	0.59	10	3140	8	0.24	<5	5	469	<20	0.17
D1202365		0.67	10	4.12	577	1	1.37	52	610	<2	0.29	<5	22	142	<20	0.37
D1202366		0.25	<10	5.05	1230	<1	1.66	146	330	<2	0.09	9	35	130	<20	0.59
D1202367		0.02	<10	4.89	1285	<1	1.71	135	310	2	0.06	7	34	129	<20	0.58
D1202368		0.07	<10	4.52	1205	35	2.04	131	330	<2	0.79	<5	35	147	<20	0.60
D1202369		0.05	<10	4.44	1215	5	2.06	123	320	3	0.58	5	35	113	<20	0.60
D1202370		0.62	10	1.40	464	<1	3.72	23	520	2	0.36	7	9	287	<20	0.27
D1202371		0.08	<10	4.51	1215	1	1.97	126	330	<2	0.24	7	35	76	<20	0.59
D1202372		0.33	<10	5.05	1115	<1	1.53	135	340	<2	0.22	<5	36	146	<20	0.61
D1202373		0.22	<10	5.78	1215	<1	1.23	140	370	<2	0.14	<5	38	178	<20	0.65
D1202374		0.70	20	3.76	2550	2	1.94	136	1970	6	1.00	9	18	378	<20	0.92
D1202375		0.24	<10	5.00	1385	2	1.79	143	350	<2	0.17	<5	37	221	<20	0.66
D1202376		0.32	<10	5.15	1425	<1	1.72	146	360	<2	0.10	8	39	226	<20	0.67

Comments: Additional Au-AA24 check assay for sample D1202360 are 0.974 g/t and 3.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 15-SEP-2015
Account: DETGLD

Project: DGEX-312

CERTIFICATE OF ANALYSIS SD15133022

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1202345		<10	<10	378	<10	131	
D1202346		<10	<10	382	<10	140	
D1202347		<10	<10	383	<10	130	
D1202348		<10	<10	398	<10	140	
D1202349		<10	<10	385	<10	133	
D1202350		<10	<10	382	<10	158	
D1202351		<10	<10	375	<10	131	
D1202352		<10	<10	394	<10	156	
D1202353		<10	<10	387	<10	117	
D1202354		<10	<10	83	<10	50	
D1202355		<10	<10	394	<10	125	
D1202356		<10	<10	363	<10	111	
D1202357		<10	<10	369	<10	118	
D1202358		<10	<10	374	<10	182	
D1202359		<10	<10	363	<10	166	
D1202360		<10	<10	344	<10	126	
D1202361		<10	<10	114	10	111	
D1202362		<10	<10	21	<10	60	
D1202363		<10	<10	42	<10	176	
D1202364		<10	<10	22	<10	15	
D1202365		<10	<10	122	<10	75	
D1202366		<10	<10	260	<10	70	
D1202367		<10	<10	254	<10	78	
D1202368		<10	<10	258	<10	85	
D1202369		<10	<10	259	<10	90	
D1202370		<10	<10	82	<10	37	
D1202371		<10	<10	260	<10	79	
D1202372		<10	10	263	<10	79	
D1202373		<10	<10	285	<10	78	
D1202374		<10	<10	156	<10	126	
D1202375		<10	<10	289	<10	86	
D1202376		<10	<10	287	<10	80	

Comments: Additional Au-AA24 check assay for sample D1202360 are 0.974 g/t and 3.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 15-SEP-2015
Account: DETGLD

Project: DGEX-312

CERTIFICATE OF ANALYSIS SD15133022

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-24
	PUL-32	PUL-QC	SPL-22Y	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA24	Au-GRA22	ME-ICP61