ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

CERTIFICATE SD15036292

Project: DGEX-245

P.O. No.: DGC 4800002115

This report is for 300 Drill Core samples submitted to our lab in Timmins, ON, Canada on 13-MAR-2015.

The following have access to data associated with this certificate:

APRIL COOMBS JEAN FRANCOIS METAIL DETOUR GOLD WEBTRIEVE	ADREE DELAZZER LARRY THON	GUY MAC GILLIVRAY JAMES TOLHURST

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM

To: **DETOUR GOLD CORPORATION**
ATTN: JAMES TOLHURST
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Additional Au-AA24 check assay for sample D1184405 are 1.895 g/t and 2.54 g/t.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1183831		2.13	<0.005	<0.5	6.35	<5	20	<0.5	<2	4.15	<0.5	38	38	79	10.20	20
D1183832		2.10	<0.005	<0.5	6.19	<5	70	<0.5	<2	7.13	<0.5	41	38	91	10.05	20
D1183833		1.94	<0.005	<0.5	6.17	<5	50	<0.5	<2	7.92	<0.5	42	39	92	10.25	20
D1183834		0.30	<0.005	<0.5	4.04	<5	360	0.7	<2	16.8	<0.5	8	31	11	1.80	10
D1183835		2.09	0.006	<0.5	5.89	<5	90	0.5	2	8.66	<0.5	43	38	87	9.71	20
D1183836		2.25	<0.005	<0.5	6.19	<5	20	<0.5	<2	6.80	<0.5	45	38	104	10.55	20
D1183837		1.84	<0.005	<0.5	6.19	<5	20	0.5	<2	8.00	<0.5	43	36	96	10.40	20
D1183838		2.00	<0.005	<0.5	6.62	<5	90	<0.5	<2	7.96	<0.5	48	38	108	11.25	20
D1183839		2.03	<0.005	<0.5	6.08	<5	110	<0.5	<2	9.58	<0.5	40	36	108	10.15	20
D1183840		1.93	<0.005	<0.5	6.15	<5	70	<0.5	<2	8.16	<0.5	41	40	93	10.05	20
D1183841		2.11	<0.005	<0.5	6.76	<5	60	0.5	2	7.33	<0.5	45	39	96	11.00	20
D1183842		2.07	<0.005	<0.5	6.56	<5	70	<0.5	4	6.61	<0.5	47	39	95	10.65	20
D1183843		2.05	<0.005	<0.5	6.71	<5	50	<0.5	5	6.45	<0.5	49	39	88	11.35	20
D1183844		0.07	3.48	<0.5	6.28	1380	440	0.9	8	5.11	0.5	39	165	119	10.85	20
D1183845		2.03	<0.005	<0.5	6.69	<5	110	0.5	6	7.09	<0.5	43	34	93	11.20	20
D1183846		2.05	<0.005	<0.5	6.33	<5	110	0.5	5	7.69	<0.5	47	32	122	11.25	20
D1183847		2.01	<0.005	<0.5	6.18	<5	40	0.5	7	7.58	<0.5	46	31	136	12.70	20
D1183848		2.07	<0.005	<0.5	6.46	<5	30	<0.5	10	8.00	0.6	44	32	109	10.95	20
D1183849		1.87	<0.005	<0.5	6.51	<5	40	<0.5	9	7.61	<0.5	45	31	94	10.45	20
D1183850		2.09	<0.005	<0.5	6.44	<5	80	0.5	2	7.17	<0.5	44	32	96	9.62	20
D1183851		1.99	<0.005	<0.5	6.52	<5	30	0.5	6	7.47	<0.5	41	33	102	10.50	20
D1183852		1.93	<0.005	<0.5	6.25	<5	80	<0.5	2	4.44	<0.5	43	36	58	10.70	20
D1183853		2.29	<0.005	<0.5	6.47	<5	100	<0.5	6	7.65	<0.5	46	33	85	10.90	20
D1183854		0.30	<0.005	<0.5	2.91	<5	260	0.5	3	22.8	<0.5	7	19	9	1.42	10
D1183855		1.67	<0.005	<0.5	6.44	<5	120	0.5	6	6.89	<0.5	45	33	107	9.60	20
D1183856		2.01	<0.005	<0.5	6.74	<5	70	<0.5	9	7.93	<0.5	45	35	109	10.45	20
D1183857		1.89	<0.005	<0.5	6.55	<5	60	0.5	4	8.31	<0.5	43	33	95	9.73	20
D1183858		1.96	<0.005	<0.5	6.79	<5	70	0.5	3	8.56	<0.5	50	35	116	10.05	20
D1183859		2.02	0.013	<0.5	6.34	<5	70	<0.5	6	9.03	<0.5	44	34	100	10.40	20
D1183860		2.17	0.010	<0.5	6.40	<5	120	<0.5	<2	9.35	1.0	45	33	136	10.10	20
D1183861		2.18	0.022	<0.5	7.91	<5	680	1.1	3	2.99	<0.5	9	13	11	2.24	20
D1183862		1.49	0.010	<0.5	6.78	<5	90	<0.5	4	5.56	0.6	45	35	118	11.25	20
D1183863		2.16	<0.005	<0.5	6.73	<5	50	<0.5	6	5.25	<0.5	44	33	95	11.10	20
D1183864		0.07	6.54	1.0	5.95	4450	590	0.8	5	5.70	0.5	34	135	191	12.30	20
D1183865		2.06	0.005	<0.5	6.42	<5	250	0.5	7	6.92	0.7	40	33	72	10.65	20
D1183866		1.91	<0.005	<0.5	6.55	<5	150	0.5	6	6.55	0.5	44	34	82	11.50	20
D1183867		2.05	0.409	<0.5	6.69	<5	380	0.5	9	7.35	<0.5	44	39	87	10.25	20
D1183868		1.98	0.014	<0.5	6.52	<5	200	<0.5	3	6.25	<0.5	41	36	78	10.70	20
D1183869		1.94	<0.005	<0.5	7.83	<5	120	0.6	<2	6.22	<0.5	34	53	83	7.93	20
D1183870		2.09	<0.005	<0.5	6.64	<5	20	<0.5	3	8.54	<0.5	43	34	97	11.25	20

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1183831		0.13	10	2.56	1270	<1	1.28	27	550	<2	0.17	<5	34	100	<20	0.81
D1183832		0.22	<10	1.90	1645	<1	1.15	30	530	10	0.14	<5	39	97	<20	0.91
D1183833		0.31	<10	1.67	1815	1	0.76	33	550	<2	0.20	<5	39	52	<20	0.91
D1183834		2.11	30	0.84	862	1	0.71	15	2900	6	0.27	<5	6	442	<20	0.22
D1183835		0.46	<10	1.19	1990	1	1.53	31	520	<2	0.48	<5	37	118	<20	0.85
D1183836		0.17	<10	1.65	1925	2	1.75	33	540	7	0.13	<5	39	76	<20	0.90
D1183837		0.11	<10	1.42	2180	1	1.93	34	550	4	0.15	<5	39	85	<20	0.90
D1183838		0.26	<10	1.32	2180	1	1.36	37	550	2	0.25	<5	41	94	<20	0.95
D1183839		0.35	<10	1.09	2410	<1	0.94	33	520	3	0.13	<5	39	96	<20	0.90
D1183840		0.26	<10	1.24	2310	1	1.11	37	550	<2	0.15	<5	39	96	<20	0.91
D1183841		0.19	<10	1.46	2390	<1	1.35	35	600	<2	0.12	<5	42	93	<20	0.98
D1183842		0.33	<10	1.45	2320	1	1.64	37	600	3	0.18	<5	42	73	<20	0.96
D1183843		0.18	<10	1.36	2320	<1	1.67	38	580	<2	0.13	<5	42	76	<20	0.98
D1183844		0.62	20	3.55	2670	3	1.76	148	2090	5	2.34	<5	17	368	<20	0.85
D1183845		0.23	<10	0.91	2350	<1	1.47	36	610	<2	0.14	<5	43	82	<20	1.00
D1183846		0.26	<10	1.07	2580	<1	1.20	37	520	<2	0.24	<5	40	76	<20	0.92
D1183847		0.13	<10	1.22	3240	1	1.05	36	540	<2	0.32	<5	39	60	<20	0.91
D1183848		0.11	<10	1.31	2730	<1	1.61	36	550	<2	0.35	<5	41	69	<20	0.95
D1183849		0.18	<10	1.40	2620	<1	1.50	31	560	<2	0.17	<5	41	70	<20	0.96
D1183850		0.30	<10	1.26	2410	<1	1.51	30	550	<2	0.17	<5	40	79	<20	0.96
D1183851		0.10	<10	0.99	2260	<1	1.65	32	570	<2	0.19	<5	41	99	<20	0.97
D1183852		0.34	<10	1.79	1935	<1	1.34	33	510	<2	0.10	<5	38	71	<20	0.91
D1183853		0.09	<10	1.19	2350	<1	1.49	29	570	<2	0.15	<5	41	98	<20	0.96
D1183854		1.53	20	0.73	1055	<1	0.55	10	2720	4	0.23	<5	5	480	<20	0.17
D1183855		0.23	<10	1.05	1905	<1	1.34	33	540	<2	0.19	<5	41	93	<20	0.95
D1183856		0.33	<10	1.18	2230	<1	0.96	33	580	<2	0.18	<5	43	73	<20	1.01
D1183857		0.49	<10	0.93	2220	<1	0.76	32	590	<2	0.25	<5	42	81	<20	0.98
D1183858		0.65	<10	0.75	2320	<1	0.59	38	590	<2	0.40	<5	43	80	<20	1.02
D1183859		0.64	<10	0.86	1975	1	1.35	33	550	<2	0.51	<5	41	93	<20	0.94
D1183860		0.66	10	1.01	1820	<1	1.37	39	570	2	0.47	<5	40	140	<20	0.94
D1183861		1.23	10	0.52	411	<1	3.64	5	730	<2	0.32	<5	3	640	<20	0.18
D1183862		0.19	<10	2.22	1475	1	1.47	38	580	<2	0.20	<5	40	138	<20	0.96
D1183863		0.29	<10	3.75	1495	<1	0.93	28	570	<2	0.14	<5	40	78	<20	0.96
D1183864		0.55	20	3.03	4200	3	1.21	108	2410	2	3.59	8	20	247	<20	0.57
D1183865		1.14	<10	2.66	1240	<1	1.48	30	580	<2	0.62	<5	39	192	<20	0.93
D1183866		0.68	<10	2.51	1220	<1	1.13	31	570	<2	0.38	<5	41	101	<20	0.96
D1183867		1.17	10	1.61	1610	<1	1.49	34	590	<2	0.90	<5	36	192	<20	0.88
D1183868		0.53	10	2.48	1435	<1	1.31	29	550	<2	0.25	<5	40	139	<20	0.93
D1183869		0.22	10	1.92	1260	<1	2.46	36	630	<2	0.23	<5	27	302	<20	0.66
D1183870		0.04	<10	1.10	1635	<1	0.69	30	570	<2	0.18	<5	41	101	<20	0.96

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1183831		10	<10	295	<10	160	
D1183832		<10	<10	346	<10	147	
D1183833		<10	<10	349	<10	150	
D1183834		<10	<10	32	<10	19	
D1183835		<10	<10	331	<10	137	
D1183836		<10	<10	345	<10	133	
D1183837		<10	<10	353	<10	128	
D1183838		<10	<10	375	<10	147	
D1183839		<10	<10	342	<10	126	
D1183840		<10	<10	352	<10	132	
D1183841		<10	<10	383	<10	142	
D1183842		<10	<10	371	<10	135	
D1183843		<10	<10	386	<10	142	
D1183844		10	<10	149	<10	129	
D1183845		<10	<10	379	<10	137	
D1183846		<10	<10	352	<10	138	
D1183847		<10	<10	344	<10	156	
D1183848		<10	<10	362	<10	139	
D1183849		<10	<10	367	<10	136	
D1183850		10	<10	362	<10	131	
D1183851		<10	<10	381	<10	128	
D1183852		<10	<10	353	<10	149	
D1183853		<10	<10	360	<10	151	
D1183854		<10	<10	24	<10	19	
D1183855		<10	<10	367	<10	133	
D1183856		<10	<10	382	<10	149	
D1183857		<10	<10	368	<10	132	
D1183858		<10	<10	382	<10	139	
D1183859		10	<10	369	<10	134	
D1183860		10	<10	358	<10	218	
D1183861		<10	<10	27	<10	29	
D1183862		<10	<10	360	<10	151	
D1183863		<10	<10	360	<10	128	
D1183864		<10	<10	178	<10	125	6.61
D1183865		<10	<10	347	<10	154	
D1183866		<10	<10	362	<10	168	
D1183867		10	<10	302	<10	163	
D1183868		10	<10	353	<10	142	
D1183869		<10	<10	245	<10	112	
D1183870		<10	<10	370	<10	124	

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1183871		2.07	<0.005	<0.5	6.54	<5	20	<0.5	7	8.18	0.5	44	35	96	11.05	20
D1183872		2.04	<0.005	<0.5	6.45	<5	20	<0.5	<2	7.76	0.5	40	35	84	11.05	20
D1183873		1.98	<0.005	<0.5	6.34	<5	20	<0.5	3	6.71	<0.5	42	32	95	10.75	20
D1183874		0.31	<0.005	<0.5	3.83	<5	340	0.7	<2	18.6	<0.5	6	29	12	1.86	10
D1183875		1.96	<0.005	<0.5	6.17	<5	20	<0.5	6	7.28	<0.5	41	31	104	10.70	20
D1183876		2.11	<0.005	<0.5	6.16	<5	20	<0.5	6	8.17	0.5	43	33	86	11.90	20
D1183877		1.93	<0.005	<0.5	6.61	<5	20	<0.5	4	6.50	<0.5	42	34	98	11.00	20
D1183878		2.16	<0.005	<0.5	6.65	<5	10	<0.5	5	4.40	0.5	43	35	81	11.55	20
D1183879		1.93	<0.005	<0.5	6.80	<5	20	<0.5	8	4.50	<0.5	42	35	82	11.25	20
D1183880		2.05	<0.005	<0.5	6.79	<5	20	0.6	<2	4.24	0.5	45	32	144	11.45	20
D1183881		2.29	<0.005	<0.5	7.25	<5	30	0.5	<2	4.54	0.5	46	35	112	12.15	20
D1183882		2.27	<0.005	<0.5	6.93	<5	30	<0.5	<2	4.51	<0.5	44	38	80	12.10	20
D1183883		2.45	<0.005	<0.5	6.90	<5	20	<0.5	<2	4.85	0.5	45	36	114	11.55	20
D1183884		0.07	1.080	<0.5	6.56	754	430	1.0	<2	5.25	0.6	38	183	94	9.47	20
D1183885		2.04	<0.005	<0.5	6.77	<5	20	<0.5	<2	4.76	<0.5	45	36	112	11.55	20
D1183886		2.12	<0.005	<0.5	7.02	<5	30	<0.5	<2	5.12	0.7	41	33	79	10.95	20
D1183887		2.29	<0.005	<0.5	6.98	<5	20	<0.5	<2	5.07	0.6	46	38	128	11.65	20
D1183888		2.41	<0.005	<0.5	6.90	<5	20	<0.5	<2	4.86	0.6	47	36	97	11.60	20
D1183889		1.99	<0.005	<0.5	7.04	<5	20	<0.5	<2	4.85	<0.5	47	37	110	11.80	20
D1183890		2.44	<0.005	<0.5	6.77	<5	20	<0.5	<2	5.02	0.5	44	36	108	11.50	20
D1183891		1.94	0.046	<0.5	7.12	<5	20	<0.5	<2	5.12	0.6	46	57	74	11.80	20
D1183892		2.15	<0.005	<0.5	7.09	<5	20	0.5	<2	5.57	0.6	45	50	87	11.55	20
D1183893		2.21	<0.005	<0.5	7.08	<5	20	<0.5	<2	4.95	<0.5	47	38	113	12.00	20
D1183894		0.29	<0.005	<0.5	3.32	<5	360	0.5	<2	19.0	<0.5	5	19	9	1.47	10
D1183895		2.27	<0.005	<0.5	7.12	<5	20	<0.5	<2	5.36	<0.5	43	38	76	11.65	20
D1183896		2.21	<0.005	<0.5	7.09	<5	20	<0.5	<2	5.21	0.5	47	38	117	12.10	20
D1183897		2.26	<0.005	<0.5	6.83	<5	20	<0.5	<2	5.34	<0.5	45	41	107	11.85	20
D1183898		2.27	<0.005	<0.5	6.86	<5	20	<0.5	3	5.53	<0.5	48	46	125	11.85	20
D1183899		2.15	<0.005	<0.5	6.72	5	20	<0.5	2	5.68	0.5	49	35	94	11.95	20
D1183900		2.13	<0.005	<0.5	6.88	<5	20	0.5	<2	6.06	0.5	41	55	40	11.00	20
D1183901		2.33	<0.005	<0.5	7.21	<5	20	0.5	<2	6.14	<0.5	47	55	42	12.50	20
D1183902		2.16	<0.005	<0.5	6.26	5	20	<0.5	<2	6.98	<0.5	50	38	126	12.60	20
D1183903		2.66	<0.005	<0.5	7.10	<5	20	<0.5	<2	5.99	0.5	49	38	74	12.60	20
D1183904		0.08	0.333	<0.5	7.46	200	350	1.1	<2	5.77	<0.5	42	196	117	8.09	20
D1183905		2.31	<0.005	<0.5	6.84	<5	20	0.5	<2	5.79	0.5	46	42	143	11.60	20
D1183906		2.26	<0.005	<0.5	6.80	<5	20	<0.5	<2	5.78	<0.5	49	40	131	12.05	20
D1183907		1.91	<0.005	<0.5	6.30	<5	10	<0.5	<2	6.02	0.7	50	45	142	11.45	20
D1183908		2.19	<0.005	<0.5	6.92	<5	20	0.6	<2	6.11	0.6	45	60	79	11.85	20
D1183909		2.55	<0.005	<0.5	6.88	<5	10	<0.5	<2	6.14	0.6	48	38	89	11.70	20
D1183910		2.79	<0.005	<0.5	6.94	<5	10	<0.5	<2	5.71	<0.5	46	35	93	11.45	20

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1183871		0.05	<10	1.11	1360	<1	0.76	30	600	<2	0.29	<5	41	91	<20	0.98
D1183872		0.06	<10	1.37	1460	<1	0.80	30	560	<2	0.18	<5	42	89	<20	0.97
D1183873		0.11	<10	2.68	1405	<1	0.91	28	570	<2	0.09	<5	40	45	<20	0.94
D1183874		2.02	30	0.82	890	<1	0.63	13	3390	11	0.31	<5	7	418	<20	0.28
D1183875		0.09	<10	2.25	1620	<1	1.05	29	550	<2	0.13	<5	39	51	<20	0.92
D1183876		0.05	<10	1.20	1605	<1	0.75	27	660	<2	0.10	<5	44	98	<20	1.07
D1183877		0.07	<10	2.86	1285	<1	1.01	27	560	<2	0.24	<5	40	97	<20	0.95
D1183878		0.04	<10	4.22	1295	<1	0.70	30	560	<2	0.11	<5	39	46	<20	0.95
D1183879		0.08	<10	3.67	1285	<1	1.01	31	580	<2	0.18	<5	41	77	<20	0.97
D1183880		0.10	<10	3.38	1530	<1	1.30	33	580	<2	0.31	<5	41	75	<20	0.96
D1183881		0.14	10	3.49	1755	<1	1.81	39	650	6	0.26	<5	43	90	<20	1.07
D1183882		0.15	10	3.77	1695	<1	1.49	35	590	4	0.19	<5	43	79	<20	1.04
D1183883		0.15	<10	3.65	1670	<1	1.58	31	580	<2	0.16	<5	41	92	<20	1.02
D1183884		0.69	20	3.64	2560	2	1.87	136	1910	8	0.97	<5	17	375	<20	0.90
D1183885		0.17	10	3.57	1650	<1	1.46	29	620	<2	0.16	<5	42	112	<20	1.03
D1183886		0.22	<10	3.41	1545	<1	1.65	31	570	<2	0.09	<5	39	129	<20	0.96
D1183887		0.17	10	3.41	1635	<1	1.52	33	600	<2	0.20	<5	42	120	<20	1.01
D1183888		0.16	10	3.50	1610	<1	1.41	33	590	<2	0.16	<5	41	119	<20	1.01
D1183889		0.17	10	3.70	1635	<1	1.40	33	600	<2	0.19	<5	43	125	<20	1.04
D1183890		0.15	10	3.52	1670	<1	1.45	29	590	2	0.20	<5	43	100	<20	1.04
D1183891		0.16	<10	3.39	1670	<1	1.86	59	850	5	0.13	<5	35	95	<20	1.37
D1183892		0.19	<10	3.13	1660	<1	1.74	51	770	<2	0.15	<5	37	135	<20	1.26
D1183893		0.18	<10	3.50	1685	<1	1.59	33	580	3	0.10	<5	41	113	<20	1.01
D1183894		1.81	20	0.79	1010	<1	0.73	9	3120	10	0.19	<5	5	413	<20	0.17
D1183895		0.20	10	3.18	1705	<1	1.80	32	610	<2	0.09	<5	43	133	<20	1.04
D1183896		0.21	10	3.39	1650	<1	1.51	32	620	<2	0.13	<5	43	126	<20	1.04
D1183897		0.16	10	3.46	1670	<1	1.38	31	610	<2	0.17	<5	45	119	<20	1.08
D1183898		0.21	<10	3.40	1685	<1	1.38	39	520	<2	0.14	<5	42	122	<20	0.97
D1183899		0.19	<10	3.39	1715	<1	1.44	37	530	<2	0.14	<5	44	123	<20	1.06
D1183900		0.20	<10	2.95	1565	<1	2.14	51	710	6	0.10	<5	37	137	<20	1.21
D1183901		0.20	10	2.56	1570	<1	2.36	57	770	<2	0.17	<5	38	139	<20	1.29
D1183902		0.20	10	2.37	1435	<1	2.10	37	550	6	1.82	<5	38	122	<20	0.93
D1183903		0.20	10	2.81	1555	<1	2.08	40	580	2	0.08	<5	43	127	<20	1.05
D1183904		0.82	20	3.83	1430	4	2.27	144	1650	4	0.27	<5	19	438	<20	1.05
D1183905		0.17	10	2.55	1585	<1	1.95	40	750	4	0.23	<5	40	175	<20	1.10
D1183906		0.16	10	2.92	1730	<1	1.71	35	550	<2	0.17	<5	44	164	<20	1.05
D1183907		0.14	<10	2.63	1705	<1	1.81	31	560	<2	0.26	<5	42	106	<20	0.97
D1183908		0.20	10	2.40	1770	<1	2.16	60	850	4	0.13	<5	36	154	<20	1.34
D1183909		0.14	10	2.57	1675	<1	1.79	37	580	3	0.19	<5	41	123	<20	0.98
D1183910		0.16	10	2.79	1720	<1	2.18	39	570	5	0.21	<5	40	136	<20	0.97

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1183871		<10	<10	373	<10	134	
D1183872		<10	<10	374	<10	132	
D1183873		<10	<10	354	<10	138	
D1183874		<10	<10	34	<10	20	
D1183875		<10	<10	350	<10	141	
D1183876		<10	<10	395	<10	141	
D1183877		10	<10	357	<10	137	
D1183878		10	<10	369	<10	136	
D1183879		<10	<10	364	<10	130	
D1183880		<10	<10	362	<10	158	
D1183881		<10	<10	383	<10	172	
D1183882		10	<10	389	<10	144	
D1183883		10	<10	371	<10	129	
D1183884		<10	<10	149	<10	128	
D1183885		<10	<10	374	<10	125	
D1183886		<10	<10	357	<10	130	
D1183887		<10	<10	376	<10	135	
D1183888		<10	<10	378	<10	132	
D1183889		10	<10	383	<10	128	
D1183890		10	<10	380	<10	129	
D1183891		<10	<10	319	<10	144	
D1183892		<10	<10	325	<10	139	
D1183893		<10	<10	376	<10	156	
D1183894		<10	<10	23	<10	19	
D1183895		<10	<10	389	<10	148	
D1183896		<10	<10	385	<10	137	
D1183897		10	<10	399	<10	138	
D1183898		10	<10	392	<10	137	
D1183899		<10	<10	415	<10	141	
D1183900		10	<10	331	<10	182	
D1183901		<10	<10	342	<10	184	
D1183902		<10	<10	338	<10	166	
D1183903		10	<10	389	<10	174	
D1183904		<10	<10	158	<10	118	
D1183905		10	<10	345	<10	197	
D1183906		10	<10	405	<10	143	
D1183907		<10	<10	371	<10	197	
D1183908		10	<10	322	<10	141	
D1183909		10	<10	362	<10	129	
D1183910		10	<10	356	<10	134	

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1183911		1.86	<0.005	<0.5	6.54	<5	20	<0.5	<2	8.12	<0.5	45	31	108	10.70	20
D1183912		2.18	<0.005	<0.5	7.04	<5	20	<0.5	3	5.39	0.5	48	36	90	11.30	20
D1183913		2.30	<0.005	<0.5	6.91	<5	10	<0.5	2	5.76	<0.5	51	37	97	11.65	20
D1183914		0.37	<0.005	<0.5	3.51	<5	450	0.6	<2	19.1	<0.5	6	22	11	1.58	10
D1183915		2.02	0.005	<0.5	6.84	<5	10	<0.5	<2	6.38	0.5	49	35	97	11.40	20
D1183916		2.05	0.009	<0.5	6.90	<5	20	<0.5	<2	5.75	0.8	49	38	98	12.10	20
D1183917		2.46	0.008	<0.5	6.66	<5	140	<0.5	<2	5.29	<0.5	45	34	164	11.10	20
D1183918		1.59	<0.005	<0.5	6.03	<5	20	0.8	<2	1.10	<0.5	10	7	16	3.21	20
D1183919		2.02	<0.005	<0.5	5.95	<5	320	1.0	<2	1.11	<0.5	5	6	13	1.67	20
D1183920		2.17	<0.005	<0.5	5.53	<5	190	1.0	2	1.86	<0.5	4	16	38	2.69	20
D1183921		2.14	0.045	<0.5	6.99	<5	100	0.6	<2	3.97	<0.5	31	113	62	6.63	20
D1183922		1.88	0.028	<0.5	7.23	<5	40	0.5	<2	4.00	<0.5	31	123	21	5.88	20
D1183923		2.01	0.016	<0.5	6.94	<5	160	<0.5	<2	5.77	<0.5	48	165	96	8.60	20
D1183924		0.07	3.51	0.5	6.16	1360	430	0.9	<2	5.10	0.8	38	168	123	10.75	20
D1183925		2.00	0.019	<0.5	7.02	5	130	<0.5	3	5.44	0.5	45	162	68	8.20	20
D1183926		2.00	0.007	<0.5	5.18	<5	130	<0.5	<2	4.70	<0.5	34	128	44	6.33	10
D1183927		2.09	0.011	<0.5	6.55	<5	90	<0.5	<2	5.75	<0.5	46	165	92	8.57	20
D1183928		2.06	0.015	<0.5	6.94	<5	60	<0.5	<2	5.19	<0.5	49	174	175	8.96	20
D1183929		1.85	0.039	<0.5	7.18	<5	50	<0.5	<2	4.59	<0.5	38	144	62	7.37	20
D1183930		1.92	0.006	<0.5	6.87	<5	110	<0.5	2	6.24	<0.5	46	181	104	8.42	20
D1183931		2.03	0.007	<0.5	6.74	<5	130	<0.5	3	4.90	<0.5	46	182	79	8.19	20
D1183932		1.99	<0.005	<0.5	6.85	<5	140	<0.5	3	6.26	<0.5	44	147	57	8.24	20
D1183933		1.81	<0.005	<0.5	7.44	<5	20	<0.5	3	5.54	<0.5	46	176	61	9.07	20
D1183934		0.36	<0.005	<0.5	3.77	<5	330	0.7	<2	17.9	<0.5	6	23	9	1.59	10
D1183935		2.20	<0.005	<0.5	7.09	<5	20	<0.5	2	6.82	<0.5	47	184	71	9.04	20
D1183936		2.00	<0.005	<0.5	7.25	<5	20	<0.5	2	6.45	<0.5	53	602	125	9.15	20
D1183937		1.94	<0.005	<0.5	7.64	<5	30	<0.5	<2	5.51	<0.5	52	1320	85	9.14	20
D1183938		2.22	<0.005	<0.5	7.55	<5	40	<0.5	<2	7.22	<0.5	50	406	124	9.17	20
D1183939		2.17	<0.005	<0.5	6.54	<5	100	<0.5	3	4.95	<0.5	47	189	100	8.71	20
D1183940		1.98	<0.005	<0.5	7.05	<5	180	<0.5	3	4.55	<0.5	49	180	100	8.47	20
D1183941		2.22	<0.005	<0.5	5.93	<5	220	<0.5	2	5.88	<0.5	41	138	119	7.51	20
D1183942		2.12	<0.005	<0.5	6.73	<5	270	<0.5	8	5.68	<0.5	47	158	58	8.60	20
D1183943		1.91	<0.005	<0.5	6.98	<5	210	<0.5	4	5.15	<0.5	46	172	61	8.61	20
D1183944		0.07	6.50	0.8	5.77	4350	570	0.8	6	5.54	0.5	33	123	187	11.95	20
D1183945		2.07	<0.005	<0.5	5.56	<5	70	<0.5	6	5.65	<0.5	35	117	82	7.42	20
D1183946		2.07	<0.005	<0.5	7.25	<5	70	<0.5	<2	5.76	<0.5	47	165	81	9.16	20
D1183947		2.20	<0.005	<0.5	6.96	<5	60	<0.5	3	5.98	<0.5	41	202	52	8.32	20
D1183948		2.18	<0.005	<0.5	7.24	<5	40	<0.5	<2	5.39	<0.5	52	200	89	8.80	20
D1183949		1.77	<0.005	<0.5	7.47	<5	60	<0.5	5	5.91	<0.5	46	179	83	8.75	20
D1183950		2.22	<0.005	<0.5	7.29	<5	50	<0.5	<2	5.59	<0.5	49	189	48	9.05	20

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1183911		0.16	<10	2.64	1625	<1	2.37	42	500	3	0.56	<5	36	173	<20	0.87
D1183912		0.16	10	2.85	1760	<1	2.19	50	550	<2	0.14	<5	40	135	<20	0.96
D1183913		0.15	10	2.82	1755	<1	1.93	50	550	<2	0.15	<5	40	118	<20	0.96
D1183914		1.96	30	0.86	961	<1	0.67	10	2540	11	0.25	<5	5	419	<20	0.19
D1183915		0.14	<10	2.79	1825	<1	1.74	47	530	4	0.15	<5	39	107	<20	0.95
D1183916		0.14	<10	2.92	1805	<1	1.90	47	580	2	0.13	<5	42	100	<20	1.01
D1183917		0.60	10	3.10	1500	<1	1.51	44	570	<2	0.46	<5	39	92	<20	0.93
D1183918		0.14	30	4.19	408	<1	1.50	9	130	<2	0.01	<5	6	83	<20	0.12
D1183919		0.63	30	2.52	200	2	1.66	8	220	2	0.06	<5	7	78	<20	0.13
D1183920		1.32	30	0.82	214	2	0.86	6	110	2	0.43	<5	5	45	<20	0.10
D1183921		0.56	10	3.28	714	<1	1.24	75	650	<2	0.29	<5	23	89	<20	0.55
D1183922		0.29	10	5.43	643	<1	1.22	97	380	<2	0.06	<5	28	106	<20	0.52
D1183923		0.95	<10	5.16	1085	<1	0.89	122	350	4	0.10	<5	34	89	<20	0.63
D1183924		0.63	20	3.56	2630	3	1.78	146	2030	10	2.31	<5	16	360	<20	0.85
D1183925		0.84	<10	6.07	1080	<1	0.85	125	380	4	0.01	<5	34	72	<20	0.68
D1183926		0.77	<10	3.76	921	<1	0.81	88	250	3	0.05	<5	26	71	<20	0.48
D1183927		0.57	<10	4.14	1195	<1	1.33	120	320	4	0.17	<5	30	129	<20	0.58
D1183928		0.39	<10	4.50	1070	<1	1.42	121	330	6	0.43	<5	34	120	<20	0.62
D1183929		0.37	<10	5.37	908	<1	1.51	111	390	5	0.16	<5	31	94	<20	0.56
D1183930		0.68	<10	4.05	1225	<1	1.82	129	310	2	0.25	<5	34	115	<20	0.59
D1183931		0.75	<10	3.90	1180	<1	1.65	125	330	<2	0.13	<5	34	122	<20	0.58
D1183932		0.85	<10	4.31	1105	<1	1.56	127	320	<2	0.12	<5	34	143	<20	0.58
D1183933		0.13	<10	4.50	1110	<1	1.95	132	350	<2	0.18	<5	37	242	<20	0.64
D1183934		2.00	30	0.74	907	<1	0.68	14	2890	9	0.28	<5	6	404	<20	0.20
D1183935		0.16	<10	4.36	1360	<1	1.64	136	370	<2	0.18	<5	30	283	<20	0.63
D1183936		0.16	<10	4.22	1370	<1	1.56	165	330	<2	0.21	<5	31	288	<20	0.64
D1183937		0.18	<10	4.77	1235	<1	1.72	183	340	<2	0.14	<5	34	276	<20	0.62
D1183938		0.25	<10	4.51	1425	<1	1.75	162	350	<2	0.21	<5	36	312	<20	0.63
D1183939		0.58	<10	5.13	1255	<1	1.67	136	340	<2	0.12	<5	21	208	<20	0.61
D1183940		1.08	<10	5.38	1210	1	1.62	138	410	<2	0.12	<5	31	163	<20	0.64
D1183941		1.19	<10	3.58	1275	25	1.31	104	280	<2	0.41	<5	32	152	<20	0.53
D1183942		1.50	<10	4.35	1335	<1	1.32	127	350	<2	0.17	<5	32	125	<20	0.59
D1183943		1.19	<10	4.37	1265	<1	1.65	126	340	<2	0.18	<5	34	127	<20	0.61
D1183944		0.54	20	2.95	4130	4	1.19	101	2350	8	3.52	<5	20	240	<20	0.56
D1183945		0.36	<10	3.32	1235	<1	1.54	61	300	<2	0.24	<5	34	121	<20	0.60
D1183946		0.40	<10	4.48	1400	<1	2.22	117	410	<2	0.22	<5	39	163	<20	0.70
D1183947		0.34	<10	4.41	1295	<1	2.17	106	430	<2	0.12	<5	41	164	<20	0.65
D1183948		0.23	<10	4.94	1260	1	2.49	165	330	<2	0.08	<5	24	195	<20	0.58
D1183949		0.35	<10	4.51	1265	3	2.27	133	350	<2	0.18	<5	37	174	<20	0.65
D1183950		0.32	<10	4.56	1335	2	2.40	142	370	<2	0.13	<5	31	174	<20	0.64

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1183911		10	<10	324	<10	120	
D1183912		10	<10	355	<10	134	
D1183913		<10	<10	356	<10	139	
D1183914		<10	<10	25	<10	17	
D1183915		<10	<10	355	<10	139	
D1183916		10	<10	370	<10	149	
D1183917		<10	<10	336	<10	141	
D1183918		<10	<10	16	<10	69	
D1183919		<10	<10	21	<10	55	
D1183920		<10	<10	13	<10	175	
D1183921		10	<10	176	<10	178	
D1183922		<10	<10	192	<10	62	
D1183923		<10	<10	270	<10	74	
D1183924		<10	<10	146	<10	130	
D1183925		10	<10	279	<10	80	
D1183926		10	<10	197	<10	68	
D1183927		<10	<10	256	<10	87	
D1183928		<10	<10	259	<10	89	
D1183929		<10	<10	218	<10	95	
D1183930		<10	<10	253	<10	94	
D1183931		<10	<10	254	<10	87	
D1183932		<10	<10	249	<10	70	
D1183933		<10	<10	276	<10	67	
D1183934		<10	<10	26	<10	22	
D1183935		<10	<10	274	<10	75	
D1183936		<10	<10	280	<10	79	
D1183937		10	<10	289	<10	94	
D1183938		<10	<10	283	<10	80	
D1183939		<10	<10	277	<10	81	
D1183940		10	<10	267	<10	85	
D1183941		<10	<10	235	<10	78	
D1183942		<10	<10	259	<10	95	
D1183943		<10	<10	266	<10	91	
D1183944		<10	<10	176	<10	122	6.60
D1183945		<10	<10	246	<10	64	
D1183946		<10	<10	290	<10	84	
D1183947		<10	<10	304	<10	74	
D1183948		<10	<10	267	<10	83	
D1183949		<10	<10	287	<10	77	
D1183950		<10	<10	282	<10	87	

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1183951		1.98	<0.005	<0.5	7.13	<5	70	<0.5	3	5.31	<0.5	51	193	60	9.29	20
D1183952		2.16	<0.005	<0.5	7.60	<5	60	<0.5	<2	6.81	<0.5	44	171	52	9.41	20
D1183953		2.15	<0.005	<0.5	7.01	<5	40	<0.5	3	5.73	<0.5	46	188	107	9.16	20
D1183954		0.32	<0.005	<0.5	3.40	5	270	0.7	<2	21.2	<0.5	8	25	8	1.64	10
D1183955		2.38	<0.005	<0.5	7.20	<5	30	<0.5	3	6.15	<0.5	48	179	94	9.18	20
D1183956		2.20	<0.005	<0.5	7.28	<5	20	<0.5	8	6.46	<0.5	48	196	57	9.05	20
D1183957		2.19	<0.005	<0.5	7.49	<5	20	<0.5	4	5.94	<0.5	51	205	89	9.26	20
D1183958		2.08	<0.005	<0.5	7.49	<5	30	<0.5	3	6.86	<0.5	49	185	84	8.97	20
D1183959		2.13	<0.005	<0.5	6.84	<5	90	<0.5	7	5.82	0.5	48	157	187	8.77	20
D1183960		1.83	<0.005	<0.5	6.64	<5	130	<0.5	4	5.89	<0.5	45	172	131	7.94	20
D1183961		2.12	<0.005	<0.5	7.07	<5	130	<0.5	3	5.94	<0.5	44	166	89	8.52	20
D1183962		1.95	<0.005	<0.5	7.43	<5	140	<0.5	3	7.18	<0.5	45	156	102	8.82	20
D1183963		2.16	<0.005	<0.5	7.45	<5	80	<0.5	6	5.68	<0.5	48	182	105	9.22	20
D1183964		0.07	1.250	<0.5	6.77	794	450	1.0	2	5.33	<0.5	38	183	93	9.79	20
D1183965		2.24	<0.005	<0.5	7.55	<5	50	<0.5	8	7.36	0.5	47	180	194	9.93	20
D1183966		2.17	<0.005	<0.5	7.30	<5	70	<0.5	<2	5.73	0.5	52	164	215	9.98	20
D1183967		2.27	<0.005	<0.5	7.47	<5	90	<0.5	10	6.17	<0.5	46	183	137	8.97	20
D1183968		2.11	<0.005	<0.5	7.09	<5	80	<0.5	4	6.21	<0.5	48	179	85	8.90	20
D1183969		2.38	<0.005	<0.5	6.85	<5	50	<0.5	4	6.64	0.5	47	175	79	8.72	20
D1183970		2.15	<0.005	<0.5	6.92	<5	30	<0.5	3	6.46	<0.5	51	182	95	8.96	20
D1183971		2.20	<0.005	<0.5	7.00	<5	30	<0.5	<2	6.41	<0.5	48	150	122	9.48	20
D1183972		2.23	<0.005	<0.5	6.84	<5	30	<0.5	4	5.93	0.5	49	180	118	9.12	20
D1183973		2.25	<0.005	<0.5	7.12	<5	20	<0.5	2	6.75	<0.5	44	181	142	9.32	20
D1183974		0.30	<0.005	<0.5	3.78	<5	420	0.6	4	17.2	<0.5	8	25	9	1.57	10
D1183975		2.22	<0.005	<0.5	6.76	<5	10	<0.5	8	7.15	<0.5	45	139	151	9.96	20
D1183976		2.13	<0.005	<0.5	7.27	<5	40	<0.5	7	5.91	<0.5	48	186	81	9.17	20
D1183977		1.17	<0.005	<0.5	7.15	<5	20	<0.5	5	6.68	<0.5	50	177	93	9.19	20
D1183978		1.58	<0.005	<0.5	7.27	<5	40	<0.5	3	6.38	<0.5	45	159	106	8.56	20
D1183979		1.58	<0.005	<0.5	7.69	<5	240	0.8	<2	3.61	<0.5	11	28	146	2.77	20
D1183980		1.95	0.025	<0.5	7.72	<5	320	0.9	<2	2.82	<0.5	8	26	68	1.99	20
D1183981		1.97	0.009	<0.5	6.44	<5	210	<0.5	4	7.08	<0.5	39	151	103	7.40	20
D1183982		2.02	<0.005	<0.5	6.88	<5	90	<0.5	7	6.62	<0.5	47	184	77	8.51	20
D1183983		1.03	<0.005	<0.5	6.89	<5	40	<0.5	<2	5.51	<0.5	45	194	131	8.66	20
D1183984		0.07	0.341	<0.5	7.20	190	350	1.1	5	5.42	<0.5	40	185	107	7.81	20
D1183985		1.70	<0.005	<0.5	7.11	<5	80	<0.5	6	5.81	<0.5	45	169	183	8.07	20
D1183986		1.29	<0.005	<0.5	8.14	<5	310	0.9	<2	2.99	<0.5	10	35	173	2.59	20
D1183987		1.91	0.014	<0.5	7.83	<5	440	0.9	<2	2.83	<0.5	10	32	185	2.46	20
D1183988		2.01	0.012	<0.5	7.99	<5	430	0.9	4	3.06	<0.5	10	32	198	2.50	20
D1183989		1.14	<0.005	<0.5	7.86	<5	400	0.9	3	3.13	<0.5	11	31	154	2.44	20
D1183990		1.84	<0.005	<0.5	7.81	<5	320	0.9	<2	3.22	<0.5	9	32	96	2.39	20

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1183951		0.44	<10	4.49	1435	<1	2.55	157	360	<2	0.10	<5	24	187	<20	0.64
D1183952		0.33	<10	4.61	1435	<1	2.44	103	390	<2	0.08	<5	44	160	<20	0.73
D1183953		0.24	<10	4.68	1375	<1	2.53	136	380	<2	0.04	<5	29	138	<20	0.66
D1183954		1.84	20	0.82	943	1	0.57	15	2670	8	0.32	<5	6	469	<20	0.18
D1183955		0.18	<10	4.45	1455	<1	2.41	127	360	<2	0.06	<5	35	150	<20	0.65
D1183956		0.14	<10	4.43	1500	<1	2.30	150	330	<2	0.03	<5	28	163	<20	0.60
D1183957		0.15	<10	4.47	1470	<1	2.25	157	360	<2	0.09	<5	32	165	<20	0.61
D1183958		0.20	<10	4.42	1485	<1	2.07	147	330	<2	0.12	<5	35	154	<20	0.61
D1183959		0.53	<10	3.87	1330	<1	1.86	109	370	<2	0.46	<5	35	122	<20	0.62
D1183960		0.86	<10	3.89	1285	<1	1.69	120	280	<2	0.18	<5	32	89	<20	0.52
D1183961		0.79	<10	4.10	1330	<1	2.28	117	340	<2	0.14	<5	37	110	<20	0.62
D1183962		0.74	<10	4.21	1405	<1	2.12	124	340	<2	0.18	<5	36	162	<20	0.61
D1183963		0.41	<10	4.36	1385	<1	2.35	140	350	<2	0.15	<5	32	139	<20	0.60
D1183964		0.70	20	3.68	2620	3	1.90	139	2030	<2	1.01	<5	18	386	<20	0.92
D1183965		0.33	<10	3.85	1395	<1	2.13	119	390	<2	0.53	<5	38	153	<20	0.65
D1183966		0.43	<10	4.20	1380	1	2.35	111	400	<2	0.49	<5	39	143	<20	0.70
D1183967		0.55	<10	4.34	1335	<1	2.21	134	310	<2	0.36	<5	36	165	<20	0.58
D1183968		0.49	<10	4.27	1395	<1	2.18	139	370	<2	0.25	<5	29	162	<20	0.60
D1183969		0.34	<10	4.15	1445	<1	1.98	142	340	<2	0.21	<5	22	175	<20	0.61
D1183970		0.21	<10	4.23	1415	<1	1.74	141	330	<2	0.22	<5	25	164	<20	0.60
D1183971		0.23	<10	4.01	1470	<1	1.74	120	410	<2	0.31	<5	31	140	<20	0.71
D1183972		0.18	<10	4.10	1355	5	1.66	127	340	<2	0.28	<5	26	157	<20	0.62
D1183973		0.12	<10	4.11	1475	2	1.46	102	410	<2	0.37	<5	34	153	<20	0.69
D1183974		2.01	30	0.71	835	<1	0.77	12	3580	6	0.25	<5	6	391	<20	0.21
D1183975		0.10	<10	4.15	1500	19	1.07	94	430	<2	0.39	<5	34	119	<20	0.77
D1183976		0.15	<10	4.40	1385	<1	1.70	134	360	<2	0.12	<5	31	149	<20	0.64
D1183977		0.10	<10	4.29	1420	<1	1.31	130	360	<2	0.10	<5	32	153	<20	0.63
D1183978		0.17	<10	4.02	1405	2	1.44	114	340	<2	0.30	<5	33	177	<20	0.60
D1183979		0.54	10	0.96	460	11	3.89	15	620	<2	0.66	<5	4	490	<20	0.22
D1183980		0.66	10	0.72	318	1	4.16	11	520	<2	0.42	<5	3	537	<20	0.17
D1183981		0.90	10	3.62	1320	7	1.27	111	300	<2	0.44	<5	29	174	<20	0.50
D1183982		0.32	<10	4.16	1365	4	1.52	140	350	<2	0.19	<5	30	173	<20	0.59
D1183983		0.16	<10	4.35	1320	7	1.54	146	320	<2	0.26	<5	29	166	<20	0.56
D1183984		0.78	20	3.60	1365	4	2.15	136	1640	<2	0.26	<5	19	422	<20	0.99
D1183985		0.18	<10	3.77	1230	9	1.84	131	360	<2	0.43	<5	26	282	<20	0.54
D1183986		0.48	10	0.96	302	3	4.15	17	610	<2	0.61	<5	4	583	<20	0.21
D1183987		0.64	10	0.89	273	7	3.86	13	550	<2	0.72	<5	4	550	<20	0.20
D1183988		0.54	10	0.92	293	<1	4.03	15	590	<2	0.72	<5	4	599	<20	0.21
D1183989		0.51	10	0.90	283	19	3.89	13	560	<2	0.53	<5	4	648	<20	0.21
D1183990		0.47	10	0.88	321	<1	4.01	15	580	<2	0.33	<5	4	562	<20	0.20

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1183951		<10	<10	280	<10	99	
D1183952		<10	<10	330	<10	93	
D1183953		<10	<10	301	<10	98	
D1183954		<10	<10	27	<10	91	
D1183955		10	<10	282	<10	95	
D1183956		<10	<10	277	<10	96	
D1183957		<10	<10	271	<10	99	
D1183958		<10	<10	265	<10	89	
D1183959		<10	<10	259	<10	89	
D1183960		<10	<10	228	<10	102	
D1183961		<10	<10	265	<10	95	
D1183962		<10	<10	269	<10	93	
D1183963		<10	<10	272	<10	97	
D1183964		<10	<10	158	<10	128	
D1183965		<10	<10	286	<10	101	
D1183966		<10	<10	299	<10	101	
D1183967		10	<10	266	<10	95	
D1183968		<10	<10	259	<10	97	
D1183969		<10	<10	257	<10	91	
D1183970		<10	<10	269	<10	90	
D1183971		<10	<10	292	<10	94	
D1183972		<10	<10	277	<10	93	
D1183973		<10	<10	292	<10	86	
D1183974		<10	<10	25	<10	19	
D1183975		<10	<10	329	<10	97	
D1183976		<10	<10	284	<10	98	
D1183977		<10	<10	281	<10	103	
D1183978		<10	<10	263	<10	116	
D1183979		<10	<10	49	<10	83	
D1183980		<10	<10	38	<10	25	
D1183981		<10	<10	215	<10	71	
D1183982		10	<10	256	<10	79	
D1183983		<10	<10	250	<10	87	
D1183984		<10	<10	151	<10	110	
D1183985		<10	<10	227	<10	83	
D1183986		<10	<10	48	<10	31	
D1183987		<10	<10	46	<10	33	
D1183988		<10	<10	47	<10	42	
D1183989		<10	<10	45	<10	39	
D1183990		<10	<10	45	<10	36	

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1183991		1.33	<0.005	<0.5	6.45	<5	40	<0.5	2	6.51	<0.5	52	193	106	8.95	20
D1183992		2.22	<0.005	<0.5	6.95	<5	70	<0.5	2	6.79	<0.5	50	195	138	8.89	20
D1183993		2.23	<0.005	<0.5	6.65	<5	40	<0.5	8	6.61	<0.5	51	198	121	8.78	20
D1183994		0.29	<0.005	<0.5	3.18	<5	300	0.5	<2	19.7	<0.5	6	21	11	1.44	10
D1183995		2.21	<0.005	<0.5	6.53	<5	110	<0.5	<2	6.06	<0.5	49	199	73	8.68	20
D1183996		2.34	<0.005	<0.5	6.24	<5	60	<0.5	<2	6.44	<0.5	49	195	97	8.70	20
D1183997		2.12	<0.005	<0.5	6.30	<5	40	<0.5	3	6.73	<0.5	46	199	55	8.44	20
D1183998		2.14	<0.005	<0.5	6.46	<5	40	<0.5	6	6.68	<0.5	50	201	57	8.57	20
D1183999		2.26	<0.005	<0.5	6.38	<5	100	<0.5	5	6.53	<0.5	46	191	90	8.25	20
D1184000		2.50	<0.005	<0.5	6.33	<5	50	<0.5	5	6.84	<0.5	45	196	47	8.46	20
D1184341		2.15	<0.005	<0.5	6.37	<5	50	<0.5	3	6.30	0.5	50	201	85	8.78	20
D1184342		2.02	<0.005	<0.5	7.14	<5	40	<0.5	5	6.66	<0.5	49	189	68	8.83	20
D1184343		2.30	<0.005	<0.5	7.30	<5	40	<0.5	<2	6.93	<0.5	52	204	86	9.00	20
D1184344		0.07	3.49	<0.5	6.17	1350	440	0.9	2	5.09	<0.5	38	172	119	10.50	20
D1184345		2.45	<0.005	<0.5	7.12	<5	40	<0.5	<2	6.79	<0.5	53	202	97	9.01	20
D1184346		2.30	<0.005	<0.5	7.10	<5	90	<0.5	<2	7.13	<0.5	45	196	122	8.51	20
D1184347		2.52	<0.005	<0.5	7.10	<5	50	<0.5	<2	7.07	<0.5	49	194	71	8.69	20
D1184348		2.19	<0.005	<0.5	7.12	<5	50	<0.5	3	7.06	<0.5	52	213	69	8.83	20
D1184349		2.23	<0.005	<0.5	7.02	<5	70	<0.5	<2	6.93	<0.5	50	203	78	8.52	20
D1184350		2.37	<0.005	<0.5	7.13	<5	60	<0.5	2	7.31	<0.5	48	204	94	8.47	20
D1184351		2.03	<0.005	<0.5	7.57	<5	50	<0.5	<2	7.29	<0.5	50	195	104	9.07	20
D1184352		2.16	<0.005	<0.5	7.30	<5	60	<0.5	<2	7.36	<0.5	48	199	45	8.67	20
D1184353		2.35	<0.005	<0.5	7.59	<5	70	<0.5	<2	6.89	<0.5	52	200	79	8.82	20
D1184354		0.36	<0.005	<0.5	3.97	<5	390	0.7	<2	16.9	<0.5	5	25	8	1.54	10
D1184355		2.28	<0.005	<0.5	7.06	<5	30	<0.5	<2	6.89	<0.5	51	203	61	8.81	20
D1184356		2.19	<0.005	<0.5	7.20	<5	30	<0.5	<2	6.59	<0.5	52	209	65	8.95	20
D1184357		2.15	<0.005	<0.5	7.27	<5	40	<0.5	<2	6.74	<0.5	51	208	95	9.10	20
D1184358		2.14	<0.005	<0.5	7.46	<5	70	<0.5	<2	6.46	<0.5	50	204	78	8.74	20
D1184359		2.19	<0.005	<0.5	7.11	<5	50	<0.5	3	6.48	<0.5	54	209	114	9.01	20
D1184360		2.14	<0.005	<0.5	7.00	<5	50	<0.5	<2	7.01	<0.5	51	205	127	8.94	20
D1184361		2.19	<0.005	<0.5	7.12	<5	40	<0.5	2	6.78	<0.5	54	213	84	9.17	20
D1184362		2.26	<0.005	<0.5	7.69	<5	40	<0.5	<2	6.91	<0.5	58	214	214	9.52	20
D1184363		2.13	<0.005	<0.5	7.25	<5	50	<0.5	<2	6.65	<0.5	52	207	87	9.23	20
D1184364		0.07	6.50	1.2	5.86	4390	580	0.8	2	5.68	<0.5	35	139	189	12.00	20
D1184365		2.14	<0.005	<0.5	7.38	<5	60	<0.5	2	6.74	<0.5	51	219	133	8.99	20
D1184366		2.37	<0.005	<0.5	7.53	<5	70	<0.5	<2	6.11	<0.5	48	210	102	9.22	20
D1184367		2.27	<0.005	<0.5	7.64	<5	80	<0.5	2	6.32	<0.5	51	216	90	9.21	20
D1184368		2.26	<0.005	<0.5	7.19	<5	60	<0.5	<2	6.34	<0.5	55	239	141	9.24	20
D1184369		2.20	<0.005	<0.5	6.86	<5	60	<0.5	4	6.33	<0.5	52	237	133	8.68	20
D1184370		2.25	<0.005	<0.5	7.32	<5	50	<0.5	<2	6.15	<0.5	51	291	115	8.33	20

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1183991		0.12	<10	3.98	1415	6	0.96	145	350	<2	0.24	<5	18	146	<20	0.61
D1183992		0.20	<10	4.22	1305	2	0.93	145	310	<2	0.18	<5	26	126	<20	0.59
D1183993		0.18	<10	3.95	1395	5	1.16	145	330	<2	0.18	<5	21	99	<20	0.59
D1183994		1.68	20	0.69	921	<1	0.65	11	2820	9	0.26	<5	5	419	<20	0.18
D1183995		0.38	<10	3.97	1445	2	1.80	154	320	<2	0.16	<5	21	111	<20	0.58
D1183996		0.33	<10	4.09	1445	5	1.38	151	320	<2	0.17	<5	19	97	<20	0.58
D1183997		0.26	<10	3.87	1425	6	1.33	151	330	<2	0.13	<5	19	130	<20	0.59
D1183998		0.24	<10	4.02	1455	4	1.47	153	320	<2	0.13	<5	20	117	<20	0.59
D1183999		0.61	<10	3.87	1355	19	1.45	145	310	<2	0.21	<5	23	123	<20	0.58
D1184000		0.35	<10	3.93	1420	5	1.38	153	340	<2	0.10	<5	21	104	<20	0.59
D1184341		0.38	<10	4.10	1460	11	1.52	155	330	<2	0.20	<5	19	104	<20	0.59
D1184342		0.31	<10	4.38	1415	4	1.25	152	330	<2	0.17	<5	29	108	<20	0.60
D1184343		0.33	<10	4.52	1460	4	1.19	156	340	<2	0.25	<5	30	113	<20	0.60
D1184344		0.60	20	3.49	2530	5	1.74	141	2030	11	2.26	<5	16	360	<20	0.83
D1184345		0.34	<10	4.51	1595	4	1.28	158	340	3	0.26	<5	27	111	<20	0.62
D1184346		0.67	<10	4.31	1390	5	1.51	154	340	<2	0.27	<5	27	123	<20	0.60
D1184347		0.36	<10	4.40	1490	9	1.24	152	340	2	0.17	<5	28	119	<20	0.58
D1184348		0.42	<10	4.51	1520	4	1.38	162	310	4	0.18	<5	26	107	<20	0.58
D1184349		0.58	<10	4.29	1445	5	1.38	164	310	5	0.20	<5	24	120	<20	0.58
D1184350		0.49	<10	4.32	1500	13	1.46	160	320	<2	0.20	<5	24	130	<20	0.59
D1184351		0.47	<10	4.61	1470	5	1.40	162	370	3	0.19	<5	32	131	<20	0.63
D1184352		0.53	<10	4.51	1450	4	1.46	165	350	4	0.09	<5	27	134	<20	0.61
D1184353		0.52	<10	4.77	1475	4	1.33	157	340	<2	0.13	<5	34	129	<20	0.60
D1184354		2.12	30	0.76	919	2	0.80	11	3460	9	0.19	<5	6	408	<20	0.23
D1184355		0.34	<10	4.44	1515	3	1.41	157	330	<2	0.13	<5	26	140	<20	0.60
D1184356		0.38	<10	4.48	1505	1	1.36	171	310	4	0.12	<5	25	141	<20	0.59
D1184357		0.40	<10	4.61	1515	3	1.40	166	330	<2	0.25	<5	28	128	<20	0.60
D1184358		0.56	<10	4.56	1450	5	1.66	155	360	<2	0.16	<5	34	120	<20	0.59
D1184359		0.49	<10	4.60	1480	14	1.60	166	330	<2	0.30	<5	27	126	<20	0.60
D1184360		0.47	<10	4.49	1510	8	1.50	166	340	<2	0.26	<5	26	133	<20	0.60
D1184361		0.40	<10	4.63	1530	11	1.59	170	360	<2	0.20	<5	27	127	<20	0.62
D1184362		0.42	<10	4.62	1470	8	1.52	170	350	5	0.60	<5	32	151	<20	0.63
D1184363		0.53	<10	4.72	1635	9	1.60	162	360	<2	0.19	<5	26	128	<20	0.61
D1184364		0.55	20	3.00	4170	4	1.20	106	2310	4	3.49	6	20	243	<20	0.56
D1184365		0.51	<10	4.62	1525	19	1.89	169	340	<2	0.24	<5	29	137	<20	0.61
D1184366		0.62	<10	4.67	1585	7	1.65	150	340	2	0.22	<5	35	130	<20	0.62
D1184367		0.70	<10	4.81	1595	26	1.69	166	350	<2	0.21	<5	33	149	<20	0.62
D1184368		0.50	<10	4.62	1535	11	1.85	185	330	<2	0.32	<5	23	156	<20	0.59
D1184369		0.53	<10	4.47	1480	25	1.82	187	310	2	0.33	<5	20	130	<20	0.57
D1184370		0.33	<10	4.70	1345	10	1.60	201	300	<2	0.29	<5	30	143	<20	0.53

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method Analyte Units LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1183991		<10	<10	277	<10	90	
D1183992		<10	<10	260	<10	83	
D1183993		<10	<10	260	<10	84	
D1183994		<10	<10	22	<10	13	
D1183995		<10	<10	259	<10	90	
D1183996		<10	<10	263	<10	94	
D1183997		<10	<10	262	<10	85	
D1183998		<10	<10	262	<10	86	
D1183999		<10	<10	256	<10	85	
D1184000		<10	<10	264	<10	83	
D1184341		<10	<10	265	<10	89	
D1184342		<10	<10	267	<10	89	
D1184343		<10	<10	268	<10	93	
D1184344		<10	<10	146	<10	125	
D1184345		<10	<10	272	<10	97	
D1184346		<10	<10	267	<10	99	
D1184347		<10	<10	264	<10	93	
D1184348		<10	<10	264	<10	93	
D1184349		<10	<10	263	<10	90	
D1184350		<10	<10	266	<10	88	
D1184351		<10	<10	278	<10	89	
D1184352		<10	<10	269	<10	89	
D1184353		10	<10	270	<10	94	
D1184354		<10	<10	27	<10	19	
D1184355		<10	<10	271	<10	91	
D1184356		<10	<10	268	<10	96	
D1184357		<10	<10	277	<10	95	
D1184358		<10	<10	268	<10	96	
D1184359		<10	<10	275	<10	99	
D1184360		<10	<10	273	<10	96	
D1184361		<10	<10	276	<10	101	
D1184362		<10	<10	277	<10	100	
D1184363		<10	<10	276	<10	105	
D1184364		<10	<10	176	<10	122	6.64
D1184365		<10	<10	269	<10	100	
D1184366		<10	<10	277	<10	105	
D1184367		<10	<10	276	<10	109	
D1184368		<10	<10	267	<10	111	
D1184369		<10	<10	256	<10	103	
D1184370		<10	<10	237	<10	89	

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1184371		2.08	<0.005	<0.5	7.17	<5	60	<0.5	<2	5.88	<0.5	43	226	97	7.91	20
D1184372		1.37	2.26	<0.5	6.78	<5	70	<0.5	3	6.52	<0.5	45	417	69	6.97	20
D1184373		1.53	1.335	2.0	2.87	6	250	<0.5	<2	3.64	<0.5	17	200	11	2.77	10
D1184374		0.20	<0.005	<0.5	3.41	<5	290	0.6	<2	21.5	<0.5	6	26	9	1.58	10
D1184375		1.32	0.091	<0.5	7.60	<5	540	0.8	<2	3.34	<0.5	11	37	118	2.38	20
D1184376		1.85	0.077	<0.5	7.30	<5	790	0.8	<2	3.17	<0.5	9	25	80	1.96	20
D1184377		1.94	0.123	<0.5	7.69	<5	530	0.9	<2	2.87	<0.5	9	30	184	2.71	20
D1184378		2.10	0.009	<0.5	7.64	<5	550	0.9	<2	3.51	<0.5	9	27	130	2.35	20
D1184379		2.02	0.060	<0.5	7.71	<5	570	0.9	<2	3.69	<0.5	10	26	140	2.31	20
D1184380		2.21	0.033	<0.5	8.05	<5	450	1.0	<2	3.32	<0.5	10	30	144	2.43	20
D1184381		2.21	0.080	<0.5	7.75	<5	480	1.0	<2	3.68	<0.5	12	43	290	2.95	20
D1184382		0.95	0.049	<0.5	7.93	<5	410	0.9	<2	3.07	<0.5	9	29	34	2.11	20
D1184383		1.76	0.075	<0.5	7.32	<5	470	0.8	<2	3.60	<0.5	16	89	160	3.10	20
D1184384		0.07	1.245	<0.5	6.70	752	440	1.0	<2	5.27	<0.5	38	178	91	9.52	20
D1184385		1.66	0.190	<0.5	6.99	<5	180	<0.5	3	5.13	<0.5	53	345	85	7.88	20
D1184386		1.90	0.016	<0.5	6.90	<5	130	<0.5	<2	5.47	<0.5	52	305	383	7.53	20
D1184387		2.09	0.005	<0.5	6.82	<5	90	<0.5	<2	5.54	<0.5	51	298	38	7.27	20
D1184388		2.13	<0.005	<0.5	6.98	<5	40	<0.5	<2	5.62	<0.5	53	252	36	7.46	20
D1184389		2.22	0.260	<0.5	7.23	<5	290	<0.5	<2	5.72	<0.5	54	199	73	7.36	20
D1184390		1.71	>10.0	<0.5	4.08	<5	290	<0.5	<2	1.35	<0.5	5	42	11	1.16	10
D1184391		2.09	3.69	<0.5	5.84	<5	450	0.6	5	2.01	<0.5	6	36	20	1.49	10
D1184392		1.89	0.236	<0.5	6.11	<5	500	0.7	2	2.15	<0.5	6	34	51	1.40	10
D1184393		1.94	1.070	<0.5	6.06	<5	520	0.7	2	2.08	<0.5	5	48	95	1.43	10
D1184394		0.24	<0.005	<0.5	3.12	<5	350	0.6	<2	20.3	<0.5	5	24	8	1.44	10
D1184395		1.98	0.867	<0.5	4.92	<5	310	0.5	2	1.96	<0.5	6	36	22	1.69	10
D1184396		1.91	1.320	<0.5	6.21	<5	410	0.7	2	2.67	<0.5	5	31	16	1.42	10
D1184397		2.13	0.173	<0.5	6.65	<5	480	0.7	<2	2.40	<0.5	6	31	58	1.54	10
D1184398		1.84	0.063	<0.5	5.40	<5	360	0.6	3	1.98	<0.5	4	36	128	1.35	10
D1184399		2.00	0.410	<0.5	6.88	<5	420	0.8	<2	2.61	<0.5	5	34	121	1.68	10
D1184400		1.78	0.133	<0.5	7.25	5	470	0.8	2	2.73	<0.5	6	30	95	1.65	20
D1184401		1.97	>10.0	1.8	6.23	20	340	0.7	100	1.81	<0.5	13	32	27	4.07	10
D1184402		1.92	1.075	<0.5	7.93	<5	510	0.9	2	2.86	<0.5	6	31	65	1.64	20
D1184403		1.91	3.10	<0.5	7.18	7	480	0.7	6	2.43	<0.5	8	39	164	2.03	20
D1184404		0.07	0.363	<0.5	7.10	193	340	1.1	<2	5.51	<0.5	38	179	110	7.69	20
D1184405		2.02	0.868	<0.5	6.93	<5	550	0.8	8	3.39	<0.5	12	93	67	2.31	20
D1184406		1.94	3.67	<0.5	6.78	<5	490	0.6	4	2.18	<0.5	6	25	43	1.78	10
D1184407		1.80	0.410	<0.5	6.74	5	500	0.7	<2	1.94	<0.5	5	28	19	1.55	10
D1184408		1.77	0.910	<0.5	7.27	<5	540	0.9	2	2.30	<0.5	5	29	49	1.51	20
D1184409		2.18	0.082	<0.5	5.80	<5	480	0.7	2	1.87	<0.5	4	26	16	1.15	10
D1184410		1.81	1.195	<0.5	7.14	<5	530	0.8	3	2.18	<0.5	5	29	47	1.69	20

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1184371		0.26	<10	4.09	1205	15	2.00	157	320	7	0.24	<5	30	150	<20	0.52
D1184372		0.38	<10	4.65	1100	6	1.66	235	260	<2	0.64	<5	25	166	<20	0.37
D1184373		0.39	<10	1.57	494	14	1.04	85	90	<2	1.02	<5	7	110	<20	0.10
D1184374		1.86	20	0.87	1015	1	0.60	10	2520	5	0.30	<5	5	453	<20	0.21
D1184375		1.64	10	0.87	340	1	3.35	16	570	<2	0.77	<5	4	338	<20	0.18
D1184376		1.93	10	0.64	351	1	2.99	14	500	2	0.57	<5	3	261	<20	0.13
D1184377		1.13	10	0.88	268	3	3.48	12	570	2	1.08	<5	4	454	<20	0.09
D1184378		1.35	10	0.81	353	4	3.17	14	570	4	0.71	<5	4	445	<20	0.12
D1184379		1.51	10	0.82	332	15	3.22	13	590	<2	0.70	<5	4	417	<20	0.12
D1184380		0.95	10	0.90	325	3	3.53	12	610	6	0.64	<5	4	603	<20	0.10
D1184381		1.11	10	1.05	309	7	3.61	18	710	<2	1.06	<5	5	520	<20	0.14
D1184382		1.21	10	0.70	186	1	3.83	13	520	3	0.54	<5	3	636	<20	0.11
D1184383		1.73	10	1.47	375	1	2.85	50	500	3	1.01	<5	7	353	<20	0.15
D1184384		0.69	20	3.63	2580	2	1.88	136	1960	10	0.97	<5	17	381	<20	0.88
D1184385		0.89	<10	5.92	1125	4	1.11	285	230	2	0.42	<5	24	137	<20	0.24
D1184386		1.13	<10	5.70	1145	6	0.98	264	240	<2	0.41	<5	25	89	<20	0.18
D1184387		1.15	<10	5.60	1170	2	0.91	254	250	3	0.09	<5	24	84	<20	0.18
D1184388		0.84	<10	5.32	1160	1	1.36	260	240	<2	0.14	<5	22	151	<20	0.16
D1184389		1.57	<10	5.42	1150	2	0.91	246	250	<2	0.32	<5	24	202	<20	0.24
D1184390		0.57	<10	0.37	140	2	1.65	15	200	<2	0.52	<5	2	220	<20	0.04
D1184391		0.88	<10	0.51	278	<1	3.00	10	260	<2	0.73	<5	2	275	<20	0.07
D1184392		1.04	<10	0.59	252	<1	2.95	12	270	<2	0.49	<5	3	357	<20	0.08
D1184393		0.99	<10	0.55	284	2	3.11	9	280	<2	0.63	<5	3	298	<20	0.07
D1184394		1.78	30	0.70	932	<1	0.57	11	3330	10	0.25	<5	5	444	<20	0.19
D1184395		0.64	<10	0.44	246	<1	2.60	9	240	<2	0.97	<5	2	259	<20	0.05
D1184396		0.89	<10	0.64	343	<1	3.13	8	310	3	0.55	<5	3	375	<20	0.07
D1184397		0.93	<10	0.62	262	<1	3.43	13	300	<2	0.58	<5	3	447	<20	0.09
D1184398		0.76	<10	0.51	215	<1	2.79	10	250	<2	0.49	<5	2	444	<20	0.07
D1184399		0.90	<10	0.67	272	3	3.79	11	330	3	0.76	<5	3	435	<20	0.09
D1184400		0.94	<10	0.70	250	<1	3.89	14	360	2	0.61	<5	3	525	<20	0.10
D1184401		0.88	<10	0.52	232	<1	3.36	19	290	10	3.85	<5	3	289	<20	0.07
D1184402		1.09	<10	0.69	257	<1	3.89	14	380	2	0.48	<5	3	592	<20	0.11
D1184403		1.12	<10	0.73	266	<1	3.82	17	370	<2	1.12	<5	3	340	<20	0.09
D1184404		0.80	20	3.64	1385	4	2.17	136	1580	5	0.27	<5	18	418	<20	0.99
D1184405		1.42	10	1.48	451	<1	3.17	42	430	4	0.73	<5	6	331	<20	0.13
D1184406		1.16	<10	0.64	253	<1	3.66	12	330	<2	1.08	<5	3	223	<20	0.08
D1184407		1.19	<10	0.69	262	<1	3.38	9	320	<2	0.76	<5	2	245	<20	0.07
D1184408		1.13	<10	0.56	226	<1	3.59	9	310	2	0.56	<5	3	453	<20	0.08
D1184409		0.73	<10	0.42	178	<1	2.97	7	230	2	0.31	<5	2	363	<20	0.07
D1184410		0.95	10	0.56	247	<1	3.73	10	320	<2	0.82	<5	2	441	<20	0.08

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1184371		<10	<10	233	<10	87	
D1184372		<10	<10	200	<10	117	
D1184373		<10	<10	73	<10	48	
D1184374		<10	<10	26	<10	12	
D1184375		<10	<10	47	<10	56	
D1184376		<10	<10	42	10	37	
D1184377		10	<10	46	10	42	
D1184378		<10	<10	45	20	34	
D1184379		<10	<10	48	<10	29	
D1184380		<10	<10	47	<10	42	
D1184381		<10	<10	63	20	36	
D1184382		<10	<10	48	30	25	
D1184383		<10	<10	71	10	33	
D1184384		<10	<10	154	<10	125	
D1184385		<10	<10	200	<10	121	
D1184386		<10	<10	189	<10	99	
D1184387		<10	<10	186	<10	81	
D1184388		<10	<10	189	<10	78	
D1184389		<10	<10	188	<10	102	
D1184390		<10	<10	21	140	16	44.3
D1184391		<10	<10	23	<10	22	
D1184392		<10	<10	25	<10	28	
D1184393		<10	<10	24	200	26	
D1184394		<10	<10	22	<10	13	
D1184395		<10	<10	20	50	45	
D1184396		<10	<10	25	<10	34	
D1184397		<10	<10	28	<10	35	
D1184398		<10	<10	23	<10	24	
D1184399		<10	<10	30	70	29	
D1184400		<10	<10	31	<10	34	
D1184401		<10	<10	25	90	20	52.8
D1184402		<10	<10	31	<10	33	
D1184403		<10	<10	36	130	26	
D1184404		<10	<10	149	<10	113	
D1184405		<10	<10	51	10	46	
D1184406		<10	<10	28	110	26	
D1184407		<10	<10	27	10	30	
D1184408		<10	<10	28	10	28	
D1184409		<10	<10	22	<10	30	
D1184410		<10	<10	28	10	23	

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1184411		1.91	0.882	<0.5	7.84	<5	560	0.9	<2	2.40	<0.5	6	23	42	1.71	20
D1184412		1.96	0.108	<0.5	7.94	<5	510	0.8	2	2.83	<0.5	6	26	54	1.59	20
D1184413		2.03	0.149	<0.5	7.54	<5	570	0.8	<2	2.34	<0.5	6	24	18	1.57	20
D1184414		0.21	<0.005	<0.5	3.27	<5	310	0.6	<2	20.3	<0.5	4	24	11	1.55	10
D1184415		1.21	0.138	<0.5	7.22	<5	470	0.8	3	2.43	<0.5	9	56	18	1.93	20
D1184416		1.73	0.135	<0.5	6.16	<5	200	<0.5	<2	5.27	<0.5	45	262	109	6.82	10
D1184417		1.06	0.020	<0.5	7.02	<5	160	<0.5	<2	5.21	<0.5	53	270	124	7.58	10
D1184418		2.16	0.065	<0.5	6.95	<5	180	<0.5	<2	5.69	<0.5	53	279	104	7.56	10
D1184419		2.17	0.105	<0.5	7.01	<5	120	<0.5	<2	5.59	<0.5	48	252	62	7.46	20
D1184420		1.86	<0.005	<0.5	6.93	<5	70	<0.5	2	6.34	<0.5	50	247	74	7.40	10
D1184421		2.05	<0.005	<0.5	7.39	<5	70	<0.5	<2	5.92	0.5	54	244	84	7.76	10
D1184422		1.97	<0.005	<0.5	7.27	<5	90	<0.5	<2	5.53	<0.5	55	276	60	7.84	10
D1184423		2.30	<0.005	<0.5	6.85	<5	80	<0.5	<2	5.64	<0.5	52	247	93	7.53	10
D1184424		0.07	3.48	<0.5	6.26	1365	440	0.9	3	5.26	<0.5	40	177	124	10.90	10
D1184425		1.95	<0.005	<0.5	6.82	5	70	<0.5	<2	5.82	<0.5	57	282	64	7.98	10
D1184426		2.27	<0.005	<0.5	7.14	<5	50	<0.5	<2	6.34	<0.5	58	299	69	8.23	10
D1184427		2.47	<0.005	<0.5	7.34	<5	70	<0.5	<2	6.44	<0.5	56	295	76	8.30	20
D1184428		1.81	<0.005	<0.5	7.22	<5	60	<0.5	2	6.21	<0.5	59	300	92	8.10	10
D1184429		1.73	0.009	<0.5	7.23	<5	150	<0.5	<2	5.82	<0.5	50	265	63	7.50	20
D1184430		1.52	0.023	<0.5	7.29	<5	550	0.7	<2	3.98	<0.5	15	80	71	2.90	20
D1184431		2.21	0.006	<0.5	7.48	<5	610	0.8	2	3.76	<0.5	14	77	81	2.73	20
D1184432		2.10	0.009	<0.5	7.43	<5	530	0.8	<2	3.94	<0.5	15	80	57	2.80	20
D1184433		1.29	<0.005	<0.5	7.12	<5	30	<0.5	<2	6.44	<0.5	57	300	85	8.20	10
D1184434		0.32	<0.005	<0.5	2.85	<5	240	0.5	<2	21.5	<0.5	5	24	9	1.34	10
D1184435		2.51	<0.005	<0.5	6.91	5	80	<0.5	<2	6.88	<0.5	53	303	103	7.78	10
D1184436		1.77	<0.005	<0.5	6.90	<5	240	<0.5	3	5.85	<0.5	52	284	74	7.19	10
D1184437		1.56	0.710	<0.5	7.28	<5	750	0.8	2	2.09	<0.5	6	21	8	1.47	20
D1184438		1.21	4.35	<0.5	6.44	<5	180	0.6	<2	2.54	<0.5	5	14	5	1.68	20
D1184439		2.09	2.67	<0.5	7.02	<5	530	0.9	<2	2.62	<0.5	5	17	11	1.32	20
D1184440		2.21	>10.0	<0.5	5.88	<5	370	0.7	3	1.88	0.7	4	18	30	1.29	10
D1184441		2.33	0.088	<0.5	7.53	<5	580	1.0	<2	2.39	<0.5	3	16	36	1.28	20
D1184442		2.19	0.071	<0.5	6.77	<5	380	0.8	2	2.16	<0.5	3	17	21	1.39	20
D1184443		2.22	0.608	<0.5	6.74	<5	510	0.8	<2	1.90	<0.5	4	19	15	1.33	20
D1184444		0.07	6.63	0.8	5.70	4250	570	0.8	2	5.47	0.5	32	136	184	11.60	10
D1184445		2.21	0.950	<0.5	7.43	9	660	0.9	<2	2.29	<0.5	4	16	8	1.43	20
D1184446		2.22	6.49	<0.5	4.70	<5	330	0.6	2	1.54	<0.5	4	30	12	1.39	10
D1184447		1.14	>10.0	1.1	5.43	<5	340	0.6	4	2.17	13.0	7	64	49	2.49	10
D1184448		1.96	8.29	<0.5	6.00	5	450	0.7	<2	2.26	<0.5	9	68	12	2.92	10
D1184449		1.36	0.098	<0.5	7.05	<5	630	0.9	2	2.59	<0.5	10	69	23	2.38	10
D1184450		2.32	0.050	<0.5	7.09	<5	560	0.8	<2	2.86	<0.5	10	79	14	2.49	20

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1184411		1.13	<10	0.56	248	<1	4.19	11	340	<2	1.00	<5	3	459	<20	0.09
D1184412		1.00	<10	0.64	259	<1	4.13	11	380	7	0.66	<5	3	533	<20	0.10
D1184413		1.20	<10	0.64	270	<1	3.91	10	350	4	0.65	<5	3	388	<20	0.09
D1184414		1.83	30	0.79	884	<1	0.59	13	2670	14	0.31	<5	5	449	<20	0.18
D1184415		1.08	<10	0.89	283	<1	3.85	30	330	<2	0.72	<5	4	372	<20	0.11
D1184416		0.97	<10	4.77	1035	1	1.45	240	190	<2	1.02	<5	22	173	<20	0.31
D1184417		1.15	<10	5.64	1195	<1	1.24	290	230	2	0.45	<5	24	132	<20	0.36
D1184418		1.17	<10	5.65	1195	<1	1.21	295	230	3	0.48	<5	24	141	<20	0.37
D1184419		0.74	<10	5.24	1170	<1	1.29	250	240	<2	0.54	<5	25	168	<20	0.32
D1184420		0.51	<10	5.15	1190	<1	1.36	245	250	2	0.20	<5	25	124	<20	0.29
D1184421		0.53	<10	5.66	1270	<1	1.25	284	250	<2	0.22	<5	25	146	<20	0.38
D1184422		0.73	<10	5.63	1280	1	1.05	304	240	<2	0.17	<5	24	154	<20	0.43
D1184423		0.77	<10	5.56	1210	1	1.25	279	270	<2	0.25	<5	18	112	<20	0.42
D1184424		0.64	20	3.62	2700	2	1.80	147	2050	9	2.35	<5	17	368	<20	0.86
D1184425		0.63	<10	5.71	1320	<1	1.00	317	240	<2	0.14	<5	18	113	<20	0.43
D1184426		0.39	<10	5.94	1330	<1	0.75	326	240	<2	0.13	<5	19	160	<20	0.43
D1184427		0.46	<10	5.99	1325	<1	0.85	319	250	3	0.23	<5	22	140	<20	0.45
D1184428		0.37	<10	6.02	1295	<1	0.85	333	230	2	0.21	<5	22	140	<20	0.43
D1184429		0.74	<10	5.64	1195	38	1.29	306	260	3	0.18	<5	23	174	<20	0.43
D1184430		1.02	10	1.80	486	<1	3.48	46	570	4	0.44	<5	7	487	<20	0.19
D1184431		0.95	10	1.71	444	<1	3.55	41	560	2	0.43	<5	7	557	<20	0.19
D1184432		0.97	10	1.77	512	<1	3.54	45	560	4	0.47	<5	7	469	<20	0.19
D1184433		0.14	<10	5.92	1285	1	0.36	338	240	3	0.16	<5	20	207	<20	0.42
D1184434		1.59	20	0.74	892	<1	0.55	10	2310	7	0.22	<5	5	418	<20	0.19
D1184435		0.43	<10	5.59	1240	2	0.68	322	240	<2	0.23	<5	22	200	<20	0.41
D1184436		1.16	<10	5.52	1175	1	0.94	300	220	<2	0.13	<5	24	166	<20	0.30
D1184437		1.15	<10	0.50	236	1	3.89	11	380	<2	0.54	<5	2	395	<20	0.12
D1184438		0.40	10	0.62	241	6	3.11	8	360	<2	0.89	<5	2	365	<20	0.07
D1184439		0.82	10	0.34	233	<1	4.06	5	370	<2	0.66	<5	1	469	<20	0.08
D1184440		0.64	<10	0.30	180	1	3.54	5	300	<2	0.69	<5	1	310	<20	0.06
D1184441		0.79	10	0.37	184	<1	4.36	6	390	<2	0.62	<5	1	603	<20	0.09
D1184442		0.57	<10	0.40	197	1	3.74	5	350	<2	0.65	<5	1	483	<20	0.07
D1184443		0.81	<10	0.34	177	<1	3.84	5	340	<2	0.69	<5	1	474	<20	0.08
D1184444		0.54	20	2.94	4060	4	1.19	103	2260	6	3.47	7	20	240	<20	0.55
D1184445		1.06	<10	0.42	244	<1	4.37	7	390	2	0.69	<5	2	467	<20	0.09
D1184446		0.54	<10	0.29	152	1	2.53	8	240	<2	0.73	<5	1	338	<20	0.06
D1184447		0.74	10	0.74	309	1	2.66	21	350	<2	1.37	<5	4	348	<20	0.09
D1184448		0.75	10	0.86	366	1	3.27	22	400	<2	1.77	<5	5	413	<20	0.09
D1184449		0.90	10	1.05	365	<1	3.71	23	500	2	0.41	<5	5	643	<20	0.12
D1184450		0.85	10	1.16	450	<1	3.60	26	510	3	0.31	<5	6	585	<20	0.13

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1184411		<10	<10	32	20	22	
D1184412		<10	<10	31	<10	30	
D1184413		<10	<10	31	30	21	
D1184414		10	<10	24	<10	16	
D1184415		<10	<10	43	10	24	
D1184416		<10	<10	170	<10	91	
D1184417		10	<10	186	<10	92	
D1184418		<10	<10	179	<10	91	
D1184419		10	<10	193	<10	95	
D1184420		<10	<10	187	<10	86	
D1184421		<10	<10	197	<10	87	
D1184422		<10	<10	196	<10	93	
D1184423		10	<10	188	<10	96	
D1184424		<10	<10	149	<10	132	
D1184425		<10	<10	196	<10	93	
D1184426		<10	<10	201	<10	96	
D1184427		10	<10	199	<10	102	
D1184428		10	<10	193	<10	104	
D1184429		<10	<10	182	<10	107	
D1184430		<10	<10	60	<10	57	
D1184431		10	<10	58	<10	61	
D1184432		10	<10	59	<10	56	
D1184433		<10	<10	199	<10	99	
D1184434		<10	<10	22	<10	17	
D1184435		10	<10	186	<10	110	
D1184436		<10	<10	173	<10	101	
D1184437		<10	<10	28	<10	21	
D1184438		<10	<10	35	10	23	
D1184439		<10	<10	20	10	17	
D1184440		<10	<10	17	170	104	16.20
D1184441		<10	<10	22	<10	20	
D1184442		<10	<10	24	<10	19	
D1184443		<10	<10	22	200	17	
D1184444		<10	<10	170	<10	122	NSS
D1184445		<10	<10	27	30	19	
D1184446		<10	<10	17	280	15	6.42
D1184447		<10	<10	32	50	2000	32.6
D1184448		<10	<10	42	10	43	9.80
D1184449		<10	<10	48	<10	49	
D1184450		<10	<10	47	10	51	

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1184451		2.04	0.024	<0.5	7.07	<5	440	0.9	<2	2.76	<0.5	11	79	11	2.53	20
D1184452		1.93	0.007	<0.5	7.20	<5	460	0.9	<2	2.93	<0.5	10	82	20	2.55	20
D1184453		2.09	0.055	<0.5	7.02	<5	560	0.9	2	3.72	<0.5	10	79	54	2.49	20
D1184454		0.23	<0.005	<0.5	2.73	<5	260	0.5	<2	23.2	<0.5	6	21	8	1.41	10
D1184455		1.98	0.016	<0.5	7.32	<5	370	0.8	<2	3.28	<0.5	11	86	242	2.69	20
D1184456		1.94	0.007	<0.5	7.31	<5	490	0.8	<2	3.42	<0.5	11	69	48	2.77	20
D1184457		1.93	0.006	<0.5	7.59	<5	580	0.9	<2	3.48	<0.5	10	46	3	2.57	20
D1184458		1.95	0.099	<0.5	7.36	<5	610	0.9	3	3.47	<0.5	12	55	7	2.85	20
D1184459		2.09	<0.005	<0.5	7.22	<5	540	0.8	<2	3.70	<0.5	12	64	1	2.95	20
D1184460		1.98	0.005	<0.5	7.12	<5	590	0.8	3	3.78	<0.5	12	62	2	2.92	20
D1184461		2.20	<0.005	<0.5	7.20	<5	510	0.8	<2	2.87	<0.5	12	69	21	2.72	20
D1184462		2.23	<0.005	<0.5	6.88	<5	450	0.8	<2	2.65	<0.5	9	77	86	2.48	20
D1184463		2.21	<0.005	<0.5	7.09	<5	570	0.8	<2	2.51	<0.5	10	78	45	2.47	10
D1184464		0.07	1.235	<0.5	6.66	776	440	1.0	3	5.19	<0.5	37	184	90	9.42	20
D1184465		2.11	0.008	<0.5	7.65	<5	660	0.9	2	3.23	<0.5	10	49	24	2.56	20
D1184466		2.08	0.009	<0.5	6.95	<5	430	0.8	2	2.82	<0.5	10	73	53	2.55	20
D1184467		1.98	<0.005	<0.5	7.11	<5	350	0.9	<2	2.84	<0.5	9	86	55	2.52	20
D1184468		2.18	<0.005	<0.5	7.40	<5	350	0.9	<2	3.38	<0.5	11	84	48	2.68	20
D1184469		2.23	0.024	<0.5	6.85	<5	350	0.8	<2	2.92	<0.5	12	79	55	2.57	20
D1184470		2.41	0.008	<0.5	7.14	<5	410	0.8	2	2.85	<0.5	12	86	39	2.73	20

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1184451		0.84	10	1.18	431	<1	3.69	29	530	3	0.29	<5	6	613	<20	0.13
D1184452		0.92	10	1.16	391	<1	3.37	27	530	<2	0.13	<5	6	372	<20	0.15
D1184453		1.03	10	1.15	438	1	2.84	28	520	<2	0.29	<5	6	240	<20	0.16
D1184454		1.49	20	0.78	1020	1	0.52	10	2860	6	0.30	<5	5	495	<20	0.15
D1184455		0.73	10	1.23	465	1	3.29	28	550	4	0.19	<5	7	324	<20	0.16
D1184456		0.71	10	1.29	498	<1	3.41	29	580	<2	0.22	<5	6	448	<20	0.15
D1184457		0.63	10	1.07	333	1	3.49	19	630	<2	0.30	<5	5	701	<20	0.13
D1184458		0.82	10	1.25	416	<1	3.44	26	650	<2	0.45	<5	5	655	<20	0.15
D1184459		0.69	10	1.47	465	<1	3.21	31	710	2	0.27	<5	6	655	<20	0.16
D1184460		0.71	10	1.42	493	<1	3.30	30	670	3	0.21	<5	6	605	<20	0.16
D1184461		0.80	10	1.31	385	<1	3.30	28	570	<2	0.04	<5	6	540	<20	0.15
D1184462		0.75	10	1.12	410	7	3.43	23	500	3	0.12	<5	6	492	<20	0.14
D1184463		0.81	10	1.09	357	1	3.40	25	480	<2	0.12	<5	6	616	<20	0.14
D1184464		0.67	20	3.61	2590	3	1.87	134	1940	4	0.97	<5	18	380	<20	0.89
D1184465		1.03	10	1.14	373	<1	3.51	21	670	2	0.31	<5	5	664	<20	0.16
D1184466		0.82	10	1.14	380	1	3.51	25	490	<2	0.21	<5	6	524	<20	0.14
D1184467		0.72	10	1.13	381	<1	3.26	25	490	3	0.14	<5	6	525	<20	0.13
D1184468		0.77	10	1.18	418	1	3.23	27	530	<2	0.22	<5	6	462	<20	0.14
D1184469		0.87	10	1.13	446	<1	3.23	27	490	<2	0.29	<5	6	439	<20	0.15
D1184470		0.87	10	1.31	452	1	3.32	30	530	2	0.30	<5	7	442	<20	0.15

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

Sample Description	Method Analyte Units LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1184451		<10	<10	48	10	55	
D1184452		<10	<10	47	<10	71	
D1184453		<10	<10	50	10	55	
D1184454		<10	<10	20	<10	14	
D1184455		<10	<10	49	10	70	
D1184456		<10	<10	48	<10	69	
D1184457		<10	<10	42	<10	58	
D1184458		<10	<10	48	60	61	
D1184459		<10	<10	54	<10	72	
D1184460		<10	<10	53	<10	63	
D1184461		<10	<10	50	<10	70	
D1184462		<10	<10	47	<10	48	
D1184463		<10	<10	44	<10	45	
D1184464		10	<10	152	<10	127	
D1184465		<10	<10	45	<10	43	
D1184466		<10	<10	47	<10	58	
D1184467		<10	<10	46	20	52	
D1184468		<10	<10	50	<10	56	
D1184469		<10	<10	47	<10	58	
D1184470		<10	<10	51	<10	60	

Comments: Additional Au-AA24 check assay for sample D1184405
are 1.895 g/t and 2.54 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-MAR-2015
Account: DETGLD

Project: DGEX-245

CERTIFICATE OF ANALYSIS SD15036292

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

NSS is non-sufficient sample.

Applies to Method: ALL METHODS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-32	PUL-QC	SPL-22Y	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA24	Au-GRA22	ME-ICP61