ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

CERTIFICATE SD15016806

Project: DGEX-235

P.O. No.: DGC 4800002115

This report is for 300 Drill Core samples submitted to our lab in Timmins, ON, Canada on 11-FEB-2015.

The following have access to data associated with this certificate:

APRIL COOMBS JEAN FRANCOIS METAIL DETOUR GOLD WEBTRIEVE	ADREE DELAZZER LARRY THON	GUY MAC GILLIVRAY JAMES TOLHURST

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM

To: **DETOUR GOLD CORPORATION**
ATTN: JAMES TOLHURST
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1185301		2.31	<0.005	<0.5	5.90	<5	200	<0.5	<2	7.72	<0.5	43	33	133	11.05	20
D1185302		2.09	<0.005	<0.5	5.88	<5	180	<0.5	<2	7.02	<0.5	40	33	95	10.90	20
D1185303		2.25	<0.005	<0.5	5.82	<5	50	<0.5	<2	5.75	<0.5	40	33	94	10.20	20
D1185304		1.70	<0.005	<0.5	5.91	<5	40	<0.5	<2	6.60	<0.5	42	32	107	9.73	20
D1185305		2.33	<0.005	<0.5	6.30	<5	20	<0.5	<2	5.66	<0.5	45	35	112	10.90	20
D1185306		1.85	<0.005	<0.5	6.05	<5	30	<0.5	<2	6.39	<0.5	42	33	101	10.70	20
D1185307		1.94	0.053	<0.5	6.15	<5	90	<0.5	<2	5.46	<0.5	45	35	115	9.29	20
D1185308		2.18	0.026	<0.5	6.27	<5	200	<0.5	<2	4.57	<0.5	44	37	143	10.65	20
D1185309		2.04	0.178	<0.5	7.20	<5	490	0.6	<2	3.65	<0.5	28	36	75	6.51	20
D1185310		0.06	6.47	1.2	5.80	4250	370	0.8	<2	5.62	0.6	35	132	193	11.95	20
D1185311		0.85	<0.005	<0.5	7.46	5	680	0.9	<2	3.24	<0.5	9	29	9	2.50	20
D1185312		1.35	<0.005	<0.5	7.31	<5	600	0.8	<2	3.64	<0.5	12	67	26	2.84	20
D1185313		1.71	0.009	<0.5	7.25	<5	100	<0.5	<2	5.95	<0.5	38	326	126	7.19	20
D1185314		2.46	0.028	<0.5	7.21	<5	320	<0.5	<2	6.26	<0.5	39	335	111	7.56	20
D1185315		1.04	0.134	<0.5	6.68	<5	320	0.5	<2	7.54	<0.5	30	298	40	6.42	20
D1185316		1.41	0.529	<0.5	6.29	<5	340	<0.5	<2	6.23	<0.5	28	229	71	5.42	20
D1185317		1.49	0.029	<0.5	7.55	<5	840	0.9	<2	2.91	<0.5	9	31	9	2.46	20
D1185318		0.92	0.088	<0.5	5.26	<5	390	<0.5	<2	5.80	<0.5	34	68	83	6.38	20
D1185319		1.68	0.011	<0.5	6.48	<5	120	0.5	<2	6.90	0.5	47	38	111	10.35	20
D1185320		0.30	<0.005	<0.5	2.51	<5	270	0.5	<2	23.6	<0.5	4	21	8	1.37	10
D1185321		2.20	0.023	<0.5	6.20	<5	50	<0.5	<2	6.87	0.5	56	37	112	10.10	20
D1185322		0.69	0.387	<0.5	6.08	<5	470	0.5	2	7.26	<0.5	56	37	444	10.35	20
D1185323		1.16	2.02	<0.5	8.21	<5	610	0.9	3	5.05	<0.5	43	57	125	7.09	20
D1185324		1.45	0.010	<0.5	6.31	<5	40	<0.5	<2	6.55	0.7	44	32	103	10.80	20
D1185325		2.19	<0.005	<0.5	6.41	<5	90	0.5	<2	6.77	<0.5	42	31	94	10.20	20
D1185326		2.28	0.007	<0.5	6.42	<5	140	<0.5	<2	4.51	<0.5	48	34	97	11.00	20
D1185327		1.96	0.006	<0.5	6.24	<5	30	<0.5	<2	7.92	0.5	44	31	92	10.80	20
D1185328		2.16	0.093	<0.5	6.29	<5	130	0.5	<2	7.35	0.6	45	35	94	10.25	20
D1185329		2.54	<0.005	<0.5	6.42	<5	30	0.5	<2	6.47	0.5	47	33	96	11.30	20
D1185330		0.06	6.49	1.2	5.66	4210	350	0.7	<2	5.49	0.6	35	131	185	11.70	20
D1185331		1.97	0.046	<0.5	6.49	<5	50	0.5	2	8.41	<0.5	52	39	191	10.40	20
D1185332		2.02	0.012	<0.5	6.56	<5	50	<0.5	<2	6.27	0.8	45	33	67	11.50	20
D1185333		2.11	0.023	<0.5	6.54	<5	110	0.5	2	7.55	0.5	43	34	128	10.10	20
D1185334		2.17	<0.005	<0.5	6.70	<5	170	0.5	<2	8.23	0.6	50	34	95	10.55	20
D1185335		1.99	<0.005	<0.5	6.55	<5	80	0.5	3	6.69	0.6	46	33	87	10.75	20
D1185336		2.15	<0.005	<0.5	6.20	<5	20	<0.5	<2	6.08	0.6	46	32	124	10.15	20
D1185337		2.20	<0.005	<0.5	6.22	<5	10	<0.5	<2	5.41	0.7	42	32	73	11.35	20
D1185338		2.21	<0.005	<0.5	6.49	<5	30	<0.5	<2	4.64	0.5	46	32	85	11.10	20
D1185339		2.30	<0.005	<0.5	6.31	<5	40	<0.5	<2	4.71	0.5	39	31	69	10.40	20
D1185340		0.28	<0.005	<0.5	2.94	<5	400	0.5	<2	20.0	<0.5	6	18	9	1.44	10

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1185301		0.41	<10	1.25	2050	<1	1.09	29	550	8	0.23	<5	39	119	<20	0.94
D1185302		0.36	<10	1.49	2040	<1	1.12	29	550	4	0.18	7	40	120	<20	0.94
D1185303		0.16	<10	1.43	1980	<1	1.74	30	540	<2	0.14	5	39	101	<20	0.93
D1185304		0.14	10	1.57	2210	<1	1.65	30	560	3	0.14	6	40	103	<20	0.95
D1185305		0.09	<10	1.55	2170	<1	1.90	32	580	2	0.16	6	43	109	<20	1.01
D1185306		0.10	<10	1.45	2290	<1	1.87	31	570	3	0.21	6	41	116	<20	0.97
D1185307		0.23	<10	1.24	2020	<1	2.04	30	570	3	0.48	7	39	163	<20	0.91
D1185308		0.87	10	2.66	1830	<1	1.36	29	580	18	0.55	9	39	159	<20	0.94
D1185309		1.16	10	2.13	1020	<1	2.45	26	580	<2	0.19	6	23	381	<20	0.59
D1185310		0.54	20	2.96	4000	5	1.20	109	2320	18	3.42	10	20	239	<20	0.54
D1185311		1.26	10	0.96	410	<1	3.56	16	580	11	0.20	<5	4	599	<20	0.21
D1185312		1.15	10	1.11	571	2	3.51	20	540	7	0.32	<5	7	519	<20	0.23
D1185313		0.48	<10	3.93	1295	<1	2.12	77	250	8	0.10	<5	39	213	<20	0.44
D1185314		1.00	<10	3.86	1245	<1	1.97	81	260	7	0.22	5	42	243	<20	0.47
D1185315		1.51	<10	3.47	1355	<1	1.36	79	220	386	0.29	6	39	288	<20	0.42
D1185316		1.45	<10	2.48	1025	<1	1.42	52	280	5	0.34	6	29	266	<20	0.33
D1185317		1.57	10	0.83	397	<1	3.25	15	580	7	0.47	<5	4	367	<20	0.16
D1185318		1.59	<10	1.37	1140	1	0.58	41	400	3	0.76	<5	25	135	<20	0.51
D1185319		0.53	<10	0.83	1710	<1	1.73	38	560	10	0.60	<5	40	197	<20	0.92
D1185320		1.40	20	0.75	997	<1	0.44	12	1950	11	0.23	8	4	461	<20	0.12
D1185321		0.21	<10	0.94	1915	<1	1.92	36	520	3	0.74	<5	38	203	<20	0.89
D1185322		1.00	<10	0.84	1605	<1	1.71	48	540	8	2.07	<5	39	207	<20	0.88
D1185323		1.06	10	1.53	1175	<1	2.90	31	710	10	1.39	<5	30	257	<20	0.75
D1185324		0.12	<10	1.52	2310	<1	1.66	35	560	11	0.21	<5	39	80	<20	0.91
D1185325		0.20	10	1.46	2310	<1	1.79	34	550	8	0.27	<5	38	110	<20	0.88
D1185326		0.42	<10	2.64	1580	<1	1.06	38	560	7	0.19	<5	40	102	<20	0.95
D1185327		0.10	<10	1.22	2310	<1	1.81	35	550	9	0.15	<5	39	87	<20	0.90
D1185328		0.32	10	1.40	1835	<1	1.56	35	550	13	0.55	<5	38	106	<20	0.88
D1185329		0.14	<10	1.40	2000	<1	1.82	36	560	3	0.19	6	39	94	<20	0.92
D1185330		0.53	20	2.89	3870	4	1.17	103	2250	20	3.36	12	19	233	<20	0.53
D1185331		0.15	<10	0.92	2190	<1	2.20	39	550	7	1.01	<5	40	129	<20	0.95
D1185332		0.37	<10	2.06	1860	<1	1.26	36	550	13	0.17	7	40	78	<20	0.94
D1185333		0.74	10	0.95	1930	1	1.07	34	560	24	0.63	5	37	81	<20	0.87
D1185334		0.59	10	0.92	2170	<1	0.91	38	560	10	0.16	<5	42	79	<20	0.98
D1185335		0.16	<10	1.73	2020	<1	1.44	35	580	7	0.17	6	40	98	<20	0.94
D1185336		0.07	<10	1.65	1865	<1	2.20	34	550	9	0.27	8	38	92	<20	0.90
D1185337		0.03	<10	1.52	2080	1	2.34	35	550	7	0.14	<5	38	102	<20	0.90
D1185338		0.34	<10	2.77	1665	<1	1.89	34	550	7	0.15	5	39	84	<20	0.92
D1185339		0.43	<10	3.03	1570	<1	1.60	30	550	10	0.19	<5	37	79	<20	0.88
D1185340		1.59	30	0.68	988	<1	0.60	13	4000	16	0.27	<5	5	435	<20	0.16

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1185301		<10	<10	348	<10	146	
D1185302		<10	<10	361	<10	147	
D1185303		<10	<10	348	<10	135	
D1185304		<10	<10	357	<10	139	
D1185305		<10	<10	378	<10	146	
D1185306		<10	<10	359	<10	143	
D1185307		10	<10	346	<10	131	
D1185308		<10	<10	348	<10	222	
D1185309		<10	<10	206	<10	116	
D1185310		<10	<10	172	10	127	NSS
D1185311		<10	<10	49	<10	63	
D1185312		<10	<10	66	<10	77	
D1185313		<10	<10	232	<10	86	
D1185314		<10	<10	247	<10	101	
D1185315		<10	<10	227	10	98	
D1185316		<10	<10	173	<10	64	
D1185317		<10	<10	48	<10	21	
D1185318		<10	<10	224	10	54	
D1185319		<10	<10	351	10	121	
D1185320		<10	<10	20	<10	16	
D1185321		<10	<10	344	10	119	
D1185322		<10	<10	345	390	93	
D1185323		<10	<10	267	50	54	
D1185324		10	<10	357	<10	148	
D1185325		<10	<10	333	<10	157	
D1185326		<10	<10	362	<10	146	
D1185327		<10	<10	356	<10	145	
D1185328		<10	<10	338	<10	163	
D1185329		<10	<10	357	<10	142	
D1185330		<10	<10	169	<10	120	NSS
D1185331		<10	<10	359	<10	121	
D1185332		<10	<10	368	<10	176	
D1185333		<10	<10	328	<10	183	
D1185334		10	<10	378	<10	137	
D1185335		<10	<10	360	<10	154	
D1185336		<10	<10	352	<10	136	
D1185337		<10	<10	348	<10	142	
D1185338		<10	<10	359	<10	145	
D1185339		<10	<10	337	<10	139	
D1185340		<10	<10	20	<10	21	

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1185341		1.86	<0.005	<0.5	6.13	<5	10	0.5	<2	5.36	<0.5	42	33	94	10.45	20
D1185342		1.73	0.006	<0.5	6.40	<5	10	<0.5	<2	6.07	0.5	44	32	104	11.15	20
D1185343		2.42	<0.005	<0.5	6.36	<5	10	<0.5	<2	5.53	0.5	43	33	78	11.20	20
D1185344		2.03	<0.005	<0.5	5.64	<5	10	<0.5	<2	5.16	0.6	42	36	88	9.55	20
D1185345		1.77	<0.005	<0.5	6.30	<5	50	<0.5	<2	5.97	0.7	51	36	118	11.05	20
D1185346		2.28	0.006	<0.5	6.33	<5	70	0.5	<2	7.40	0.6	42	31	106	10.40	20
D1185347		1.93	<0.005	<0.5	6.39	<5	100	<0.5	<2	8.17	<0.5	46	32	87	10.95	20
D1185348		1.83	<0.005	<0.5	6.15	5	90	<0.5	<2	7.82	0.5	48	32	114	10.05	20
D1185349		2.19	<0.005	<0.5	6.51	<5	110	<0.5	<2	7.76	0.6	44	36	90	9.67	20
D1185350		0.06	1.220	<0.5	6.37	680	420	1.0	<2	5.11	0.6	39	171	90	9.21	20
D1185351		2.37	<0.005	<0.5	6.44	<5	80	<0.5	<2	8.28	0.6	45	32	100	9.34	20
D1185352		2.14	0.006	<0.5	6.77	<5	100	0.5	<2	6.56	<0.5	47	34	106	10.20	20
D1185353		2.35	<0.005	<0.5	6.64	<5	100	0.5	<2	8.01	0.6	44	34	95	9.24	20
D1185354		1.51	0.009	<0.5	7.35	<5	400	0.6	<2	5.52	<0.5	40	32	84	8.57	20
D1185355		2.26	0.010	<0.5	7.26	<5	560	0.9	<2	3.62	<0.5	11	20	24	3.23	20
D1185356		2.03	<0.005	<0.5	6.70	<5	80	0.5	<2	7.89	<0.5	45	35	107	9.59	20
D1185357		2.05	0.005	<0.5	6.59	<5	70	<0.5	3	7.84	<0.5	45	32	116	10.05	20
D1185358		2.18	0.042	<0.5	6.00	<5	220	0.5	<2	7.44	0.7	45	29	107	10.75	20
D1185359		2.17	<0.005	<0.5	6.27	<5	40	0.5	<2	8.06	<0.5	41	32	98	10.05	20
D1185360		0.27	<0.005	<0.5	2.80	<5	380	<0.5	<2	20.8	<0.5	3	18	8	1.33	10
D1185361		2.14	<0.005	<0.5	5.96	<5	40	<0.5	<2	9.01	0.5	39	27	97	9.12	20
D1185362		2.28	<0.005	<0.5	6.55	<5	50	<0.5	<2	7.35	0.5	42	31	93	10.55	20
D1185363		1.97	<0.005	<0.5	6.09	<5	40	<0.5	<2	7.14	0.5	41	30	84	10.20	20
D1185364		2.11	<0.005	<0.5	6.66	<5	50	<0.5	<2	5.20	0.5	44	33	102	11.15	20
D1185365		2.03	<0.005	<0.5	6.87	<5	110	0.5	<2	6.30	<0.5	39	39	94	9.37	20
D1185366		2.34	<0.005	<0.5	6.04	<5	50	<0.5	<2	8.43	0.6	42	30	92	10.35	20
D1185367		2.22	<0.005	<0.5	6.56	<5	20	0.5	<2	8.48	0.5	39	36	96	10.95	20
D1185368		1.90	<0.005	<0.5	6.05	<5	20	0.5	<2	10.50	<0.5	39	30	195	9.88	20
D1185369		2.08	0.005	<0.5	5.62	<5	30	0.5	<2	7.70	<0.5	36	26	84	9.36	20
D1185370		0.06	0.335	<0.5	7.23	183	360	1.1	<2	5.59	<0.5	41	182	113	7.86	20
D1185371		2.18	0.005	<0.5	6.36	<5	150	0.6	3	4.22	0.7	33	28	122	9.20	20
D1185372		2.15	0.186	<0.5	7.51	<5	630	0.9	<2	2.80	<0.5	7	26	12	2.39	20
D1185373		2.12	0.005	<0.5	7.54	<5	580	0.9	3	2.77	<0.5	7	28	9	1.87	20
D1185374		2.14	0.028	<0.5	7.43	<5	560	0.9	<2	2.95	<0.5	5	25	4	1.81	20
D1185375		2.18	0.142	<0.5	7.21	<5	350	0.8	<2	4.25	<0.5	6	25	4	2.10	20
D1185376		2.10	0.050	<0.5	7.16	<5	520	0.9	<2	3.36	<0.5	4	24	9	1.78	20
D1185377		2.09	0.070	<0.5	7.06	<5	610	0.8	<2	2.75	<0.5	6	25	5	1.85	20
D1185378		1.73	0.026	<0.5	7.42	<5	620	0.8	<2	2.81	<0.5	6	26	9	1.88	20
D1185379		2.11	0.121	<0.5	7.21	<5	590	0.8	<2	2.73	<0.5	5	25	2	1.70	20
D1185380		0.32	<0.005	<0.5	3.81	<5	240	0.8	<2	18.1	<0.5	9	31	13	2.43	10

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1185341		0.06	<10	1.59	2050	1	2.42	32	560	7	0.26	<5	39	108	<20	0.91
D1185342		0.03	<10	1.28	2550	<1	2.14	35	560	5	0.18	<5	39	91	<20	0.92
D1185343		0.03	<10	1.30	2190	<1	2.05	34	570	10	0.20	5	40	76	<20	0.93
D1185344		0.04	<10	1.35	1680	<1	1.83	30	510	4	0.21	<5	36	76	<20	0.84
D1185345		0.29	<10	2.12	1650	<1	1.42	31	560	8	0.61	7	39	62	<20	0.91
D1185346		0.30	<10	0.90	2080	1	1.26	34	550	7	0.23	<5	39	87	<20	0.90
D1185347		0.44	<10	1.07	2090	<1	0.66	36	540	4	0.13	6	41	77	<20	0.97
D1185348		0.37	<10	1.00	1935	<1	0.74	34	590	6	0.20	<5	39	86	<20	0.92
D1185349		0.38	<10	1.05	1865	<1	0.77	33	580	8	0.15	5	41	102	<20	0.94
D1185350		0.66	20	3.49	2450	3	1.81	133	1900	8	0.91	<5	17	366	<20	0.85
D1185351		0.39	<10	1.06	1820	<1	0.77	36	570	12	0.15	<5	40	98	<20	0.94
D1185352		0.43	<10	0.96	1715	<1	0.71	37	530	8	0.17	5	42	95	<20	0.99
D1185353		0.44	<10	0.94	1655	<1	0.85	35	570	7	0.18	5	41	133	<20	0.96
D1185354		1.09	10	0.83	1460	<1	1.21	31	630	6	0.23	<5	35	245	<20	0.86
D1185355		1.33	10	0.63	645	<1	2.67	11	630	9	0.26	<5	7	452	<20	0.25
D1185356		0.46	<10	0.75	1940	<1	0.74	35	540	7	0.17	7	43	123	<20	0.98
D1185357		0.37	<10	1.02	1555	<1	1.01	33	560	8	0.36	<5	40	102	<20	0.96
D1185358		1.04	<10	2.46	1515	<1	0.96	34	550	15	0.62	6	38	120	<20	0.89
D1185359		0.11	<10	0.95	1560	<1	1.41	30	520	5	0.26	7	37	104	<20	0.86
D1185360		1.46	30	0.64	908	<1	0.61	12	3090	12	0.19	5	5	440	<20	0.19
D1185361		0.10	<10	0.88	1585	<1	1.34	26	520	10	0.29	6	34	85	<20	0.79
D1185362		0.14	<10	1.46	1390	<1	1.34	30	550	5	0.30	7	38	103	<20	0.89
D1185363		0.19	<10	2.43	1620	<1	1.02	29	530	12	0.22	<5	37	83	<20	0.87
D1185364		0.20	<10	2.89	1430	<1	1.06	31	570	8	0.17	<5	39	87	<20	0.93
D1185365		0.27	10	2.53	1270	<1	1.61	33	560	11	0.27	<5	33	144	<20	0.77
D1185366		0.17	<10	2.28	1525	<1	0.97	30	530	10	0.20	<5	36	75	<20	0.84
D1185367		0.04	<10	0.97	1565	<1	0.92	30	600	12	0.12	<5	42	120	<20	0.97
D1185368		0.04	<10	0.81	1660	<1	1.08	31	560	11	0.31	<5	39	125	<20	0.90
D1185369		0.08	10	0.81	1350	<1	0.88	29	490	9	0.43	<5	30	137	<20	0.70
D1185370		0.78	20	3.70	1405	5	2.17	141	1640	8	0.25	5	19	429	<20	0.98
D1185371		0.23	10	2.28	1100	<1	1.64	28	560	28	0.58	<5	29	155	<20	0.68
D1185372		1.00	<10	0.68	393	1	3.67	12	440	9	0.34	<5	4	536	<20	0.17
D1185373		0.94	10	0.60	314	<1	3.84	11	470	8	0.25	<5	3	707	<20	0.15
D1185374		1.00	10	0.66	361	<1	3.73	8	460	8	0.28	<5	3	616	<20	0.14
D1185375		0.59	10	0.68	519	<1	4.29	10	430	5	0.37	<5	3	602	<20	0.13
D1185376		0.88	10	0.60	364	<1	3.91	9	430	4	0.34	<5	3	592	<20	0.12
D1185377		0.98	10	0.61	314	<1	3.62	11	450	5	0.46	<5	3	556	<20	0.12
D1185378		1.01	10	0.60	296	<1	3.64	10	460	5	0.21	<5	3	636	<20	0.12
D1185379		0.92	10	0.60	278	1	3.56	9	440	4	0.25	5	3	578	<20	0.12
D1185380		1.97	20	1.24	1500	<1	0.48	23	2160	14	0.40	<5	7	460	<20	0.23

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method Analyte Units LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1185341		<10	<10	358	<10	137	
D1185342		<10	<10	355	<10	151	
D1185343		<10	<10	361	<10	160	
D1185344		10	<10	323	<10	133	
D1185345		<10	<10	348	<10	164	
D1185346		<10	<10	353	<10	146	
D1185347		<10	<10	374	<10	143	
D1185348		10	<10	354	<10	140	
D1185349		<10	<10	357	<10	135	
D1185350		<10	<10	148	<10	123	
D1185351		<10	<10	365	<10	135	
D1185352		<10	<10	385	<10	139	
D1185353		<10	<10	373	<10	133	
D1185354		<10	<10	327	<10	112	
D1185355		<10	<10	68	<10	49	
D1185356		<10	<10	386	<10	129	
D1185357		<10	<10	365	<10	141	
D1185358		<10	<10	342	<10	179	
D1185359		<10	<10	337	<10	124	
D1185360		<10	<10	20	<10	16	
D1185361		<10	<10	308	<10	110	
D1185362		<10	<10	345	<10	135	
D1185363		<10	<10	331	<10	139	
D1185364		<10	<10	357	<10	146	
D1185365		<10	<10	298	<10	130	
D1185366		<10	<10	323	<10	145	
D1185367		<10	<10	373	<10	144	
D1185368		<10	<10	344	<10	129	
D1185369		<10	<10	261	<10	139	
D1185370		<10	<10	154	<10	115	
D1185371		<10	<10	244	<10	183	
D1185372		<10	<10	41	<10	39	
D1185373		<10	<10	33	<10	37	
D1185374		<10	<10	31	<10	31	
D1185375		<10	<10	30	320	34	
D1185376		<10	<10	28	150	30	
D1185377		10	<10	33	10	40	
D1185378		<10	<10	31	<10	54	
D1185379		<10	<10	33	10	43	
D1185380		<10	<10	41	<10	145	

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1185381		2.11	0.125	<0.5	7.58	<5	610	0.9	2	2.85	<0.5	7	28	3	1.79	20
D1185382		2.05	0.126	<0.5	7.79	<5	630	0.9	<2	2.79	<0.5	6	25	5	1.77	20
D1185383		2.02	0.092	<0.5	7.87	<5	630	0.9	<2	2.74	<0.5	5	24	6	1.72	20
D1185384		2.06	0.773	<0.5	7.25	<5	570	0.8	<2	2.56	<0.5	16	29	17	2.77	20
D1185385		2.32	0.979	<0.5	7.53	<5	460	0.8	<2	3.10	<0.5	10	29	37	2.55	20
D1185386		2.22	<0.005	<0.5	6.25	<5	30	0.5	2	4.69	0.6	43	35	106	11.80	20
D1185387		2.24	<0.005	<0.5	6.32	<5	20	0.6	<2	5.40	0.5	46	33	120	11.75	20
D1185388		2.33	0.005	<0.5	6.69	<5	30	0.5	2	5.65	0.6	46	39	102	12.25	20
D1185389		2.31	<0.005	<0.5	6.67	<5	20	<0.5	2	6.63	0.7	42	43	91	11.50	30
D1185390		0.06	3.43	<0.5	6.01	1300	420	0.9	<2	4.88	0.5	37	168	120	10.70	20
D1185391		2.29	<0.005	<0.5	7.07	<5	20	<0.5	<2	4.78	<0.5	46	44	120	12.20	20
D1185392		2.44	<0.005	<0.5	7.09	<5	10	<0.5	3	4.95	<0.5	52	38	163	12.05	20
D1185393		2.35	<0.005	<0.5	7.25	<5	20	<0.5	<2	5.68	0.6	47	36	108	11.80	20
D1185394		2.39	<0.005	<0.5	7.26	<5	20	<0.5	<2	5.08	<0.5	50	37	90	12.40	20
D1185395		2.40	<0.005	<0.5	6.95	<5	20	<0.5	<2	5.85	0.7	50	34	107	11.95	20
D1185396		2.26	<0.005	<0.5	6.99	<5	20	<0.5	<2	5.59	0.8	51	36	103	12.10	20
D1185397		2.28	<0.005	<0.5	6.66	<5	20	<0.5	<2	5.58	0.7	49	33	72	11.75	20
D1185398		2.17	<0.005	<0.5	6.21	<5	30	0.5	<2	5.96	0.5	45	32	73	10.95	20
D1185399		1.83	0.012	<0.5	6.65	<5	90	<0.5	<2	4.18	<0.5	48	35	100	11.90	20
D1185400		0.30	<0.005	<0.5	3.28	<5	430	0.6	<2	17.6	<0.5	8	25	14	2.05	10
D1185401		1.23	0.019	<0.5	6.73	<5	160	<0.5	6	4.37	0.5	44	37	70	11.65	20
D1185402		1.72	0.036	0.7	5.64	<5	80	0.9	6	3.48	6.2	51	33	771	11.00	20
D1185403		1.98	0.008	<0.5	6.89	<5	330	1.5	<2	2.46	<0.5	7	12	55	3.32	20
D1185404		1.93	0.012	<0.5	5.87	<5	230	0.9	<2	3.53	<0.5	23	59	97	5.52	20
D1185405		2.17	<0.005	<0.5	7.27	<5	110	<0.5	<2	5.92	0.5	47	157	91	8.95	20
D1185406		2.21	0.009	<0.5	6.96	<5	160	<0.5	<2	5.96	0.6	46	146	80	8.68	20
D1185407		2.43	0.006	<0.5	6.71	<5	110	<0.5	<2	5.03	<0.5	43	160	54	8.38	20
D1185408		2.07	0.008	<0.5	6.85	<5	160	<0.5	<2	5.59	<0.5	43	159	69	8.30	20
D1185409		1.71	<0.005	<0.5	6.77	<5	60	<0.5	<2	6.15	<0.5	43	151	13	8.57	20
D1185410		0.07	1.250	<0.5	6.34	724	420	0.9	<2	4.96	0.5	36	167	91	9.41	20
D1185411		2.53	<0.005	<0.5	6.69	<5	90	<0.5	<2	6.05	<0.5	40	147	43	8.07	20
D1185412		2.27	<0.005	<0.5	6.32	<5	140	<0.5	<2	6.82	<0.5	37	130	26	7.61	20
D1185413		1.85	<0.005	<0.5	6.71	<5	130	<0.5	<2	6.38	<0.5	42	156	48	8.40	20
D1185414		2.70	<0.005	<0.5	7.01	<5	40	<0.5	<2	6.74	<0.5	46	170	69	8.62	20
D1185415		1.97	<0.005	<0.5	6.71	<5	40	<0.5	<2	5.91	<0.5	41	176	6	8.12	20
D1185416		2.11	<0.005	<0.5	6.79	<5	70	<0.5	<2	5.79	<0.5	43	198	34	8.40	20
D1185417		2.08	<0.005	<0.5	6.72	<5	50	<0.5	<2	5.16	<0.5	43	304	12	8.28	20
D1185418		2.29	0.005	<0.5	6.94	<5	170	<0.5	<2	5.38	<0.5	42	185	57	7.90	20
D1185419		1.79	0.005	<0.5	6.80	<5	120	<0.5	<2	4.81	<0.5	40	159	27	7.85	20
D1185420		0.31	<0.005	<0.5	3.62	<5	370	0.6	<2	18.0	<0.5	6	25	10	1.69	10

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1185381		0.97	10	0.62	292	<1	3.70	11	450	7	0.37	<5	3	590	<20	0.11
D1185382		1.02	10	0.63	301	2	3.71	14	440	4	0.31	<5	3	633	<20	0.12
D1185383		1.10	10	0.60	290	1	3.74	9	450	7	0.23	<5	3	636	<20	0.15
D1185384		0.92	10	0.56	328	<1	3.59	11	420	3	1.37	<5	3	535	<20	0.15
D1185385		0.61	10	0.76	504	1	3.95	11	470	4	0.21	<5	6	481	<20	0.24
D1185386		0.11	<10	2.60	1690	1	1.97	30	600	<2	0.33	<5	41	93	<20	0.99
D1185387		0.13	10	2.56	1770	2	2.00	29	600	8	0.32	<5	42	103	<20	1.00
D1185388		0.14	10	2.79	1680	<1	1.89	31	620	2	0.21	<5	43	83	<20	1.02
D1185389		0.15	<10	2.52	1670	<1	1.75	34	560	3	0.19	<5	41	107	<20	0.95
D1185390		0.58	20	3.38	2510	5	1.71	142	1960	14	2.23	<5	16	351	<20	0.81
D1185391		0.16	<10	2.94	1760	1	2.47	41	580	5	0.30	<5	43	90	<20	0.99
D1185392		0.15	<10	2.74	1710	1	2.32	41	570	3	0.42	<5	41	98	<20	0.96
D1185393		0.16	<10	2.64	1750	<1	2.05	40	570	6	0.24	<5	40	121	<20	0.94
D1185394		0.15	<10	2.83	1880	1	2.33	47	600	5	0.14	<5	42	123	<20	1.00
D1185395		0.15	<10	2.77	1880	<1	1.77	48	570	6	0.15	<5	40	171	<20	0.95
D1185396		0.15	<10	2.79	1780	<1	1.82	52	590	7	0.15	<5	40	187	<20	0.96
D1185397		0.15	<10	3.11	1810	<1	1.71	50	560	6	0.16	<5	39	115	<20	0.92
D1185398		0.16	<10	2.62	1740	1	1.74	44	530	<2	0.19	<5	37	100	<20	0.88
D1185399		0.25	<10	3.16	1690	<1	1.21	47	580	8	0.09	<5	40	151	<20	0.95
D1185400		1.73	20	0.94	1380	<1	0.52	20	3030	15	0.49	<5	6	476	<20	0.15
D1185401		0.41	<10	2.90	1660	<1	1.19	42	580	8	0.32	<5	40	169	<20	0.95
D1185402		0.22	20	1.13	835	13	1.81	49	370	9	3.81	<5	15	176	<20	0.36
D1185403		1.26	30	0.74	259	4	1.78	7	170	7	0.44	<5	6	86	<20	0.15
D1185404		1.02	20	1.00	640	2	1.48	43	390	6	0.80	<5	13	92	<20	0.53
D1185405		0.49	<10	3.40	1450	<1	1.68	131	390	5	0.30	<5	35	163	<20	0.64
D1185406		0.68	<10	4.45	1360	<1	1.48	122	320	2	0.01	<5	35	128	<20	0.60
D1185407		0.42	<10	5.02	1190	1	1.20	126	330	<2	0.01	<5	30	99	<20	0.60
D1185408		0.68	<10	4.54	1160	<1	1.47	121	330	7	0.01	<5	32	128	<20	0.59
D1185409		0.29	<10	4.92	1170	<1	1.22	116	320	2	<0.01	<5	34	114	<20	0.57
D1185410		0.64	20	3.44	2460	3	1.79	132	1860	6	0.93	<5	16	361	<20	0.84
D1185411		0.39	<10	4.40	1090	<1	1.41	115	320	2	<0.01	<5	34	139	<20	0.57
D1185412		0.64	<10	4.17	1170	<1	1.21	94	310	2	<0.01	<5	33	148	<20	0.55
D1185413		0.61	<10	4.09	1110	<1	1.66	109	320	<2	0.01	<5	32	192	<20	0.58
D1185414		0.14	<10	4.09	1050	<1	1.95	124	330	<2	0.02	<5	35	242	<20	0.61
D1185415		0.19	<10	4.56	949	<1	1.78	122	320	4	<0.01	<5	33	171	<20	0.58
D1185416		0.34	<10	4.99	956	<1	1.53	132	330	2	<0.01	<5	32	122	<20	0.58
D1185417		0.24	<10	5.31	953	<1	1.30	137	330	<2	<0.01	<5	30	102	<20	0.60
D1185418		0.87	<10	5.07	1040	<1	1.53	126	340	3	<0.01	<5	34	115	<20	0.58
D1185419		0.55	<10	4.63	832	<1	1.77	116	320	2	0.02	<5	34	128	<20	0.58
D1185420		1.91	30	0.79	875	<1	0.67	17	3090	15	0.34	<5	6	409	<20	0.21

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1185381		<10	<10	32	<10	44	
D1185382		<10	<10	32	<10	48	
D1185383		<10	<10	32	<10	47	
D1185384		<10	<10	30	<10	38	
D1185385		<10	<10	58	<10	70	
D1185386		<10	<10	375	<10	151	
D1185387		10	<10	381	<10	139	
D1185388		10	<10	389	<10	133	
D1185389		10	<10	372	<10	112	
D1185390		<10	<10	142	<10	124	
D1185391		<10	<10	375	<10	128	
D1185392		<10	<10	356	<10	129	
D1185393		10	<10	353	<10	136	
D1185394		<10	<10	374	<10	138	
D1185395		<10	<10	350	<10	129	
D1185396		<10	<10	353	<10	136	
D1185397		<10	<10	345	<10	136	
D1185398		10	<10	326	<10	116	
D1185399		<10	<10	360	<10	158	
D1185400		<10	<10	27	<10	39	
D1185401		<10	<10	354	<10	238	
D1185402		<10	<10	98	<10	1360	
D1185403		<10	<10	26	<10	204	
D1185404		<10	<10	93	<10	226	
D1185405		<10	<10	265	<10	125	
D1185406		<10	<10	265	<10	74	
D1185407		10	<10	257	<10	71	
D1185408		<10	<10	258	<10	67	
D1185409		<10	<10	252	<10	69	
D1185410		<10	<10	143	<10	120	
D1185411		<10	<10	250	<10	59	
D1185412		<10	<10	244	<10	53	
D1185413		<10	<10	257	<10	62	
D1185414		<10	<10	267	<10	60	
D1185415		<10	<10	252	<10	45	
D1185416		<10	<10	250	<10	47	
D1185417		<10	<10	256	<10	50	
D1185418		<10	<10	258	<10	48	
D1185419		<10	<10	251	<10	52	
D1185420		<10	<10	28	<10	19	

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1185421		1.86	0.006	<0.5	6.66	<5	300	<0.5	<2	5.10	<0.5	44	160	63	8.61	20
D1185422		2.33	<0.005	<0.5	6.71	<5	320	<0.5	<2	5.56	0.5	44	159	26	8.23	20
D1185423		2.46	<0.005	<0.5	7.00	<5	200	<0.5	<2	5.49	<0.5	46	200	43	8.55	20
D1185424		2.28	<0.005	<0.5	7.48	<5	110	<0.5	<2	4.82	<0.5	47	756	40	8.78	20
D1185425		1.63	<0.005	<0.5	7.23	<5	100	<0.5	<2	5.76	<0.5	47	189	66	8.54	20
D1185426		2.57	<0.005	<0.5	7.15	<5	120	<0.5	<2	5.41	<0.5	46	183	70	8.96	20
D1185427		2.57	<0.005	<0.5	7.15	<5	90	<0.5	<2	5.99	<0.5	50	183	155	8.53	20
D1185428		2.19	<0.005	<0.5	7.28	<5	80	<0.5	<2	7.32	<0.5	42	178	107	8.52	20
D1185429		2.18	0.005	<0.5	7.34	<5	70	<0.5	<2	6.71	<0.5	45	167	120	8.59	20
D1185430		0.06	0.341	<0.5	7.02	187	340	1.1	<2	5.35	<0.5	39	177	112	7.84	20
D1185431		1.74	<0.005	<0.5	7.94	<5	210	0.8	<2	3.11	<0.5	8	46	17	2.31	20
D1185432		1.65	<0.005	<0.5	7.18	<5	120	<0.5	<2	5.93	0.5	45	166	88	9.16	20
D1185433		1.77	<0.005	<0.5	7.07	<5	40	<0.5	<2	7.37	0.5	41	150	41	8.64	20
D1185434		2.27	0.006	<0.5	7.37	<5	40	<0.5	<2	5.51	0.5	47	185	123	9.16	20
D1185435		2.63	<0.005	<0.5	7.15	<5	30	<0.5	<2	6.25	<0.5	48	168	79	9.39	20
D1185436		2.72	<0.005	<0.5	6.92	<5	30	<0.5	<2	6.82	<0.5	45	157	72	9.09	20
D1185437		2.25	<0.005	<0.5	7.17	<5	30	<0.5	<2	6.18	<0.5	49	184	76	9.01	20
D1185438		2.58	<0.005	<0.5	7.44	<5	50	<0.5	<2	6.50	<0.5	49	184	98	9.44	20
D1185439		2.43	<0.005	<0.5	7.14	<5	80	<0.5	<2	5.43	<0.5	52	179	57	9.04	20
D1185440		0.30	<0.005	<0.5	3.51	<5	520	0.5	<2	18.0	<0.5	4	20	10	1.52	10
D1185441		2.30	<0.005	<0.5	7.06	<5	30	<0.5	<2	5.95	0.5	47	176	51	9.05	20
D1185442		2.68	<0.005	<0.5	6.97	<5	40	<0.5	<2	5.46	<0.5	47	175	39	9.32	20
D1185443		2.37	<0.005	<0.5	7.33	<5	70	<0.5	<2	4.98	<0.5	53	183	112	9.38	20
D1185444		2.78	<0.005	<0.5	7.14	<5	50	<0.5	<2	5.45	<0.5	51	176	112	9.43	20
D1185445		2.62	<0.005	<0.5	7.25	<5	40	<0.5	<2	5.64	0.5	57	173	174	9.62	20
D1185446		2.24	0.014	<0.5	6.56	<5	30	<0.5	<2	5.92	<0.5	61	146	430	8.94	20
D1185447		2.70	<0.005	<0.5	6.88	<5	30	<0.5	<2	5.94	<0.5	45	157	88	9.47	20
D1185448		2.65	0.010	<0.5	6.29	<5	50	<0.5	<2	5.21	<0.5	68	122	385	11.15	20
D1185449		2.47	<0.005	<0.5	6.49	<5	80	<0.5	<2	5.27	0.5	46	128	133	9.48	20
D1185450		0.06	3.49	<0.5	6.16	1320	430	0.9	<2	4.96	0.6	39	164	124	11.00	20
D1185451		2.25	<0.005	<0.5	5.98	<5	180	<0.5	<2	5.30	<0.5	40	87	102	10.05	20
D1185452		2.19	0.005	<0.5	6.06	<5	160	<0.5	<2	6.09	<0.5	42	123	93	9.07	20
D1185453		2.12	0.006	<0.5	6.68	<5	30	<0.5	<2	5.32	<0.5	43	148	126	9.29	20
D1185454		2.16	0.006	<0.5	6.40	<5	60	<0.5	2	5.66	0.6	48	104	141	10.40	20
D1185455		2.15	<0.005	<0.5	6.55	<5	40	<0.5	2	5.15	0.7	47	150	128	10.05	20
D1185456		2.10	<0.005	<0.5	6.81	<5	100	<0.5	<2	6.24	<0.5	39	167	84	8.05	20
D1185457		1.34	0.005	<0.5	7.07	<5	170	<0.5	<2	5.95	<0.5	44	186	96	8.72	20
D1185458		1.43	0.018	<0.5	7.35	<5	450	0.9	<2	3.08	<0.5	11	28	278	2.80	20
D1185459		1.85	<0.005	<0.5	7.90	<5	390	0.9	<2	3.45	<0.5	10	33	119	3.03	20
D1185460		0.28	<0.005	<0.5	3.44	<5	480	0.6	<2	19.4	<0.5	3	24	11	1.56	10

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1185421		1.50	<10	4.67	975	<1	1.66	116	340	5	0.01	<5	34	124	<20	0.58
D1185422		1.61	<10	5.22	1060	<1	1.31	125	330	3	<0.01	<5	33	109	<20	0.57
D1185423		0.90	<10	5.01	1140	<1	2.00	141	320	4	0.01	<5	34	155	<20	0.58
D1185424		0.46	<10	5.62	1210	<1	2.22	170	340	3	<0.01	<5	35	184	<20	0.61
D1185425		0.38	<10	4.95	1220	<1	2.05	138	340	3	0.03	<5	36	179	<20	0.62
D1185426		0.51	<10	4.60	1180	<1	2.23	129	330	3	0.10	<5	37	176	<20	0.60
D1185427		0.36	<10	4.39	1200	1	2.45	130	340	<2	0.43	<5	36	178	<20	0.60
D1185428		0.31	<10	3.94	1260	4	2.05	123	330	3	0.31	5	34	192	<20	0.58
D1185429		0.26	<10	3.50	1280	<1	2.41	118	370	5	0.31	<5	33	215	<20	0.58
D1185430		0.75	20	3.56	1370	5	2.13	136	1570	3	0.25	<5	18	417	<20	0.97
D1185431		0.45	10	1.04	308	1	3.85	21	480	4	0.22	<5	5	555	<20	0.18
D1185432		0.56	<10	4.04	1400	<1	2.33	128	360	7	0.06	<5	36	150	<20	0.62
D1185433		0.20	<10	3.66	1470	<1	2.21	117	330	<2	0.02	<5	35	167	<20	0.60
D1185434		0.19	<10	4.25	1350	<1	2.76	129	370	5	0.03	<5	37	153	<20	0.61
D1185435		0.17	<10	3.86	1490	<1	2.81	116	340	5	0.02	<5	38	168	<20	0.65
D1185436		0.17	<10	3.82	1360	<1	2.21	120	370	2	0.08	<5	34	201	<20	0.66
D1185437		0.17	<10	4.43	1230	<1	2.03	149	310	5	0.01	<5	29	232	<20	0.58
D1185438		0.25	<10	4.61	1240	<1	1.85	136	360	3	0.01	<5	38	249	<20	0.66
D1185439		0.40	<10	4.65	1210	1	2.36	148	330	3	0.11	<5	28	222	<20	0.59
D1185440		1.84	30	0.68	889	<1	0.78	15	3490	13	0.17	<5	5	413	<20	0.19
D1185441		0.14	<10	4.64	1270	<1	2.00	152	350	5	0.03	<5	28	214	<20	0.63
D1185442		0.21	<10	4.54	1300	<1	2.31	126	360	5	0.02	<5	30	170	<20	0.66
D1185443		0.36	<10	4.67	1410	<1	2.47	152	340	5	0.05	<5	30	155	<20	0.60
D1185444		0.27	<10	4.58	1450	<1	2.39	141	360	5	0.15	<5	30	159	<20	0.61
D1185445		0.21	<10	4.68	1390	1	2.58	115	380	3	0.62	<5	42	164	<20	0.72
D1185446		0.19	<10	3.87	1240	3	2.11	120	360	4	1.67	<5	34	174	<20	0.60
D1185447		0.16	<10	4.16	1470	<1	1.95	100	400	5	0.13	<5	39	206	<20	0.68
D1185448		0.26	<10	3.80	1360	3	2.12	65	450	4	1.17	<5	42	156	<20	0.78
D1185449		0.40	<10	3.48	1430	2	2.33	59	480	<2	0.31	<5	41	152	<20	0.75
D1185450		0.60	20	3.46	2550	4	1.76	143	2030	11	2.26	<5	16	361	<20	0.83
D1185451		0.88	<10	3.19	1460	1	2.06	46	510	4	0.25	<5	41	117	<20	0.85
D1185452		0.79	<10	3.42	1450	<1	1.78	63	400	5	0.04	<5	39	128	<20	0.69
D1185453		0.23	<10	3.54	1400	<1	1.94	73	370	3	0.18	<5	39	164	<20	0.67
D1185454		0.37	<10	3.62	1500	1	1.65	60	440	7	0.23	<5	44	184	<20	0.79
D1185455		0.39	<10	3.80	1420	2	1.44	64	430	4	0.36	<5	44	214	<20	0.77
D1185456		0.70	<10	4.00	1320	<1	1.52	118	300	5	0.31	<5	33	222	<20	0.56
D1185457		0.72	<10	4.37	1290	5	1.46	139	340	4	0.28	<5	31	271	<20	0.59
D1185458		0.83	10	0.90	360	3	3.86	15	590	7	0.87	<5	4	616	<20	0.21
D1185459		0.84	10	1.06	417	2	3.67	18	630	4	0.41	<5	5	660	<20	0.24
D1185460		1.87	20	0.73	916	<1	0.65	13	2400	11	0.22	<5	5	442	<20	0.19

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1185421		<10	<10	247	<10	73	
D1185422		<10	<10	251	<10	53	
D1185423		<10	<10	256	<10	54	
D1185424		<10	<10	273	<10	60	
D1185425		<10	<10	270	<10	58	
D1185426		<10	<10	273	<10	80	
D1185427		<10	<10	269	<10	89	
D1185428		<10	<10	261	<10	89	
D1185429		<10	<10	242	<10	81	
D1185430		<10	<10	149	<10	109	
D1185431		<10	<10	45	<10	31	
D1185432		<10	<10	272	<10	93	
D1185433		<10	<10	262	<10	96	
D1185434		<10	<10	267	<10	97	
D1185435		10	<10	285	<10	95	
D1185436		<10	<10	276	<10	87	
D1185437		<10	<10	258	<10	78	
D1185438		<10	<10	287	<10	70	
D1185439		<10	<10	253	<10	78	
D1185440		10	<10	22	<10	18	
D1185441		<10	<10	265	<10	78	
D1185442		<10	<10	287	<10	78	
D1185443		<10	<10	264	<10	85	
D1185444		<10	<10	270	<10	94	
D1185445		<10	<10	298	<10	96	
D1185446		<10	<10	247	<10	91	
D1185447		<10	<10	293	<10	94	
D1185448		<10	<10	320	<10	94	
D1185449		<10	<10	295	<10	91	
D1185450		<10	<10	144	<10	126	
D1185451		<10	<10	344	<10	99	
D1185452		<10	<10	289	<10	95	
D1185453		<10	<10	285	<10	93	
D1185454		<10	<10	340	<10	102	
D1185455		<10	<10	335	<10	99	
D1185456		<10	<10	241	10	90	
D1185457		10	<10	254	<10	111	
D1185458		<10	<10	48	40	71	
D1185459		<10	<10	56	<10	54	
D1185460		<10	<10	24	<10	22	

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1185461		1.63	<0.005	<0.5	7.09	<5	250	<0.5	<2	6.29	<0.5	49	191	142	9.16	20
D1185462		2.27	0.005	<0.5	7.35	<5	50	<0.5	<2	7.06	<0.5	49	186	177	9.42	20
D1185463		2.40	0.005	<0.5	7.20	<5	110	<0.5	<2	6.83	<0.5	51	191	178	9.31	20
D1185464		2.62	<0.005	<0.5	7.35	<5	270	<0.5	<2	7.04	0.5	52	199	139	9.58	20
D1185465		2.67	<0.005	<0.5	7.11	<5	170	<0.5	<2	7.03	<0.5	50	182	193	9.37	20
D1185466		2.54	<0.005	<0.5	7.25	<5	30	<0.5	<2	6.83	<0.5	53	195	134	9.72	20
D1185467		2.60	<0.005	<0.5	7.46	<5	450	<0.5	<2	6.97	<0.5	53	195	97	9.62	20
D1185468		2.09	<0.005	<0.5	7.44	<5	1030	<0.5	<2	6.42	0.5	54	203	104	9.66	20
D1185469		2.90	<0.005	<0.5	7.13	<5	40	<0.5	<2	6.96	<0.5	49	183	132	9.11	20
D1185470		0.06	6.54	1.1	5.83	4340	560	0.8	2	5.49	0.5	32	141	194	12.35	20
D1185471		2.65	<0.005	<0.5	7.42	<5	60	<0.5	<2	6.71	<0.5	50	193	164	9.30	20
D1185472		1.65	<0.005	<0.5	7.85	<5	90	<0.5	<2	6.41	<0.5	52	204	141	9.83	20
D1185473		1.82	<0.005	<0.5	7.35	<5	200	<0.5	<2	5.81	<0.5	43	172	171	8.12	20
D1185474		2.51	<0.005	<0.5	7.78	<5	550	0.9	<2	3.28	<0.5	11	38	97	2.65	20
D1185475		2.44	0.006	<0.5	7.90	<5	650	0.9	<2	3.29	<0.5	10	33	159	2.55	20
D1185476		2.35	<0.005	<0.5	8.18	<5	510	0.9	<2	3.11	<0.5	10	37	291	2.64	20
D1185477		2.02	0.005	<0.5	7.88	<5	530	0.9	<2	3.27	<0.5	10	33	293	2.64	20
D1185478		1.92	<0.005	<0.5	8.05	<5	340	0.8	<2	3.75	<0.5	13	56	102	3.26	20
D1185479		2.14	<0.005	<0.5	6.72	<5	20	<0.5	<2	6.57	<0.5	54	200	70	9.42	20
D1185480		0.31	<0.005	<0.5	2.92	<5	520	0.5	<2	21.1	<0.5	4	19	9	1.58	10
D1185481		2.66	<0.005	<0.5	7.67	5	30	<0.5	2	6.80	<0.5	51	199	108	9.21	20
D1185482		2.43	<0.005	<0.5	7.50	<5	20	<0.5	<2	6.76	<0.5	50	185	111	9.05	20
D1185483		2.46	<0.005	<0.5	7.37	<5	40	<0.5	4	6.47	<0.5	50	187	91	8.99	20
D1185484		2.57	<0.005	<0.5	7.25	<5	60	<0.5	<2	7.52	<0.5	46	173	91	8.43	20
D1185485		2.42	<0.005	<0.5	7.45	<5	60	<0.5	<2	6.81	<0.5	49	177	72	8.90	20
D1185486		2.79	<0.005	<0.5	7.23	<5	20	<0.5	3	6.78	0.5	48	187	78	8.66	20
D1185487		2.84	<0.005	<0.5	7.36	<5	30	<0.5	<2	6.42	<0.5	49	188	96	8.84	20
D1185488		2.34	<0.005	<0.5	7.49	<5	20	<0.5	<2	6.77	<0.5	49	191	95	8.83	20
D1185489		2.56	<0.005	<0.5	7.44	<5	20	<0.5	<2	6.70	<0.5	49	177	107	8.89	20
D1185490		0.06	1.110	<0.5	6.51	680	430	1.0	<2	5.17	0.5	35	181	92	9.26	20
D1185491		2.30	<0.005	<0.5	7.45	<5	40	<0.5	3	6.50	<0.5	46	182	84	8.77	20
D1185492		2.24	<0.005	<0.5	7.59	<5	30	<0.5	<2	6.70	<0.5	48	192	66	8.92	20
D1185493		1.07	<0.005	<0.5	6.79	<5	90	<0.5	2	6.53	<0.5	42	166	47	7.95	20
D1185494		2.06	<0.005	<0.5	7.85	<5	650	0.9	<2	2.99	<0.5	9	36	9	2.29	20
D1185495		2.10	<0.005	<0.5	7.45	<5	590	0.9	<2	2.94	<0.5	7	34	8	1.93	20
D1185496		2.17	0.008	<0.5	7.97	<5	600	0.9	<2	2.87	<0.5	7	30	4	2.01	20
D1185497		2.20	0.010	<0.5	7.74	<5	640	0.8	<2	2.77	<0.5	6	27	8	1.95	20
D1185498		2.17	0.005	<0.5	7.71	<5	540	0.8	<2	2.49	<0.5	7	27	10	1.90	20
D1185499		1.54	0.005	<0.5	7.72	<5	470	0.8	<2	2.75	<0.5	7	27	14	1.93	20
D1185500		0.29	<0.005	<0.5	3.28	5	320	0.6	<2	18.7	<0.5	7	24	8	1.61	10

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1185461		0.31	<10	4.32	1340	10	1.09	145	340	5	0.28	<5	30	174	<20	0.61
D1185462		0.15	<10	4.38	1450	4	1.11	151	340	2	0.30	<5	30	169	<20	0.62
D1185463		0.12	<10	4.41	1450	7	1.06	149	340	4	0.30	<5	29	153	<20	0.60
D1185464		0.10	<10	4.40	1500	11	1.08	155	350	3	0.30	<5	29	147	<20	0.62
D1185465		0.18	<10	4.37	1420	6	0.96	143	320	5	0.31	<5	29	133	<20	0.59
D1185466		0.25	<10	4.53	1560	2	1.04	160	350	2	0.18	<5	27	167	<20	0.63
D1185467		0.14	<10	4.54	1500	2	1.20	154	330	5	0.22	<5	33	141	<20	0.62
D1185468		0.17	<10	4.49	1520	1	1.26	157	340	4	0.21	<5	32	133	<20	0.63
D1185469		0.21	<10	4.32	1400	8	1.18	149	370	4	0.29	<5	29	124	<20	0.63
D1185470		0.54	20	2.93	4060	4	1.20	106	2310	14	3.48	<5	20	239	<20	0.55
D1185471		0.29	<10	4.38	1390	20	1.16	154	340	2	0.31	<5	34	128	<20	0.61
D1185472		0.39	<10	4.66	1460	4	1.30	159	340	3	0.27	<5	37	140	<20	0.64
D1185473		0.49	<10	3.80	1190	9	1.55	131	400	6	0.32	<5	29	227	<20	0.54
D1185474		0.70	10	0.92	318	6	3.78	16	570	15	0.35	<5	4	599	<20	0.21
D1185475		0.76	10	0.92	263	32	3.61	15	580	3	0.45	<5	4	673	<20	0.20
D1185476		0.66	10	0.93	249	24	3.69	16	580	6	0.50	<5	4	696	<20	0.21
D1185477		0.64	10	0.90	301	3	3.86	14	580	5	0.23	<5	4	622	<20	0.20
D1185478		0.44	10	1.29	424	3	3.50	31	550	4	0.09	<5	7	560	<20	0.26
D1185479		0.14	<10	4.26	1410	2	1.17	159	340	3	0.12	<5	23	119	<20	0.62
D1185480		1.56	30	0.71	1010	<1	0.59	14	3450	14	0.25	<5	5	463	<20	0.17
D1185481		0.16	<10	4.58	1425	6	1.04	159	350	4	0.17	<5	36	114	<20	0.62
D1185482		0.17	<10	4.57	1440	4	1.19	156	330	<2	0.16	<5	35	102	<20	0.60
D1185483		0.31	<10	4.46	1370	1	1.11	153	340	2	0.11	<5	34	105	<20	0.60
D1185484		0.32	<10	4.27	1375	19	1.24	144	360	2	0.21	<5	35	111	<20	0.58
D1185485		0.35	<10	4.50	1400	4	1.37	153	330	<2	0.15	<5	35	108	<20	0.60
D1185486		0.19	<10	4.41	1425	1	1.19	149	330	<2	0.09	<5	35	101	<20	0.59
D1185487		0.22	<10	4.43	1405	3	1.33	146	330	<2	0.15	<5	35	104	<20	0.59
D1185488		0.14	<10	4.41	1405	2	1.20	152	350	<2	0.14	<5	36	106	<20	0.60
D1185489		0.16	<10	4.51	1415	4	1.24	154	340	3	0.22	<5	35	109	<20	0.60
D1185490		0.67	20	3.56	2490	4	1.84	138	1920	6	0.91	<5	17	371	<20	0.86
D1185491		0.16	<10	4.59	1495	8	1.37	153	330	<2	0.20	<5	35	110	<20	0.59
D1185492		0.14	<10	4.50	1345	3	1.36	159	340	4	0.11	<5	37	134	<20	0.61
D1185493		0.28	<10	4.03	1305	2	1.43	139	310	<2	0.17	<5	32	120	<20	0.55
D1185494		0.82	10	0.84	311	2	3.70	18	450	4	0.23	<5	5	570	<20	0.18
D1185495		0.78	10	0.73	290	2	3.75	12	480	<2	0.19	<5	3	617	<20	0.18
D1185496		0.77	10	0.70	243	1	3.76	12	470	2	0.21	<5	3	641	<20	0.17
D1185497		0.74	10	0.66	226	2	3.68	10	440	3	0.13	<5	3	603	<20	0.16
D1185498		0.70	10	0.69	195	1	3.73	10	440	2	0.14	<5	3	552	<20	0.15
D1185499		0.49	10	0.64	182	2	3.76	10	450	4	0.25	<5	3	590	<20	0.15
D1185500		1.76	30	0.72	964	1	0.63	17	3180	13	0.39	<5	6	417	<20	0.18

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method Analyte Units LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1185461		<10	<10	268	<10	86	
D1185462		<10	<10	276	<10	81	
D1185463		<10	<10	261	<10	80	
D1185464		<10	<10	272	<10	85	
D1185465		<10	<10	260	<10	84	
D1185466		<10	<10	278	<10	93	
D1185467		<10	<10	272	<10	92	
D1185468		<10	<10	277	<10	93	
D1185469		<10	<10	269	<10	77	
D1185470		<10	<10	175	10	121	NSS
D1185471		10	<10	266	<10	83	
D1185472		<10	<10	275	<10	94	
D1185473		<10	<10	227	<10	83	
D1185474		<10	<10	47	<10	44	
D1185475		<10	<10	46	<10	42	
D1185476		<10	<10	46	<10	44	
D1185477		<10	<10	46	<10	45	
D1185478		<10	<10	72	<10	46	
D1185479		10	<10	274	<10	95	
D1185480		<10	<10	21	<10	28	
D1185481		<10	<10	271	<10	89	
D1185482		<10	<10	271	<10	88	
D1185483		<10	<10	273	<10	85	
D1185484		<10	<10	259	<10	80	
D1185485		<10	<10	265	<10	77	
D1185486		10	<10	264	<10	85	
D1185487		<10	<10	263	<10	87	
D1185488		<10	<10	269	<10	85	
D1185489		<10	<10	268	<10	84	
D1185490		10	<10	151	<10	122	
D1185491		<10	<10	264	<10	88	
D1185492		<10	<10	271	<10	83	
D1185493		<10	<10	242	<10	84	
D1185494		<10	<10	48	<10	37	
D1185495		<10	<10	36	<10	43	
D1185496		<10	<10	35	<10	35	
D1185497		<10	<10	33	<10	31	
D1185498		<10	<10	31	<10	30	
D1185499		<10	<10	31	<10	26	
D1185500		<10	<10	23	<10	15	

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1185501		1.49	0.006	<0.5	7.14	<5	160	<0.5	<2	6.26	<0.5	46	198	52	8.71	20
D1185502		2.31	<0.005	<0.5	6.82	<5	40	<0.5	<2	6.61	0.5	50	197	86	9.17	20
D1185503		2.12	0.007	<0.5	7.23	<5	60	<0.5	<2	6.67	0.5	50	198	110	9.38	20
D1185504		2.37	<0.005	<0.5	6.90	<5	40	<0.5	<2	6.54	<0.5	49	193	98	8.93	20
D1185505		2.35	<0.005	<0.5	7.63	<5	30	<0.5	<2	6.64	<0.5	54	207	88	9.72	20
D1185506		2.31	<0.005	<0.5	7.44	<5	20	<0.5	<2	6.64	<0.5	53	199	195	9.72	20
D1185507		2.33	<0.005	<0.5	7.20	<5	40	<0.5	<2	6.43	<0.5	53	203	163	9.42	20
D1185508		2.90	<0.005	<0.5	7.47	<5	100	<0.5	<2	6.68	<0.5	49	185	141	8.93	20
D1185509		2.22	<0.005	<0.5	7.42	<5	150	<0.5	<2	5.79	<0.5	40	162	113	7.77	20
D1185510		0.06	0.344	<0.5	7.72	208	360	1.2	<2	5.99	<0.5	41	203	121	8.35	20
D1185511		2.86	<0.005	<0.5	7.63	<5	70	<0.5	5	6.81	<0.5	51	211	115	9.20	20
D1185512		2.55	<0.005	<0.5	7.51	<5	70	<0.5	<2	6.98	<0.5	52	212	71	9.34	20
D1185513		2.65	<0.005	<0.5	7.52	<5	90	<0.5	<2	6.98	<0.5	52	200	147	9.47	20
D1185514		1.80	<0.005	<0.5	7.16	<5	60	<0.5	<2	6.80	<0.5	49	198	75	9.13	20
D1185515		1.56	<0.005	<0.5	7.09	<5	160	<0.5	<2	5.46	<0.5	40	169	30	7.87	20
D1185516		2.29	0.009	<0.5	7.73	<5	400	0.9	<2	3.11	<0.5	8	31	68	2.76	20
D1185517		2.58	0.095	<0.5	8.25	<5	470	0.9	<2	3.17	<0.5	9	32	109	2.84	20
D1185518		2.40	<0.005	<0.5	8.04	<5	410	0.9	<2	3.46	<0.5	13	43	102	2.97	20
D1185519		1.16	0.007	<0.5	7.15	<5	190	<0.5	<2	6.38	<0.5	44	191	30	8.63	20
D1185520		0.29	<0.005	<0.5	3.39	<5	310	0.6	<2	20.1	<0.5	5	26	11	1.50	10
D1185521		2.06	<0.005	<0.5	7.39	<5	100	<0.5	<2	7.29	<0.5	48	183	84	8.77	20
D1185522		2.37	<0.005	<0.5	7.67	<5	120	<0.5	<2	6.40	<0.5	50	201	86	9.33	20
D1185523		1.60	<0.005	<0.5	7.50	<5	220	<0.5	<2	6.11	<0.5	51	205	78	9.61	20
D1185524		2.03	<0.005	<0.5	7.41	<5	150	<0.5	<2	5.76	<0.5	52	212	174	9.53	20
D1185525		2.06	<0.005	<0.5	7.56	<5	340	<0.5	<2	6.76	<0.5	52	211	144	9.48	20
D1185526		1.86	<0.005	<0.5	7.24	<5	70	<0.5	<2	6.05	<0.5	49	375	61	8.07	20
D1185527		2.05	<0.005	<0.5	7.02	<5	40	<0.5	<2	6.38	<0.5	53	488	99	8.20	20
D1185528		1.76	<0.005	<0.5	6.68	<5	100	<0.5	<2	5.74	<0.5	57	554	112	8.26	20
D1185529		1.76	<0.005	<0.5	7.14	<5	200	<0.5	<2	5.02	<0.5	38	277	53	6.20	20
D1185530		0.07	3.49	0.6	6.45	1425	440	0.9	<2	5.32	<0.5	40	182	128	11.20	20
D1185531		2.06	0.563	<0.5	6.69	<5	160	<0.5	<2	5.73	<0.5	55	479	58	8.22	20
D1185532		1.62	1.085	<0.5	6.45	10	480	0.5	2	7.05	<0.5	44	389	132	7.28	20
D1185533		1.51	1.060	<0.5	5.39	17	490	0.6	8	7.50	<0.5	40	238	25	6.57	20
D1185534		1.53	0.197	<0.5	7.53	<5	500	0.9	<2	3.22	<0.5	9	30	78	2.44	20
D1185535		1.79	0.377	<0.5	7.80	<5	530	1.0	<2	3.28	<0.5	10	31	60	2.70	20
D1185536		1.13	0.248	<0.5	7.68	<5	550	1.0	<2	3.32	<0.5	9	32	100	2.68	20
D1185537		1.07	<0.005	<0.5	7.10	<5	440	0.9	<2	5.99	<0.5	30	204	10	5.14	20
D1185538		1.75	0.204	<0.5	7.59	<5	510	1.0	<2	3.28	<0.5	10	34	100	2.65	20
D1185539		2.10	<0.005	<0.5	7.52	<5	460	0.9	<2	3.46	<0.5	10	65	83	2.84	20
D1185540		0.30	<0.005	<0.5	2.68	<5	230	0.5	<2	24.8	<0.5	4	19	8	1.31	10

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1185501		0.57	<10	4.53	1340	1	1.67	164	320	<2	0.15	<5	33	131	<20	0.58
D1185502		0.15	<10	4.40	1430	2	1.36	169	330	3	0.15	<5	25	158	<20	0.59
D1185503		0.29	<10	4.59	1460	3	1.21	168	330	<2	0.21	<5	28	170	<20	0.58
D1185504		0.21	<10	4.28	1380	4	1.11	161	330	3	0.21	<5	27	138	<20	0.57
D1185505		0.19	<10	4.69	1460	2	1.08	173	340	6	0.15	<5	32	147	<20	0.63
D1185506		0.17	<10	4.58	1500	4	0.90	166	350	5	0.41	<5	31	142	<20	0.63
D1185507		0.25	<10	4.38	1450	3	1.18	162	340	<2	0.31	<5	29	139	<20	0.60
D1185508		0.50	<10	4.25	1310	32	1.38	156	340	<2	0.41	<5	31	191	<20	0.58
D1185509		0.71	<10	3.77	1180	5	1.62	131	360	<2	0.33	<5	28	203	<20	0.53
D1185510		0.83	20	3.95	1490	4	2.32	151	1730	9	0.28	6	20	460	<20	1.06
D1185511		0.49	<10	4.68	1415	21	1.38	166	360	<2	0.30	<5	35	157	<20	0.61
D1185512		0.50	<10	4.66	1485	8	1.35	176	360	2	0.23	8	30	166	<20	0.63
D1185513		0.45	<10	4.60	1490	<1	1.28	172	360	5	0.18	6	33	192	<20	0.62
D1185514		0.36	<10	4.39	1365	2	1.49	157	330	<2	0.19	<5	31	162	<20	0.59
D1185515		0.71	<10	4.00	1120	1	2.23	128	370	<2	0.20	5	28	200	<20	0.56
D1185516		0.71	10	0.90	252	<1	3.65	14	580	4	0.31	<5	4	639	<20	0.21
D1185517		0.81	10	0.97	269	2	3.85	14	610	2	0.49	<5	4	626	<20	0.21
D1185518		0.87	10	1.12	336	<1	3.62	25	580	4	0.41	5	6	589	<20	0.23
D1185519		0.92	<10	4.36	1325	1	1.74	152	330	<2	0.12	7	34	194	<20	0.57
D1185520		1.83	30	0.72	948	<1	0.68	15	3030	14	0.23	9	6	443	<20	0.24
D1185521		0.62	<10	4.14	1300	15	1.61	148	380	2	0.41	<5	30	223	<20	0.61
D1185522		0.71	<10	4.71	1445	7	2.01	161	360	3	0.35	6	37	180	<20	0.64
D1185523		1.25	<10	4.70	1395	17	2.13	167	400	<2	0.42	5	33	196	<20	0.65
D1185524		0.92	<10	4.70	1375	7	2.10	165	360	5	0.47	6	32	162	<20	0.62
D1185525		0.67	<10	4.54	1535	16	1.83	168	370	3	0.36	9	29	190	<20	0.63
D1185526		0.40	<10	4.61	1295	3	1.44	221	290	2	0.19	7	28	168	<20	0.50
D1185527		0.29	<10	5.39	1360	<1	0.71	301	260	2	0.17	6	28	144	<20	0.47
D1185528		0.48	<10	5.67	1220	<1	0.80	326	260	<2	0.24	<5	24	143	<20	0.39
D1185529		0.69	<10	3.80	897	2	2.37	190	330	5	0.29	5	19	259	<20	0.32
D1185530		0.64	20	3.67	2660	3	1.85	154	2110	10	2.37	7	17	379	<20	0.87
D1185531		0.66	<10	5.46	1220	4	1.09	305	320	4	0.37	5	25	182	<20	0.46
D1185532		1.26	<10	4.93	1270	9	1.06	255	220	5	1.34	<5	26	226	<20	0.33
D1185533		1.28	<10	3.45	1045	50	1.92	176	180	6	3.80	8	18	338	<20	0.20
D1185534		1.48	10	0.92	308	61	3.46	16	580	5	0.81	<5	4	547	<20	0.15
D1185535		1.20	10	0.99	346	<1	3.79	17	550	7	0.92	8	4	553	<20	0.15
D1185536		1.32	10	1.00	334	18	3.29	18	590	3	0.87	5	4	593	<20	0.15
D1185537		1.38	40	4.18	828	<1	2.46	144	1340	5	0.31	<5	19	394	<20	0.28
D1185538		1.07	10	0.95	303	3	3.49	16	600	6	0.70	<5	4	590	<20	0.12
D1185539		0.85	10	1.21	333	17	3.29	27	600	4	0.51	<5	5	592	<20	0.10
D1185540		1.47	20	0.75	964	<1	0.48	11	2050	12	0.17	5	4	497	<20	0.16

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1185501		<10	<10	255	<10	89	
D1185502		<10	<10	260	<10	88	
D1185503		<10	<10	264	<10	94	
D1185504		<10	<10	247	<10	85	
D1185505		10	<10	279	<10	100	
D1185506		<10	<10	270	<10	107	
D1185507		<10	<10	266	<10	98	
D1185508		<10	<10	253	<10	88	
D1185509		<10	<10	225	<10	83	
D1185510		10	<10	164	<10	121	
D1185511		10	<10	271	<10	95	
D1185512		10	<10	280	<10	91	
D1185513		<10	<10	272	<10	100	
D1185514		<10	<10	264	<10	88	
D1185515		<10	<10	239	<10	84	
D1185516		<10	<10	48	<10	37	
D1185517		<10	<10	50	<10	38	
D1185518		<10	<10	60	<10	39	
D1185519		<10	<10	252	<10	91	
D1185520		<10	<10	25	<10	16	
D1185521		<10	<10	263	<10	87	
D1185522		<10	<10	280	<10	105	
D1185523		<10	<10	284	<10	113	
D1185524		<10	<10	274	<10	118	
D1185525		<10	<10	285	<10	119	
D1185526		<10	<10	227	<10	102	
D1185527		<10	<10	214	<10	104	
D1185528		<10	<10	211	<10	105	
D1185529		<10	<10	156	<10	80	
D1185530		<10	<10	153	<10	133	
D1185531		10	<10	216	<10	107	
D1185532		<10	<10	202	10	131	
D1185533		<10	<10	150	10	66	
D1185534		<10	<10	49	<10	36	
D1185535		<10	<10	48	10	32	
D1185536		<10	<10	47	10	32	
D1185537		<10	<10	126	<10	86	
D1185538		<10	<10	46	<10	32	
D1185539		<10	<10	49	<10	46	
D1185540		<10	<10	20	<10	14	

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method	WEI-21	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	g/t	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
D1185541		1.58	<0.005	<0.5	7.81	<5	470	0.9	<2	3.43	<0.5	9	35	126	2.86	20
D1185542		1.18	0.006	<0.5	7.49	<5	330	0.8	<2	3.72	<0.5	17	119	144	3.56	20
D1185543		1.05	0.144	<0.5	6.85	<5	190	<0.5	<2	5.53	<0.5	47	360	57	7.35	20
D1185544		1.68	0.018	<0.5	7.78	5	560	0.9	<2	3.07	<0.5	6	32	14	2.00	20
D1185545		1.97	0.018	<0.5	7.74	<5	460	0.9	<2	3.14	<0.5	7	31	10	2.13	20
D1185546		1.84	0.140	<0.5	7.53	<5	550	0.9	<2	2.84	<0.5	8	27	158	2.08	20
D1185547		1.66	0.044	<0.5	7.33	<5	490	0.9	<2	2.74	<0.5	6	27	36	1.87	20
D1185548		1.92	0.463	<0.5	7.07	<5	490	0.9	<2	2.71	<0.5	5	27	34	1.99	20
D1185549		2.03	0.062	<0.5	7.27	<5	470	0.9	<2	2.79	<0.5	6	30	67	1.85	20
D1185550		0.07	6.36	1.1	5.64	4230	520	0.7	<2	5.42	<0.5	31	138	184	11.60	20
D1185551		1.53	0.300	<0.5	7.30	6	520	0.9	<2	2.70	<0.5	7	30	34	2.01	20
D1185552		1.24	0.571	<0.5	5.50	<5	390	0.7	<2	2.06	<0.5	6	30	25	1.75	10
D1185553		1.29	5.50	<0.5	6.67	<5	480	0.8	<2	2.44	<0.5	6	27	21	1.69	20
D1185554		1.54	6.20	<0.5	7.06	<5	510	0.9	<2	2.80	<0.5	6	30	21	1.84	20
D1185555		2.10	1.045	<0.5	6.56	<5	460	0.8	2	2.11	<0.5	7	31	13	1.67	20
D1185556		1.80	0.622	<0.5	4.86	<5	330	0.6	<2	1.58	<0.5	5	31	10	1.53	10
D1185557		1.25	0.253	<0.5	6.67	7	460	0.7	<2	2.16	<0.5	9	32	39	2.25	20
D1185558		1.66	0.282	<0.5	7.68	<5	500	0.9	<2	2.93	<0.5	7	36	33	1.96	20
D1185559		2.13	0.252	<0.5	7.31	5	510	0.9	<2	2.67	<0.5	6	29	24	1.68	20
D1185560		0.26	<0.005	<0.5	2.86	<5	330	0.5	<2	22.8	<0.5	3	21	8	1.35	10
D1185561		1.49	1.435	<0.5	7.51	<5	570	0.8	3	2.80	<0.5	6	31	47	1.75	20
D1185562		1.98	1.800	<0.5	7.51	<5	630	0.8	2	2.65	<0.5	6	34	35	1.71	20
D1185563		2.00	0.866	<0.5	7.63	<5	520	0.8	4	3.17	<0.5	7	28	36	1.72	20
D1185564		1.81	0.139	<0.5	7.66	<5	570	0.8	<2	2.95	<0.5	8	29	36	1.90	20
D1185565		1.70	0.116	<0.5	8.25	<5	510	0.9	<2	2.98	<0.5	7	30	36	1.85	20
D1185566		2.06	0.114	<0.5	7.62	<5	520	0.9	<2	2.71	<0.5	6	29	33	1.69	20
D1185567		1.75	0.258	<0.5	6.69	<5	620	0.7	3	2.26	<0.5	6	24	196	1.66	20
D1185568		1.82	0.260	<0.5	6.93	<5	470	0.8	<2	2.40	<0.5	7	31	44	1.57	20
D1185569		1.65	1.500	<0.5	7.47	<5	530	0.8	3	2.45	<0.5	7	27	126	1.88	20
D1185570		0.07	1.220	<0.5	6.72	790	450	1.0	5	5.23	<0.5	39	177	92	9.56	20
D1185571		2.25	0.637	<0.5	7.40	<5	490	0.7	3	2.50	<0.5	8	29	59	2.31	20
D1185572		1.95	0.642	<0.5	7.40	<5	600	0.8	2	2.54	<0.5	6	29	161	1.79	20
D1185573		1.97	0.063	<0.5	8.14	<5	580	0.9	2	2.94	<0.5	6	23	62	1.54	20
D1185574		2.03	0.466	<0.5	7.57	<5	540	0.8	2	2.39	<0.5	5	18	59	1.65	20
D1185575		2.19	4.27	<0.5	7.02	<5	570	0.7	<2	2.97	<0.5	6	23	78	1.84	20
D1185576		2.10	0.419	<0.5	7.61	<5	690	0.8	3	2.66	<0.5	5	20	40	1.56	20
D1185577		2.13	0.424	<0.5	7.18	<5	570	0.8	2	2.59	<0.5	5	22	50	1.44	20
D1185578		1.98	1.315	<0.5	6.43	<5	430	0.7	<2	2.30	<0.5	4	24	18	1.47	20
D1185579		2.23	2.80	<0.5	5.58	5	360	0.6	<2	1.68	<0.5	3	31	19	1.54	10
D1185580		0.30	<0.005	<0.5	3.02	<5	290	0.5	5	23.8	<0.5	5	20	7	1.32	10

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1185541		0.96	10	0.95	364	12	3.47	16	590	3	0.74	<5	4	578	<20	0.11
D1185542		0.99	10	1.74	492	39	3.17	68	500	3	0.42	5	8	439	<20	0.12
D1185543		0.73	<10	5.22	1175	8	1.74	264	260	4	0.81	<5	25	180	<20	0.17
D1185544		1.14	10	0.68	285	<1	3.90	12	470	4	0.55	<5	3	434	<20	0.11
D1185545		0.73	10	0.76	265	<1	3.87	13	490	3	0.37	<5	3	564	<20	0.11
D1185546		1.03	10	0.62	238	8	3.83	16	470	7	0.92	6	3	468	<20	0.09
D1185547		0.78	10	0.57	242	<1	3.83	12	420	6	0.46	<5	3	501	<20	0.09
D1185548		0.84	10	0.60	276	3	4.05	11	430	3	0.79	<5	3	473	<20	0.09
D1185549		0.96	10	0.66	235	3	3.83	11	450	6	0.54	<5	3	416	<20	0.09
D1185550		0.53	20	2.87	3850	3	1.18	104	2210	12	3.33	16	19	235	<20	0.54
D1185551		1.25	10	0.61	250	41	3.86	15	460	3	0.61	5	3	391	<20	0.11
D1185552		0.76	10	0.52	213	14	2.89	9	330	2	0.62	<5	2	389	<20	0.07
D1185553		0.75	10	0.60	204	1	3.50	12	400	4	0.67	<5	3	491	<20	0.11
D1185554		0.99	10	0.67	256	1	3.65	12	430	7	0.60	7	3	511	<20	0.10
D1185555		0.91	<10	0.60	233	<1	3.43	13	310	4	0.54	<5	3	361	<20	0.08
D1185556		0.68	<10	0.40	185	<1	2.70	9	230	4	0.82	<5	2	260	<20	0.06
D1185557		0.94	<10	0.65	344	2	3.55	12	330	2	1.35	<5	3	313	<20	0.07
D1185558		1.03	<10	0.71	285	<1	3.85	15	400	4	0.59	5	3	562	<20	0.10
D1185559		1.05	<10	0.67	273	<1	3.79	13	380	4	0.60	5	3	486	<20	0.09
D1185560		1.54	20	0.70	870	<1	0.57	11	2640	9	0.14	<5	5	488	<20	0.17
D1185561		1.07	<10	0.55	293	<1	3.93	12	370	<2	0.89	<5	3	399	<20	0.08
D1185562		1.17	<10	0.61	272	<1	3.58	13	350	3	0.62	<5	4	410	<20	0.09
D1185563		0.85	<10	0.67	331	<1	3.93	13	390	2	0.76	<5	3	601	<20	0.08
D1185564		1.00	<10	0.72	310	<1	3.76	14	380	2	0.81	<5	3	530	<20	0.09
D1185565		0.97	<10	0.72	273	<1	4.14	12	400	3	0.73	<5	4	619	<20	0.10
D1185566		0.97	<10	0.66	269	<1	3.83	11	380	2	0.67	<5	3	542	<20	0.09
D1185567		0.77	<10	0.45	243	3	3.52	11	310	3	0.94	<5	2	367	<20	0.06
D1185568		0.98	<10	0.58	221	<1	3.36	9	320	2	0.55	<5	3	470	<20	0.08
D1185569		1.06	<10	0.59	219	<1	3.64	12	330	3	1.03	<5	3	456	<20	0.08
D1185570		0.69	20	3.68	2590	2	1.90	130	1940	6	1.00	<5	18	381	<20	0.91
D1185571		1.07	<10	0.62	256	<1	3.77	12	330	<2	1.53	<5	3	431	<20	0.08
D1185572		0.97	<10	0.55	254	<1	3.66	10	340	3	0.98	<5	3	468	<20	0.08
D1185573		1.03	<10	0.39	279	<1	4.56	8	410	3	0.82	<5	2	555	<20	0.08
D1185574		1.02	<10	0.52	210	3	3.83	6	340	<2	0.81	<5	2	494	<20	0.08
D1185575		1.23	<10	0.46	279	<1	3.47	9	320	<2	1.17	<5	2	386	<20	0.08
D1185576		1.31	<10	0.51	303	<1	3.87	7	370	<2	0.76	<5	2	408	<20	0.09
D1185577		0.98	<10	0.45	298	54	3.83	7	360	2	0.65	<5	2	484	<20	0.09
D1185578		0.92	<10	0.48	229	<1	3.34	6	290	<2	0.68	<5	2	395	<20	0.07
D1185579		0.70	<10	0.38	188	13	2.82	5	250	4	0.76	<5	2	347	<20	0.06
D1185580		1.65	30	0.67	1150	<1	0.60	7	2880	8	0.24	<5	5	476	<20	0.16

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1185541		<10	<10	46	<10	36	
D1185542		<10	<10	75	<10	54	
D1185543		<10	<10	180	10	123	
D1185544		<10	<10	37	<10	24	
D1185545		<10	<10	38	<10	33	
D1185546		<10	<10	36	90	34	
D1185547		<10	<10	32	<10	28	
D1185548		<10	<10	32	10	22	
D1185549		<10	<10	34	<10	27	
D1185550		<10	<10	168	10	119	NSS
D1185551		<10	<10	40	30	24	
D1185552		<10	<10	27	10	22	
D1185553		<10	<10	32	<10	26	4.76
D1185554		<10	<10	35	10	29	5.98
D1185555		<10	<10	30	10	25	
D1185556		<10	<10	21	110	46	
D1185557		<10	<10	31	80	18	
D1185558		<10	<10	35	10	36	
D1185559		<10	<10	33	10	36	
D1185560		<10	<10	21	<10	13	
D1185561		<10	<10	31	70	28	
D1185562		<10	<10	35	60	34	
D1185563		<10	<10	32	10	34	
D1185564		<10	<10	34	10	34	
D1185565		<10	<10	35	<10	39	
D1185566		<10	<10	30	10	32	
D1185567		<10	<10	22	<10	20	
D1185568		<10	<10	28	10	25	
D1185569		<10	<10	30	<10	24	
D1185570		<10	<10	155	<10	126	
D1185571		<10	<10	31	20	18	
D1185572		<10	<10	24	20	29	
D1185573		<10	<10	24	<10	37	
D1185574		<10	<10	27	30	27	
D1185575		<10	<10	26	30	22	
D1185576		<10	<10	32	70	31	
D1185577		<10	<10	28	<10	23	
D1185578		<10	<10	22	10	25	
D1185579		<10	<10	19	40	18	
D1185580		<10	<10	20	<10	20	

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1185581		2.33	0.128	<0.5	7.74	<5	540	0.9	<2	2.43	<0.5	6	25	26	1.56	20
D1185582		2.54	2.75	<0.5	4.11	<5	280	<0.5	<2	1.13	<0.5	5	35	15	1.39	10
D1185583		0.92	3.92	<0.5	3.61	<5	240	<0.5	6	1.05	<0.5	3	31	25	1.23	10
D1185584		2.00	0.335	<0.5	6.45	<5	390	0.7	5	2.34	<0.5	4	25	69	1.47	20
D1185585		0.76	>10.0	0.5	6.33	<5	480	0.7	10	2.20	<0.5	7	31	23	2.11	20
D1185586		1.66	2.12	<0.5	3.95	<5	250	<0.5	4	1.68	<0.5	3	29	10	1.35	10
D1185587		1.87	1.090	<0.5	5.04	<5	360	0.6	3	2.08	<0.5	7	37	20	1.82	10
D1185588		1.33	>10.0	<0.5	4.86	<5	360	0.5	7	2.40	<0.5	8	39	13	2.05	10
D1185589		1.94	0.008	<0.5	6.40	<5	90	<0.5	<2	4.90	<0.5	42	167	77	7.76	20
D1185590		0.06	0.344	<0.5	6.66	188	320	0.9	<2	5.06	<0.5	37	170	110	7.33	20
D1185591		1.83	0.010	<0.5	6.21	<5	80	<0.5	<2	4.78	<0.5	40	176	88	7.62	20
D1185592		1.31	<0.005	<0.5	6.57	<5	100	<0.5	<2	5.28	<0.5	42	182	81	7.80	20
D1185593		0.88	0.645	<0.5	6.56	<5	270	<0.5	<2	5.67	<0.5	42	201	75	7.75	20
D1185594		2.00	0.035	<0.5	7.36	<5	500	0.8	<2	3.65	<0.5	10	27	58	2.34	20
D1185595		1.75	0.012	<0.5	7.47	<5	500	0.8	4	3.21	<0.5	9	28	84	2.48	20
D1185596		1.77	0.019	<0.5	7.29	<5	530	0.8	4	3.29	<0.5	9	29	75	2.38	20
D1185597		2.07	<0.005	<0.5	7.47	<5	600	0.9	<2	3.11	<0.5	9	29	111	2.40	20
D1185598		1.84	<0.005	<0.5	7.56	<5	600	0.8	2	2.96	<0.5	10	31	164	2.58	20
D1185599		1.82	0.032	<0.5	7.35	<5	620	0.8	<2	3.01	<0.5	8	29	78	2.42	20
D1185600		0.30	<0.005	<0.5	3.50	<5	580	0.5	<2	16.3	<0.5	4	24	11	1.49	10

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1185581		1.01	<10	0.55	216	<1	3.86	9	360	3	0.56	<5	2	520	<20	0.09
D1185582		0.54	<10	0.26	145	1	2.11	4	180	<2	0.69	<5	1	239	<20	0.04
D1185583		0.49	<10	0.22	150	2	1.90	9	160	<2	0.53	<5	1	157	<20	0.04
D1185584		0.67	<10	0.56	220	<1	3.10	10	320	<2	0.44	6	3	468	<20	0.08
D1185585		1.15	10	0.61	222	<1	2.83	13	390	3	1.05	<5	3	425	<20	0.09
D1185586		0.51	10	0.39	179	1	1.98	8	250	3	0.39	<5	2	274	<20	0.06
D1185587		0.67	10	0.58	235	1	2.42	9	370	<2	0.56	5	2	395	<20	0.10
D1185588		0.68	10	0.79	331	<1	2.19	14	360	<2	0.59	<5	4	343	<20	0.12
D1185589		0.39	<10	3.85	1135	1	1.73	129	290	4	0.35	8	30	176	<20	0.25
D1185590		0.71	20	3.35	1310	4	2.00	132	1470	<2	0.24	6	17	392	<20	0.92
D1185591		0.42	<10	3.87	1185	<1	1.80	129	270	<2	0.31	7	29	213	<20	0.29
D1185592		0.64	<10	4.06	1260	<1	1.96	147	290	4	0.21	7	30	208	<20	0.49
D1185593		1.26	<10	4.02	1205	1	1.65	152	290	<2	1.15	7	29	188	<20	0.44
D1185594		0.98	10	0.87	371	2	3.47	16	550	3	0.55	<5	4	542	<20	0.16
D1185595		0.61	10	0.89	262	1	3.35	15	550	<2	0.48	<5	4	628	<20	0.13
D1185596		0.57	10	0.85	266	12	3.33	17	550	3	0.40	6	4	647	<20	0.13
D1185597		0.72	10	0.84	290	3	3.41	15	550	<2	0.44	<5	4	639	<20	0.15
D1185598		0.66	10	0.83	282	14	3.26	13	550	<2	0.71	7	4	655	<20	0.15
D1185599		0.81	10	0.81	319	2	3.32	13	540	<2	0.56	6	4	597	<20	0.15
D1185600		1.87	30	0.67	875	1	0.74	14	3460	9	0.19	6	6	408	<20	0.21

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1185581		<10	<10	27	10	30	
D1185582		<10	<10	14	10	15	
D1185583		<10	<10	12	<10	22	
D1185584		<10	<10	28	<10	44	
D1185585		<10	<10	32	10	36	16.20
D1185586		<10	<10	16	4240	26	
D1185587		<10	<10	27	10	26	
D1185588		<10	<10	38	80	28	22.2
D1185589		<10	<10	220	<10	98	
D1185590		<10	<10	140	<10	106	
D1185591		<10	<10	210	<10	98	
D1185592		<10	<10	224	<10	96	
D1185593		<10	<10	223	50	107	
D1185594		<10	<10	46	<10	29	
D1185595		<10	<10	46	<10	32	
D1185596		<10	<10	46	<10	35	
D1185597		<10	<10	43	<10	38	
D1185598		<10	<10	43	<10	40	
D1185599		<10	<10	43	<10	40	
D1185600		<10	<10	23	<10	19	

Comments: Additional result for sample D1185584 for method AA24 is 0.718 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 26-FEB-2015
Account: DETGLD

Project: DGEX-235

CERTIFICATE OF ANALYSIS SD15016806

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

NSS is non-sufficient sample.

Applies to Method: ALL METHODS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-32	PUL-QC	SPL-22Y	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA24	Au-GRA22	ME-ICP61