ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

CERTIFICATE SD15032545

Project: DGEX-243

P.O. No.: DGC 4800002115

This report is for 290 Drill Core samples submitted to our lab in Timmins, ON, Canada on 6-MAR-2015.

The following have access to data associated with this certificate:

APRIL COOMBS JEAN FRANCOIS METAIL DETOUR GOLD WEBTRIEVE	ADREE DELAZZER LARRY THON	GUY MAC GILLIVRAY JAMES TOLHURST

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM

To: **DETOUR GOLD CORPORATION**
ATTN: JAMES TOLHURST
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1187691		0.96	0.176	0.9	4.70	<5	270	0.7	<2	7.04	1.3	28	18	358	13.85	20
D1187692		1.12	0.019	0.5	7.22	<5	280	<0.5	2	6.76	0.9	70	183	316	9.96	20
D1187693		1.58	<0.005	<0.5	7.40	<5	340	0.9	<2	3.60	<0.5	6	34	14	1.92	20
D1187694		2.00	0.030	<0.5	6.47	<5	370	0.7	<2	4.58	<0.5	2	38	4	1.62	10
D1187695		1.17	0.037	<0.5	3.35	<5	70	<0.5	<2	5.80	<0.5	32	43	48	4.15	10
D1187696		1.77	0.179	<0.5	7.55	<5	160	<0.5	<2	8.31	1.2	36	182	113	8.01	20
D1187697		1.43	<0.005	<0.5	6.32	<5	90	<0.5	<2	11.95	0.5	35	126	60	6.83	10
D1187698		2.33	<0.005	<0.5	8.50	<5	70	<0.5	<2	7.12	0.9	53	202	47	9.38	20
D1187699		2.31	<0.005	<0.5	8.28	<5	50	<0.5	<2	8.60	0.9	53	183	81	9.22	20
D1187700		0.06	NSS	0.9	6.42	1425	450	0.9	<2	5.23	1.0	40	166	126	10.85	20
D1187701		2.12	<0.005	<0.5	8.22	<5	60	<0.5	<2	7.93	1.0	55	201	103	9.09	20
D1187702		2.35	<0.005	<0.5	7.63	<5	40	<0.5	<2	8.28	0.8	53	178	115	9.06	20
D1187703		2.25	<0.005	<0.5	7.52	<5	40	<0.5	<2	6.57	0.6	43	168	136	9.10	20
D1187704		2.34	<0.005	<0.5	7.77	<5	50	<0.5	<2	5.68	0.9	43	163	109	9.83	20
D1187705		2.25	<0.005	<0.5	8.42	<5	50	<0.5	<2	7.01	0.8	65	221	139	9.24	20
D1187706		2.30	<0.005	<0.5	7.64	<5	40	<0.5	<2	7.93	0.8	47	196	68	8.62	20
D1187707		2.37	<0.005	<0.5	8.37	<5	100	<0.5	<2	7.48	1.0	50	209	114	10.20	20
D1187708		2.42	<0.005	<0.5	8.08	<5	40	<0.5	<2	7.84	0.9	61	213	275	11.15	20
D1187709		2.24	<0.005	<0.5	7.81	<5	30	<0.5	<2	7.48	0.8	56	197	192	9.82	20
D1187710		0.21	<0.005	<0.5	3.95	<5	400	0.7	<2	17.9	<0.5	7	32	11	1.76	10
D1187711		2.17	<0.005	<0.5	7.96	<5	30	<0.5	<2	6.76	0.8	61	197	223	10.10	20
D1187712		2.37	<0.005	<0.5	7.70	<5	60	<0.5	<2	7.85	1.0	48	189	165	9.86	20
D1187713		2.21	<0.005	<0.5	7.94	<5	30	<0.5	2	7.10	<0.5	55	195	85	9.90	20
D1187714		2.56	<0.005	<0.5	7.70	<5	20	<0.5	<2	7.52	0.9	61	190	129	10.20	20
D1187715		2.35	<0.005	<0.5	8.38	<5	20	<0.5	<2	7.30	0.8	53	195	113	10.20	20
D1187716		2.32	<0.005	<0.5	8.26	<5	20	<0.5	<2	6.68	0.6	54	189	83	10.30	20
D1187717		2.39	<0.005	<0.5	7.84	<5	20	<0.5	<2	6.68	0.9	52	184	72	9.43	20
D1187718		2.20	0.005	<0.5	8.37	<5	30	<0.5	<2	7.01	0.8	50	199	79	9.14	20
D1187719		2.34	0.005	<0.5	8.31	<5	20	<0.5	<2	6.37	0.7	54	203	109	9.81	20
D1187720		0.05	6.58	1.4	6.39	4810	630	0.8	<2	6.20	1.2	36	146	213	12.85	20
D1187721		2.29	0.006	<0.5	8.21	6	30	<0.5	<2	6.09	0.6	53	195	130	9.37	20
D1187722		2.34	0.006	<0.5	6.98	<5	30	<0.5	<2	5.85	<0.5	52	180	140	8.61	20
D1187723		2.28	0.006	<0.5	7.36	<5	30	<0.5	<2	6.59	<0.5	49	173	142	8.89	20
D1187724		2.28	<0.005	<0.5	7.53	<5	30	<0.5	<2	6.70	<0.5	52	177	111	8.91	20
D1187725		2.28	<0.005	<0.5	7.71	<5	40	<0.5	<2	6.26	<0.5	51	190	94	9.26	20
D1187726		2.32	<0.005	<0.5	7.30	<5	30	<0.5	3	6.09	<0.5	50	183	112	9.10	20
D1187727		2.36	<0.005	<0.5	7.62	<5	30	<0.5	<2	6.32	<0.5	49	180	97	9.10	20
D1187728		2.27	<0.005	<0.5	7.34	<5	20	<0.5	<2	6.60	<0.5	50	176	108	8.71	20
D1187729		2.33	<0.005	<0.5	7.51	<5	20	<0.5	<2	6.82	<0.5	51	194	101	9.26	20
D1187730		0.23	<0.005	<0.5	3.59	<5	410	0.6	<2	19.0	<0.5	6	30	10	1.52	10

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1187691		0.43	20	0.96	1100	7	1.90	74	180	3	5.22	<5	7	364	<20	0.14
D1187692		0.52	10	2.93	1440	3	1.89	174	320	4	2.01	<5	35	231	<20	0.59
D1187693		0.64	10	0.91	494	<1	3.91	20	450	2	0.05	<5	3	593	<20	0.16
D1187694		0.84	10	0.74	656	<1	3.55	11	370	<2	0.02	<5	3	327	<20	0.14
D1187695		0.16	10	0.64	1070	2	1.99	22	180	5	2.10	<5	4	226	<20	0.09
D1187696		0.32	<10	2.54	1845	1	2.40	135	340	2	0.61	<5	36	245	<20	0.64
D1187697		0.19	<10	2.18	2180	<1	1.92	113	290	2	0.22	<5	33	251	<20	0.54
D1187698		0.26	<10	3.08	1880	<1	2.77	158	370	2	0.10	<5	42	211	<20	0.72
D1187699		0.26	<10	2.73	1845	<1	2.38	147	390	<2	0.15	<5	42	204	<20	0.73
D1187700		0.64	20	3.63	2700	4	1.82	152	2100	11	2.46	6	17	378	<20	0.88
D1187701		0.24	<10	2.46	1895	<1	2.70	151	390	2	0.24	<5	41	172	<20	0.72
D1187702		0.22	<10	2.35	1900	<1	2.40	143	370	<2	0.29	<5	39	148	<20	0.68
D1187703		0.21	10	2.65	1660	1	2.00	120	340	2	0.56	<5	34	166	<20	0.59
D1187704		0.19	10	3.36	1700	<1	1.90	116	320	4	0.41	<5	32	136	<20	0.57
D1187705		0.20	<10	2.97	1830	<1	2.57	169	390	2	0.41	<5	42	162	<20	0.73
D1187706		0.19	<10	2.66	1755	<1	2.32	141	350	2	0.20	<5	38	128	<20	0.65
D1187707		0.29	<10	3.52	1955	<1	1.90	156	390	2	0.40	<5	41	188	<20	0.72
D1187708		0.22	<10	3.81	1975	<1	1.94	162	370	3	0.65	<5	40	148	<20	0.69
D1187709		0.17	<10	4.35	1545	1	1.86	148	360	5	0.49	<5	39	138	<20	0.67
D1187710		2.17	30	0.77	911	<1	0.72	19	3390	10	0.34	<5	6	435	<20	0.23
D1187711		0.15	<10	4.91	1520	<1	1.60	143	410	<2	0.53	<5	41	126	<20	0.72
D1187712		0.23	<10	4.08	1625	<1	1.62	144	380	4	0.37	<5	38	150	<20	0.68
D1187713		0.16	<10	4.63	1570	1	1.67	152	360	<2	0.24	<5	39	146	<20	0.67
D1187714		0.16	<10	4.56	1625	1	1.36	146	350	3	0.43	<5	38	135	<20	0.68
D1187715		0.17	<10	5.16	1485	1	1.45	156	410	2	0.25	<5	41	149	<20	0.73
D1187716		0.13	<10	5.50	1440	1	1.18	160	390	2	0.15	<5	39	139	<20	0.72
D1187717		0.14	<10	5.27	1410	1	1.32	155	340	<2	0.14	<5	39	121	<20	0.67
D1187718		0.16	<10	5.43	1335	1	1.57	157	370	<2	0.13	<5	41	160	<20	0.71
D1187719		0.16	<10	5.70	1335	<1	1.33	169	400	<2	0.11	<5	36	149	<20	0.74
D1187720		0.61	20	3.31	4510	4	1.32	117	2530	17	3.93	8	22	265	<20	0.62
D1187721		0.19	<10	5.44	1290	<1	1.29	157	380	<2	0.19	<5	40	149	<20	0.70
D1187722		0.22	<10	5.01	1235	<1	1.22	144	350	5	0.12	<5	27	129	<20	0.62
D1187723		0.20	<10	4.98	1255	<1	1.25	140	350	3	0.14	<5	34	141	<20	0.61
D1187724		0.19	<10	4.84	1265	<1	1.23	136	330	3	0.18	<5	37	147	<20	0.62
D1187725		0.21	<10	5.00	1275	<1	1.39	137	380	5	0.12	<5	35	164	<20	0.67
D1187726		0.15	<10	4.83	1240	<1	1.36	134	360	3	0.13	<5	33	161	<20	0.64
D1187727		0.16	<10	4.87	1255	<1	1.37	136	360	7	0.14	8	37	160	<20	0.62
D1187728		0.14	<10	4.65	1225	<1	1.33	135	340	6	0.09	<5	36	150	<20	0.60
D1187729		0.15	<10	4.62	1320	<1	1.38	144	360	2	0.09	<5	32	184	<20	0.64
D1187730		1.97	30	0.75	871	<1	0.66	12	2920	11	0.20	<5	6	425	<20	0.22

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1187691		<10	<10	52	<10	92	
D1187692		<10	<10	256	<10	132	
D1187693		<10	<10	36	<10	47	
D1187694		<10	<10	29	30	58	
D1187695		<10	<10	29	10	26	
D1187696		<10	<10	260	10	144	
D1187697		<10	<10	225	<10	106	
D1187698		<10	<10	296	<10	162	
D1187699		10	<10	303	<10	122	
D1187700		10	<10	152	<10	138	
D1187701		<10	<10	301	<10	128	
D1187702		<10	<10	279	<10	148	
D1187703		<10	<10	241	<10	171	
D1187704		10	<10	228	<10	209	
D1187705		<10	<10	307	<10	172	
D1187706		<10	<10	284	<10	140	
D1187707		<10	<10	299	<10	176	
D1187708		<10	<10	291	<10	173	
D1187709		<10	<10	284	<10	148	
D1187710		<10	<10	28	<10	22	
D1187711		<10	<10	304	<10	151	
D1187712		10	<10	290	<10	129	
D1187713		<10	<10	289	<10	143	
D1187714		<10	<10	280	<10	139	
D1187715		<10	<10	303	<10	108	
D1187716		10	<10	302	<10	111	
D1187717		<10	<10	291	<10	107	
D1187718		10	<10	309	<10	102	
D1187719		<10	<10	319	<10	106	
D1187720		<10	<10	192	<10	143	6.89
D1187721		10	<10	299	<10	92	
D1187722		10	<10	281	<10	86	
D1187723		<10	<10	274	<10	77	
D1187724		<10	<10	271	<10	73	
D1187725		<10	<10	298	<10	74	
D1187726		<10	<10	288	<10	73	
D1187727		<10	<10	276	<10	76	
D1187728		10	<10	269	<10	75	
D1187729		<10	<10	292	<10	77	
D1187730		<10	<10	26	<10	15	

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1187731		2.29	0.005	<0.5	7.27	<5	20	<0.5	<2	6.76	<0.5	46	179	75	8.95	20
D1187732		2.31	<0.005	<0.5	7.66	<5	20	<0.5	<2	6.65	<0.5	49	176	57	9.21	20
D1187733		2.37	0.005	<0.5	7.34	<5	20	<0.5	<2	6.99	<0.5	50	168	122	8.82	20
D1187734		2.29	0.005	<0.5	7.86	<5	40	<0.5	3	6.50	<0.5	53	186	100	9.44	20
D1187735		2.44	0.005	<0.5	7.52	<5	20	<0.5	<2	6.75	<0.5	49	168	83	9.20	20
D1187736		2.30	<0.005	<0.5	7.53	<5	40	<0.5	2	7.18	<0.5	51	172	56	8.88	20
D1187737		2.27	<0.005	<0.5	7.80	<5	50	<0.5	<2	6.80	<0.5	49	181	54	9.12	20
D1187738		2.29	<0.005	<0.5	7.61	<5	40	<0.5	<2	7.12	<0.5	50	179	86	9.24	20
D1187739		2.33	<0.005	<0.5	7.42	<5	40	<0.5	<2	7.01	<0.5	48	175	59	8.89	20
D1187740		0.06	1.250	<0.5	6.78	767	440	1.0	<2	5.42	<0.5	39	181	94	9.65	20
D1187741		2.24	0.010	<0.5	7.46	<5	60	<0.5	<2	7.25	<0.5	52	166	255	8.72	20
D1187742		2.18	0.006	<0.5	7.52	<5	60	<0.5	3	7.36	<0.5	47	170	101	8.76	20
D1187743		2.21	0.006	<0.5	7.79	<5	30	<0.5	<2	5.76	<0.5	48	176	71	8.67	20
D1187744		2.21	0.005	<0.5	7.64	5	40	<0.5	<2	5.76	<0.5	53	203	63	9.40	20
D1187745		2.30	0.005	<0.5	7.86	<5	30	<0.5	<2	5.90	<0.5	52	251	64	9.13	20
D1187746		2.27	<0.005	<0.5	7.46	<5	20	<0.5	<2	7.18	<0.5	53	299	51	9.15	20
D1187747		2.42	<0.005	<0.5	7.62	<5	10	<0.5	2	8.75	<0.5	45	205	52	9.32	20
D1187748		2.33	0.005	<0.5	7.39	<5	20	<0.5	4	6.11	<0.5	50	188	95	8.85	20
D1187749		2.40	0.005	<0.5	7.51	<5	20	<0.5	<2	5.50	<0.5	49	201	94	8.88	20
D1187750		0.21	<0.005	<0.5	2.93	<5	280	0.5	<2	21.7	<0.5	5	21	10	1.30	10
D1187751		2.02	<0.005	<0.5	7.62	<5	20	<0.5	<2	6.70	<0.5	45	193	85	8.75	20
D1187752		2.24	<0.005	<0.5	7.77	<5	20	<0.5	3	6.18	<0.5	49	201	101	9.12	20
D1187753		2.26	<0.005	<0.5	7.59	<5	20	<0.5	<2	7.57	<0.5	43	190	74	8.46	20
D1187754		2.37	<0.005	<0.5	7.39	<5	20	<0.5	<2	7.08	<0.5	47	189	58	8.88	20
D1187755		2.23	<0.005	<0.5	7.54	<5	30	<0.5	<2	7.41	<0.5	49	199	39	8.72	20
D1187756		2.24	<0.005	<0.5	7.64	<5	60	<0.5	3	8.10	<0.5	48	185	15	9.72	20
D1187757		2.20	<0.005	<0.5	7.86	<5	30	<0.5	<2	7.85	<0.5	50	218	38	9.62	20
D1187758		2.30	<0.005	<0.5	8.03	<5	30	<0.5	5	8.41	<0.5	54	182	104	9.21	20
D1187759		2.15	<0.005	<0.5	7.97	<5	40	<0.5	<2	7.82	<0.5	54	178	104	9.26	20
D1187760		0.06	1.250	<0.5	6.86	765	450	1.0	<2	5.49	<0.5	40	178	96	9.74	20
D1187761		2.26	0.005	<0.5	8.05	5	30	<0.5	<2	7.88	<0.5	57	190	182	9.61	20
D1187762		2.25	<0.005	<0.5	8.06	<5	20	<0.5	<2	8.75	<0.5	57	196	151	9.58	20
D1187763		2.27	<0.005	<0.5	7.89	<5	20	<0.5	<2	7.40	<0.5	50	182	87	9.66	20
D1187764		2.23	<0.005	<0.5	7.58	<5	20	<0.5	<2	7.56	<0.5	52	180	132	9.43	20
D1187765		2.44	<0.005	<0.5	7.15	5	20	<0.5	<2	8.57	<0.5	63	175	210	9.88	20
D1187766		2.37	<0.005	<0.5	8.10	<5	20	<0.5	<2	8.03	<0.5	52	196	180	9.90	20
D1187767		2.26	<0.005	<0.5	7.85	5	30	<0.5	<2	7.45	<0.5	50	176	113	9.60	20
D1187768		2.24	<0.005	<0.5	7.54	<5	50	<0.5	2	7.93	<0.5	52	160	176	9.39	20
D1187769		2.35	0.006	<0.5	7.58	<5	40	<0.5	<2	7.70	<0.5	55	169	343	9.55	20
D1187770		0.24	<0.005	<0.5	3.11	<5	300	0.6	<2	21.8	<0.5	6	24	11	1.45	10

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1187731		0.14	<10	4.52	1275	<1	1.26	140	360	3	0.03	<5	32	174	<20	0.62
D1187732		0.14	<10	4.61	1240	<1	1.54	136	370	2	0.03	<5	38	162	<20	0.64
D1187733		0.14	<10	4.41	1215	<1	1.53	128	370	3	0.05	<5	36	159	<20	0.62
D1187734		0.17	<10	5.09	1180	<1	1.68	144	350	2	0.01	<5	39	161	<20	0.64
D1187735		0.13	<10	4.72	1200	<1	1.66	133	370	<2	0.01	<5	36	158	<20	0.64
D1187736		0.19	<10	4.69	1250	<1	1.93	133	340	<2	<0.01	<5	37	128	<20	0.61
D1187737		0.23	<10	4.67	1240	<1	2.05	137	360	4	0.02	<5	38	160	<20	0.65
D1187738		0.23	<10	4.41	1270	<1	1.90	132	370	3	0.07	<5	39	178	<20	0.66
D1187739		0.28	<10	4.57	1205	<1	1.92	137	350	<2	0.01	<5	35	143	<20	0.60
D1187740		0.70	20	3.72	2640	1	1.90	134	1990	8	0.99	<5	18	386	<20	0.90
D1187741		0.70	<10	4.50	1255	<1	1.43	140	340	4	0.14	<5	35	119	<20	0.61
D1187742		0.46	<10	4.39	1285	<1	2.01	129	350	2	0.06	<5	37	131	<20	0.62
D1187743		0.22	<10	5.47	1135	<1	2.24	136	370	2	0.01	<5	38	103	<20	0.65
D1187744		0.23	<10	5.07	1290	<1	2.27	157	370	5	0.02	<5	35	113	<20	0.66
D1187745		0.22	<10	5.20	1210	<1	2.19	165	360	2	0.01	<5	37	120	<20	0.61
D1187746		0.21	<10	4.43	1240	<1	1.49	201	330	2	0.10	<5	36	122	<20	0.59
D1187747		0.16	<10	4.31	1305	<1	1.27	144	350	3	0.11	<5	36	157	<20	0.62
D1187748		0.22	<10	4.87	1095	<1	1.59	137	340	3	0.03	<5	33	163	<20	0.62
D1187749		0.19	<10	5.23	1145	<1	1.68	152	360	4	0.04	<5	33	147	<20	0.64
D1187750		1.59	30	0.66	1055	<1	0.59	13	3720	12	0.17	<5	5	477	<20	0.18
D1187751		0.15	<10	4.33	1275	<1	1.99	140	350	3	0.20	<5	37	175	<20	0.62
D1187752		0.17	<10	4.16	1340	<1	2.10	144	360	5	0.27	<5	38	163	<20	0.64
D1187753		0.23	<10	3.35	1440	3	2.19	122	330	2	0.20	<5	37	176	<20	0.60
D1187754		0.19	<10	3.50	1500	2	2.02	138	350	2	0.14	<5	37	126	<20	0.62
D1187755		0.24	<10	3.16	1500	<1	2.14	150	340	3	0.11	<5	37	131	<20	0.62
D1187756		0.35	<10	3.89	1730	1	1.92	148	350	2	0.04	<5	38	131	<20	0.63
D1187757		0.24	<10	3.81	1635	<1	2.06	141	370	5	0.08	<5	39	141	<20	0.66
D1187758		0.21	10	3.55	1610	1	1.96	156	380	<2	0.25	<5	39	150	<20	0.66
D1187759		0.27	<10	3.65	1610	1	2.04	156	370	<2	0.25	<5	39	137	<20	0.66
D1187760		0.70	20	3.77	2690	1	1.92	141	1990	6	1.01	<5	18	389	<20	0.92
D1187761		0.25	<10	3.63	1590	4	2.03	154	380	<2	0.39	<5	40	134	<20	0.68
D1187762		0.18	<10	3.11	1660	1	1.91	155	380	<2	0.35	<5	39	109	<20	0.66
D1187763		0.21	<10	3.77	1550	3	2.06	146	350	2	0.21	<5	38	174	<20	0.65
D1187764		0.22	<10	3.79	1550	2	1.76	147	340	3	0.35	<5	37	171	<20	0.61
D1187765		0.17	10	3.46	1510	30	1.41	134	340	2	0.77	<5	35	155	<20	0.59
D1187766		0.24	<10	3.84	1570	2	1.99	151	380	<2	0.47	<5	40	172	<20	0.67
D1187767		0.28	<10	4.04	1600	1	1.98	145	370	<2	0.30	<5	38	176	<20	0.65
D1187768		0.35	<10	3.75	1520	1	1.86	137	370	<2	0.48	<5	37	181	<20	0.63
D1187769		0.34	<10	3.78	1520	6	1.93	146	350	<2	0.73	<5	37	192	<20	0.62
D1187770		1.71	30	0.77	995	<1	0.54	12	3300	10	0.20	<5	5	478	<20	0.17

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1187731		<10	<10	281	<10	76	
D1187732		10	<10	286	<10	78	
D1187733		<10	<10	266	<10	73	
D1187734		<10	<10	292	<10	81	
D1187735		<10	<10	283	<10	78	
D1187736		<10	<10	272	<10	77	
D1187737		10	<10	291	<10	78	
D1187738		<10	<10	299	<10	83	
D1187739		<10	<10	274	<10	82	
D1187740		<10	<10	159	<10	128	
D1187741		<10	<10	246	<10	81	
D1187742		<10	<10	277	<10	74	
D1187743		<10	<10	286	<10	82	
D1187744		<10	<10	287	<10	83	
D1187745		<10	<10	282	<10	88	
D1187746		<10	<10	261	<10	84	
D1187747		<10	10	289	<10	77	
D1187748		<10	<10	280	<10	83	
D1187749		10	<10	293	<10	88	
D1187750		<10	<10	21	<10	29	
D1187751		10	<10	278	<10	83	
D1187752		10	<10	290	<10	100	
D1187753		<10	<10	281	<10	89	
D1187754		<10	<10	279	<10	112	
D1187755		<10	<10	283	<10	107	
D1187756		<10	<10	287	<10	123	
D1187757		<10	<10	291	<10	114	
D1187758		<10	<10	290	<10	105	
D1187759		<10	<10	290	<10	112	
D1187760		10	<10	158	<10	129	
D1187761		<10	<10	293	<10	111	
D1187762		<10	<10	293	<10	104	
D1187763		<10	<10	293	<10	100	
D1187764		<10	<10	268	<10	107	
D1187765		<10	<10	266	<10	91	
D1187766		<10	<10	298	<10	103	
D1187767		<10	<10	288	<10	99	
D1187768		<10	<10	276	<10	88	
D1187769		10	<10	276	<10	86	
D1187770		<10	<10	25	<10	17	

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1187771		2.20	<0.005	<0.5	8.06	<5	80	<0.5	6	7.65	<0.5	51	172	279	10.10	20
D1187772		2.29	<0.005	<0.5	8.11	<5	30	<0.5	<2	7.13	<0.5	54	173	116	9.92	20
D1187773		1.54	0.017	<0.5	7.95	<5	40	<0.5	7	6.48	<0.5	57	179	208	9.92	20
D1187774		1.69	0.022	<0.5	7.81	<5	30	<0.5	<2	6.09	<0.5	56	174	166	9.57	20
D1187775		2.42	0.008	<0.5	7.10	<5	70	0.5	5	5.88	<0.5	49	88	179	11.45	20
D1187776		2.60	0.008	<0.5	6.95	<5	50	0.5	<2	5.69	<0.5	53	42	240	12.80	30
D1187777		2.80	0.005	<0.5	6.85	<5	80	<0.5	7	5.80	<0.5	50	41	207	12.10	20
D1187778		1.94	0.005	<0.5	8.40	<5	90	<0.5	<2	7.93	<0.5	51	97	88	8.76	20
D1187779		2.14	0.024	<0.5	7.93	<5	80	<0.5	<2	8.99	<0.5	41	236	280	6.55	20
D1187780		0.07	0.337	<0.5	7.67	201	360	1.1	3	5.86	<0.5	43	181	118	8.23	20
D1187781		2.14	<0.005	<0.5	7.82	<5	100	<0.5	<2	7.54	<0.5	39	299	38	7.09	20
D1187782		1.98	0.021	<0.5	7.60	<5	70	<0.5	<2	8.22	<0.5	47	282	384	7.51	20
D1187783		1.84	0.083	<0.5	8.14	<5	150	<0.5	<2	7.21	<0.5	36	235	109	7.06	20
D1187784		2.55	0.123	<0.5	8.22	<5	260	0.9	5	3.61	<0.5	13	36	41	3.07	20
D1187785		1.78	0.557	<0.5	6.91	<5	110	<0.5	<2	5.88	<0.5	43	112	146	9.33	20
D1187786		1.94	0.005	<0.5	6.81	<5	80	<0.5	<2	5.45	<0.5	50	106	123	9.84	20
D1187787		2.14	0.039	<0.5	6.43	<5	60	<0.5	5	6.09	<0.5	44	100	164	9.53	20
D1187788		2.15	0.020	<0.5	6.68	<5	70	<0.5	2	5.53	<0.5	46	95	224	9.69	20
D1187789		2.20	0.014	<0.5	6.50	5	90	<0.5	<2	5.26	<0.5	49	78	186	10.75	20
D1187790		0.20	<0.005	<0.5	3.20	<5	230	0.7	<2	23.3	<0.5	7	26	19	1.55	10
D1187791		2.28	0.006	<0.5	6.61	<5	40	<0.5	<2	5.25	<0.5	51	81	132	10.85	20
D1187792		2.58	<0.005	<0.5	6.62	<5	30	<0.5	<2	5.83	<0.5	99	82	384	11.00	20
D1187793		2.39	0.417	<0.5	6.69	<5	120	<0.5	<2	5.83	<0.5	48	70	202	10.20	20
D1187794		1.95	0.028	<0.5	8.12	<5	400	0.9	<2	3.20	<0.5	10	30	259	2.63	20
D1187795		1.82	0.076	<0.5	8.25	<5	430	1.0	<2	3.26	<0.5	10	27	244	2.66	20
D1187796		1.94	0.247	<0.5	7.73	<5	450	0.9	<2	3.12	<0.5	13	29	181	2.64	20
D1187797		2.32	0.005	<0.5	6.26	<5	100	<0.5	<2	5.22	<0.5	46	54	135	10.35	20
D1187798		2.52	<0.005	<0.5	6.90	<5	30	<0.5	<2	5.31	<0.5	48	60	208	11.05	20
D1187799		2.28	0.010	<0.5	6.49	<5	20	<0.5	<2	5.64	<0.5	46	56	224	10.40	20
D1187800		0.07	3.48	<0.5	6.31	1380	440	0.9	4	5.18	<0.5	43	161	122	10.75	20
D1187801		2.66	<0.005	<0.5	7.00	<5	20	<0.5	2	6.05	<0.5	49	61	135	11.40	20
D1187802		2.41	0.010	<0.5	6.46	<5	30	<0.5	2	5.98	<0.5	49	58	135	10.95	20
D1187803		2.22	0.032	<0.5	6.43	<5	40	<0.5	5	5.27	<0.5	46	54	129	10.50	20
D1187804		1.64	0.787	<0.5	6.32	5	160	0.5	<2	6.91	<0.5	45	49	137	9.50	20
D1187805		1.75	0.905	<0.5	6.39	<5	300	0.5	3	6.57	<0.5	39	42	103	9.22	20
D1187806		1.54	0.263	<0.5	7.89	<5	280	0.6	<2	5.62	<0.5	42	197	127	7.41	20
D1187807		1.50	0.010	<0.5	7.43	6	100	<0.5	<2	6.64	<0.5	55	317	123	7.75	20
D1187808		2.45	<0.005	<0.5	8.19	<5	570	1.0	<2	2.89	<0.5	21	86	27	3.97	20
D1187809		2.40	<0.005	<0.5	8.33	<5	710	1.2	<2	2.96	<0.5	13	14	10	3.32	20
D1187810		0.23	<0.005	<0.5	2.86	<5	330	0.5	<2	22.7	<0.5	5	19	9	1.39	10

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1187771		0.61	<10	4.01	1610	<1	2.08	146	390	4	0.50	<5	40	201	<20	0.67
D1187772		0.29	<10	4.82	1450	<1	1.60	149	380	3	0.30	<5	40	197	<20	0.68
D1187773		0.31	<10	5.19	1410	<1	1.48	148	380	2	0.40	<5	40	167	<20	0.67
D1187774		0.29	<10	5.17	1430	<1	1.49	144	340	<2	0.23	<5	38	155	<20	0.63
D1187775		0.46	<10	3.67	1640	6	1.54	65	570	<2	0.51	<5	44	172	<20	0.98
D1187776		0.35	10	2.99	1820	11	1.66	35	660	<2	0.76	<5	47	161	<20	1.12
D1187777		0.51	10	3.58	1660	15	1.22	35	640	<2	0.63	<5	47	120	<20	1.10
D1187778		0.51	<10	4.32	1480	3	1.56	142	300	<2	0.20	<5	32	134	<20	0.55
D1187779		0.42	<10	2.86	1220	<1	1.91	62	230	<2	0.44	<5	35	147	<20	0.41
D1187780		0.84	20	3.91	1480	5	2.29	147	1690	3	0.27	<5	20	451	<20	1.04
D1187781		0.45	<10	3.64	1060	<1	1.86	79	260	<2	0.07	<5	41	148	<20	0.48
D1187782		0.32	<10	3.20	1070	<1	1.77	73	250	<2	0.58	<5	39	157	<20	0.45
D1187783		0.75	<10	3.77	1120	1	2.23	75	300	<2	0.32	<5	40	151	<20	0.48
D1187784		0.81	10	1.15	468	<1	4.30	15	580	<2	0.52	<5	8	406	<20	0.25
D1187785		0.68	<10	3.32	1500	2	2.38	52	370	<2	0.99	<5	42	80	<20	0.70
D1187786		0.53	<10	3.32	1510	3	2.31	52	420	<2	0.42	<5	43	77	<20	0.74
D1187787		0.37	<10	3.16	1590	4	2.17	47	390	<2	0.53	<5	43	72	<20	0.73
D1187788		0.48	<10	3.69	1580	10	2.21	65	420	<2	0.61	<5	42	49	<20	0.76
D1187789		0.58	<10	3.53	1740	5	2.22	45	460	2	0.51	<5	47	84	<20	0.82
D1187790		1.80	20	0.84	1030	<1	0.42	16	2020	6	0.22	<5	6	440	<20	0.16
D1187791		0.23	<10	3.46	1780	3	2.37	50	460	<2	0.38	<5	47	79	<20	0.81
D1187792		0.14	<10	3.31	1650	4	2.12	56	450	4	1.03	<5	49	123	<20	0.83
D1187793		0.55	<10	3.13	1610	5	2.32	42	460	4	0.99	<5	44	119	<20	0.79
D1187794		0.79	10	0.88	263	15	3.94	19	570	7	0.51	<5	4	637	<20	0.20
D1187795		0.91	10	0.87	255	1	3.98	14	580	3	0.62	<5	4	673	<20	0.20
D1187796		0.94	10	0.90	335	3	4.05	13	560	3	0.44	<5	4	517	<20	0.20
D1187797		0.34	10	3.09	1580	2	2.13	39	470	4	0.29	<5	43	109	<20	0.79
D1187798		0.10	<10	3.25	1660	4	2.32	41	520	<2	0.42	<5	48	136	<20	0.85
D1187799		0.10	<10	3.35	1710	1	2.27	40	430	<2	0.28	<5	46	123	<20	0.83
D1187800		0.63	20	3.57	2610	3	1.78	145	2010	10	2.32	<5	17	367	<20	0.84
D1187801		0.15	<10	3.53	1860	1	2.32	42	480	<2	0.27	<5	49	101	<20	0.89
D1187802		0.13	<10	3.35	1750	<1	1.92	43	450	<2	0.26	<5	47	123	<20	0.84
D1187803		0.18	<10	3.25	1630	<1	2.05	38	460	<2	0.24	<5	45	121	<20	0.80
D1187804		0.65	10	3.28	1660	1	1.97	38	480	28	1.54	<5	44	129	<20	0.79
D1187805		1.31	10	3.05	1290	<1	1.90	41	520	12	1.92	<5	45	197	<20	0.85
D1187806		1.16	10	4.20	1160	5	2.09	190	540	4	0.55	<5	22	242	<20	0.59
D1187807		0.54	10	5.92	1370	3	1.20	298	260	<2	0.21	<5	26	161	<20	0.45
D1187808		0.98	20	1.83	539	<1	3.82	68	760	2	0.08	<5	10	448	<20	0.33
D1187809		1.11	20	1.03	459	1	4.09	11	820	<2	0.10	<5	8	448	<20	0.31
D1187810		1.52	30	0.65	988	<1	0.62	11	3450	10	0.23	<5	5	474	<20	0.18

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1187771		<10	<10	296	<10	88	
D1187772		<10	<10	303	<10	94	
D1187773		<10	<10	298	<10	103	
D1187774		10	<10	285	<10	98	
D1187775		10	<10	388	<10	97	
D1187776		<10	<10	422	<10	95	
D1187777		<10	<10	426	<10	81	
D1187778		<10	<10	242	<10	74	
D1187779		<10	<10	218	<10	79	
D1187780		<10	<10	161	<10	117	
D1187781		<10	<10	245	<10	62	
D1187782		10	<10	249	<10	58	
D1187783		<10	<10	245	<10	73	
D1187784		10	<10	73	<10	27	
D1187785		10	<10	312	<10	77	
D1187786		<10	<10	329	<10	79	
D1187787		<10	<10	331	<10	77	
D1187788		<10	<10	335	<10	87	
D1187789		<10	<10	368	<10	87	
D1187790		10	<10	29	<10	54	
D1187791		10	<10	363	<10	95	
D1187792		<10	<10	369	<10	94	
D1187793		<10	<10	357	<10	86	
D1187794		<10	<10	46	<10	28	
D1187795		<10	<10	45	<10	22	
D1187796		<10	<10	54	20	22	
D1187797		<10	<10	337	<10	97	
D1187798		<10	<10	372	<10	96	
D1187799		<10	<10	377	<10	99	
D1187800		<10	<10	149	<10	126	
D1187801		<10	<10	390	<10	118	
D1187802		<10	<10	368	<10	111	
D1187803		<10	<10	350	<10	90	
D1187804		<10	<10	339	10	118	
D1187805		<10	<10	362	10	78	
D1187806		<10	<10	174	<10	75	
D1187807		<10	<10	196	<10	88	
D1187808		<10	<10	90	<10	38	
D1187809		<10	<10	68	<10	25	
D1187810		<10	<10	20	<10	24	

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1187811		1.88	0.049	<0.5	7.52	<5	190	0.5	<2	4.93	<0.5	45	275	64	6.80	20
D1187812		1.71	0.010	<0.5	8.33	<5	550	1.1	<2	3.29	<0.5	17	42	24	3.61	20
D1187813		2.64	0.006	<0.5	7.44	<5	70	<0.5	3	6.11	<0.5	56	302	97	8.74	20
D1187814		2.29	0.008	<0.5	7.64	<5	100	<0.5	<2	6.67	<0.5	55	263	85	8.59	20
D1187815		2.24	0.006	<0.5	7.50	<5	130	<0.5	<2	6.75	<0.5	51	231	101	8.54	20
D1187816		2.42	<0.005	<0.5	7.85	<5	100	<0.5	<2	7.22	<0.5	51	236	83	8.76	20
D1187817		2.09	<0.005	<0.5	7.55	<5	110	<0.5	<2	6.29	<0.5	52	236	47	8.65	20
D1187818		1.27	0.008	<0.5	7.31	<5	250	<0.5	<2	5.95	<0.5	50	225	114	8.61	20
D1187819		1.39	3.77	<0.5	8.09	<5	590	0.9	<2	2.93	<0.5	10	28	123	2.49	20
D1187820		0.06	6.51	1.0	6.12	4570	490	0.8	<2	5.95	<0.5	37	139	201	12.50	20
D1187821		1.38	0.982	<0.5	8.02	9	530	0.9	<2	2.82	<0.5	9	24	9	2.50	20
D1187822		2.05	0.683	<0.5	7.96	7	440	0.9	<2	3.09	<0.5	8	25	2	2.11	20
D1187823		2.04	0.204	<0.5	8.30	<5	500	1.0	<2	3.28	<0.5	9	34	10	2.46	20
D1187824		2.15	3.89	<0.5	8.42	<5	470	1.0	3	2.90	<0.5	11	27	69	2.78	20
D1187825		2.20	2.40	<0.5	7.78	<5	360	0.8	5	3.24	<0.5	7	24	3	2.31	20
D1187826		2.24	1.655	<0.5	7.30	8	460	0.9	<2	3.14	<0.5	7	27	14	2.08	20
D1187827		2.18	1.820	<0.5	8.13	<5	500	1.0	2	3.02	<0.5	9	26	13	2.31	20
D1187828		2.27	2.61	<0.5	8.29	<5	490	1.0	<2	3.17	<0.5	11	27	8	2.42	20
D1187829		1.07	0.026	<0.5	8.07	<5	540	1.1	<2	3.73	<0.5	12	30	9	3.22	20
D1187830		0.18	<0.005	<0.5	2.80	<5	230	0.5	<2	23.0	<0.5	5	22	8	1.46	10
D1187831		1.60	0.325	<0.5	7.56	<5	510	0.9	<2	3.17	<0.5	8	30	6	2.03	20
D1187832		1.82	0.157	<0.5	7.51	<5	480	0.9	<2	3.00	<0.5	9	33	2	2.27	20
D1187833		2.28	>10.0	<0.5	6.23	<5	360	0.7	5	2.38	<0.5	6	38	3	1.67	20
D1187834		2.12	0.370	<0.5	7.43	<5	520	0.9	<2	2.84	<0.5	7	42	5	2.13	20
D1187835		2.28	0.800	<0.5	7.33	<5	490	0.9	<2	2.82	<0.5	7	34	6	2.07	20
D1187836		2.26	0.161	<0.5	7.54	<5	600	0.9	<2	2.95	<0.5	8	32	5	2.10	20
D1187837		2.12	0.367	<0.5	7.66	<5	610	0.9	<2	2.94	<0.5	8	32	7	2.08	20
D1187838		2.09	7.60	<0.5	6.29	<5	380	0.7	3	2.41	<0.5	8	34	2	2.06	20
D1187839		2.02	2.13	<0.5	7.69	<5	580	0.9	<2	3.08	3.1	9	34	5	2.20	20
D1187840		0.06	1.235	<0.5	6.96	722	460	1.0	2	5.43	0.5	42	189	93	9.85	20
D1187841		2.12	0.098	<0.5	8.16	<5	600	0.9	<2	3.06	<0.5	9	32	2	2.23	20
D1187842		2.08	1.040	<0.5	7.83	<5	480	0.9	<2	2.90	<0.5	8	29	2	2.02	20
D1187843		2.11	0.407	<0.5	7.77	<5	470	1.0	<2	3.13	<0.5	6	32	3	1.92	20
D1187844		2.09	0.170	<0.5	7.57	<5	530	0.9	<2	3.00	<0.5	8	42	12	2.05	20
D1187845		2.06	0.394	<0.5	7.81	<5	590	1.0	<2	2.63	<0.5	6	26	2	1.62	20
D1187846		1.58	0.155	<0.5	8.10	<5	640	0.9	<2	3.17	<0.5	3	29	2	1.40	20
D1187847		1.48	0.690	<0.5	7.46	<5	470	0.9	<2	3.31	<0.5	12	78	81	2.84	20
D1187848		1.52	0.015	<0.5	7.61	<5	460	0.9	<2	2.68	<0.5	13	83	73	2.90	20
D1187849		2.01	<0.005	<0.5	7.51	<5	460	0.9	<2	2.86	<0.5	10	86	33	2.71	20
D1187850		0.22	<0.005	<0.5	3.39	<5	340	0.6	<2	21.0	<0.5	5	26	11	1.54	10

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1187811		0.50	10	4.33	1010	1	1.95	233	420	<2	0.19	<5	21	206	<20	0.41
D1187812		0.82	20	1.35	449	<1	3.75	31	800	<2	0.12	<5	9	508	<20	0.33
D1187813		0.23	<10	5.39	1400	<1	1.13	265	300	3	0.12	5	31	154	<20	0.54
D1187814		0.30	<10	5.06	1410	<1	1.27	234	320	<2	0.14	<5	31	149	<20	0.55
D1187815		0.15	<10	4.78	1430	<1	1.28	191	290	<2	0.13	<5	33	167	<20	0.54
D1187816		0.30	<10	4.91	1500	<1	1.45	199	300	<2	0.14	<5	35	209	<20	0.58
D1187817		0.35	<10	4.73	1430	<1	1.84	196	310	<2	0.09	<5	34	198	<20	0.57
D1187818		0.89	<10	4.53	1340	<1	1.82	176	310	<2	0.54	<5	33	212	<20	0.59
D1187819		0.97	10	0.81	340	<1	4.41	16	540	<2	1.21	<5	4	541	<20	0.16
D1187820		0.59	20	3.16	4290	3	1.26	110	2400	11	3.67	12	21	255	<20	0.59
D1187821		0.77	10	0.79	325	1	4.86	16	550	2	1.35	<5	4	581	<20	0.15
D1187822		0.78	10	0.82	360	8	4.35	13	520	3	0.76	<5	4	599	<20	0.16
D1187823		0.75	10	1.03	413	<1	4.62	19	560	3	0.52	<5	5	649	<20	0.21
D1187824		0.60	10	0.86	367	<1	5.63	19	560	4	1.06	<5	4	538	<20	0.18
D1187825		0.55	10	0.98	509	<1	5.13	12	550	2	1.05	<5	3	441	<20	0.13
D1187826		0.63	10	0.77	338	1	4.14	11	470	<2	0.86	<5	3	510	<20	0.14
D1187827		0.60	10	0.82	323	<1	4.69	13	550	2	0.97	<5	4	603	<20	0.15
D1187828		0.60	10	0.87	328	<1	4.70	15	550	<2	1.04	<5	4	623	<20	0.15
D1187829		0.83	20	1.39	411	<1	3.93	21	750	<2	0.89	<5	9	753	<20	0.26
D1187830		1.56	20	0.85	934	1	0.46	12	2070	11	0.26	<5	5	440	<20	0.15
D1187831		0.65	10	0.82	292	1	3.82	10	520	<2	0.29	<5	4	626	<20	0.18
D1187832		0.70	10	0.84	317	46	3.88	13	490	2	0.62	6	4	597	<20	0.18
D1187833		0.66	10	0.64	252	2	3.41	9	400	<2	0.52	<5	3	460	<20	0.12
D1187834		0.84	10	0.77	303	2	3.75	9	480	3	0.64	<5	3	616	<20	0.16
D1187835		0.67	10	0.77	276	1	3.67	10	480	<2	0.54	<5	3	605	<20	0.16
D1187836		0.71	10	0.80	283	1	3.81	10	500	3	0.52	<5	4	604	<20	0.18
D1187837		0.76	10	0.83	286	1	3.72	10	510	3	0.53	7	4	609	<20	0.17
D1187838		0.55	10	0.60	241	2	3.28	7	410	3	0.94	<5	3	460	<20	0.12
D1187839		0.70	10	0.82	304	2	3.80	9	520	<2	0.54	<5	4	631	<20	0.18
D1187840		0.72	20	3.78	2690	5	1.96	136	1990	7	0.99	6	18	385	<20	0.92
D1187841		0.74	10	0.83	307	2	3.99	10	530	3	0.54	<5	4	654	<20	0.18
D1187842		0.84	10	0.76	320	1	4.36	9	510	<2	0.65	<5	3	560	<20	0.14
D1187843		0.83	10	0.81	289	2	3.78	10	520	2	0.34	<5	4	650	<20	0.17
D1187844		1.08	10	0.86	315	2	3.62	10	500	2	0.49	<5	4	543	<20	0.14
D1187845		1.06	10	0.60	274	2	4.06	8	430	2	0.50	<5	3	578	<20	0.12
D1187846		1.08	10	0.54	442	1	4.50	5	480	2	0.33	<5	3	546	<20	0.12
D1187847		1.23	10	1.22	478	2	3.47	24	540	<2	0.81	<5	7	503	<20	0.17
D1187848		0.95	10	1.26	401	16	3.86	27	550	3	0.70	<5	7	635	<20	0.15
D1187849		0.75	10	1.27	461	1	3.77	27	560	7	0.26	<5	7	626	<20	0.15
D1187850		1.89	30	0.79	868	2	0.58	12	3710	13	0.26	<5	6	486	<20	0.18

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1187811		<10	<10	167	<10	77	
D1187812		<10	<10	82	<10	39	
D1187813		<10	<10	238	<10	104	
D1187814		<10	<10	234	<10	96	
D1187815		<10	<10	242	<10	93	
D1187816		10	<10	259	<10	93	
D1187817		10	<10	255	<10	87	
D1187818		<10	<10	250	<10	90	
D1187819		<10	<10	45	<10	26	
D1187820		<10	<10	185	<10	127	6.79
D1187821		<10	<10	36	20	23	
D1187822		<10	<10	37	20	24	
D1187823		<10	<10	48	10	44	
D1187824		<10	<10	35	10	32	
D1187825		<10	<10	27	100	21	
D1187826		<10	<10	34	10	28	
D1187827		<10	<10	36	10	28	
D1187828		<10	<10	39	40	31	
D1187829		<10	<10	76	20	44	
D1187830		<10	<10	22	<10	14	
D1187831		<10	<10	43	<10	36	
D1187832		<10	<10	44	10	30	
D1187833		<10	<10	30	70	25	11.70
D1187834		<10	<10	38	10	32	
D1187835		<10	<10	38	10	34	
D1187836		<10	<10	40	<10	41	
D1187837		10	<10	42	<10	37	
D1187838		<10	<10	31	10	23	4.93
D1187839		<10	<10	43	<10	321	
D1187840		<10	<10	156	<10	127	
D1187841		<10	<10	43	10	38	
D1187842		10	<10	37	30	22	
D1187843		<10	<10	41	<10	30	
D1187844		10	<10	40	<10	32	
D1187845		10	<10	34	30	20	
D1187846		10	<10	35	10	16	
D1187847		<10	<10	55	10	45	
D1187848		10	<10	51	<10	51	
D1187849		<10	<10	51	<10	58	
D1187850		<10	<10	24	<10	22	

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1187851		2.09	0.030	<0.5	7.68	<5	510	0.9	<2	3.08	<0.5	12	89	24	2.78	20
D1187852		2.14	0.015	<0.5	7.46	<5	520	0.9	<2	3.36	<0.5	13	89	283	2.80	20
D1187853		2.10	0.006	<0.5	7.41	<5	530	0.9	<2	3.27	<0.5	11	86	74	2.75	20
D1187854		2.00	0.021	<0.5	7.31	<5	570	0.9	<2	3.18	<0.5	12	85	50	2.75	20
D1187855		1.50	0.005	<0.5	7.26	<5	400	0.8	<2	3.42	<0.5	13	91	21	2.81	20
D1187856		1.61	<0.005	<0.5	7.27	<5	90	<0.5	2	7.00	<0.5	52	253	88	8.74	20
D1187857		1.98	<0.005	<0.5	7.59	<5	130	<0.5	<2	8.35	0.7	51	263	136	8.92	20
D1187858		2.14	<0.005	<0.5	7.43	<5	90	<0.5	<2	7.00	<0.5	51	224	102	8.71	20
D1187859		2.52	<0.005	<0.5	7.37	<5	70	<0.5	<2	7.18	0.7	48	242	93	8.47	20
D1187860		0.07	1.225	<0.5	6.32	737	410	0.9	2	5.13	<0.5	38	167	90	9.06	20
D1187861		2.36	<0.005	<0.5	7.87	<5	80	<0.5	<2	7.22	0.6	55	269	96	8.89	20
D1187862		2.29	<0.005	<0.5	7.26	<5	120	<0.5	<2	8.61	0.7	50	232	117	8.68	20
D1187863		2.50	<0.005	<0.5	7.52	<5	120	<0.5	<2	6.71	0.5	55	239	100	8.92	20
D1187864		2.40	<0.005	<0.5	7.41	<5	100	<0.5	<2	6.56	0.6	53	251	76	8.80	20
D1187865		1.33	<0.005	<0.5	7.21	<5	220	0.5	<2	5.12	<0.5	32	155	66	5.56	20
D1187866		1.67	<0.005	<0.5	7.28	<5	110	<0.5	2	6.71	<0.5	59	352	72	8.07	10
D1187867		1.88	<0.005	<0.5	7.52	<5	100	<0.5	<2	6.97	<0.5	59	332	60	8.51	20
D1187868		2.10	<0.005	<0.5	7.58	<5	110	<0.5	<2	6.78	0.7	57	327	76	8.42	20
D1187869		2.41	<0.005	<0.5	7.19	6	80	<0.5	<2	6.80	0.5	56	327	53	8.38	20
D1187870		0.22	<0.005	<0.5	3.20	5	280	0.6	2	21.4	<0.5	7	26	9	1.63	10
D1187871		2.36	<0.005	<0.5	7.41	<5	130	<0.5	<2	6.49	<0.5	56	342	62	8.33	20
D1187872		2.35	<0.005	<0.5	6.94	<5	200	<0.5	<2	6.75	<0.5	56	300	81	8.18	20
D1187873		2.36	<0.005	<0.5	6.91	<5	160	<0.5	<2	6.43	<0.5	54	289	67	8.39	20
D1187874		2.37	<0.005	<0.5	6.91	<5	150	<0.5	6	6.24	<0.5	55	343	49	8.32	20
D1187875		2.38	<0.005	<0.5	7.14	<5	120	<0.5	<2	6.42	<0.5	56	342	71	8.49	20
D1187876		2.40	<0.005	<0.5	7.01	<5	170	<0.5	2	6.48	<0.5	53	307	72	8.79	20
D1187877		2.52	<0.005	<0.5	7.44	<5	180	<0.5	<2	6.19	<0.5	47	269	46	7.81	20
D1187878		1.75	<0.005	<0.5	6.99	<5	100	<0.5	<2	6.36	0.5	53	298	52	8.50	20
D1187879		1.87	<0.005	<0.5	7.41	<5	50	<0.5	2	5.96	0.6	53	293	98	8.78	20
D1187880		0.07	0.332	<0.5	7.34	199	350	1.1	2	5.71	0.5	41	190	116	7.85	20
D1187881		1.93	0.017	<0.5	8.00	<5	600	0.9	<2	2.87	<0.5	8	24	4	1.79	20
D1187882		1.84	0.011	<0.5	8.09	5	530	0.9	<2	2.29	<0.5	6	22	1	1.58	20
D1187883		1.70	0.040	<0.5	7.94	<5	470	1.0	<2	2.54	<0.5	7	22	6	1.75	20
D1187884		1.43	3.73	1.0	6.78	<5	540	0.5	5	6.77	<0.5	42	183	66	8.54	20
D1187885		2.55	1.790	<0.5	5.77	<5	220	0.8	<2	4.18	<0.5	6	8	113	3.38	20
D1187886		2.26	<0.005	<0.5	5.85	<5	90	0.9	<2	4.79	<0.5	7	11	89	5.32	20
D1187887		2.14	<0.005	<0.5	4.77	<5	90	0.7	<2	3.50	<0.5	6	18	143	3.00	20
D1187888		2.29	0.011	<0.5	6.21	<5	90	1.1	<2	4.22	<0.5	9	32	228	5.26	20
D1187889		2.18	0.025	<0.5	4.38	<5	50	0.8	<2	3.11	<0.5	5	26	123	2.96	10
D1187890		0.24	<0.005	<0.5	3.42	<5	370	0.6	<2	19.6	<0.5	6	22	10	1.46	10

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1187851		0.95	10	1.32	479	1	3.66	31	560	3	0.48	<5	7	589	<20	0.16
D1187852		1.03	10	1.28	513	23	3.60	28	550	6	0.36	<5	7	604	<20	0.16
D1187853		0.96	10	1.30	509	4	3.59	27	550	3	0.27	<5	7	583	<20	0.16
D1187854		1.13	10	1.24	516	8	3.69	28	540	5	0.39	<5	7	488	<20	0.18
D1187855		0.89	10	1.34	521	2	3.38	33	560	4	0.26	<5	7	430	<20	0.19
D1187856		0.35	<10	4.38	1375	7	1.16	195	330	4	0.33	<5	29	239	<20	0.56
D1187857		0.55	<10	3.96	1415	<1	1.49	199	320	3	0.31	<5	34	254	<20	0.55
D1187858		0.41	<10	4.47	1375	3	1.47	178	340	<2	0.33	<5	32	195	<20	0.57
D1187859		0.38	<10	4.52	1390	<1	1.34	187	310	<2	0.23	<5	32	199	<20	0.53
D1187860		0.67	20	3.51	2570	2	1.79	128	1890	9	0.93	<5	17	362	<20	0.85
D1187861		0.42	<10	4.76	1455	<1	1.49	217	340	<2	0.26	<5	32	192	<20	0.55
D1187862		0.56	<10	3.14	1200	<1	1.58	187	300	<2	0.29	<5	30	222	<20	0.50
D1187863		0.58	<10	4.64	1495	2	1.29	193	320	2	0.19	<5	33	151	<20	0.55
D1187864		0.44	<10	4.83	1560	<1	1.24	182	330	4	0.13	<5	32	165	<20	0.57
D1187865		0.70	10	3.20	948	3	2.15	118	430	3	0.30	<5	18	350	<20	0.36
D1187866		0.42	<10	5.52	1320	<1	0.98	317	260	3	0.09	<5	21	223	<20	0.46
D1187867		0.39	<10	5.46	1390	<1	1.18	305	290	4	0.10	<5	22	179	<20	0.48
D1187868		0.46	<10	5.50	1370	<1	1.24	283	310	<2	0.14	<5	26	151	<20	0.48
D1187869		0.38	<10	5.45	1420	<1	1.18	283	250	<2	0.06	<5	22	141	<20	0.47
D1187870		1.80	30	0.80	1045	<1	0.52	16	2990	13	0.38	<5	5	451	<20	0.19
D1187871		0.44	<10	5.55	1415	<1	1.38	273	280	2	0.07	<5	25	144	<20	0.49
D1187872		0.60	<10	5.38	1395	<1	1.35	258	300	5	0.20	<5	22	140	<20	0.48
D1187873		0.46	<10	5.26	1410	<1	1.26	259	290	<2	0.07	<5	22	135	<20	0.52
D1187874		0.48	<10	5.34	1420	3	1.13	263	270	<2	0.05	<5	25	127	<20	0.49
D1187875		0.37	<10	5.47	1450	5	0.95	270	270	2	0.08	<5	27	131	<20	0.50
D1187876		0.46	<10	5.12	1595	5	1.39	232	310	<2	0.09	<5	24	134	<20	0.55
D1187877		0.43	<10	4.67	1330	<1	1.77	197	350	<2	0.07	<5	27	201	<20	0.48
D1187878		0.22	<10	5.05	1450	2	1.65	211	270	<2	0.05	<5	25	137	<20	0.52
D1187879		0.17	<10	5.22	1585	1	1.63	203	310	6	0.08	<5	31	150	<20	0.56
D1187880		0.82	20	3.75	1460	4	2.20	137	1630	5	0.26	<5	19	431	<20	1.01
D1187881		0.80	10	0.66	278	<1	4.19	11	460	7	0.29	<5	3	631	<20	0.16
D1187882		0.89	10	0.70	310	<1	5.03	8	520	<2	0.35	<5	3	490	<20	0.16
D1187883		0.80	10	0.66	355	<1	5.21	10	470	3	0.54	<5	3	461	<20	0.15
D1187884		1.50	10	4.42	1400	<1	1.34	135	330	4	1.92	<5	30	202	<20	0.51
D1187885		1.90	20	0.18	495	1	0.67	1	690	9	0.69	<5	12	63	<20	0.30
D1187886		0.84	20	0.23	542	2	0.40	<1	480	5	0.25	<5	11	49	<20	0.24
D1187887		0.71	10	0.13	277	2	0.48	<1	370	4	0.32	<5	10	34	<20	0.21
D1187888		0.71	20	0.28	348	3	0.51	1	730	2	0.57	<5	13	38	<20	0.33
D1187889		0.43	10	0.13	241	2	0.62	1	340	3	0.39	<5	7	33	<20	0.18
D1187890		1.89	30	0.70	1060	<1	0.72	11	4420	13	0.20	<5	6	481	<20	0.20

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1187851		<10	<10	54	<10	58	
D1187852		10	<10	52	<10	62	
D1187853		<10	<10	50	<10	63	
D1187854		10	<10	51	<10	65	
D1187855		<10	<10	56	<10	63	
D1187856		<10	<10	249	<10	115	
D1187857		<10	<10	246	<10	114	
D1187858		<10	<10	241	<10	102	
D1187859		<10	<10	233	<10	100	
D1187860		<10	<10	145	<10	122	
D1187861		<10	<10	238	<10	103	
D1187862		<10	<10	219	<10	86	
D1187863		<10	<10	255	<10	103	
D1187864		<10	<10	262	<10	103	
D1187865		<10	<10	146	<10	73	
D1187866		<10	<10	201	<10	89	
D1187867		<10	<10	218	<10	93	
D1187868		<10	<10	212	<10	95	
D1187869		<10	<10	222	<10	94	
D1187870		<10	<10	26	<10	19	
D1187871		<10	<10	223	<10	94	
D1187872		<10	<10	216	<10	94	
D1187873		<10	<10	236	<10	92	
D1187874		<10	<10	230	<10	91	
D1187875		<10	<10	236	<10	94	
D1187876		10	<10	262	<10	99	
D1187877		<10	<10	218	<10	86	
D1187878		10	<10	249	<10	95	
D1187879		<10	<10	256	<10	104	
D1187880		<10	<10	155	<10	115	
D1187881		<10	<10	32	<10	36	
D1187882		<10	<10	44	10	34	
D1187883		<10	<10	34	50	31	
D1187884		<10	<10	219	70	127	
D1187885		<10	<10	13	10	85	
D1187886		<10	<10	2	<10	64	
D1187887		<10	<10	5	<10	34	
D1187888		<10	<10	17	<10	60	
D1187889		<10	<10	5	<10	29	
D1187890		<10	<10	22	<10	17	

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1187891		2.22	0.347	<0.5	5.23	<5	290	1.0	<2	2.50	<0.5	6	24	96	3.28	20
D1187892		2.29	0.060	<0.5	6.22	<5	260	1.3	<2	3.91	<0.5	7	16	153	4.43	20
D1187893		2.01	0.390	0.6	5.37	<5	280	1.2	<2	3.02	<0.5	4	16	60	2.77	20
D1187894		2.44	0.017	<0.5	5.69	<5	160	1.4	<2	1.93	<0.5	2	14	10	1.54	20
D1187895		2.15	<0.005	<0.5	5.93	<5	180	1.1	<2	1.81	<0.5	2	18	14	1.96	20
D1187896		2.46	<0.005	<0.5	5.06	<5	70	0.8	<2	4.97	<0.5	11	33	170	3.18	20
D1187897		2.12	<0.005	<0.5	8.24	<5	40	1.2	2	9.34	<0.5	52	91	110	10.35	30
D1187898		2.48	<0.005	<0.5	7.39	<5	130	0.7	<2	6.89	<0.5	47	78	69	10.25	20
D1187899		2.40	<0.005	<0.5	6.86	<5	210	<0.5	<2	5.01	<0.5	45	80	48	9.68	20
D1187900		0.07	3.47	<0.5	6.37	1320	450	0.9	5	5.18	<0.5	40	172	120	10.85	20
D1187901		2.54	<0.005	<0.5	6.56	<5	320	<0.5	<2	3.80	<0.5	46	75	108	9.50	20
D1187902		2.27	<0.005	<0.5	6.89	<5	320	<0.5	<2	3.83	<0.5	49	74	109	9.62	20
D1187903		2.29	<0.005	<0.5	7.75	<5	470	0.7	<2	4.77	<0.5	31	98	33	6.47	20
D1187904		2.28	<0.005	<0.5	7.90	<5	460	0.8	<2	5.94	<0.5	28	124	38	5.15	20
D1187905		2.24	<0.005	<0.5	7.42	<5	510	0.7	<2	6.21	<0.5	33	232	63	5.53	20
D1187906		2.02	<0.005	<0.5	7.28	<5	440	0.7	<2	5.48	<0.5	34	246	39	5.56	20
D1187907		2.32	<0.005	<0.5	7.08	<5	400	0.6	<2	6.57	<0.5	38	294	62	5.73	20
D1187908		2.24	<0.005	<0.5	7.52	<5	470	0.7	<2	6.18	<0.5	34	197	53	5.62	20
D1187909		2.36	<0.005	<0.5	7.68	<5	250	0.6	<2	5.37	<0.5	35	102	65	7.31	20
D1187910		0.21	<0.005	<0.5	3.49	<5	340	0.6	<2	19.1	<0.5	6	23	9	1.49	10
D1187911		2.50	<0.005	<0.5	7.30	<5	40	<0.5	<2	6.85	<0.5	51	73	112	10.50	20
D1187912		2.47	<0.005	<0.5	7.54	<5	80	<0.5	<2	7.36	<0.5	48	68	99	10.60	20
D1187913		2.47	<0.005	<0.5	7.30	<5	40	<0.5	<2	6.91	0.5	49	72	81	10.40	20
D1187914		2.44	0.010	<0.5	6.93	<5	50	<0.5	2	6.53	<0.5	47	70	490	9.99	20
D1187915		2.35	<0.005	<0.5	7.29	<5	220	0.5	<2	6.79	<0.5	48	251	111	9.64	20
D1187916		2.40	0.010	<0.5	7.47	<5	120	<0.5	3	7.05	<0.5	47	107	117	10.45	20
D1187917		2.47	0.008	<0.5	7.87	<5	40	<0.5	<2	6.49	<0.5	48	81	99	11.20	20
D1187918		2.40	<0.005	<0.5	7.75	<5	60	<0.5	<2	7.16	<0.5	49	87	127	11.20	20
D1187919		2.50	0.008	<0.5	7.59	<5	40	<0.5	<2	6.98	<0.5	49	81	167	11.00	20
D1187920		0.07	6.62	0.9	5.89	4370	500	0.8	<2	5.69	<0.5	36	140	188	12.05	20
D1187921		2.44	0.011	<0.5	7.53	<5	40	<0.5	2	6.90	<0.5	48	92	112	10.85	20
D1187922		2.53	0.008	<0.5	7.58	<5	40	<0.5	<2	6.73	<0.5	47	78	86	10.85	20
D1187923		2.33	0.009	<0.5	7.23	<5	60	<0.5	3	7.16	<0.5	43	73	137	9.91	20
D1187924		2.46	0.008	<0.5	7.28	<5	70	<0.5	4	7.00	<0.5	46	97	380	10.40	20
D1187925		2.50	0.007	<0.5	7.47	<5	50	<0.5	<2	8.34	<0.5	46	95	179	10.35	20
D1187926		2.33	0.006	<0.5	8.03	<5	40	<0.5	<2	7.19	<0.5	48	71	109	10.65	30
D1187927		2.52	0.005	<0.5	7.85	<5	40	<0.5	2	8.05	<0.5	51	89	136	11.05	20
D1187928		2.43	0.013	<0.5	7.80	<5	70	<0.5	<2	8.23	<0.5	56	73	305	10.50	20
D1187929		2.39	0.070	<0.5	6.83	<5	70	<0.5	2	6.74	<0.5	46	71	346	9.89	20
D1187930		0.19	<0.005	<0.5	3.95	<5	570	0.6	<2	15.8	<0.5	5	25	9	1.58	10

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1187891		1.42	20	0.16	211	4	0.65	<1	360	3	0.70	<5	10	44	<20	0.20
D1187892		1.68	20	0.19	358	4	0.72	<1	450	72	1.15	<5	11	60	<20	0.24
D1187893		1.57	10	0.14	282	3	0.90	<1	260	36	1.34	<5	6	49	<20	0.14
D1187894		1.35	10	0.24	156	5	0.85	<1	30	<2	0.05	<5	2	35	<20	0.04
D1187895		1.50	10	0.27	206	4	0.83	<1	40	<2	0.04	5	2	31	<20	0.04
D1187896		0.37	10	0.18	665	4	0.91	3	80	4	0.42	<5	3	48	<20	0.06
D1187897		0.14	10	2.15	1440	3	1.44	55	540	8	0.35	<5	50	88	<20	0.94
D1187898		0.43	<10	3.04	1250	1	1.54	49	460	5	0.25	<5	45	90	<20	0.83
D1187899		0.67	<10	3.89	1215	1	1.24	43	440	4	0.07	5	41	100	<20	0.81
D1187900		0.63	20	3.59	2670	4	1.79	142	2020	10	2.30	<5	17	361	<20	0.85
D1187901		0.93	<10	4.52	1515	2	1.30	41	490	3	0.20	6	35	139	<20	0.84
D1187902		0.87	<10	4.17	1675	1	1.52	42	470	5	0.20	<5	43	175	<20	0.85
D1187903		0.96	10	2.80	1130	1	3.06	49	730	2	0.25	<5	23	302	<20	0.52
D1187904		0.81	20	2.84	1025	2	2.85	56	800	4	0.24	<5	17	429	<20	0.39
D1187905		1.00	10	4.13	983	1	2.17	97	720	4	0.10	<5	23	421	<20	0.42
D1187906		1.00	10	4.24	904	2	2.16	102	780	5	0.14	<5	23	393	<20	0.41
D1187907		0.96	10	4.83	960	1	1.90	125	610	2	0.14	<5	28	371	<20	0.47
D1187908		0.99	10	3.87	937	<1	2.59	82	670	4	0.15	<5	24	403	<20	0.49
D1187909		0.52	10	3.18	1130	1	2.44	56	690	3	0.27	<5	27	390	<20	0.55
D1187910		1.88	30	0.69	980	2	0.70	9	3030	12	0.17	5	6	406	<20	0.21
D1187911		0.15	10	3.85	1735	5	1.54	68	460	3	0.51	<5	42	209	<20	0.79
D1187912		0.25	<10	3.72	1745	7	1.73	62	470	4	0.27	7	44	163	<20	0.84
D1187913		0.17	<10	3.53	1735	2	1.50	61	430	<2	0.15	<5	43	165	<20	0.80
D1187914		0.17	<10	3.46	1540	26	1.29	56	430	<2	0.60	<5	40	169	<20	0.76
D1187915		0.45	10	4.54	1440	2	1.50	105	930	4	0.22	<5	38	247	<20	0.71
D1187916		0.51	10	3.79	1460	4	1.44	54	490	6	0.19	11	45	226	<20	0.79
D1187917		0.20	<10	3.78	1400	1	1.53	51	480	<2	0.11	<5	46	236	<20	0.86
D1187918		0.34	<10	4.01	1585	2	1.63	51	480	<2	0.27	<5	47	178	<20	0.87
D1187919		0.23	<10	3.92	1515	3	1.46	47	470	<2	0.32	<5	46	144	<20	0.83
D1187920		0.55	20	3.00	4170	6	1.21	103	2280	16	3.53	13	20	240	<20	0.57
D1187921		0.19	<10	3.95	1465	4	1.48	50	440	2	0.18	<5	47	151	<20	0.82
D1187922		0.21	<10	3.80	1580	<1	1.44	60	460	4	0.14	5	44	130	<20	0.84
D1187923		0.18	<10	3.24	1640	6	1.66	54	430	<2	0.27	5	42	138	<20	0.77
D1187924		0.19	<10	3.04	1480	7	1.88	47	440	<2	0.84	5	44	150	<20	0.79
D1187925		0.19	<10	3.75	1640	5	1.49	47	460	3	0.42	<5	46	145	<20	0.81
D1187926		0.22	<10	4.03	1690	24	1.79	63	430	4	0.22	<5	44	144	<20	0.81
D1187927		0.19	<10	3.72	1800	7	1.75	54	460	<2	0.29	6	47	154	<20	0.83
D1187928		0.21	10	3.18	1865	40	1.91	61	480	3	0.61	<5	44	168	<20	0.83
D1187929		0.18	<10	2.91	1585	22	1.71	53	420	3	0.89	<5	40	144	<20	0.75
D1187930		2.19	30	0.71	864	1	0.84	9	3580	9	0.19	8	6	391	<20	0.19

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1187891		<10	<10	14	30	27	
D1187892		<10	<10	5	<10	31	
D1187893		10	<10	26	10	27	
D1187894		10	<10	3	<10	13	
D1187895		<10	<10	4	<10	13	
D1187896		10	<10	17	<10	15	
D1187897		10	<10	369	<10	90	
D1187898		<10	<10	348	<10	86	
D1187899		<10	<10	347	<10	79	
D1187900		<10	<10	149	<10	127	
D1187901		<10	<10	351	<10	89	
D1187902		<10	<10	352	<10	101	
D1187903		<10	<10	185	<10	88	
D1187904		<10	<10	128	<10	71	
D1187905		<10	<10	149	<10	75	
D1187906		<10	<10	147	<10	74	
D1187907		<10	<10	171	<10	72	
D1187908		<10	<10	172	<10	79	
D1187909		10	<10	206	<10	85	
D1187910		<10	<10	24	<10	21	
D1187911		<10	<10	321	<10	103	
D1187912		<10	<10	328	<10	100	
D1187913		<10	<10	333	<10	99	
D1187914		<10	<10	314	<10	97	
D1187915		<10	<10	282	<10	99	
D1187916		10	<10	335	<10	104	
D1187917		10	<10	357	<10	110	
D1187918		<10	<10	372	<10	108	
D1187919		10	<10	346	<10	114	
D1187920		<10	<10	174	<10	121	7.18
D1187921		<10	<10	366	<10	110	
D1187922		10	<10	343	<10	107	
D1187923		<10	<10	323	<10	99	
D1187924		<10	<10	334	<10	91	
D1187925		10	<10	353	<10	97	
D1187926		<10	<10	336	<10	109	
D1187927		<10	<10	359	<10	113	
D1187928		<10	<10	338	<10	110	
D1187929		10	<10	319	<10	94	
D1187930		<10	<10	24	<10	32	

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1187931		2.43	<0.005	<0.5	6.60	<5	70	<0.5	3	6.77	<0.5	40	65	98	9.16	20
D1187932		2.30	0.026	<0.5	7.21	<5	30	<0.5	5	6.43	<0.5	49	79	110	9.87	20
D1187933		2.37	0.151	<0.5	6.71	<5	20	<0.5	<2	6.43	<0.5	46	65	129	10.40	20
D1187934		2.48	0.023	<0.5	7.09	<5	20	<0.5	<2	6.47	<0.5	46	72	121	10.85	20
D1187935		2.45	0.160	<0.5	7.24	<5	30	<0.5	<2	6.66	<0.5	48	71	116	11.35	20
D1187936		2.39	0.169	<0.5	6.90	<5	90	<0.5	2	6.41	<0.5	46	74	152	10.30	20
D1187937		2.36	0.019	<0.5	6.75	<5	60	<0.5	<2	6.76	<0.5	42	71	170	9.92	20
D1187938		2.37	0.070	<0.5	6.76	<5	70	<0.5	<2	7.79	<0.5	43	76	136	10.00	20
D1187939		2.48	0.923	<0.5	6.92	<5	60	<0.5	<2	8.54	<0.5	46	82	199	10.35	20
D1187940		0.06	1.250	<0.5	6.86	799	450	1.0	7	5.49	<0.5	38	187	94	9.80	20
D1187941		2.49	0.010	<0.5	7.03	<5	70	<0.5	2	7.02	<0.5	46	76	170	10.65	20
D1187942		2.37	0.098	<0.5	6.87	<5	80	<0.5	2	6.52	<0.5	47	73	174	10.25	20
D1187943		2.44	<0.005	<0.5	7.01	<5	30	<0.5	3	7.44	<0.5	46	81	124	10.25	20
D1187944		2.51	0.005	<0.5	7.15	<5	150	<0.5	<2	6.81	<0.5	48	80	114	10.60	20
D1187945		2.06	<0.005	<0.5	7.79	<5	30	<0.5	<2	5.92	<0.5	51	195	96	9.39	20
D1187946		1.11	<0.005	<0.5	7.42	<5	40	<0.5	<2	6.65	<0.5	50	177	140	8.99	20
D1187947		1.72	<0.005	<0.5	7.93	<5	30	<0.5	<2	6.79	<0.5	52	194	114	9.45	20
D1187948		2.38	<0.005	<0.5	8.13	<5	20	<0.5	<2	6.12	<0.5	55	200	105	9.77	20
D1187949		2.06	<0.005	<0.5	7.89	<5	20	<0.5	3	6.01	<0.5	55	202	109	9.54	20
D1187950		2.32	<0.005	<0.5	7.98	<5	20	<0.5	<2	6.02	<0.5	53	196	92	9.25	20
D1187951		2.28	<0.005	<0.5	7.76	<5	20	<0.5	<2	6.52	<0.5	51	189	88	9.10	20
D1187952		1.95	0.006	<0.5	7.36	<5	20	<0.5	<2	6.48	<0.5	49	167	102	8.73	20
D1187953		1.94	0.007	<0.5	7.24	<5	40	<0.5	<2	5.75	<0.5	47	171	93	8.67	20
D1187954		0.06	1.220	<0.5	6.84	792	450	1.0	<2	5.45	<0.5	40	187	93	9.74	20
D1187955		2.18	<0.005	<0.5	7.23	<5	90	<0.5	<2	5.65	<0.5	46	156	79	9.42	20
D1187956		2.00	<0.005	<0.5	6.04	<5	30	<0.5	<2	7.39	<0.5	36	95	51	8.43	20
D1187957		1.93	<0.005	<0.5	6.37	<5	70	<0.5	5	7.64	<0.5	46	96	129	9.53	20
D1187958		2.19	<0.005	<0.5	6.27	<5	120	<0.5	<2	5.87	0.7	43	103	142	9.41	20
D1187959		1.96	<0.005	<0.5	6.41	<5	140	<0.5	<2	5.67	<0.5	42	89	131	9.93	20
D1187960		2.05	<0.005	<0.5	6.27	<5	120	<0.5	6	5.17	<0.5	45	66	138	10.45	20
D1187961		2.13	<0.005	<0.5	6.07	<5	90	<0.5	2	6.36	<0.5	45	50	247	10.00	20
D1187962		2.01	<0.005	<0.5	5.67	<5	110	<0.5	<2	7.00	<0.5	44	39	382	9.79	20
D1187963		2.27	<0.005	<0.5	5.98	<5	120	<0.5	<2	6.51	<0.5	43	37	254	10.45	20
D1187964		0.24	<0.005	<0.5	3.45	<5	390	0.6	<2	21.1	<0.5	6	25	8	1.47	10
D1187965		2.00	<0.005	<0.5	6.21	<5	40	<0.5	3	5.65	<0.5	44	30	91	11.35	20
D1187966		2.11	<0.005	<0.5	6.17	<5	30	<0.5	4	6.04	<0.5	47	32	144	10.10	20
D1187967		1.98	<0.005	<0.5	6.33	<5	20	<0.5	4	5.90	<0.5	59	29	308	11.20	20
D1187968		2.09	<0.005	<0.5	6.12	<5	20	<0.5	<2	5.53	<0.5	44	25	66	11.15	20
D1187969		2.20	<0.005	<0.5	5.87	<5	30	<0.5	<2	5.53	<0.5	43	25	63	10.70	20
D1187970		2.02	<0.005	<0.5	6.17	<5	20	<0.5	2	5.77	<0.5	46	28	217	11.25	20

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1187931		0.14	<10	3.04	1490	6	1.57	48	400	<2	0.29	8	39	153	<20	0.73
D1187932		0.09	<10	3.12	1380	1	1.47	51	430	5	0.36	<5	40	155	<20	0.76
D1187933		0.15	<10	3.13	1510	2	1.60	36	490	2	0.39	7	44	117	<20	0.87
D1187934		0.19	10	3.29	1555	2	1.69	36	520	<2	0.15	<5	48	116	<20	0.93
D1187935		0.20	<10	3.46	1730	2	1.70	39	500	3	0.26	6	48	118	<20	0.93
D1187936		0.37	<10	3.39	1675	3	1.65	44	440	6	0.38	<5	44	120	<20	0.82
D1187937		0.27	<10	2.87	1655	19	1.92	42	460	2	0.43	<5	42	139	<20	0.79
D1187938		0.32	<10	2.77	1580	3	1.74	44	450	5	0.44	<5	42	142	<20	0.78
D1187939		0.27	<10	2.64	1645	<1	1.70	46	470	2	0.50	<5	43	100	<20	0.79
D1187940		0.72	20	3.74	2690	1	1.93	135	2000	9	1.01	<5	18	387	<20	0.91
D1187941		0.31	<10	2.84	1690	<1	2.10	48	480	2	0.44	<5	44	102	<20	0.82
D1187942		0.29	<10	3.25	1350	<1	1.51	44	470	4	0.23	<5	42	115	<20	0.79
D1187943		0.22	<10	3.38	1445	<1	1.59	44	470	3	0.26	5	44	147	<20	0.82
D1187944		0.51	10	3.55	1480	<1	1.54	48	490	4	0.20	<5	44	128	<20	0.83
D1187945		0.19	<10	4.64	1425	<1	2.20	140	320	2	0.02	<5	37	216	<20	0.59
D1187946		0.25	<10	4.26	1405	<1	1.78	129	320	5	0.16	<5	36	191	<20	0.57
D1187947		0.22	<10	4.61	1515	<1	2.00	139	350	7	0.10	<5	38	204	<20	0.62
D1187948		0.16	<10	4.82	1525	<1	2.32	148	360	<2	0.04	<5	40	214	<20	0.65
D1187949		0.15	<10	4.82	1510	<1	2.21	152	340	4	0.06	<5	39	180	<20	0.64
D1187950		0.15	<10	4.84	1460	<1	2.29	147	320	2	0.03	<5	37	189	<20	0.59
D1187951		0.14	<10	4.69	1500	<1	2.29	146	330	<2	0.05	<5	36	183	<20	0.58
D1187952		0.15	<10	4.28	1500	<1	2.13	128	360	2	0.06	<5	35	149	<20	0.61
D1187953		0.27	<10	4.23	1410	<1	1.86	131	350	<2	0.01	<5	33	136	<20	0.58
D1187954		0.71	20	3.73	2670	2	1.91	132	2020	6	1.00	<5	18	383	<20	0.89
D1187955		0.47	<10	3.76	1405	<1	1.94	95	420	4	0.17	<5	37	119	<20	0.69
D1187956		0.15	<10	2.62	1475	<1	2.01	43	410	6	0.11	<5	38	112	<20	0.72
D1187957		0.31	10	2.98	1605	<1	2.05	51	450	118	1.56	<5	41	116	<20	0.84
D1187958		0.53	10	3.16	1520	<1	1.94	56	430	74	0.76	<5	44	80	<20	0.81
D1187959		0.63	<10	3.15	1610	<1	1.97	47	480	8	0.45	5	45	100	<20	0.84
D1187960		0.52	10	3.03	1530	<1	1.90	39	510	2	0.42	<5	43	109	<20	0.88
D1187961		0.38	<10	2.97	1580	<1	1.83	39	530	<2	0.74	<5	43	117	<20	0.88
D1187962		0.43	<10	2.74	1630	<1	1.74	32	510	5	1.00	<5	40	112	<20	0.85
D1187963		0.45	10	2.92	1660	<1	1.67	34	530	3	0.64	<5	43	113	<20	0.93
D1187964		1.91	30	0.71	1010	<1	0.68	10	4270	11	0.23	<5	6	453	<20	0.21
D1187965		0.16	<10	2.97	1655	<1	1.75	36	570	3	0.21	<5	44	111	<20	0.99
D1187966		0.12	<10	2.98	1710	<1	1.68	38	560	3	0.35	<5	42	116	<20	0.96
D1187967		0.09	10	2.96	1690	<1	1.70	36	570	6	0.72	<5	45	113	<20	1.01
D1187968		0.11	<10	2.85	1655	<1	1.60	34	550	6	0.17	<5	43	111	<20	0.97
D1187969		0.13	10	2.73	1615	<1	1.39	30	550	3	0.16	<5	41	110	<20	0.93
D1187970		0.12	10	2.99	1665	<1	1.37	34	540	2	0.56	<5	43	99	<20	0.99

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1187931		10	<10	306	<10	95	
D1187932		<10	<10	316	<10	104	
D1187933		<10	<10	346	<10	116	
D1187934		<10	<10	368	<10	106	
D1187935		<10	<10	378	<10	116	
D1187936		<10	<10	340	<10	109	
D1187937		<10	<10	330	<10	113	
D1187938		<10	10	334	<10	101	
D1187939		10	<10	344	<10	108	
D1187940		<10	<10	159	<10	130	
D1187941		<10	10	347	<10	132	
D1187942		10	<10	336	<10	114	
D1187943		<10	<10	355	<10	97	
D1187944		<10	<10	358	<10	93	
D1187945		<10	<10	269	<10	82	
D1187946		<10	<10	262	<10	100	
D1187947		<10	<10	284	<10	99	
D1187948		<10	<10	294	<10	106	
D1187949		<10	<10	286	<10	99	
D1187950		10	<10	270	<10	93	
D1187951		<10	<10	266	<10	91	
D1187952		<10	<10	268	<10	94	
D1187953		<10	<10	261	<10	94	
D1187954		<10	<10	161	<10	129	
D1187955		<10	<10	287	<10	100	
D1187956		<10	<10	323	<10	84	
D1187957		<10	<10	350	<10	188	
D1187958		<10	<10	334	<10	316	
D1187959		<10	<10	345	<10	136	
D1187960		10	<10	367	<10	111	
D1187961		<10	<10	344	<10	104	
D1187962		<10	10	333	<10	90	
D1187963		<10	<10	371	<10	99	
D1187964		<10	<10	25	<10	14	
D1187965		<10	<10	414	<10	104	
D1187966		<10	<10	357	<10	103	
D1187967		<10	<10	394	<10	107	
D1187968		10	<10	401	<10	108	
D1187969		<10	<10	375	<10	108	
D1187970		<10	<10	393	<10	121	

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1187971		2.05	<0.005	<0.5	6.22	<5	20	<0.5	2	7.01	<0.5	54	28	556	11.05	20
D1187972		2.02	<0.005	<0.5	5.09	<5	20	<0.5	<2	8.74	<0.5	40	19	373	8.71	20
D1187973		1.98	<0.005	<0.5	6.13	<5	20	<0.5	<2	7.74	<0.5	46	76	320	9.87	20
D1187974		0.06	0.333	<0.5	7.40	186	350	1.1	<2	5.67	<0.5	39	191	124	7.83	20
D1187975		2.08	<0.005	<0.5	7.10	<5	20	<0.5	3	7.64	<0.5	46	177	119	10.20	20
D1187976		2.05	<0.005	<0.5	7.05	<5	20	<0.5	3	7.87	<0.5	45	149	118	9.57	20
D1187977		2.33	<0.005	<0.5	6.97	<5	30	<0.5	2	6.56	<0.5	45	164	118	9.21	20
D1187978		2.14	0.005	<0.5	7.04	<5	30	<0.5	3	6.85	<0.5	43	198	90	8.83	20
D1187979		2.04	<0.005	<0.5	7.57	<5	30	<0.5	<2	6.50	<0.5	51	211	105	9.25	20
D1187980		2.37	<0.005	<0.5	7.62	<5	20	<0.5	<2	7.10	<0.5	50	142	122	9.49	20

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1187971		0.10	<10	2.92	1865	<1	1.58	34	580	2	1.31	<5	44	111	<20	0.99
D1187972		0.11	<10	2.32	1775	<1	1.25	26	470	3	1.01	<5	35	117	<20	0.82
D1187973		0.12	<10	3.09	1920	<1	1.31	41	470	4	0.81	<5	45	111	<20	0.84
D1187974		0.81	20	3.72	1405	5	2.18	147	1640	16	0.26	<5	19	430	<20	1.00
D1187975		0.13	10	4.03	1685	<1	1.59	73	430	5	0.11	<5	49	132	<20	0.76
D1187976		0.14	10	3.83	1600	<1	1.81	75	410	5	0.16	<5	47	132	<20	0.72
D1187977		0.17	<10	3.88	1450	<1	1.71	77	410	2	0.16	7	44	138	<20	0.69
D1187978		0.19	<10	4.02	1420	<1	1.73	91	370	5	0.07	<5	44	128	<20	0.66
D1187979		0.18	<10	4.47	1480	<1	2.06	118	360	3	0.06	<5	42	127	<20	0.64
D1187980		0.15	<10	4.00	1500	<1	1.98	109	380	8	0.19	<5	39	123	<20	0.66

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

Sample Description	Method Analyte Units LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1187971		<10	<10	379	<10	120	
D1187972		<10	<10	291	<10	93	
D1187973		10	<10	330	<10	124	
D1187974		<10	<10	157	<10	123	
D1187975		<10	<10	351	<10	122	
D1187976		10	<10	328	<10	103	
D1187977		10	<10	316	<10	106	
D1187978		<10	<10	310	<10	100	
D1187979		10	<10	297	<10	98	
D1187980		<10	<10	289	<10	105	

Comments: Additional Au-GRA22 check result for sample D1187838 is 17.65 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 19-MAR-2015
Account: DETGLD

Project: DGEX-243

CERTIFICATE OF ANALYSIS SD15032545

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

NSS is non-sufficient sample.
Applies to Method: ALL METHODS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:			
CRU-31	CRU-QC	LOG-22	LOG-24
PUL-32	PUL-QC	SPL-22Y	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:		
Au-AA24	Au-GRA22	ME-ICP61