ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 5-AUG-2015
Account: DETGLD

CERTIFICATE SD15106778

Project: DGEX-269

P.O. No.: DGC 4800002115

This report is for 150 Drill Core samples submitted to our lab in Timmins, ON, Canada on 22-JUL-2015.

The following have access to data associated with this certificate:

APRIL COOMBS JEAN FRANCOIS METAIL DETOUR GOLD WEBTRIEVE	ADREE DELAZZER LARRY THON	GUY MAC GILLIVRAY JAMES TOLHURST

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM

To: **DETOUR GOLD CORPORATION**
ATTN: JAMES TOLHURST
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Additional Au-GRA22 check assay for sample D1192234 reports 5.59ppm and 1.855ppm and for sample D1192247 is 13.35 ppm.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 5-AUG-2015
Account: DETGLD

Project: DGEX-269

CERTIFICATE OF ANALYSIS SD15106778

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1192116		6.29	<0.005	<0.5	7.02	<5	30	<0.5	5	5.61	0.6	46	40	71	12.25	20
D1192117		5.82	<0.005	<0.5	6.82	<5	30	<0.5	4	5.32	<0.5	43	38	70	11.80	20
D1192118		3.98	0.011	<0.5	6.57	<5	30	0.5	6	5.71	0.6	47	35	103	11.35	20
D1192119		3.38	<0.005	<0.5	7.28	<5	30	0.5	<2	5.48	0.6	49	38	75	12.20	20
D1192120		3.00	<0.005	<0.5	2.56	<5	10	<0.5	2	2.93	<0.5	22	37	168	4.42	10
D1192121		6.34	<0.005	<0.5	7.10	<5	30	<0.5	<2	6.18	<0.5	51	37	74	11.85	20
D1192122		0.36	<0.005	<0.5	3.85	<5	460	0.7	2	17.7	<0.5	6	25	9	1.65	10
D1192123		6.45	<0.005	<0.5	7.47	<5	30	0.5	8	6.47	<0.5	52	41	108	11.95	20
D1192124		4.82	<0.005	<0.5	6.59	<5	20	0.5	8	6.07	<0.5	44	40	53	11.10	20
D1192125		4.92	0.013	0.9	5.86	<5	440	0.8	3	1.26	2.3	20	35	206	6.22	20
D1192126		3.69	0.014	0.5	6.08	<5	500	0.9	<2	2.13	2.1	8	18	58	3.69	20
D1192127		4.58	0.196	<0.5	5.47	<5	240	0.9	<2	1.36	<0.5	6	54	59	2.43	10
D1192128		3.34	<0.005	<0.5	5.58	<5	300	1.0	<2	2.03	<0.5	6	45	50	2.51	10
D1192129		3.74	<0.005	<0.5	7.62	<5	230	0.8	<2	6.40	<0.5	37	177	131	9.32	20
D1192130		5.88	0.061	<0.5	7.06	<5	160	<0.5	<2	6.48	<0.5	45	234	66	8.28	20
D1192131		5.90	<0.005	<0.5	6.98	<5	160	<0.5	6	6.36	<0.5	42	176	69	8.23	20
D1192132		0.07	6.59	0.8	5.97	4470	540	0.8	2	5.67	<0.5	32	133	188	12.15	20
D1192133		5.72	<0.005	<0.5	7.00	7	60	<0.5	6	6.96	0.6	44	170	78	7.90	20
D1192134		5.70	<0.005	<0.5	7.76	<5	350	0.9	<2	3.33	<0.5	9	40	15	1.89	20
D1192135		4.54	<0.005	<0.5	7.97	<5	390	0.9	<2	3.17	<0.5	8	39	13	1.78	20
D1192136		5.51	<0.005	<0.5	7.31	<5	120	<0.5	<2	6.04	<0.5	44	161	102	8.03	20
D1192137		6.15	<0.005	<0.5	7.60	<5	40	<0.5	6	6.85	0.5	50	178	108	9.28	20
D1192138		6.24	<0.005	<0.5	7.65	5	80	<0.5	<2	5.82	0.7	48	172	72	9.18	20
D1192139		6.23	<0.005	<0.5	7.48	<5	110	<0.5	5	6.15	<0.5	51	183	101	8.80	20
D1192140		5.93	<0.005	<0.5	7.38	<5	80	<0.5	2	5.67	<0.5	49	186	77	8.74	20
D1192141		6.65	<0.005	<0.5	7.77	<5	120	<0.5	4	5.57	<0.5	51	197	109	9.01	20
D1192142		0.39	<0.005	<0.5	3.61	<5	410	0.6	<2	19.6	<0.5	4	25	11	1.72	10
D1192143		5.83	<0.005	<0.5	7.60	<5	90	<0.5	2	5.66	<0.5	50	192	139	9.19	20
D1192144		6.22	<0.005	<0.5	7.57	<5	70	<0.5	<2	6.14	<0.5	50	190	81	9.24	20
D1192145		6.24	<0.005	<0.5	7.78	<5	70	<0.5	2	5.63	<0.5	51	195	79	9.50	20
D1192146		6.75	<0.005	<0.5	7.63	<5	60	<0.5	<2	5.92	0.5	49	183	74	9.27	20
D1192147		4.31	<0.005	<0.5	7.02	<5	40	<0.5	4	7.43	<0.5	43	158	56	8.70	20
D1192148		6.74	<0.005	<0.5	7.63	<5	60	<0.5	<2	6.03	0.5	51	205	68	9.41	20
D1192149		6.35	0.005	<0.5	7.58	<5	60	<0.5	4	6.74	<0.5	47	186	65	9.14	20
D1192150		2.54	0.007	<0.5	7.21	<5	90	<0.5	3	5.51	<0.5	47	176	37	8.52	20
D1192151		5.65	0.012	<0.5	7.97	<5	520	0.9	<2	3.04	<0.5	8	33	9	2.18	20
D1192152		0.07	1.235	<0.5	6.66	785	440	1.0	4	5.29	0.5	38	182	89	9.47	20
D1192153		6.10	<0.005	<0.5	8.01	<5	650	0.9	3	2.92	<0.5	7	27	8	1.92	20
D1192154		5.83	<0.005	<0.5	8.14	<5	610	0.9	<2	2.90	<0.5	7	25	6	1.80	20
D1192155		5.91	<0.005	<0.5	8.19	<5	660	0.9	<2	2.96	<0.5	7	25	5	1.81	20

Comments: Additional Au-GRA22 check assay for sample D1192234 reports 5.59ppm and 1.855ppm and for sample D1192247 is 13.35 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 5-AUG-2015
Account: DETGLD

Project: DGEX-269

CERTIFICATE OF ANALYSIS SD15106778

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1192116		0.16	<10	3.07	1610	<1	1.72	35	620	<2	0.17	<5	44	124	<20	1.05
D1192117		0.07	<10	3.06	1545	<1	1.97	28	660	2	0.27	<5	45	132	<20	1.08
D1192118		0.18	<10	3.16	1585	<1	1.74	32	600	4	0.21	<5	42	144	<20	0.99
D1192119		0.20	<10	3.01	1605	<1	2.02	46	610	4	0.18	<5	43	170	<20	1.01
D1192120		0.07	<10	0.93	672	1	0.76	17	220	3	0.38	<5	15	67	<20	0.35
D1192121		0.20	<10	2.83	1720	<1	1.78	49	580	3	0.16	<5	41	179	<20	0.97
D1192122		2.15	30	0.81	968	<1	0.67	13	4430	8	0.28	<5	7	422	<20	0.21
D1192123		0.20	<10	2.81	1810	<1	1.99	49	630	5	0.25	<5	42	176	<20	1.03
D1192124		0.18	<10	2.66	2080	<1	1.67	37	580	<2	0.18	<5	40	92	<20	0.96
D1192125		1.17	20	1.01	420	2	1.24	32	440	124	2.75	<5	13	76	<20	0.29
D1192126		1.91	30	0.62	371	2	1.19	9	200	127	1.12	<5	9	76	<20	0.17
D1192127		0.56	30	0.42	266	4	3.19	6	120	4	0.70	<5	4	122	<20	0.10
D1192128		0.47	30	0.53	337	2	3.04	39	80	9	0.41	<5	5	73	<20	0.10
D1192129		0.98	10	2.91	1760	1	1.83	110	360	10	0.52	<5	35	238	<20	0.63
D1192130		0.67	<10	3.81	1470	3	1.44	131	340	20	0.26	<5	35	183	<20	0.60
D1192131		0.67	<10	4.14	1280	5	1.40	127	340	6	0.22	<5	34	146	<20	0.60
D1192132		0.57	20	3.04	4030	3	1.23	104	2340	12	3.59	9	20	240	<20	0.56
D1192133		0.24	<10	4.46	1230	1	1.58	120	350	3	0.23	<5	34	143	<20	0.58
D1192134		0.53	<10	0.92	259	<1	3.92	19	480	4	0.05	<5	4	634	<20	0.16
D1192135		0.64	10	0.90	240	<1	4.11	16	500	4	0.08	<5	4	617	<20	0.16
D1192136		0.51	<10	3.65	1210	<1	1.80	110	440	2	0.32	<5	31	202	<20	0.68
D1192137		0.30	<10	4.61	1360	<1	1.07	132	350	<2	0.26	<5	38	177	<20	0.64
D1192138		0.55	<10	4.97	1340	<1	1.11	135	470	<2	0.11	<5	37	158	<20	0.78
D1192139		0.64	<10	5.13	1315	<1	1.54	142	360	<2	0.16	6	34	193	<20	0.63
D1192140		0.56	<10	5.11	1300	<1	1.55	139	350	<2	0.10	<5	33	185	<20	0.63
D1192141		1.01	<10	5.09	1295	2	1.82	146	380	12	0.17	<5	39	154	<20	0.67
D1192142		1.95	30	0.78	875	<1	0.70	16	3190	11	0.26	<5	6	418	<20	0.21
D1192143		0.95	<10	4.68	1215	1	2.08	136	380	<2	0.26	<5	38	119	<20	0.65
D1192144		0.73	<10	4.49	1275	2	2.19	138	360	<2	0.07	<5	34	138	<20	0.63
D1192145		0.66	<10	4.83	1500	<1	2.39	137	370	3	0.04	<5	38	148	<20	0.65
D1192146		0.54	<10	4.56	1480	<1	2.39	133	370	<2	0.06	<5	38	151	<20	0.66
D1192147		0.34	<10	3.85	1385	<1	1.96	106	400	2	0.09	<5	38	145	<20	0.67
D1192148		0.40	<10	4.54	1510	<1	2.20	140	380	6	0.10	<5	36	174	<20	0.66
D1192149		0.36	<10	4.14	1430	<1	2.27	118	380	3	0.14	<5	39	190	<20	0.65
D1192150		0.66	<10	4.35	1365	<1	1.98	133	350	<2	0.04	<5	33	112	<20	0.59
D1192151		0.66	10	0.81	314	<1	4.06	14	450	<2	0.27	<5	4	581	<20	0.18
D1192152		0.69	20	3.64	2560	2	1.87	133	1960	2	0.98	<5	17	372	<20	0.88
D1192153		0.92	10	0.67	268	<1	3.95	10	480	2	0.17	<5	3	619	<20	0.16
D1192154		0.83	10	0.67	257	<1	4.10	10	470	5	0.17	<5	3	635	<20	0.15
D1192155		0.92	10	0.68	254	<1	3.96	9	470	6	0.24	<5	3	631	<20	0.15

Comments: Additional Au-GRA22 check assay for sample D1192234 reports 5.59ppm and 1.855ppm and for sample D1192247 is 13.35 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 5-AUG-2015
Account: DETGLD

Project: DGEX-269

CERTIFICATE OF ANALYSIS SD15106778

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05	Au-GRA22 Au Check g/t 0.05
D1192116		<10	<10	406	<10	137		
D1192117		<10	<10	408	<10	130		
D1192118		<10	<10	381	<10	129		
D1192119		<10	<10	399	<10	136		
D1192120		<10	<10	134	<10	53		
D1192121		<10	<10	372	<10	137		
D1192122		10	<10	29	<10	22		
D1192123		<10	<10	387	<10	134		
D1192124		<10	<10	362	<10	135		
D1192125		<10	<10	72	<10	870		
D1192126		<10	<10	21	<10	618		
D1192127		<10	<10	11	<10	75		
D1192128		<10	<10	16	<10	41		
D1192129		<10	<10	257	<10	138		
D1192130		<10	<10	259	<10	130		
D1192131		<10	<10	261	<10	93		
D1192132		<10	<10	179	<10	123	6.70	
D1192133		10	<10	252	<10	68		
D1192134		<10	<10	39	<10	29		
D1192135		<10	<10	36	<10	29		
D1192136		<10	<10	245	<10	111		
D1192137		<10	<10	281	<10	87		
D1192138		<10	<10	274	<10	105		
D1192139		<10	<10	286	<10	72		
D1192140		<10	<10	283	<10	73		
D1192141		<10	<10	292	<10	91		
D1192142		<10	<10	26	<10	24		
D1192143		<10	<10	278	<10	79		
D1192144		<10	<10	280	<10	83		
D1192145		<10	<10	287	<10	97		
D1192146		<10	<10	284	<10	97		
D1192147		<10	<10	283	<10	84		
D1192148		<10	<10	285	<10	99		
D1192149		<10	<10	291	<10	86		
D1192150		<10	<10	259	<10	99		
D1192151		<10	<10	43	10	36		
D1192152		<10	<10	152	<10	125		
D1192153		<10	<10	34	<10	38		
D1192154		<10	<10	34	<10	37		
D1192155		<10	<10	34	<10	39		

Comments: Additional Au-GRA22 check assay for sample D1192234 reports 5.59ppm and 1.855ppm and for sample D1192247 is 13.35 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 5-AUG-2015
Account: DETGLD

Project: DGEX-269

CERTIFICATE OF ANALYSIS SD15106778

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1192156		5.96	0.009	<0.5	8.11	<5	630	0.9	<2	2.93	<0.5	8	29	6	1.96	20
D1192157		6.06	0.038	<0.5	8.01	<5	580	0.9	3	2.88	<0.5	8	27	19	1.87	20
D1192158		6.03	0.008	<0.5	7.93	<5	580	0.9	2	2.76	<0.5	7	28	26	1.89	20
D1192159		3.86	0.063	<0.5	7.93	<5	610	0.9	<2	2.63	<0.5	8	28	8	1.89	20
D1192160		3.76	0.037	<0.5	8.07	<5	600	0.8	<2	2.81	<0.5	6	26	7	1.84	20
D1192161		3.89	0.018	<0.5	8.42	<5	610	0.9	<2	2.84	<0.5	7	27	9	1.94	20
D1192162		0.39	<0.005	<0.5	2.92	<5	290	0.5	2	23.4	<0.5	5	22	8	1.36	10
D1192163		3.92	<0.005	<0.5	8.04	<5	580	0.9	2	2.74	<0.5	6	28	8	1.76	20
D1192164		3.82	0.348	<0.5	7.98	<5	640	0.9	<2	2.69	<0.5	7	28	7	1.98	20
D1192165		2.91	0.221	<0.5	7.66	<5	660	0.9	3	2.66	<0.5	7	34	8	2.13	20
D1192166		2.67	0.005	<0.5	7.03	<5	60	<0.5	2	6.07	<0.5	46	178	53	8.19	20
D1192167		4.36	<0.005	<0.5	6.99	<5	90	<0.5	4	6.06	<0.5	45	179	51	8.00	20
D1192168		4.02	0.030	<0.5	7.84	<5	550	0.9	<2	3.44	<0.5	11	31	38	2.40	20
D1192169		2.27	0.022	<0.5	7.50	<5	530	0.9	<2	3.41	<0.5	10	35	94	2.58	20
D1192170		3.61	1.195	<0.5	6.38	<5	180	<0.5	<2	6.90	0.5	42	173	59	7.46	20
D1192171		4.31	0.068	<0.5	6.53	<5	180	<0.5	5	6.67	<0.5	41	181	126	7.68	20
D1192172		0.07	0.336	<0.5	7.51	200	350	1.1	4	5.72	<0.5	42	191	111	8.00	20
D1192173		4.05	0.191	<0.5	7.24	<5	30	<0.5	5	5.68	<0.5	48	188	122	8.40	20
D1192174		4.45	>10.0	1.0	6.27	<5	220	<0.5	12	6.16	<0.5	44	156	135	8.44	20
D1192175		2.66	>10.0	0.6	5.31	5	360	<0.5	4	5.46	<0.5	34	135	72	6.79	10
D1192176		4.99	0.267	<0.5	7.87	<5	610	0.9	3	2.66	<0.5	7	32	11	1.87	20
D1192177		3.65	0.024	<0.5	7.80	<5	650	0.9	<2	2.81	<0.5	7	26	11	1.93	20
D1192178		4.00	0.030	<0.5	8.12	<5	660	0.9	<2	3.09	<0.5	8	30	24	1.89	20
D1192179		3.91	0.072	<0.5	8.10	<5	620	1.0	3	2.70	<0.5	7	26	14	1.90	20
D1192180		4.05	4.98	<0.5	6.97	<5	490	0.8	<2	4.48	<0.5	9	27	13	2.26	20
D1192181		2.23		<0.5	7.58	<5	700	0.9	3	2.36	<0.5	7	25	10	1.69	20
D1192182		0.40	<0.005	<0.5	3.19	<5	290	0.6	<2	21.5	<0.5	5	24	8	1.51	10
D1192183		1.71	2.49	<0.5	7.26	<5	630	0.9	2	2.33	<0.5	6	29	16	1.77	20
D1192184		3.91	0.292	<0.5	7.36	<5	590	0.9	<2	2.44	<0.5	7	28	11	1.67	20
D1192185		1.96	7.56	<0.5	6.84	<5	360	0.7	5	2.19	<0.5	22	27	19	4.66	20
D1192186		2.22	0.797	<0.5	7.84	5	730	0.9	2	2.33	<0.5	8	27	39	2.07	20
D1192187		4.04	0.394	<0.5	8.22	<5	660	0.9	6	2.94	<0.5	6	27	77	1.96	20
D1192188		4.01	2.30	<0.5	7.59	<5	630	0.8	3	2.52	<0.5	5	28	27	1.90	20
D1192189		3.89	0.445	<0.5	8.13	<5	610	0.9	<2	2.88	<0.5	7	28	22	1.78	20
D1192190		3.76	1.575	<0.5	8.18	<5	700	0.9	<2	2.77	<0.5	7	33	42	1.94	20
D1192191		3.95	0.061	<0.5	7.93	<5	680	0.8	3	2.74	<0.5	7	26	54	1.75	20
D1192192		0.07	3.48	<0.5	6.41	1410	450	0.9	<2	5.24	0.5	40	177	120	10.90	20
D1192193		3.64	0.025	<0.5	7.82	<5	630	0.8	<2	2.96	<0.5	7	35	38	1.71	20
D1192194		4.22	0.145	<0.5	7.84	<5	620	0.9	<2	2.97	<0.5	7	34	14	1.78	20
D1192195		3.91	0.188	<0.5	7.96	<5	630	0.9	2	2.80	<0.5	6	27	21	1.70	20

Comments: Additional Au-GRA22 check assay for sample D1192234 reports 5.59ppm and 1.855ppm and for sample D1192247 is 13.35 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 5-AUG-2015
Account: DETGLD

Project: DGEX-269

CERTIFICATE OF ANALYSIS SD15106778

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1192156		0.82	10	0.66	255	<1	4.02	11	490	5	0.19	<5	3	660	<20	0.15
D1192157		0.70	10	0.67	239	<1	4.04	9	470	5	0.37	<5	3	626	<20	0.13
D1192158		0.83	10	0.68	240	<1	4.01	9	480	5	0.24	<5	3	599	<20	0.14
D1192159		0.89	10	0.64	242	<1	4.10	8	470	3	0.47	<5	3	557	<20	0.12
D1192160		0.77	10	0.66	237	<1	4.01	10	470	2	0.28	<5	3	617	<20	0.13
D1192161		0.91	10	0.68	281	<1	4.30	9	490	2	0.34	<5	3	607	<20	0.13
D1192162		1.60	30	0.73	975	<1	0.55	8	2530	6	0.16	<5	5	456	<20	0.17
D1192163		0.73	10	0.66	263	<1	4.11	10	470	4	0.27	<5	3	618	<20	0.12
D1192164		1.05	10	0.63	267	<1	4.06	9	470	2	0.55	5	3	523	<20	0.14
D1192165		1.12	10	0.78	308	<1	3.62	13	450	<2	0.39	<5	4	524	<20	0.17
D1192166		0.28	<10	4.24	1190	<1	1.75	124	340	5	0.15	<5	35	159	<20	0.58
D1192167		0.40	<10	4.11	1140	1	1.95	130	330	7	0.30	<5	33	161	<20	0.56
D1192168		1.36	10	0.91	473	<1	3.82	14	570	2	0.48	<5	4	557	<20	0.20
D1192169		1.39	10	0.90	398	9	3.36	15	540	3	0.87	<5	4	458	<20	0.18
D1192170		0.85	<10	3.67	1120	<1	2.26	120	310	<2	1.63	<5	30	180	<20	0.49
D1192171		0.59	<10	3.87	1275	<1	2.16	122	300	<2	1.09	<5	31	190	<20	0.51
D1192172		0.82	20	3.80	1410	4	2.23	140	1660	6	0.27	<5	19	434	<20	1.02
D1192173		0.09	<10	4.28	1335	<1	2.33	137	350	<2	0.39	<5	34	121	<20	0.57
D1192174		0.53	<10	3.28	1065	87	2.45	104	320	3	4.81	<5	28	166	<20	0.39
D1192175		1.02	10	2.28	787	132	2.13	82	210	2	3.98	<5	21	186	<20	0.29
D1192176		1.25	10	0.72	297	<1	3.91	10	470	<2	0.63	<5	3	516	<20	0.13
D1192177		1.01	10	0.71	259	<1	3.94	11	500	2	0.47	<5	3	592	<20	0.13
D1192178		0.78	10	0.76	301	5	4.10	11	520	<2	0.46	<5	3	646	<20	0.13
D1192179		0.82	10	0.77	272	19	4.08	10	480	<2	0.54	<5	3	605	<20	0.13
D1192180		0.82	10	0.83	531	<1	3.63	12	480	<2	1.00	<5	5	492	<20	0.12
D1192181		1.15	10	0.55	230	<1	3.79	8	400	3	0.87	<5	3	504	<20	0.10
D1192182		1.77	30	0.80	955	<1	0.56	12	2670	8	0.26	<5	5	437	<20	0.17
D1192183		0.92	10	0.53	197	6	3.73	9	390	2	0.97	<5	3	500	<20	0.08
D1192184		0.85	10	0.52	191	1	3.77	9	380	2	0.86	<5	3	501	<20	0.09
D1192185		0.73	10	0.53	187	33	3.30	10	380	3	4.24	<5	3	488	<20	0.08
D1192186		1.03	<10	0.62	202	2	3.99	9	450	<2	1.16	<5	3	519	<20	0.10
D1192187		1.06	10	0.66	222	7	4.07	9	500	<2	0.92	<5	3	659	<20	0.11
D1192188		1.08	10	0.61	244	3	3.68	8	450	2	0.81	<5	3	525	<20	0.10
D1192189		0.90	10	0.67	225	<1	4.14	8	480	4	0.72	<5	3	691	<20	0.11
D1192190		0.92	10	0.64	209	5	4.28	9	460	<2	0.96	<5	3	603	<20	0.12
D1192191		0.87	10	0.58	235	20	4.22	8	420	6	0.50	<5	3	605	<20	0.11
D1192192		0.63	20	3.62	2570	3	1.81	145	2070	13	2.37	5	17	368	<20	0.86
D1192193		0.75	10	0.68	265	19	4.07	12	450	2	0.27	<5	3	620	<20	0.13
D1192194		0.82	10	0.67	290	1	4.13	11	450	<2	0.29	<5	3	659	<20	0.14
D1192195		0.86	10	0.64	241	<1	4.01	10	450	3	0.47	<5	3	634	<20	0.11

Comments: Additional Au-GRA22 check assay for sample D1192234 reports 5.59ppm and 1.855ppm and for sample D1192247 is 13.35 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 5-AUG-2015
Account: DETGLD

Project: DGEX-269

CERTIFICATE OF ANALYSIS SD15106778

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05	Au-GRA22 Au Check g/t 0.05
D1192156		10	<10	34	<10	39		
D1192157		<10	<10	34	<10	51		
D1192158		<10	<10	34	10	38		
D1192159		<10	<10	31	320	33		
D1192160		<10	<10	33	<10	37		
D1192161		<10	<10	34	<10	33		
D1192162		<10	<10	22	<10	15		
D1192163		<10	<10	33	<10	35		
D1192164		<10	<10	38	<10	32		
D1192165		<10	<10	45	<10	33		
D1192166		<10	<10	262	<10	97		
D1192167		<10	<10	251	<10	98		
D1192168		<10	<10	51	<10	95		
D1192169		<10	<10	52	<10	64		
D1192170		<10	<10	225	<10	113		
D1192171		<10	<10	237	<10	102		
D1192172		<10	<10	156	<10	115		
D1192173		<10	<10	254	<10	118		
D1192174		<10	<10	206	20	87	9.11	
D1192175		<10	<10	152	<10	76	9.21	
D1192176		<10	<10	39	<10	22		
D1192177		<10	<10	37	60	31		
D1192178		<10	<10	36	<10	32		
D1192179		<10	<10	36	10	29		
D1192180		<10	<10	37	10	21		
D1192181		<10	<10	34	<10	16	0.74	
D1192182		<10	<10	23	<10	16		
D1192183		<10	<10	30	<10	18		
D1192184		<10	<10	28	30	21		
D1192185		<10	<10	29	<10	18	11.10	
D1192186		<10	<10	40	50	23		
D1192187		<10	<10	37	<10	26		
D1192188		<10	<10	35	30	21		
D1192189		<10	<10	36	<10	25		
D1192190		<10	<10	37	20	23		
D1192191		<10	<10	33	<10	20		
D1192192		<10	<10	149	<10	129		
D1192193		<10	<10	33	<10	26		
D1192194		<10	<10	34	<10	25		
D1192195		<10	<10	32	<10	25		

Comments: Additional Au-GRA22 check assay for sample D1192234 reports 5.59ppm and 1.855ppm and for sample D1192247 is 13.35 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 5-AUG-2015
Account: DETGLD

Project: DGEX-269

CERTIFICATE OF ANALYSIS SD15106778

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1192196		3.87	4.43	<0.5	7.88	<5	640	1.0	2	2.58	<0.5	5	28	37	1.61	20
D1192197		3.69	0.175	<0.5	7.15	<5	600	0.9	<2	2.35	<0.5	5	28	12	1.47	20
D1192198		3.73	0.118	<0.5	7.53	<5	630	0.9	3	2.63	<0.5	5	30	12	1.59	20
D1192199		3.54	0.788	<0.5	7.48	<5	640	0.9	2	2.55	<0.5	7	29	22	1.61	20
D1192200		3.83	0.715	<0.5	7.71	<5	640	1.0	3	2.68	<0.5	5	27	20	1.71	20
D1192201		3.69	0.554	<0.5	7.63	<5	670	0.9	3	2.76	<0.5	5	33	28	1.60	20
D1192202		0.38	<0.005	<0.5	2.14	<5	210	<0.5	<2	24.5	<0.5	3	17	9	1.12	<10
D1192203		3.57	0.181	<0.5	7.54	<5	540	0.9	2	2.63	<0.5	7	31	32	1.82	20
D1192204		3.97	0.131	<0.5	8.14	<5	550	0.9	<2	3.00	<0.5	7	29	76	1.84	20
D1192205		4.14	0.261	<0.5	7.84	<5	600	0.9	<2	3.00	<0.5	8	37	20	1.93	20
D1192206		3.16	0.183	<0.5	7.73	<5	640	0.9	<2	2.95	<0.5	9	37	9	1.96	20
D1192207		3.69	0.129	<0.5	7.84	<5	580	0.9	<2	3.05	<0.5	8	39	12	1.96	20
D1192208		3.55	0.228	<0.5	6.75	<5	550	0.8	<2	2.58	<0.5	6	34	10	1.62	20
D1192209		3.57	0.258	<0.5	8.23	<5	640	1.0	4	3.03	<0.5	8	39	24	1.90	20
D1192210		3.11	0.088	<0.5	7.64	<5	600	0.9	3	2.78	<0.5	7	39	42	1.89	20
D1192211		3.87	0.375	<0.5	6.89	<5	430	0.7	4	2.43	<0.5	7	38	21	1.59	20
D1192212		0.07	6.50	0.8	5.75	4350	480	0.8	3	5.60	0.5	33	140	180	11.70	20
D1192213		4.14	0.069	<0.5	7.91	<5	590	0.9	2	2.98	<0.5	8	39	63	1.90	20
D1192214		4.13	1.125	<0.5	7.68	<5	580	0.9	2	2.84	<0.5	9	38	177	2.11	20
D1192215		3.72	0.081	<0.5	6.85	<5	520	0.7	<2	2.47	<0.5	7	35	178	1.57	20
D1192216		4.15	1.160	0.5	7.21	<5	530	0.8	2	2.50	<0.5	7	34	219	2.08	20
D1192217		3.72	0.614	<0.5	7.51	<5	560	0.9	<2	2.69	<0.5	5	34	23	1.65	20
D1192218		4.05	0.191	<0.5	7.14	<5	550	0.9	2	2.70	<0.5	7	34	49	1.58	20
D1192219		3.92	2.75	<0.5	6.94	<5	480	0.8	<2	2.36	<0.5	6	37	47	1.62	10
D1192220		4.15	0.450	<0.5	7.09	<5	470	0.8	<2	2.48	<0.5	6	38	19	1.70	20
D1192221		4.16	0.820	<0.5	5.25	<5	340	0.6	<2	1.95	<0.5	4	38	15	1.31	10
D1192222		0.31	0.005	<0.5	3.34	<5	340	0.6	<2	19.6	<0.5	5	25	12	1.64	10
D1192223		3.74	>10.0	<0.5	5.67	<5	420	0.7	<2	1.88	<0.5	5	42	9	1.34	10
D1192224		2.04	1.735	<0.5	7.30	<5	460	0.8	<2	2.62	<0.5	6	37	14	1.68	20
D1192225		1.99	2.24	<0.5	6.88	<5	330	0.7	<2	2.70	<0.5	5	36	13	1.59	20
D1192226		4.07	0.629	<0.5	7.48	<5	510	0.8	<2	2.61	<0.5	6	36	20	1.72	20
D1192227		4.09	0.897	<0.5	7.58	<5	570	0.9	3	2.94	<0.5	7	35	25	1.74	20
D1192228		3.92	0.330	<0.5	7.65	<5	550	0.9	<2	2.70	<0.5	7	34	25	2.06	20
D1192229		3.81	3.58	<0.5	6.25	<5	450	0.7	<2	3.29	<0.5	7	38	21	2.08	10
D1192230		4.27	>10.0	<0.5	6.02	<5	470	0.7	<2	3.12	<0.5	5	34	8	1.71	10
D1192231		3.80	0.099	<0.5	7.68	<5	530	0.9	<2	2.82	<0.5	6	32	8	1.69	20
D1192232		0.06	1.255	<0.5	6.42	711	430	1.0	<2	5.08	0.5	39	169	89	9.20	20
D1192233		4.00	0.105	<0.5	5.94	<5	350	0.7	<2	2.12	<0.5	4	43	13	1.44	10
D1192234		3.86	8.97	<0.5	4.35	<5	290	0.5	<2	1.43	<0.5	3	44	6	1.12	10
D1192235		4.13	0.451	<0.5	4.95	<5	330	0.6	<2	1.76	<0.5	4	49	9	1.29	10

Comments: Additional Au-GRA22 check assay for sample D1192234 reports 5.59ppm and 1.855ppm and for sample D1192247 is 13.35 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 5-AUG-2015
Account: DETGLD

Project: DGEX-269

CERTIFICATE OF ANALYSIS SD15106778

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1192196		0.92	10	0.60	228	17	3.94	7	420	3	0.40	<5	3	578	<20	0.11
D1192197		0.78	10	0.53	208	2	3.55	7	360	3	0.32	<5	2	530	<20	0.10
D1192198		0.83	10	0.59	222	1	3.86	8	390	4	0.35	<5	3	573	<20	0.11
D1192199		0.88	10	0.55	218	<1	3.89	9	390	2	0.51	<5	3	560	<20	0.10
D1192200		1.01	10	0.61	256	<1	3.97	6	420	3	0.47	<5	3	550	<20	0.11
D1192201		1.01	<10	0.62	234	26	3.90	9	420	2	0.52	<5	3	583	<20	0.11
D1192202		1.17	20	0.60	981	<1	0.42	6	2930	8	0.24	<5	4	463	<20	0.12
D1192203		0.75	10	0.63	231	<1	3.93	10	400	2	0.50	<5	3	571	<20	0.11
D1192204		0.71	10	0.76	243	5	4.17	12	420	3	0.51	<5	3	626	<20	0.13
D1192205		0.83	10	0.80	249	<1	4.04	13	450	2	0.57	<5	4	606	<20	0.13
D1192206		1.04	10	0.83	316	<1	3.95	14	450	3	0.55	<5	4	570	<20	0.12
D1192207		0.74	10	0.84	293	<1	3.95	14	440	5	0.55	<5	4	623	<20	0.12
D1192208		0.78	10	0.65	286	<1	3.61	9	380	3	0.42	<5	3	488	<20	0.10
D1192209		0.85	10	0.77	278	<1	4.24	12	450	3	0.61	<5	4	619	<20	0.12
D1192210		0.94	10	0.72	275	<1	3.93	12	420	2	0.59	<5	3	558	<20	0.11
D1192211		0.64	<10	0.66	242	3	3.25	12	370	2	0.61	<5	3	441	<20	0.08
D1192212		0.55	20	2.95	3960	3	1.19	101	2280	12	3.48	6	19	234	<20	0.55
D1192213		0.88	<10	0.80	266	112	4.04	20	440	4	0.48	<5	4	591	<20	0.13
D1192214		0.91	<10	0.74	259	153	4.00	15	380	4	0.75	<5	4	563	<20	0.11
D1192215		0.81	<10	0.65	238	278	3.68	12	320	4	0.56	<5	3	490	<20	0.09
D1192216		0.86	<10	0.67	229	167	3.78	13	330	2	1.14	<5	3	507	<20	0.09
D1192217		0.95	<10	0.68	260	<1	3.84	10	350	<2	0.49	<5	3	505	<20	0.09
D1192218		0.95	<10	0.64	246	4	3.65	12	370	<2	0.59	<5	3	532	<20	0.09
D1192219		0.89	<10	0.63	217	33	3.52	9	330	<2	0.58	<5	3	414	<20	0.08
D1192220		0.92	<10	0.65	261	1	3.69	9	330	<2	0.60	<5	3	398	<20	0.09
D1192221		0.66	<10	0.60	258	1	2.94	6	250	<2	0.46	<5	2	305	<20	0.06
D1192222		1.84	30	0.71	947	<1	0.65	11	3660	13	0.28	<5	6	451	<20	0.21
D1192223		0.88	<10	0.53	198	<1	2.70	9	280	2	0.36	<5	3	338	<20	0.07
D1192224		0.71	<10	0.70	238	<1	3.64	10	360	<2	0.59	<5	3	528	<20	0.09
D1192225		0.63	<10	0.65	244	<1	3.38	11	340	<2	0.53	<5	3	530	<20	0.08
D1192226		0.84	<10	0.77	273	<1	3.77	11	370	2	0.45	<5	3	519	<20	0.10
D1192227		1.01	<10	0.74	329	<1	3.87	12	380	4	0.63	<5	4	487	<20	0.10
D1192228		0.92	<10	0.68	253	<1	3.90	12	370	2	0.96	<5	3	566	<20	0.10
D1192229		0.83	<10	0.63	405	<1	3.40	9	310	2	1.10	<5	3	418	<20	0.07
D1192230		0.85	<10	0.67	347	<1	3.05	9	280	<2	0.71	<5	3	355	<20	0.07
D1192231		0.87	<10	0.72	257	<1	3.83	12	370	<2	0.34	<5	4	523	<20	0.11
D1192232		0.67	20	3.50	2420	1	1.81	129	1900	4	0.94	<5	17	364	<20	0.85
D1192233		0.62	<10	0.48	207	<1	3.13	9	280	<2	0.40	<5	2	369	<20	0.07
D1192234		0.58	<10	0.37	166	1	2.40	6	210	<2	0.42	<5	2	227	<20	0.05
D1192235		0.62	<10	0.48	215	1	2.69	7	240	<2	0.43	<5	2	314	<20	0.05

Comments: Additional Au-GRA22 check assay for sample D1192234 reports 5.59ppm and 1.855ppm and for sample D1192247 is 13.35 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 5-AUG-2015
Account: DETGLD

Project: DGEX-269

CERTIFICATE OF ANALYSIS SD15106778

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05	Au-GRA22 Au Check g/t 0.05
D1192196		<10	<10	30	<10	22		
D1192197		<10	<10	28	<10	21		
D1192198		<10	<10	28	10	21		
D1192199		<10	<10	30	10	19		
D1192200		<10	<10	30	20	21		
D1192201		<10	<10	31	<10	18		
D1192202		<10	<10	16	<10	16		
D1192203		<10	<10	31	<10	26		
D1192204		<10	<10	36	20	32		
D1192205		<10	<10	38	10	32		
D1192206		<10	<10	38	10	36		
D1192207		<10	<10	37	<10	40		
D1192208		<10	<10	31	10	25		
D1192209		<10	<10	36	<10	37		
D1192210		<10	<10	35	<10	33		
D1192211		<10	<10	34	<10	29		
D1192212		<10	<10	174	<10	120	6.88	
D1192213		<10	<10	41	<10	40		
D1192214		<10	<10	36	<10	33		
D1192215		<10	<10	29	<10	27		
D1192216		<10	<10	30	<10	26		
D1192217		<10	<10	27	<10	26		
D1192218		<10	<10	29	40	29		
D1192219		<10	<10	27	40	21		
D1192220		<10	<10	29	10	18		
D1192221		<10	<10	20	120	11		
D1192222		<10	<10	23	<10	23		
D1192223		<10	<10	24	<10	19	6.30	
D1192224		<10	<10	31	<10	35		
D1192225		<10	<10	34	<10	33		
D1192226		<10	<10	32	120	33		
D1192227		<10	<10	33	<10	32		
D1192228		<10	<10	31	10	28		
D1192229		<10	<10	26	950	17		
D1192230		<10	<10	31	20	22	32.7	
D1192231		<10	<10	35	10	29		
D1192232		<10	<10	148	<10	119		
D1192233		<10	<10	22	20	20		
D1192234		<10	<10	17	40	8	2.82	
D1192235		<10	<10	19	30	12		

Comments: Additional Au-GRA22 check assay for sample D1192234 reports 5.59ppm and 1.855ppm and for sample D1192247 is 13.35 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 5-AUG-2015
Account: DETGLD

Project: DGEX-269

CERTIFICATE OF ANALYSIS SD15106778

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1192236		4.13	3.16	<0.5	6.06	<5	400	0.7	2	2.05	<0.5	7	36	9	1.67	10
D1192237		3.90	>10.0	<0.5	4.65	<5	310	0.5	<2	1.52	<0.5	4	54	6	1.36	10
D1192238		3.83	>10.0	<0.5	4.12	<5	230	0.5	19	1.60	<0.5	3	44	84	1.17	10
D1192239		1.91	0.647	<0.5	5.46	<5	80	<0.5	7	1.89	<0.5	3	29	19	1.72	20
D1192240		1.91	0.075	<0.5	7.79	<5	770	0.9	<2	2.56	<0.5	6	30	29	1.47	20
D1192241		2.35		0.7	6.56	<5	710	0.7	6	1.98	<0.5	6	35	64	1.84	20
D1192242		0.39	0.009	<0.5	3.31	<5	440	0.6	<2	19.6	<0.5	4	24	10	1.49	10
D1192243		1.76	0.175	<0.5	7.47	<5	640	1.0	<2	2.14	<0.5	6	28	46	1.57	20
D1192244		4.03	0.699	<0.5	7.15	<5	570	0.8	<2	2.40	<0.5	6	26	11	1.49	20
D1192245		3.92	>10.0	<0.5	7.68	<5	680	0.9	2	2.41	<0.5	5	33	70	1.59	20
D1192246		4.09	0.092	<0.5	7.72	<5	660	0.9	3	2.55	<0.5	6	26	70	1.51	20
D1192247		4.05	5.60	<0.5	7.87	<5	650	0.9	14	2.74	<0.5	6	27	310	1.88	20
D1192248		4.14	1.865	<0.5	7.81	<5	580	1.0	4	2.76	<0.5	5	25	172	1.43	20
D1192249		1.99	0.040	<0.5	4.13	<5	80	<0.5	<2	1.32	<0.5	1	39	10	1.28	10
D1192250		2.02		<0.5	5.68	<5	210	0.5	<2	1.82	<0.5	4	35	7	1.70	10
D1192251		1.88	>10.0	0.5	5.32	7	580	0.6	4	2.87	<0.5	4	42	19	2.49	10
D1192252		0.07	0.344	<0.5	7.29	204	350	1.1	<2	5.67	<0.5	41	189	113	7.85	20
D1192253		1.80	0.143	<0.5	7.65	<5	660	0.9	<2	2.47	<0.5	4	31	46	1.43	20
D1192254		3.71	0.328	<0.5	7.49	<5	600	0.9	<2	2.68	<0.5	5	31	59	1.57	20
D1192255		3.72	0.248	<0.5	7.86	<5	570	0.9	<2	3.12	<0.5	9	49	229	2.15	20
D1192256		3.91	0.014	<0.5	7.68	<5	530	0.8	<2	4.09	<0.5	15	86	65	2.88	20
D1192257		3.96	0.044	<0.5	7.04	<5	600	0.8	<2	3.60	<0.5	14	73	178	2.68	20
D1192258		3.70	<0.005	<0.5	7.34	<5	550	0.8	<2	3.55	<0.5	14	84	160	2.75	20
D1192259		3.94	0.132	<0.5	7.23	<5	560	0.8	<2	2.93	<0.5	9	48	85	1.93	20
D1192260		3.58	0.053	<0.5	7.94	<5	600	0.9	<2	2.70	<0.5	5	28	20	1.48	20
D1192261		3.67	0.117	<0.5	7.95	<5	580	0.9	<2	2.69	<0.5	6	31	31	1.64	20
D1192262		0.38	<0.005	<0.5	3.57	<5	430	0.6	<2	19.6	<0.5	5	28	13	1.60	10
D1192263		3.75	0.559	<0.5	7.87	<5	580	1.0	<2	2.68	<0.5	8	28	16	1.61	20
D1192264		4.10	0.250	<0.5	7.75	<5	530	0.9	<2	2.79	<0.5	6	33	22	1.72	20
D1192265		3.71	0.028	<0.5	7.66	<5	580	0.9	<2	2.71	<0.5	6	34	25	1.55	20

Comments: Additional Au-GRA22 check assay for sample D1192234 reports 5.59ppm and 1.855ppm and for sample D1192247 is 13.35 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 5-AUG-2015
Account: DETGLD

Project: DGEX-269

CERTIFICATE OF ANALYSIS SD15106778

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1192236		0.81	<10	0.56	226	<1	3.35	9	300	3	0.71	<5	3	390	<20	0.07
D1192237		0.58	<10	0.44	190	1	2.65	7	230	<2	0.68	<5	2	233	<20	0.05
D1192238		0.46	<10	0.24	175	1	2.18	5	200	<2	0.62	<5	1	239	<20	0.03
D1192239		0.19	<10	0.85	246	<1	2.11	7	210	2	0.45	<5	3	314	<20	0.06
D1192240		1.42	<10	0.51	263	<1	3.82	10	390	<2	0.64	<5	3	372	<20	0.08
D1192241		1.00	<10	0.49	218	21	3.20	10	320	<2	1.18	<5	3	308	<20	0.06
D1192242		1.83	30	0.80	926	<1	0.62	10	2780	5	0.22	<5	5	465	<20	0.18
D1192243		1.16	10	0.77	290	1	3.94	11	370	<2	0.47	<5	3	509	<20	0.10
D1192244		1.00	<10	0.57	261	5	3.92	8	350	<2	0.53	<5	2	406	<20	0.10
D1192245		1.09	<10	0.51	244	1	4.07	7	380	<2	0.69	<5	2	470	<20	0.09
D1192246		0.97	<10	0.61	249	<1	4.10	9	390	4	0.52	<5	2	562	<20	0.10
D1192247		0.92	<10	0.47	246	<1	3.99	11	380	<2	1.20	<5	2	550	<20	0.07
D1192248		0.86	<10	0.42	219	<1	4.03	7	380	<2	0.68	<5	2	622	<20	0.07
D1192249		0.14	<10	0.63	155	1	1.60	4	200	<2	0.32	<5	1	229	<20	0.05
D1192250		0.31	<10	0.69	191	<1	2.45	7	280	3	0.75	<5	2	345	<20	0.06
D1192251		0.81	<10	0.48	336	<1	2.47	7	250	<2	1.91	<5	2	308	<20	0.05
D1192252		0.79	20	3.78	1410	3	2.18	137	1660	7	0.26	<5	19	432	<20	1.01
D1192253		1.12	<10	0.51	206	<1	3.74	7	370	<2	0.53	<5	2	520	<20	0.09
D1192254		0.93	<10	0.55	228	<1	3.74	7	370	2	0.61	<5	2	559	<20	0.09
D1192255		0.89	10	0.95	305	3	3.86	17	450	<2	0.65	<5	4	612	<20	0.11
D1192256		0.77	10	1.87	473	3	3.50	44	580	2	0.46	<5	7	601	<20	0.13
D1192257		0.89	10	1.54	386	17	3.40	36	540	2	0.84	<5	6	561	<20	0.12
D1192258		0.77	10	1.61	379	30	3.56	37	550	<2	0.77	<5	6	584	<20	0.11
D1192259		0.86	<10	0.96	287	2	3.83	19	440	<2	0.55	<5	4	544	<20	0.11
D1192260		1.10	<10	0.57	228	<1	4.00	8	380	<2	0.45	<5	2	499	<20	0.10
D1192261		0.83	<10	0.59	225	<1	4.06	8	400	2	0.43	<5	2	596	<20	0.10
D1192262		1.93	30	0.73	992	<1	0.71	11	3510	13	0.23	<5	6	466	<20	0.19
D1192263		0.99	<10	0.57	237	<1	4.18	8	400	2	0.62	<5	2	564	<20	0.10
D1192264		0.92	<10	0.56	267	2	4.32	9	390	<2	0.81	<5	2	527	<20	0.09
D1192265		0.85	<10	0.61	221	6	4.02	8	380	<2	0.39	<5	3	555	<20	0.11

Comments: Additional Au-GRA22 check assay for sample D1192234 reports 5.59ppm and 1.855ppm and for sample D1192247 is 13.35 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 5-AUG-2015
Account: DETGLD

Project: DGEX-269

CERTIFICATE OF ANALYSIS SD15106778

Sample Description	Method Analyte Units LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05	Au-GRA22 Au Check g/t 0.05
D1192236		<10	<10	23	50	14		
D1192237		<10	<10	19	130	13	11.65	
D1192238		<10	<10	12	200	40	9.69	
D1192239		<10	<10	45	20	35		
D1192240		<10	<10	30	<10	21		
D1192241		<10	<10	30	<10	20	55.1	61.8
D1192242		<10	<10	24	<10	20		
D1192243		<10	<10	29	<10	35		
D1192244		<10	<10	28	10	24		
D1192245		<10	<10	29	40	25	8.04	
D1192246		<10	<10	29	<10	32		
D1192247		<10	<10	23	<10	26	8.87	
D1192248		<10	<10	21	<10	23		
D1192249		<10	<10	33	<10	30		
D1192250		<10	<10	37	50	32	1.87	
D1192251		<10	<10	21	120	15	48.9	
D1192252		<10	<10	156	<10	113		
D1192253		<10	<10	27	20	30		
D1192254		<10	<10	29	<10	32		
D1192255		<10	<10	39	<10	43		
D1192256		<10	<10	63	<10	56		
D1192257		<10	<10	56	<10	50		
D1192258		<10	<10	55	<10	54		
D1192259		<10	<10	40	30	44		
D1192260		<10	<10	29	10	28		
D1192261		<10	<10	29	<10	45		
D1192262		<10	<10	25	<10	15		
D1192263		<10	<10	30	60	30		
D1192264		<10	<10	29	690	26		
D1192265		<10	<10	30	10	48		

Comments: Additional Au-GRA22 check assay for sample D1192234 reports 5.59ppm and 1.855ppm and for sample D1192247 is 13.35 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 5-AUG-2015
Account: DETGLD

Project: DGEX-269

CERTIFICATE OF ANALYSIS SD15106778

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:				
	CRU-31	CRU-QC	LOG-22	LOG-24
	PUL-32	PUL-QC	SPL-22Y	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:			
	Au-AA24	Au-GRA22	ME-ICP61