ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-AUG-2015
Account: DETGLD

CERTIFICATE SD15121025

Project: DGEX-286

P.O. No.: DGC 4800002115

This report is for 160 Drill Core samples submitted to our lab in Timmins, ON, Canada on 12-AUG-2015.

The following have access to data associated with this certificate:

APRIL COOMBS	ADREE DELAZZER	GUY MAC GILLIVRAY
KELLY MALCOLM	JEAN FRANCOIS METAIL	LARRY THON
JAMES TOLHURST	DETOUR GOLD WEBTRIEVE	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM

To: **DETOUR GOLD CORPORATION**
ATTN: JAMES TOLHURST
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Additional Au-GRA22 check assay for sample D1197848 and D1197902 reports 4.71ppm and 16.40ppm

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-AUG-2015
Account: DETGLD

Project: DGEX-286

CERTIFICATE OF ANALYSIS SD15121025

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1197816		6.49	0.008	<0.5	7.90	<5	50	<0.5	<2	6.41	<0.5	54	188	93	9.47	20
D1197817		6.65	<0.005	<0.5	7.88	<5	60	<0.5	<2	6.34	<0.5	55	195	93	9.67	20
D1197818		6.36	<0.005	<0.5	7.74	<5	70	<0.5	<2	6.22	<0.5	55	198	86	9.66	20
D1197819		6.42	<0.005	<0.5	7.77	<5	80	<0.5	<2	6.18	<0.5	52	195	86	9.52	20
D1197820		5.86	0.029	<0.5	7.83	<5	80	<0.5	<2	6.40	<0.5	53	201	84	9.33	20
D1197821		4.45	<0.005	<0.5	7.84	<5	50	<0.5	<2	6.06	<0.5	54	195	99	9.44	20
D1197822		4.54	<0.005	<0.5	7.29	<5	100	<0.5	<2	5.39	<0.5	69	191	485	10.75	20
D1197823		6.46	<0.005	<0.5	7.69	<5	80	<0.5	<2	6.78	<0.5	47	205	69	8.89	20
D1197824		0.31	<0.005	<0.5	4.38	<5	380	0.7	<2	14.6	<0.5	8	30	20	2.44	10
D1197825		6.33	<0.005	<0.5	8.08	<5	50	<0.5	<2	6.25	<0.5	55	324	50	8.93	20
D1197826		2.88	<0.005	<0.5	7.34	<5	50	<0.5	<2	6.09	<0.5	53	417	75	8.22	20
D1197827		4.90	0.875	0.7	7.68	<5	470	0.9	<2	3.33	1.4	16	58	234	3.14	20
D1197828		3.49	0.803	<0.5	7.69	<5	150	0.6	<2	5.21	<0.5	23	92	34	3.81	20
D1197829		4.98	0.550	0.5	6.52	<5	100	<0.5	<2	7.52	<0.5	53	362	93	7.67	20
D1197830		4.03	0.110	<0.5	7.31	<5	90	<0.5	<2	6.41	<0.5	62	526	96	8.84	20
D1197831		4.06	<0.005	<0.5	7.22	<5	150	<0.5	<2	6.68	<0.5	50	252	240	7.86	20
D1197832		4.26	1.945	<0.5	7.02	<5	360	0.7	<2	2.41	<0.5	9	33	26	2.58	20
D1197833		3.81	1.700	<0.5	7.32	<5	510	0.8	<2	2.52	<0.5	7	27	20	1.87	20
D1197834		0.06	1.260	<0.5	6.62	768	430	1.0	<2	5.25	<0.5	42	175	92	9.55	20
D1197835		3.58	0.188	<0.5	7.56	<5	630	0.9	<2	2.55	<0.5	7	25	51	1.73	20
D1197836		3.89	0.242	<0.5	7.87	<5	650	0.9	<2	2.65	<0.5	5	29	14	1.76	20
D1197837		3.82	>10.0	50.7	4.27	<5	310	0.5	12	1.27	<0.5	4	43	28	1.27	10
D1197838		4.11	4.38	<0.5	3.59	<5	190	<0.5	<2	1.15	<0.5	3	50	19	1.09	10
D1197839		4.09	1.615	<0.5	6.59	<5	460	0.8	2	2.17	<0.5	6	33	32	1.45	10
D1197840		3.72	0.090	<0.5	7.99	<5	680	0.9	<2	2.77	<0.5	6	28	25	1.72	20
D1197841		3.94	0.050	<0.5	7.79	<5	600	0.9	3	2.66	<0.5	6	27	24	1.65	20
D1197842		3.64	0.934	<0.5	7.61	<5	630	0.9	<2	2.51	1.7	6	31	10	1.73	20
D1197843		3.65	>10.0	0.5	6.44	<5	460	0.7	2	2.19	<0.5	5	26	12	1.54	20
D1197844		0.28	<0.005	<0.5	2.77	<5	210	0.5	<2	22.6	<0.5	8	22	17	2.24	10
D1197845		3.76	2.15	<0.5	7.25	<5	600	0.8	<2	3.06	<0.5	8	25	11	1.74	20
D1197846		3.78	0.162	<0.5	8.08	<5	610	0.9	<2	2.61	<0.5	5	26	6	1.77	20
D1197847		3.64	0.707	<0.5	7.57	<5	560	0.9	2	2.93	<0.5	8	30	35	1.95	20
D1197848		1.74	9.45	<0.5	7.96	<5	550	0.8	7	3.04	<0.5	9	31	35	1.82	20
D1197849		1.86		42.0	4.94	<5	200	<0.5	24	3.97	0.5	10	64	114	2.42	10
D1197850		3.44	0.167	<0.5	7.27	<5	420	0.7	<2	5.29	<0.5	9	40	21	2.18	20
D1197851		3.72	0.073	<0.5	7.85	<5	460	0.9	<2	2.76	<0.5	11	29	9	2.20	20
D1197852		3.77	1.655	<0.5	6.96	7	400	0.9	<2	2.39	<0.5	7	30	12	2.52	20
D1197853		3.49	0.329	<0.5	7.05	6	510	0.8	<2	2.51	<0.5	7	30	3	2.24	20
D1197854		0.05	0.349	<0.5	7.08	199	340	1.1	<2	5.54	<0.5	37	183	110	7.80	20
D1197855		3.47	0.307	<0.5	7.02	<5	370	0.7	<2	3.65	<0.5	7	33	27	2.09	20

Comments: Additional Au-GRA22 check assay for sample D1197848 and D1197902 reports 4.71ppm and 16.40ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-AUG-2015
Account: DETGLD

Project: DGEX-286

CERTIFICATE OF ANALYSIS SD15121025

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1197816		0.37	<10	4.85	1515	5	1.58	156	330	7	0.12	<5	37	150	<20	0.64
D1197817		0.46	<10	4.87	1580	2	1.80	157	340	8	0.05	<5	38	143	<20	0.66
D1197818		0.48	<10	4.98	1620	2	1.81	158	340	6	0.05	<5	37	131	<20	0.64
D1197819		0.56	<10	4.74	1520	1	1.79	157	350	6	0.10	<5	36	133	<20	0.63
D1197820		0.53	<10	4.73	1520	2	1.63	162	330	8	0.19	<5	36	132	<20	0.63
D1197821		0.39	10	4.86	1565	1	1.80	161	330	6	0.10	<5	37	126	<20	0.62
D1197822		0.71	<10	4.53	1450	20	1.79	156	310	5	2.10	<5	34	123	<20	0.58
D1197823		0.42	<10	4.88	1425	2	1.93	171	320	8	0.14	<5	35	149	<20	0.61
D1197824		2.32	30	1.04	1295	<1	0.76	22	3360	16	0.37	<5	7	411	<20	0.18
D1197825		0.23	<10	5.33	1435	1	2.03	238	310	7	0.04	<5	32	173	<20	0.56
D1197826		0.32	<10	5.35	1275	2	1.48	257	270	4	0.13	<5	30	141	<20	0.50
D1197827		0.97	10	1.30	398	3	4.16	36	510	8	1.21	<5	6	436	<20	0.18
D1197828		0.56	10	1.53	507	6	4.97	69	510	4	2.05	<5	9	270	<20	0.17
D1197829		0.53	<10	4.96	996	3	1.79	265	210	4	1.65	<5	26	169	<20	0.26
D1197830		0.39	<10	6.68	1215	2	0.97	371	250	6	0.51	<5	28	150	<20	0.25
D1197831		0.39	<10	4.77	1185	26	2.10	216	250	7	0.65	<5	28	213	<20	0.29
D1197832		0.71	10	0.74	291	7	4.39	18	420	4	1.55	<5	3	406	<20	0.10
D1197833		1.08	10	0.60	297	1	4.20	9	390	8	0.79	<5	3	436	<20	0.09
D1197834		0.69	20	3.63	2600	4	1.90	130	1930	9	0.97	11	17	375	<20	0.90
D1197835		1.04	10	0.62	259	5	4.20	8	400	7	0.62	<5	3	529	<20	0.11
D1197836		1.14	10	0.61	288	<1	4.34	7	400	8	0.60	<5	3	499	<20	0.10
D1197837		0.56	<10	0.31	160	2	2.17	4	200	20	0.47	<5	2	222	<20	0.05
D1197838		0.35	<10	0.26	147	2	1.93	4	210	3	0.28	<5	1	223	<20	0.04
D1197839		0.85	10	0.46	244	1	3.68	9	340	6	0.58	<5	2	393	<20	0.07
D1197840		1.17	10	0.64	334	<1	4.24	8	430	7	0.60	<5	3	535	<20	0.10
D1197841		0.98	10	0.56	267	1	4.25	8	410	5	0.64	<5	3	568	<20	0.08
D1197842		1.04	10	0.54	280	<1	4.13	9	390	4	0.64	<5	3	471	<20	0.09
D1197843		0.80	10	0.48	241	<1	3.44	8	330	5	0.61	<5	2	394	<20	0.07
D1197844		1.46	20	1.21	1695	<1	0.44	10	2240	11	0.37	5	5	518	<20	0.17
D1197845		1.11	10	0.50	307	1	3.97	10	410	6	0.86	<5	3	411	<20	0.08
D1197846		1.13	10	0.69	269	<1	4.34	8	430	5	0.52	<5	3	462	<20	0.11
D1197847		0.98	10	0.70	286	1	4.17	10	410	7	0.55	<5	3	488	<20	0.11
D1197848		1.09	<10	0.72	229	<1	4.48	13	410	4	0.60	<5	4	344	<20	0.11
D1197849		0.36	<10	0.56	202	130	2.94	25	310	11	1.51	<5	5	170	<20	0.09
D1197850		0.79	10	0.67	226	116	4.24	18	460	5	0.92	<5	5	284	<20	0.14
D1197851		0.78	10	0.81	198	19	4.47	13	520	6	0.79	<5	3	337	<20	0.14
D1197852		0.71	10	0.80	239	<1	4.01	15	490	<2	0.99	<5	3	368	<20	0.14
D1197853		0.93	10	0.84	234	<1	4.18	13	520	<2	0.75	<5	3	244	<20	0.14
D1197854		0.78	20	3.70	1410	3	2.18	140	1640	<2	0.26	<5	18	415	<20	0.99
D1197855		0.75	10	0.69	240	<1	4.31	13	460	<2	0.70	<5	4	287	<20	0.13

Comments: Additional Au-GRA22 check assay for sample D1197848 and D1197902 reports 4.71ppm and 16.40ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-AUG-2015
Account: DETGLD

Project: DGEX-286

CERTIFICATE OF ANALYSIS SD15121025

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1197816		<10	<10	281	<10	102	
D1197817		<10	<10	285	<10	109	
D1197818		<10	<10	287	<10	114	
D1197819		<10	<10	282	<10	107	
D1197820		<10	<10	273	<10	106	
D1197821		<10	<10	270	<10	104	
D1197822		<10	<10	254	<10	98	
D1197823		<10	<10	265	<10	111	
D1197824		<10	<10	32	<10	68	
D1197825		<10	<10	245	<10	103	
D1197826		<10	<10	224	<10	101	
D1197827		<10	<10	63	10	354	
D1197828		<10	<10	67	10	41	
D1197829		<10	<10	199	10	158	
D1197830		<10	<10	216	<10	170	
D1197831		<10	<10	211	<10	94	
D1197832		<10	<10	32	30	30	
D1197833		<10	<10	29	100	34	
D1197834		<10	<10	157	<10	124	
D1197835		<10	<10	30	10	25	
D1197836		<10	<10	31	60	26	
D1197837		<10	<10	17	40	35	40.0
D1197838		<10	<10	12	160	27	
D1197839		<10	<10	23	<10	27	
D1197840		<10	<10	31	10	26	
D1197841		<10	<10	29	<10	30	
D1197842		<10	<10	29	10	272	
D1197843		<10	<10	25	150	28	9.82
D1197844		<10	<10	28	<10	158	
D1197845		<10	<10	31	250	21	
D1197846		<10	<10	32	20	29	
D1197847		<10	<10	35	200	30	
D1197848		<10	<10	39	10	26	7.26
D1197849		<10	<10	39	1570	112	39.1
D1197850		<10	<10	47	10	20	
D1197851		<10	<10	41	10	17	
D1197852		<10	<10	39	10	24	
D1197853		<10	<10	42	10	17	
D1197854		<10	<10	152	<10	115	
D1197855		<10	<10	36	<10	22	

Comments: Additional Au-GRA22 check assay for sample D1197848 and D1197902 reports 4.71ppm and 16.40ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-AUG-2015
Account: DETGLD

Project: DGEX-286

CERTIFICATE OF ANALYSIS SD15121025

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1197856		3.68	0.070	<0.5	7.20	7	610	0.8	<2	2.72	<0.5	6	33	19	1.71	20
D1197857		3.34	0.031	<0.5	7.04	6	490	0.8	2	2.85	<0.5	6	33	57	1.72	20
D1197858		2.16		<0.5	6.05	<5	310	0.6	2	2.19	<0.5	3	37	25	1.54	10
D1197859		3.76	0.121	<0.5	7.40	<5	510	0.8	<2	2.95	<0.5	7	37	43	1.93	20
D1197860		1.78	0.288	<0.5	7.60	7	460	0.9	<2	2.77	<0.5	6	36	49	1.88	20
D1197861		3.59	0.159	<0.5	6.87	6	520	0.8	<2	3.04	<0.5	5	32	28	1.63	20
D1197862		3.59	0.597	<0.5	7.10	6	560	0.8	<2	2.59	<0.5	6	36	15	2.08	20
D1197863		3.76	0.082	<0.5	7.18	<5	510	0.8	4	2.52	<0.5	5	35	17	1.77	20
D1197864		0.32	<0.005	<0.5	3.29	5	320	0.6	<2	20.3	<0.5	2	23	8	1.50	10
D1197865		3.77	0.467	<0.5	6.62	7	500	0.8	<2	2.88	<0.5	8	35	92	1.92	20
D1197866		3.44	0.103	<0.5	3.89	7	190	<0.5	<2	1.20	<0.5	2	43	18	1.24	10
D1197867		2.07	1.770	<0.5	4.21	<5	160	<0.5	2	1.35	<0.5	4	35	4	1.36	10
D1197868		1.98	4.83	<0.5	3.21	7	200	<0.5	<2	0.64	<0.5	11	44	85	2.40	10
D1197869		5.08	<0.005	<0.5	6.53	<5	110	<0.5	<2	6.01	<0.5	50	299	91	7.64	20
D1197870		6.76	<0.005	<0.5	7.07	7	50	<0.5	2	6.48	<0.5	58	311	87	8.43	20
D1197871		7.03	<0.005	<0.5	6.62	5	40	<0.5	4	6.85	<0.5	50	222	71	8.25	20
D1197872		6.89	<0.005	<0.5	6.80	7	40	<0.5	<2	6.56	<0.5	54	239	74	8.13	20
D1197873		6.69	<0.005	<0.5	6.92	<5	50	<0.5	2	6.45	<0.5	56	241	67	8.22	20
D1197874		0.04	6.72	0.9	5.54	4220	530	0.7	<2	5.39	0.6	29	129	183	11.65	20
D1197875		6.87	<0.005	<0.5	6.87	6	70	<0.5	5	6.62	<0.5	53	241	70	8.01	20
D1197876		6.76	<0.005	<0.5	6.93	5	80	<0.5	2	6.08	<0.5	53	274	68	7.97	20
D1197877		6.08	<0.005	<0.5	6.79	<5	150	<0.5	2	5.77	<0.5	53	286	72	7.92	10
D1197878		3.59	<0.005	<0.5	6.46	<5	190	<0.5	<2	6.55	<0.5	48	235	97	7.78	20
D1197879		4.97	<0.005	<0.5	7.23	<5	480	0.8	2	3.67	<0.5	15	81	181	3.01	20
D1197880		6.42	<0.005	<0.5	7.43	<5	530	0.8	<2	3.77	<0.5	13	80	158	3.03	20
D1197881		6.24	<0.005	<0.5	7.28	<5	510	0.8	<2	3.59	<0.5	11	75	193	2.81	20
D1197882		4.45	<0.005	<0.5	7.30	<5	450	0.8	<2	3.87	<0.5	12	79	117	2.98	20
D1197883		5.93	<0.005	<0.5	6.53	5	70	<0.5	2	6.41	<0.5	56	309	85	8.08	20
D1197884		0.30	<0.005	<0.5	2.95	7	230	0.6	<2	23.2	<0.5	4	27	11	1.57	10
D1197885		6.56	<0.005	<0.5	6.73	5	100	<0.5	<2	6.81	<0.5	57	340	44	8.20	10
D1197886		6.86	<0.005	<0.5	6.88	9	90	<0.5	<2	6.48	<0.5	54	355	33	8.38	20
D1197887		6.68	<0.005	<0.5	6.40	<5	60	<0.5	4	6.47	<0.5	53	326	62	8.36	20
D1197888		6.71	<0.005	<0.5	6.67	<5	50	<0.5	<2	6.74	<0.5	54	345	81	8.52	20
D1197889		5.64	<0.005	<0.5	7.45	<5	200	<0.5	<2	6.06	<0.5	39	229	97	6.72	20
D1197890		4.78	0.198	<0.5	7.40	<5	500	0.9	2	2.89	<0.5	5	35	42	1.77	20
D1197891		3.99	0.076	<0.5	7.20	<5	540	0.9	<2	2.77	<0.5	5	21	105	1.47	20
D1197892		4.12	0.482	<0.5	7.37	<5	670	1.0	<2	2.47	<0.5	5	25	198	1.77	20
D1197893		3.86	0.075	<0.5	6.72	<5	460	0.8	3	2.34	<0.5	4	28	105	1.43	20
D1197894		0.06	4.51	5.4	4.36	19	270	0.9	2	4.89	<0.5	6	25	59	2.59	10
D1197895		3.95	0.109	<0.5	7.42	<5	530	0.9	<2	2.49	<0.5	5	24	40	1.57	20

Comments: Additional Au-GRA22 check assay for sample D1197848 and D1197902 reports 4.71ppm and 16.40ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-AUG-2015
Account: DETGLD

Project: DGEX-286

CERTIFICATE OF ANALYSIS SD15121025

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1197856		0.95	<10	0.65	230	<1	4.14	14	380	<2	0.56	<5	3	384	<20	0.09
D1197857		0.87	<10	0.65	223	<1	3.92	14	380	<2	0.64	5	3	440	<20	0.08
D1197858		0.70	<10	0.53	174	<1	3.12	15	300	<2	0.54	<5	3	374	<20	0.06
D1197859		0.94	<10	0.70	245	<1	4.06	17	390	<2	0.80	6	4	504	<20	0.08
D1197860		0.86	<10	0.79	207	<1	3.99	18	400	<2	0.65	5	4	539	<20	0.09
D1197861		1.06	<10	0.55	244	1	3.59	14	360	<2	0.63	<5	3	392	<20	0.07
D1197862		0.90	<10	0.70	259	<1	3.95	17	350	<2	1.00	<5	3	387	<20	0.09
D1197863		0.91	<10	0.68	269	<1	3.98	13	370	<2	0.75	<5	3	408	<20	0.08
D1197864		1.79	30	0.74	1075	<1	0.68	11	3160	5	0.22	<5	5	413	<20	0.19
D1197865		0.80	<10	0.64	303	1	3.52	13	350	2	1.03	<5	3	410	<20	0.07
D1197866		0.41	<10	0.33	126	4	1.80	7	170	<2	0.43	<5	2	194	<20	0.04
D1197867		0.46	<10	0.29	131	<1	2.01	9	190	<2	0.71	<5	1	227	<20	0.03
D1197868		0.43	<10	0.18	78	1	1.53	15	150	<2	2.00	<5	1	139	<20	0.02
D1197869		0.36	<10	5.07	1225	<1	1.19	263	250	<2	0.19	<5	20	162	<20	0.38
D1197870		0.23	<10	5.56	1325	<1	1.03	297	270	<2	0.13	<5	19	178	<20	0.44
D1197871		0.23	<10	5.11	1335	<1	0.99	252	320	<2	0.12	5	19	142	<20	0.51
D1197872		0.26	<10	5.51	1325	<1	0.86	296	220	<2	0.09	<5	17	140	<20	0.41
D1197873		0.33	<10	5.53	1330	<1	0.88	299	260	<2	0.09	<5	17	138	<20	0.43
D1197874		0.53	20	2.90	3970	2	1.17	102	2260	8	3.41	12	19	231	<20	0.54
D1197875		0.41	<10	5.49	1350	<1	1.06	299	280	<2	0.09	6	17	137	<20	0.42
D1197876		0.33	<10	5.87	1240	<1	0.98	326	250	<2	0.16	<5	20	130	<20	0.42
D1197877		0.62	<10	5.98	1240	18	1.03	331	240	<2	0.16	<5	19	145	<20	0.42
D1197878		0.68	<10	5.47	1280	10	1.12	277	310	<2	0.25	5	22	175	<20	0.48
D1197879		0.94	10	1.76	401	2	3.33	45	590	3	0.63	7	6	560	<20	0.21
D1197880		0.82	10	1.73	428	6	3.41	42	590	<2	0.58	<5	6	608	<20	0.21
D1197881		0.81	<10	1.58	383	3	3.26	37	560	2	0.65	<5	6	602	<20	0.19
D1197882		0.86	10	1.70	463	3	3.33	46	570	<2	0.58	<5	6	525	<20	0.21
D1197883		0.26	<10	5.84	1340	2	0.94	344	240	<2	0.13	5	17	162	<20	0.41
D1197884		1.64	20	0.95	1065	<1	0.47	18	2530	10	0.28	<5	5	498	<20	0.19
D1197885		0.44	<10	5.81	1370	<1	1.14	349	270	<2	0.09	<5	18	162	<20	0.43
D1197886		0.49	<10	5.55	1390	<1	1.13	317	280	<2	0.07	<5	20	171	<20	0.48
D1197887		0.33	<10	5.28	1435	<1	0.99	284	280	<2	0.09	<5	19	163	<20	0.49
D1197888		0.31	<10	5.29	1415	1	1.01	287	260	<2	0.13	<5	19	175	<20	0.49
D1197889		0.80	<10	4.09	1115	6	2.11	182	390	<2	0.41	<5	24	227	<20	0.44
D1197890		0.84	<10	0.67	245	1	4.00	18	380	<2	0.61	<5	3	552	<20	0.09
D1197891		0.71	<10	0.52	248	<1	3.94	9	350	<2	0.71	<5	2	541	<20	0.08
D1197892		1.15	<10	0.52	238	1	3.85	12	360	<2	0.91	<5	2	508	<20	0.09
D1197893		0.87	<10	0.51	204	<1	3.65	7	330	3	0.51	<5	2	486	<20	0.09
D1197894		2.03	10	0.81	616	5	0.66	9	520	12	0.78	<5	10	243	<20	0.23
D1197895		0.95	<10	0.57	263	<1	4.31	8	400	<2	0.66	<5	2	491	<20	0.10

Comments: Additional Au-GRA22 check assay for sample D1197848 and D1197902 reports 4.71ppm and 16.40ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-AUG-2015
Account: DETGLD

Project: DGEX-286

CERTIFICATE OF ANALYSIS SD15121025

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1197856		<10	<10	32	<10	32	
D1197857		<10	<10	32	<10	34	
D1197858		<10	<10	29	<10	25	0.45
D1197859		<10	<10	32	<10	36	
D1197860		<10	<10	33	<10	46	
D1197861		<10	<10	30	<10	26	
D1197862		<10	<10	34	80	31	
D1197863		<10	<10	31	<10	27	
D1197864		<10	<10	22	<10	13	
D1197865		<10	<10	28	60	27	
D1197866		<10	<10	16	<10	16	
D1197867		<10	<10	17	<10	11	
D1197868		<10	<10	13	<10	7	
D1197869		<10	<10	196	<10	106	
D1197870		<10	<10	213	<10	102	
D1197871		<10	<10	223	<10	114	
D1197872		<10	<10	209	<10	105	
D1197873		<10	<10	207	<10	111	
D1197874		<10	<10	169	<10	121	6.70
D1197875		<10	<10	199	<10	105	
D1197876		<10	<10	196	<10	98	
D1197877		<10	<10	198	<10	97	
D1197878		<10	<10	209	<10	101	
D1197879		<10	<10	63	<10	60	
D1197880		<10	<10	61	<10	65	
D1197881		<10	<10	57	<10	61	
D1197882		<10	<10	60	<10	59	
D1197883		<10	<10	195	<10	105	
D1197884		<10	<10	25	<10	13	
D1197885		<10	<10	206	<10	104	
D1197886		<10	<10	218	<10	114	
D1197887		<10	<10	229	<10	109	
D1197888		<10	<10	222	<10	97	
D1197889		<10	<10	179	<10	97	
D1197890		<10	<10	31	<10	33	
D1197891		<10	<10	27	<10	25	
D1197892		<10	<10	28	<10	27	
D1197893		<10	<10	25	<10	30	
D1197894		<10	<10	83	<10	52	
D1197895		<10	<10	25	20	56	

Comments: Additional Au-GRA22 check assay for sample D1197848 and D1197902 reports 4.71ppm and 16.40ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-AUG-2015
Account: DETGLD

Project: DGEX-286

CERTIFICATE OF ANALYSIS SD15121025

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1197896		3.85	0.136	<0.5	7.21	<5	580	0.8	<2	2.43	<0.5	5	18	44	1.68	20
D1197897		4.22	0.203	<0.5	7.71	<5	290	1.0	2	3.33	<0.5	3	13	16	1.90	20
D1197898		4.34	0.118	<0.5	7.89	<5	500	1.2	<2	3.13	<0.5	3	14	35	1.37	20
D1197899		3.98	0.067	<0.5	7.56	<5	550	1.0	3	2.35	<0.5	4	18	86	1.72	20
D1197900		4.25	0.355	<0.5	7.60	<5	570	1.0	9	2.44	<0.5	4	18	85	1.56	20
D1197901		3.87	0.152	<0.5	7.43	<5	560	1.0	<2	2.54	<0.5	3	18	37	1.51	20
D1197902		3.88	6.08	<0.5	7.12	<5	480	0.9	3	2.29	<0.5	4	23	29	1.45	20
D1197903		3.98	3.03	<0.5	7.22	<5	390	0.9	9	2.75	<0.5	5	23	34	1.99	20
D1197904		0.27	<0.005	<0.5	2.69	5	380	0.5	<2	23.3	<0.5	2	21	7	1.58	<10
D1197905		3.90	0.379	<0.5	7.49	<5	610	0.9	<2	2.47	<0.5	4	18	83	1.55	20
D1197906		4.09	0.992	<0.5	7.66	<5	620	1.0	<2	2.30	<0.5	3	23	36	1.41	20
D1197907		3.96	0.221	<0.5	7.44	<5	600	1.0	<2	2.37	<0.5	4	20	29	1.43	20
D1197908		4.03	0.049	<0.5	7.42	<5	620	1.0	3	2.34	<0.5	3	19	27	1.45	20
D1197909		4.44	0.085	<0.5	7.77	<5	580	1.0	<2	2.41	<0.5	3	19	25	1.47	20
D1197910		3.92	0.439	<0.5	7.82	<5	680	1.0	<2	2.63	<0.5	4	20	22	1.43	20
D1197911		4.04	1.215	<0.5	7.00	<5	460	0.9	3	1.84	<0.5	4	22	12	1.49	20
D1197912		3.98	0.429	<0.5	7.54	<5	550	1.0	<2	2.12	<0.5	3	18	28	1.46	20
D1197913		4.03	0.767	<0.5	7.73	<5	580	1.0	2	2.14	<0.5	4	19	22	1.84	20
D1197914		0.06	1.175	<0.5	6.49	749	410	1.0	<2	5.26	<0.5	35	173	91	9.58	20
D1197915		4.02	0.247	<0.5	7.38	<5	610	1.0	<2	2.30	<0.5	3	17	38	1.43	20
D1197916		4.10	0.043	<0.5	7.26	5	510	0.9	<2	2.49	<0.5	4	16	45	1.54	20
D1197917		4.03	2.28	<0.5	7.64	<5	650	1.0	<2	2.24	<0.5	3	20	33	1.45	20
D1197918		4.07	0.232	<0.5	7.36	<5	620	1.0	<2	2.29	<0.5	4	16	27	1.45	20
D1197919		3.98	0.523	<0.5	7.16	<5	570	0.9	<2	1.80	<0.5	6	20	20	1.57	20
D1197920		3.88	0.033	<0.5	7.60	<5	580	1.0	<2	2.31	<0.5	3	19	12	1.47	20
D1197921		4.08	0.041	<0.5	7.35	<5	570	1.0	<2	2.31	<0.5	3	17	11	1.40	20
D1197922		4.17	0.506	<0.5	7.36	5	620	0.9	<2	2.07	<0.5	5	17	39	1.66	20
D1197923		3.92	1.100	<0.5	7.74	<5	310	1.0	<2	2.78	<0.5	4	15	9	1.76	20
D1197924		0.30	<0.005	<0.5	3.15	<5	320	0.6	<2	22.8	<0.5	1	21	8	1.54	10
D1197925		4.00	0.067	<0.5	8.03	7	490	1.2	<2	2.82	<0.5	1	18	17	1.15	20
D1197926		4.14	0.440	<0.5	7.92	6	660	1.0	<2	2.39	<0.5	3	20	23	1.64	20
D1197927		4.05	1.830	<0.5	7.65	<5	710	1.0	3	2.38	<0.5	4	35	58	1.64	20
D1197928		4.03	0.096	<0.5	7.70	8	640	1.0	<2	2.35	<0.5	3	25	23	1.33	20
D1197929		4.09	0.106	<0.5	7.84	7	440	0.9	<2	3.00	<0.5	4	16	17	1.66	20
D1197930		4.21	0.074	<0.5	7.80	8	550	1.1	<2	2.99	<0.5	3	18	8	1.48	20
D1197931		4.84	0.287	<0.5	7.52	<5	650	0.9	<2	2.64	<0.5	6	30	11	1.82	20
D1197932		4.15	0.542	<0.5	7.63	<5	600	0.9	<2	3.72	<0.5	12	57	2	3.25	20
D1197933		3.62	0.024	<0.5	7.50	<5	530	0.9	<2	3.30	<0.5	11	63	2	3.07	20
D1197934		0.05	0.346	<0.5	7.81	219	370	1.2	5	6.03	<0.5	41	194	122	8.57	20
D1197935		3.68	0.128	<0.5	8.15	7	630	0.9	<2	2.54	<0.5	4	21	17	1.84	20

Comments: Additional Au-GRA22 check assay for sample D1197848 and D1197902 reports 4.71ppm and 16.40ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-AUG-2015
Account: DETGLD

Project: DGEX-286

CERTIFICATE OF ANALYSIS SD15121025

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1197896		0.72	<10	0.44	264	<1	4.53	8	400	<2	1.03	<5	2	481	<20	0.08
D1197897		0.50	<10	0.70	300	<1	4.60	8	540	<2	0.93	<5	2	584	<20	0.11
D1197898		0.73	<10	0.34	257	4	5.08	5	480	3	0.75	<5	1	677	<20	0.09
D1197899		0.60	<10	0.43	186	4	4.29	5	420	3	0.74	<5	1	642	<20	0.09
D1197900		0.72	<10	0.37	195	<1	4.59	5	410	<2	0.83	<5	1	585	<20	0.08
D1197901		0.73	<10	0.32	236	<1	4.58	4	390	2	0.88	<5	1	511	<20	0.08
D1197902		0.64	<10	0.40	193	<1	4.31	5	400	2	0.82	<5	1	541	<20	0.08
D1197903		0.60	<10	0.27	249	1	4.60	8	380	2	1.48	<5	1	518	<20	0.07
D1197904		1.48	20	0.84	1095	<1	0.58	9	2890	5	0.22	<5	5	435	<20	0.16
D1197905		0.82	<10	0.42	239	<1	4.40	4	390	<2	0.78	<5	1	474	<20	0.08
D1197906		0.88	<10	0.46	181	<1	4.49	7	420	<2	0.54	<5	2	565	<20	0.10
D1197907		0.85	<10	0.43	191	<1	4.42	5	400	<2	0.50	<5	2	563	<20	0.10
D1197908		0.81	<10	0.44	175	1	4.38	6	410	2	0.50	<5	1	546	<20	0.10
D1197909		0.71	<10	0.45	182	<1	4.64	3	410	3	0.59	<5	2	584	<20	0.09
D1197910		0.95	<10	0.47	258	<1	4.61	7	420	<2	0.62	<5	2	562	<20	0.09
D1197911		0.64	<10	0.43	149	3	3.96	6	400	<2	0.78	<5	1	486	<20	0.07
D1197912		0.75	<10	0.46	172	2	4.54	6	410	<2	0.65	<5	1	531	<20	0.09
D1197913		0.78	<10	0.48	182	<1	4.58	6	390	<2	1.13	<5	2	530	<20	0.09
D1197914		0.68	20	3.63	2560	2	1.92	135	1930	3	0.96	<5	17	363	<20	0.89
D1197915		0.99	<10	0.41	185	<1	4.37	4	420	2	0.70	<5	1	534	<20	0.10
D1197916		0.79	<10	0.40	184	<1	4.35	6	400	<2	0.81	<5	1	572	<20	0.09
D1197917		1.09	<10	0.45	189	<1	4.18	6	400	<2	0.52	<5	2	533	<20	0.10
D1197918		1.07	<10	0.43	202	1	4.16	5	390	<2	0.59	<5	1	535	<20	0.09
D1197919		1.11	<10	0.35	186	1	4.13	5	360	<2	1.01	<5	1	353	<20	0.08
D1197920		0.95	<10	0.39	201	<1	4.49	6	390	<2	0.73	<5	1	533	<20	0.08
D1197921		0.87	<10	0.42	176	<1	4.55	5	390	4	0.55	<5	1	622	<20	0.09
D1197922		1.11	<10	0.39	199	1	3.97	4	390	<2	0.91	<5	1	491	<20	0.09
D1197923		0.49	<10	0.51	215	<1	4.62	8	450	3	1.07	<5	1	605	<20	0.08
D1197924		1.73	20	0.90	996	<1	0.60	12	2450	6	0.21	<5	5	445	<20	0.19
D1197925		0.75	<10	0.24	204	<1	5.04	4	440	<2	0.64	11	1	667	<20	0.07
D1197926		0.72	<10	0.44	192	<1	4.74	4	420	<2	0.77	9	2	587	<20	0.09
D1197927		0.87	<10	0.43	237	<1	4.75	14	410	<2	0.93	8	2	467	<20	0.08
D1197928		0.82	<10	0.38	221	<1	4.58	7	400	5	0.67	6	1	558	<20	0.08
D1197929		0.51	<10	0.52	233	<1	4.66	8	460	<2	0.84	<5	2	607	<20	0.09
D1197930		0.75	<10	0.32	233	<1	5.12	5	490	<2	0.96	<5	1	567	<20	0.08
D1197931		0.87	10	0.71	247	<1	4.10	13	480	6	0.60	<5	3	579	<20	0.10
D1197932		1.13	10	1.52	521	<1	3.22	30	700	2	0.46	5	6	646	<20	0.19
D1197933		0.85	10	1.47	456	<1	3.27	28	680	<2	0.37	6	6	624	<20	0.18
D1197934		0.86	20	4.02	1540	5	2.40	152	1780	<2	0.28	<5	20	457	<20	1.07
D1197935		0.70	<10	0.47	177	<1	4.76	7	430	<2	0.86	6	2	607	<20	0.10

Comments: Additional Au-GRA22 check assay for sample D1197848 and D1197902 reports 4.71ppm and 16.40ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-AUG-2015
Account: DETGLD

Project: DGEX-286

CERTIFICATE OF ANALYSIS SD15121025

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1197896		<10	<10	23	160	40	
D1197897		<10	<10	53	<10	32	
D1197898		<10	<10	22	<10	21	
D1197899		<10	<10	25	<10	25	
D1197900		<10	<10	21	<10	22	
D1197901		<10	<10	22	<10	16	
D1197902		<10	<10	23	<10	21	3.87
D1197903		<10	<10	17	<10	12	
D1197904		<10	10	19	<10	13	
D1197905		<10	<10	24	<10	22	
D1197906		<10	<10	25	<10	25	
D1197907		<10	<10	25	<10	27	
D1197908		<10	<10	26	<10	35	
D1197909		<10	<10	25	<10	26	
D1197910		<10	<10	25	<10	21	
D1197911		<10	<10	27	40	19	
D1197912		<10	<10	23	50	22	
D1197913		<10	<10	23	<10	27	
D1197914		<10	<10	146	<10	128	
D1197915		<10	<10	26	<10	20	
D1197916		<10	<10	25	<10	22	
D1197917		<10	<10	26	<10	27	
D1197918		<10	<10	27	30	22	
D1197919		<10	<10	26	<10	15	
D1197920		<10	<10	25	<10	20	
D1197921		<10	<10	24	<10	19	
D1197922		<10	<10	24	<10	15	
D1197923		<10	<10	35	<10	22	
D1197924		<10	<10	23	<10	27	
D1197925		<10	<10	14	<10	12	
D1197926		<10	<10	25	<10	39	
D1197927		<10	<10	27	<10	21	
D1197928		<10	<10	24	<10	19	
D1197929		<10	<10	35	500	28	
D1197930		<10	<10	25	200	14	
D1197931		<10	<10	33	20	41	
D1197932		<10	<10	54	20	72	
D1197933		<10	<10	55	<10	62	
D1197934		<10	<10	164	<10	126	
D1197935		<10	<10	27	<10	25	

Comments: Additional Au-GRA22 check assay for sample D1197848 and D1197902 reports 4.71ppm and 16.40ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-AUG-2015
Account: DETGLD

Project: DGEX-286

CERTIFICATE OF ANALYSIS SD15121025

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1197936		4.12	0.064	<0.5	7.99	<5	510	0.9	<2	2.26	<0.5	4	26	32	1.65	20
D1197937		3.99	0.078	<0.5	8.44	8	430	1.0	2	2.65	<0.5	7	25	17	1.90	20
D1197938		4.02	0.180	<0.5	8.09	8	630	1.1	2	2.78	<0.5	4	22	16	1.53	20
D1197939		4.10	0.028	<0.5	7.77	6	230	0.8	<2	4.98	<0.5	2	11	3	1.60	20
D1197940		3.83	0.054	<0.5	8.09	<5	310	1.0	<2	3.85	<0.5	4	14	10	2.00	20
D1197941		4.13	0.965	<0.5	7.42	8	400	0.9	2	3.23	<0.5	8	16	3	2.24	20
D1197942		4.29	0.124	<0.5	7.83	8	190	0.9	<2	4.25	<0.5	5	16	4	2.03	20
D1197943		2.39	1.565	<0.5	6.63	6	460	0.7	<2	2.42	<0.5	4	29	5	1.71	10
D1197944		0.28	0.009	<0.5	4.20	6	520	0.8	<2	17.1	<0.5	3	29	10	1.93	10
D1197945		3.60	1.570	1.9	7.18	6	730	0.9	<2	2.79	<0.5	7	45	9	2.18	20
D1197946		4.24	2.98	<0.5	7.31	<5	590	0.9	2	5.79	<0.5	25	125	40	4.94	10
D1197947		3.32	1.005	<0.5	7.56	5	700	0.8	<2	4.98	<0.5	25	138	36	5.32	20
D1197948		2.90	2.30	<0.5	7.47	7	610	0.8	3	2.70	<0.5	8	45	43	2.34	20
D1197949		4.82	0.685	<0.5	7.26	8	660	0.8	<2	3.47	<0.5	10	61	42	2.86	20
D1197950		3.51	0.156	<0.5	7.72	7	640	0.8	<2	4.21	<0.5	14	90	27	3.50	20
D1197951		2.66	0.600	<0.5	7.65	<5	660	0.8	<2	3.86	<0.5	20	75	41	4.62	20
D1197952		4.11	0.037	<0.5	8.10	10	580	0.9	<2	3.86	<0.5	13	60	7	3.06	20
D1197953		4.57	<0.005	<0.5	7.72	<5	700	0.9	4	3.73	<0.5	11	59	3	2.81	20
D1197954		0.05	0.342	<0.5	7.29	211	350	1.1	6	5.66	0.5	38	184	113	8.03	20
D1197955		3.95	0.106	<0.5	7.91	6	690	0.8	<2	3.57	<0.5	14	82	15	3.54	20
D1197956		3.20	0.014	<0.5	7.48	5	580	0.8	<2	4.44	<0.5	21	172	14	4.16	20
D1197957		3.66	0.026	<0.5	7.78	5	550	0.9	<2	4.10	<0.5	22	159	18	4.41	20
D1197958		5.26	0.006	<0.5	7.40	<5	560	0.8	<2	3.86	<0.5	12	80	13	2.97	20
D1197959		5.48	<0.005	<0.5	7.93	<5	590	0.9	<2	3.50	<0.5	11	51	6	2.71	20
D1197960		6.42	0.011	<0.5	7.96	7	590	0.9	<2	5.10	<0.5	22	107	1	5.21	20
D1197961		5.95	<0.005	<0.5	7.36	5	640	0.8	<2	5.18	<0.5	26	137	<1	5.00	20
D1197962		4.07	<0.005	<0.5	7.62	6	780	0.9	2	5.12	<0.5	21	81	<1	5.06	20
D1197963		2.64	<0.005	<0.5	7.38	<5	690	0.8	3	4.94	<0.5	21	93	23	4.83	20
D1197964		0.29	<0.005	<0.5	3.59	6	360	0.6	<2	19.0	<0.5	2	23	9	1.54	10
D1197965		5.29	<0.005	<0.5	7.28	<5	400	0.7	<2	4.05	<0.5	16	111	7	3.24	20
D1197966		5.74	<0.005	<0.5	7.17	<5	350	0.6	<2	3.89	<0.5	15	110	3	3.20	20
D1197967		5.76	<0.005	<0.5	7.13	<5	360	0.6	<2	3.61	<0.5	16	111	1	3.23	20
D1197968		6.28	<0.005	<0.5	7.03	<5	350	0.6	<2	4.18	<0.5	16	111	3	3.27	20
D1197969		6.51	<0.005	<0.5	7.50	<5	350	0.7	<2	4.05	<0.5	16	117	1	3.37	20
D1197970		5.59	<0.005	<0.5	7.45	6	470	0.6	<2	4.06	<0.5	16	116	<1	3.29	20
D1197971		5.89	<0.005	<0.5	7.36	5	440	0.6	<2	4.02	<0.5	14	118	2	3.30	20
D1197972		5.92	<0.005	<0.5	7.62	7	460	0.7	<2	4.08	<0.5	15	117	2	3.61	20
D1197973		5.99	0.006	<0.5	7.37	<5	610	0.6	3	4.19	<0.5	16	113	<1	3.27	20
D1197974		0.06	6.39	0.7	5.65	4310	510	0.8	2	5.45	0.5	30	129	186	11.85	10
D1197975		5.67	<0.005	<0.5	7.27	11	490	0.7	<2	3.98	<0.5	17	118	<1	3.30	20

Comments: Additional Au-GRA22 check assay for sample D1197848 and D1197902 reports 4.71ppm and 16.40ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-AUG-2015
Account: DETGLD

Project: DGEX-286

CERTIFICATE OF ANALYSIS SD15121025

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1197936		0.88	<10	0.50	184	<1	4.65	8	440	3	0.78	5	2	581	<20	0.11
D1197937		0.88	<10	0.48	159	<1	4.87	8	540	5	1.26	5	2	606	<20	0.09
D1197938		0.89	<10	0.27	218	<1	5.11	4	430	3	0.96	<5	1	620	<20	0.07
D1197939		0.46	<10	0.61	424	<1	5.24	7	520	<2	0.72	7	2	553	<20	0.09
D1197940		0.65	<10	0.68	310	<1	4.82	8	520	<2	1.06	<5	2	577	<20	0.10
D1197941		0.75	<10	0.39	259	<1	4.68	10	430	<2	1.76	5	1	460	<20	0.08
D1197942		0.45	10	0.56	368	<1	4.95	10	450	<2	1.30	<5	1	469	<20	0.08
D1197943		0.68	<10	0.23	219	<1	4.49	8	360	<2	1.34	<5	1	266	<20	0.07
D1197944		2.33	30	0.86	918	<1	0.80	16	3200	12	0.34	<5	6	418	<20	0.23
D1197945		1.03	10	0.93	366	<1	3.65	19	510	<2	0.70	<5	4	453	<20	0.13
D1197946		1.16	10	2.87	957	1	2.28	64	790	<2	0.92	<5	16	367	<20	0.31
D1197947		1.57	20	3.21	934	<1	2.20	74	850	<2	0.56	<5	17	328	<20	0.35
D1197948		1.05	10	0.90	312	<1	4.27	20	440	<2	1.13	5	5	394	<20	0.15
D1197949		1.17	<10	1.17	417	<1	3.66	30	410	<2	1.49	<5	8	385	<20	0.19
D1197950		1.39	10	2.16	606	<1	2.74	46	720	<2	0.83	<5	10	500	<20	0.24
D1197951		1.56	10	1.82	601	<1	2.73	38	520	<2	2.90	<5	16	458	<20	0.28
D1197952		1.21	10	1.44	495	<1	3.69	28	710	2	1.40	5	7	644	<20	0.19
D1197953		1.33	10	1.39	486	<1	3.27	28	670	<2	0.66	<5	6	769	<20	0.20
D1197954		0.81	20	3.77	1445	4	2.23	142	1690	5	0.27	7	19	424	<20	1.01
D1197955		1.06	10	1.62	519	<1	3.24	46	510	3	2.27	<5	9	494	<20	0.19
D1197956		1.49	10	2.85	719	<1	2.41	86	770	4	1.04	8	13	552	<20	0.26
D1197957		0.90	10	2.98	672	<1	2.75	90	880	<2	0.61	<5	14	765	<20	0.27
D1197958		0.84	10	1.67	490	<1	3.51	37	650	3	0.39	<5	7	643	<20	0.18
D1197959		0.82	10	1.29	388	<1	4.20	24	670	2	0.37	<5	5	699	<20	0.17
D1197960		0.82	10	2.74	739	<1	3.05	57	940	<2	0.13	5	15	719	<20	0.30
D1197961		0.96	10	3.22	767	<1	2.47	88	960	<2	0.02	<5	16	632	<20	0.31
D1197962		1.07	10	2.50	753	<1	2.99	46	820	<2	0.09	5	14	573	<20	0.36
D1197963		0.83	10	2.52	775	<1	2.90	50	940	4	0.05	<5	13	568	<20	0.31
D1197964		1.93	30	0.75	976	<1	0.77	12	2890	8	0.19	<5	5	394	<20	0.21
D1197965		0.56	10	2.10	529	<1	3.39	59	560	<2	0.19	5	9	535	<20	0.20
D1197966		0.52	10	2.06	499	<1	3.49	60	540	<2	0.24	<5	8	519	<20	0.21
D1197967		0.58	10	2.08	501	<1	3.92	59	550	<2	0.16	5	8	419	<20	0.22
D1197968		0.46	10	2.05	545	<1	3.39	58	550	<2	0.34	<5	8	535	<20	0.22
D1197969		0.48	10	2.14	509	<1	3.45	63	580	<2	0.27	5	9	544	<20	0.23
D1197970		0.60	10	2.11	500	<1	3.43	59	550	2	0.25	5	9	539	<20	0.23
D1197971		0.55	10	2.18	523	<1	3.48	63	580	<2	0.23	<5	9	502	<20	0.23
D1197972		0.59	10	2.14	526	<1	3.39	60	560	<2	0.59	5	9	503	<20	0.23
D1197973		1.04	10	2.13	516	<1	3.48	61	560	<2	0.04	<5	9	511	<20	0.23
D1197974		0.54	20	2.93	3970	3	1.20	105	2300	13	3.47	15	19	233	<20	0.54
D1197975		0.91	10	2.12	483	<1	3.51	61	570	<2	0.04	<5	9	581	<20	0.22

Comments: Additional Au-GRA22 check assay for sample D1197848 and D1197902 reports 4.71ppm and 16.40ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-AUG-2015
Account: DETGLD

Project: DGEX-286

CERTIFICATE OF ANALYSIS SD15121025

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1197936		<10	<10	24	<10	24	
D1197937		<10	<10	33	<10	18	
D1197938		<10	<10	18	10	12	
D1197939		<10	<10	43	<10	25	
D1197940		<10	<10	49	<10	28	
D1197941		<10	<10	30	<10	17	
D1197942		<10	<10	32	10	23	
D1197943		<10	<10	19	<10	7	
D1197944		<10	<10	29	<10	25	
D1197945		<10	<10	44	<10	33	
D1197946		<10	<10	123	10	79	
D1197947		<10	<10	124	<10	87	
D1197948		<10	<10	57	<10	27	
D1197949		<10	<10	80	70	35	
D1197950		<10	<10	78	<10	66	
D1197951		<10	<10	123	<10	68	
D1197952		<10	<10	56	10	43	
D1197953		<10	<10	54	<10	49	
D1197954		<10	<10	154	<10	117	
D1197955		<10	<10	82	<10	55	
D1197956		<10	<10	100	<10	68	
D1197957		<10	<10	108	<10	75	
D1197958		<10	<10	59	<10	37	
D1197959		<10	<10	49	<10	27	
D1197960		<10	<10	120	<10	69	
D1197961		<10	<10	131	<10	81	
D1197962		<10	<10	135	<10	63	
D1197963		<10	<10	114	<10	56	
D1197964		<10	<10	24	<10	14	
D1197965		<10	<10	66	<10	37	
D1197966		<10	<10	64	<10	36	
D1197967		<10	<10	67	<10	41	
D1197968		<10	<10	66	<10	40	
D1197969		<10	<10	69	<10	39	
D1197970		<10	<10	69	<10	38	
D1197971		<10	<10	68	<10	40	
D1197972		<10	<10	68	<10	40	
D1197973		<10	<10	66	<10	44	
D1197974		<10	<10	171	<10	122	6.49
D1197975		<10	<10	70	<10	43	

Comments: Additional Au-GRA22 check assay for sample D1197848 and D1197902 reports 4.71ppm and 16.40ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-AUG-2015
Account: DETGLD

Project: DGEX-286

CERTIFICATE OF ANALYSIS SD15121025

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-24
	PUL-32	PUL-QC	SPL-22Y	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA24	Au-GRA22	ME-ICP61