ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-SEP-2015
Account: DETGLD

CERTIFICATE SD15137510

Project: DGEX-324

P.O. No.: DGC 4800002115

This report is for 160 Drill Core samples submitted to our lab in Timmins, ON, Canada on 10-SEP-2015.

The following have access to data associated with this certificate:

APRIL COOMBS	ADREE DELAZZER	GUY MAC GILLIVRAY
KELLY MALCOLM	JEAN FRANCOIS METAIL	LARRY THON
JAMES TOLHURST	DETOUR GOLD WEBTRIEVE	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM

To: **DETOUR GOLD CORPORATION**
ATTN: JAMES TOLHURST
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Additional Au-AA24 check assay for sample D1199306 reports 8.29 g/t.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-SEP-2015
Account: DETGLD

Project: DGEX-324

CERTIFICATE OF ANALYSIS SD15137510

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1199206		5.94	<0.005	<0.5	7.89	<5	120	0.5	<2	5.07	<0.5	30	39	35	6.33	20
D1199207		6.22	<0.005	<0.5	7.91	<5	80	<0.5	<2	5.93	0.6	33	32	71	6.98	20
D1199208		6.28	<0.005	<0.5	7.46	<5	20	<0.5	<2	6.12	<0.5	29	30	38	6.51	20
D1199209		6.17	<0.005	<0.5	7.82	<5	100	0.5	<2	6.07	<0.5	32	31	50	6.79	20
D1199210		5.83	<0.005	<0.5	7.80	<5	130	0.5	<2	5.13	<0.5	32	33	48	7.36	20
D1199211		6.21	<0.005	<0.5	7.57	<5	150	<0.5	<2	5.06	<0.5	32	32	53	7.43	20
D1199212		6.03	<0.005	<0.5	7.27	<5	60	<0.5	<2	5.09	<0.5	30	31	57	6.80	20
D1199213		6.13	<0.005	<0.5	7.70	<5	100	0.5	<2	5.63	<0.5	29	31	32	5.63	20
D1199214		6.08	<0.005	<0.5	7.77	<5	160	0.5	<2	5.44	<0.5	33	33	47	6.95	20
D1199215		0.06	1.145	<0.5	7.12	794	470	1.1	4	5.70	<0.5	41	195	102	10.30	20
D1199216		6.06	<0.005	<0.5	8.19	<5	170	<0.5	2	4.81	<0.5	32	35	26	6.38	20
D1199217		6.10	<0.005	<0.5	8.40	<5	140	<0.5	<2	4.51	<0.5	35	35	57	7.55	20
D1199218		6.95	<0.005	<0.5	8.14	<5	120	<0.5	<2	5.92	<0.5	32	31	49	7.10	20
D1199219		6.08	<0.005	<0.5	8.75	<5	120	0.5	<2	6.66	<0.5	36	34	94	8.52	20
D1199220		5.98	<0.005	<0.5	8.12	<5	160	<0.5	<2	4.83	<0.5	32	32	47	6.88	20
D1199221		6.17	<0.005	<0.5	7.95	<5	150	<0.5	<2	5.04	<0.5	31	33	62	6.83	20
D1199222		6.09	<0.005	<0.5	8.26	<5	170	0.5	<2	5.79	0.5	38	39	116	7.74	20
D1199223		5.58	<0.005	<0.5	8.20	<5	170	0.5	<2	6.39	<0.5	31	37	62	7.06	20
D1199224		5.66	<0.005	<0.5	7.98	<5	100	<0.5	4	4.73	0.5	30	33	42	6.51	20
D1199225		0.28	<0.005	<0.5	2.73	<5	260	0.5	<2	24.6	<0.5	5	20	10	1.26	10
D1199226		6.76	<0.005	<0.5	7.79	<5	70	0.5	<2	6.79	<0.5	35	45	75	7.40	20
D1199227		6.50	<0.005	<0.5	8.24	6	40	<0.5	<2	6.40	<0.5	35	43	70	9.12	20
D1199228		5.83	<0.005	<0.5	7.75	<5	40	<0.5	<2	7.20	<0.5	41	113	68	8.11	20
D1199229		5.63	0.050	<0.5	7.58	<5	50	<0.5	<2	5.85	0.5	52	178	70	9.84	20
D1199230		6.48	<0.005	<0.5	7.35	<5	60	<0.5	<2	5.86	<0.5	47	162	110	9.45	20
D1199231		5.77	0.005	<0.5	7.35	<5	60	<0.5	<2	6.11	<0.5	47	163	96	9.18	20
D1199232		4.18	<0.005	<0.5	8.40	<5	510	1.1	<2	2.92	<0.5	10	48	11	2.53	20
D1199233		3.71	<0.005	<0.5	8.12	<5	270	1.0	<2	2.88	<0.5	10	45	7	2.43	10
D1199234		3.49	<0.005	<0.5	8.03	<5	350	1.0	<2	2.86	<0.5	10	47	6	2.42	20
D1199235		0.06	0.343	<0.5	7.66	202	360	1.1	<2	5.81	<0.5	41	196	118	8.32	20
D1199236		5.59	<0.005	<0.5	8.86	<5	380	1.2	<2	3.28	<0.5	15	49	34	3.02	20
D1199237		4.34	<0.005	<0.5	7.09	<5	240	<0.5	<2	6.18	<0.5	48	163	92	9.47	20
D1199238		6.28	<0.005	<0.5	7.35	<5	110	<0.5	2	5.71	0.5	48	167	77	9.77	20
D1199239		6.28	<0.005	<0.5	7.36	<5	230	<0.5	<2	5.81	<0.5	46	178	97	9.25	20
D1199240		6.10	<0.005	<0.5	7.35	<5	180	<0.5	<2	6.44	<0.5	47	174	88	9.21	20
D1199241		5.98	<0.005	<0.5	7.65	<5	310	<0.5	2	6.26	<0.5	51	174	59	10.20	20
D1199242		6.16	<0.005	<0.5	7.56	<5	240	<0.5	<2	6.01	<0.5	50	188	77	10.30	20
D1199243		6.42	<0.005	<0.5	7.33	<5	140	<0.5	<2	6.53	<0.5	46	176	87	10.25	20
D1199244		6.42	<0.005	<0.5	7.41	<5	70	<0.5	<2	6.98	0.5	46	171	54	10.00	20
D1199245		0.27	<0.005	<0.5	4.55	<5	340	0.8	2	15.9	<0.5	12	33	20	2.77	10

Comments: Additional Au-AA24 check assay for sample D1199306 reports 8.29 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-SEP-2015
Account: DETGLD

Project: DGEX-324

CERTIFICATE OF ANALYSIS SD15137510

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1199206		0.58	10	2.62	1075	1	2.39	60	550	<2	0.03	<5	24	155	<20	0.52
D1199207		0.31	10	2.81	1115	1	1.76	61	510	4	0.14	5	23	141	<20	0.51
D1199208		0.11	10	2.53	1025	1	1.42	55	450	<2	0.07	6	22	123	<20	0.47
D1199209		0.42	10	2.60	1045	1	1.93	60	490	<2	0.10	<5	23	155	<20	0.51
D1199210		0.55	10	2.79	1070	1	1.88	60	490	7	0.14	<5	24	129	<20	0.51
D1199211		0.57	10	2.86	1115	1	1.95	62	500	3	0.14	<5	23	131	<20	0.54
D1199212		0.20	10	2.65	1070	1	2.10	54	490	2	0.16	5	22	126	<20	0.48
D1199213		0.35	10	2.31	950	1	2.58	53	480	5	0.03	<5	23	123	<20	0.48
D1199214		0.51	10	2.71	1110	1	2.24	61	490	3	0.20	6	24	119	<20	0.51
D1199215		0.73	20	3.93	2820	5	2.02	144	2100	6	1.06	7	18	400	<20	0.96
D1199216		0.62	10	2.80	998	1	2.76	60	520	3	0.01	<5	24	130	<20	0.53
D1199217		0.58	10	3.11	1065	2	2.66	65	550	2	0.12	8	25	135	<20	0.55
D1199218		0.55	10	2.80	1135	1	2.36	59	530	3	0.16	9	25	150	<20	0.51
D1199219		0.47	10	3.18	1300	1	2.29	67	520	2	0.30	<5	27	171	<20	0.56
D1199220		0.64	10	2.79	1015	2	2.54	59	520	<2	0.12	<5	25	146	<20	0.51
D1199221		0.56	10	2.77	1100	1	2.57	62	510	3	0.11	<5	24	142	<20	0.51
D1199222		0.53	10	2.75	1190	1	2.66	64	520	3	0.32	<5	29	146	<20	0.59
D1199223		0.52	10	2.71	1215	2	2.65	57	520	3	0.16	<5	26	142	<20	0.54
D1199224		0.37	10	2.73	979	1	2.88	59	490	5	0.02	<5	25	130	<20	0.51
D1199225		1.46	30	0.73	1120	<1	0.57	11	4550	11	0.23	<5	5	513	<20	0.19
D1199226		0.27	10	2.76	1300	1	2.55	63	470	4	0.20	<5	25	154	<20	0.51
D1199227		0.19	10	2.91	1415	2	2.23	66	460	4	0.41	<5	26	197	<20	0.52
D1199228		0.18	<10	3.25	1450	1	2.07	104	400	5	0.16	<5	31	192	<20	0.57
D1199229		0.26	<10	4.67	1385	2	1.32	135	370	3	0.13	6	38	137	<20	0.65
D1199230		0.25	<10	4.75	1360	1	1.42	105	360	6	0.11	<5	38	161	<20	0.66
D1199231		0.31	<10	4.77	1375	1	1.44	113	370	2	0.05	<5	37	192	<20	0.64
D1199232		1.13	10	0.98	398	1	4.58	19	620	2	0.03	<5	5	507	<20	0.24
D1199233		0.82	10	0.94	435	2	4.70	18	590	5	0.02	<5	5	405	<20	0.22
D1199234		0.93	10	1.00	412	<1	4.50	17	590	7	0.02	<5	5	395	<20	0.22
D1199235		0.82	20	3.90	1470	6	2.32	142	1710	7	0.27	<5	20	445	<20	1.04
D1199236		0.98	10	1.12	468	3	5.70	29	660	<2	0.12	<5	5	448	<20	0.25
D1199237		1.08	<10	4.52	1675	1	1.28	100	380	<2	0.09	<5	37	188	<20	0.68
D1199238		0.55	<10	4.68	1620	1	1.51	109	360	2	0.08	7	39	185	<20	0.68
D1199239		1.13	<10	4.47	1525	1	1.63	118	350	<2	0.09	<5	38	187	<20	0.64
D1199240		0.97	<10	4.56	1595	1	1.57	121	360	<2	0.07	5	38	177	<20	0.66
D1199241		1.60	<10	4.45	1545	1	1.51	100	410	<2	0.13	7	43	167	<20	0.75
D1199242		1.16	<10	4.35	1525	2	1.91	96	400	<2	0.10	<5	44	178	<20	0.75
D1199243		0.71	<10	4.05	1530	1	2.06	85	430	<2	0.10	<5	44	185	<20	0.76
D1199244		0.42	<10	4.11	1515	1	1.80	91	390	<2	0.05	6	44	189	<20	0.75
D1199245		2.31	30	1.29	1360	<1	0.79	23	3090	14	0.38	<5	9	517	<20	0.35

Comments: Additional Au-AA24 check assay for sample D1199306 reports 8.29 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-SEP-2015
Account: DETGLD

Project: DGEX-324

CERTIFICATE OF ANALYSIS SD15137510

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1199206		<10	<10	204	<10	81	
D1199207		<10	<10	208	<10	87	
D1199208		<10	<10	188	<10	78	
D1199209		<10	<10	197	<10	86	
D1199210		<10	<10	202	<10	93	
D1199211		<10	<10	208	<10	93	
D1199212		<10	<10	186	<10	82	
D1199213		<10	<10	195	<10	73	
D1199214		<10	<10	201	<10	88	
D1199215		<10	<10	164	<10	137	
D1199216		<10	<10	207	<10	89	
D1199217		<10	<10	220	<10	95	
D1199218		10	10	203	<10	84	
D1199219		<10	<10	223	<10	97	
D1199220		<10	<10	206	<10	83	
D1199221		<10	<10	205	<10	87	
D1199222		<10	<10	229	<10	92	
D1199223		<10	<10	213	<10	86	
D1199224		<10	<10	203	<10	85	
D1199225		<10	<10	20	<10	18	
D1199226		<10	<10	208	<10	87	
D1199227		<10	<10	213	<10	100	
D1199228		<10	<10	238	<10	99	
D1199229		<10	<10	289	<10	109	
D1199230		<10	<10	293	<10	98	
D1199231		<10	<10	283	<10	98	
D1199232		<10	<10	77	<10	38	
D1199233		<10	<10	101	<10	35	
D1199234		<10	<10	60	<10	38	
D1199235		<10	<10	160	<10	118	
D1199236		<10	<10	89	<10	43	
D1199237		<10	<10	295	<10	107	
D1199238		<10	<10	294	<10	105	
D1199239		<10	<10	282	<10	96	
D1199240		<10	<10	285	<10	95	
D1199241		<10	<10	352	<10	99	
D1199242		<10	<10	329	<10	94	
D1199243		<10	<10	337	<10	85	
D1199244		<10	<10	340	<10	82	
D1199245		<10	<10	58	<10	59	

Comments: Additional Au-AA24 check assay for sample D1199306 reports 8.29 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-SEP-2015
Account: DETGLD

Project: DGEX-324

CERTIFICATE OF ANALYSIS SD15137510

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1199246		6.17	<0.005	<0.5	6.94	<5	130	<0.5	3	6.44	<0.5	42	159	63	9.56	20
D1199247		6.55	<0.005	<0.5	6.94	<5	60	<0.5	3	6.14	<0.5	45	159	134	10.00	20
D1199248		6.19	<0.005	<0.5	7.25	<5	50	<0.5	3	5.83	<0.5	49	171	104	10.00	10
D1199249		6.41	<0.005	<0.5	7.09	<5	30	<0.5	2	6.68	<0.5	44	151	106	9.85	20
D1199250		6.84	<0.005	<0.5	7.48	<5	30	<0.5	3	6.39	<0.5	45	173	110	9.50	20
D1199251		6.32	<0.005	<0.5	7.70	<5	20	<0.5	4	6.59	<0.5	46	189	116	9.11	20
D1199252		6.32	<0.005	<0.5	7.96	<5	20	<0.5	3	6.10	<0.5	50	188	89	9.35	20
D1199253		6.33	<0.005	<0.5	7.92	<5	30	<0.5	4	6.44	<0.5	49	187	91	9.55	20
D1199254		7.70	<0.005	<0.5	7.88	<5	30	<0.5	4	6.94	<0.5	49	190	85	9.29	20
D1199255		0.06	6.46	1.0	5.63	3740	550	0.8	3	5.45	<0.5	32	132	181	11.75	10
D1199256		6.24	<0.005	<0.5	7.93	6	40	<0.5	7	6.70	<0.5	50	184	100	9.29	20
D1199257		6.31	<0.005	<0.5	7.49	<5	90	<0.5	<2	7.04	<0.5	46	158	91	9.07	20
D1199258		6.16	<0.005	<0.5	7.34	<5	100	<0.5	4	6.29	<0.5	46	166	98	8.79	20
D1199259		6.00	<0.005	<0.5	7.60	<5	50	<0.5	7	6.27	<0.5	45	179	26	9.28	20
D1199260		6.81	<0.005	<0.5	6.17	<5	60	<0.5	<2	7.19	<0.5	38	125	87	8.44	20
D1199261		5.96	0.051	<0.5	6.53	6	50	<0.5	<2	7.07	<0.5	37	143	78	8.23	20
D1199262		5.76	<0.005	<0.5	7.06	<5	40	<0.5	6	6.56	<0.5	42	183	85	8.74	10
D1199263		6.09	<0.005	<0.5	7.08	<5	130	<0.5	<2	6.25	<0.5	42	162	89	8.75	20
D1199264		5.91	<0.005	<0.5	7.04	<5	150	<0.5	2	6.48	<0.5	43	166	76	8.56	20
D1199265		0.29	<0.005	<0.5	3.48	<5	290	0.7	<2	21.0	<0.5	5	30	10	2.19	10
D1199266		5.99	<0.005	<0.5	7.17	7	100	<0.5	<2	6.50	<0.5	44	166	93	9.00	20
D1199267		5.70	0.005	<0.5	7.26	<5	90	<0.5	3	6.72	<0.5	45	188	95	9.17	20
D1199268		5.97	<0.005	<0.5	6.95	<5	110	<0.5	<2	6.18	<0.5	45	156	102	9.27	20
D1199269		5.74	<0.005	<0.5	5.45	<5	80	<0.5	4	4.39	<0.5	33	128	79	7.15	10
D1199270		6.41	<0.005	<0.5	7.24	<5	100	<0.5	<2	6.28	<0.5	45	121	139	10.25	20
D1199271		6.12	<0.005	<0.5	7.79	<5	60	<0.5	<2	6.88	<0.5	45	194	45	9.12	20
D1199272		5.84	<0.005	<0.5	7.44	<5	60	<0.5	2	7.30	<0.5	42	158	38	8.49	20
D1199273		6.22	<0.005	<0.5	7.72	<5	70	<0.5	3	6.86	<0.5	41	177	25	8.44	20
D1199274		6.92	<0.005	<0.5	7.26	<5	30	<0.5	3	6.91	<0.5	43	180	48	8.20	20
D1199275		0.06	4.50	5.5	4.55	13	290	0.9	<2	5.05	<0.5	6	24	59	2.64	10
D1199276		6.14	<0.005	<0.5	7.72	<5	30	<0.5	<2	7.25	<0.5	44	179	54	8.49	20
D1199277		6.14	<0.005	<0.5	7.33	<5	40	<0.5	<2	7.14	<0.5	39	170	33	7.81	20
D1199278		5.90	<0.005	<0.5	7.39	<5	40	<0.5	3	7.19	<0.5	38	162	31	7.78	20
D1199279		6.17	<0.005	<0.5	7.43	5	20	<0.5	3	6.56	<0.5	44	170	56	8.17	20
D1199280		6.60	<0.005	<0.5	7.39	<5	70	<0.5	7	6.57	<0.5	43	168	74	8.55	20
D1199281		5.91	<0.005	<0.5	7.47	<5	60	<0.5	4	7.07	<0.5	45	170	46	8.38	20
D1199282		5.74	<0.005	<0.5	6.44	<5	30	<0.5	<2	5.69	<0.5	40	169	38	7.18	10
D1199283		6.36	<0.005	<0.5	7.13	<5	90	<0.5	<2	6.16	<0.5	50	167	102	8.69	20
D1199284		6.04	<0.005	<0.5	7.11	<5	90	<0.5	<2	6.01	<0.5	50	170	82	8.58	20
D1199285		0.34	<0.005	<0.5	3.74	<5	280	0.6	3	17.5	<0.5	11	28	16	2.31	10

Comments: Additional Au-AA24 check assay for sample D1199306 reports 8.29 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-SEP-2015
Account: DETGLD

Project: DGEX-324

CERTIFICATE OF ANALYSIS SD15137510

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01
D1199246		0.76	<10	3.95	1395	<1	1.83	73	410	4	0.09	<5	41	147	<20	0.75
D1199247		0.36	<10	4.00	1495	<1	1.86	76	400	<2	0.10	<5	42	143	<20	0.76
D1199248		0.31	<10	4.02	1470	<1	2.23	91	370	4	0.22	5	42	130	<20	0.75
D1199249		0.23	<10	3.77	1535	<1	2.09	66	440	<2	0.20	<5	43	139	<20	0.79
D1199250		0.30	<10	4.36	1510	<1	1.98	123	340	3	0.03	6	36	158	<20	0.64
D1199251		0.18	<10	4.56	1475	<1	2.04	133	290	<2	0.07	9	37	134	<20	0.59
D1199252		0.14	<10	4.84	1430	<1	2.06	149	350	4	0.08	6	34	131	<20	0.62
D1199253		0.21	<10	4.80	1480	<1	2.08	140	380	4	0.10	10	37	139	<20	0.62
D1199254		0.24	<10	4.89	1440	<1	2.11	151	300	2	0.05	<5	35	155	<20	0.59
D1199255		0.54	20	3.01	3930	2	1.19	98	2210	9	3.38	14	19	229	<20	0.56
D1199256		0.27	<10	4.91	1450	<1	1.88	152	350	4	0.03	8	35	137	<20	0.62
D1199257		0.48	<10	4.47	1435	<1	1.57	128	320	5	0.10	6	37	122	<20	0.65
D1199258		0.51	<10	4.41	1410	<1	1.63	135	290	<2	0.07	5	35	116	<20	0.60
D1199259		0.21	<10	4.61	1465	<1	1.77	136	340	<2	0.05	6	36	102	<20	0.61
D1199260		0.25	<10	3.64	1405	<1	1.53	73	440	3	0.20	<5	40	81	<20	0.75
D1199261		0.17	<10	3.70	1445	<1	1.75	82	370	4	0.20	5	37	103	<20	0.66
D1199262		0.22	<10	4.23	1450	<1	1.77	101	310	3	0.10	6	42	101	<20	0.64
D1199263		0.70	<10	4.25	1390	<1	1.66	116	330	3	0.11	5	36	113	<20	0.60
D1199264		0.83	<10	4.16	1410	<1	1.62	115	290	<2	0.07	7	35	124	<20	0.60
D1199265		1.84	30	1.19	1380	<1	0.61	14	2620	8	0.40	7	6	495	<20	0.25
D1199266		0.58	<10	4.26	1480	<1	1.63	115	350	<2	0.10	<5	38	118	<20	0.63
D1199267		0.50	<10	4.26	1510	<1	1.73	110	330	3	0.11	<5	39	107	<20	0.64
D1199268		0.55	<10	4.06	1475	<1	1.79	88	360	3	0.19	<5	42	101	<20	0.71
D1199269		0.33	<10	2.99	1135	<1	1.49	65	270	<2	0.17	<5	31	95	<20	0.53
D1199270		0.48	<10	4.07	1680	<1	1.90	67	470	<2	0.37	9	48	118	<20	0.89
D1199271		0.34	<10	4.58	1565	<1	1.97	122	340	3	0.08	8	40	118	<20	0.68
D1199272		0.34	<10	4.36	1400	<1	2.01	123	340	<2	0.03	<5	38	130	<20	0.65
D1199273		0.41	<10	4.68	1400	<1	2.08	135	340	<2	0.03	6	39	130	<20	0.66
D1199274		0.23	<10	4.32	1360	<1	1.96	133	340	2	0.08	<5	33	125	<20	0.65
D1199275		2.11	10	0.86	624	4	0.67	8	530	15	0.82	6	10	250	<20	0.24
D1199276		0.20	<10	4.73	1385	<1	2.06	139	340	5	0.08	5	37	117	<20	0.66
D1199277		0.25	<10	4.24	1350	<1	2.03	136	310	<2	0.08	<5	34	100	<20	0.58
D1199278		0.23	<10	4.34	1295	<1	2.08	136	330	<2	0.06	6	34	106	<20	0.60
D1199279		0.19	<10	4.46	1340	<1	2.02	141	330	2	0.07	<5	35	99	<20	0.61
D1199280		0.41	<10	4.52	1335	<1	1.90	139	330	<2	0.08	<5	35	115	<20	0.61
D1199281		0.32	<10	4.45	1320	<1	2.09	139	310	<2	0.07	<5	36	101	<20	0.62
D1199282		0.17	<10	3.69	1155	<1	1.51	114	270	<2	0.05	<5	30	86	<20	0.50
D1199283		0.42	<10	4.36	1340	<1	1.53	134	340	<2	0.10	<5	35	106	<20	0.63
D1199284		0.41	<10	4.16	1335	<1	1.64	133	370	<2	0.10	6	35	119	<20	0.61
D1199285		1.90	20	1.10	1375	<1	0.59	21	3300	8	0.45	<5	6	477	<20	0.19

Comments: Additional Au-AA24 check assay for sample D1199306 reports 8.29 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-SEP-2015
Account: DETGLD

Project: DGEX-324

CERTIFICATE OF ANALYSIS SD15137510

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1199246		<10	<10	313	<10	77	
D1199247		<10	<10	317	<10	75	
D1199248		<10	<10	325	<10	75	
D1199249		<10	<10	335	<10	77	
D1199250		<10	<10	278	<10	80	
D1199251		<10	<10	269	<10	82	
D1199252		<10	<10	257	<10	88	
D1199253		<10	<10	271	<10	88	
D1199254		<10	<10	266	<10	85	
D1199255		<10	<10	167	10	116	6.79
D1199256		<10	<10	262	<10	85	
D1199257		<10	<10	282	<10	79	
D1199258		<10	<10	256	<10	83	
D1199259		<10	<10	251	<10	90	
D1199260		<10	<10	320	<10	77	
D1199261		<10	<10	277	<10	89	
D1199262		<10	<10	292	<10	88	
D1199263		<10	<10	259	<10	90	
D1199264		<10	<10	256	<10	87	
D1199265		<10	<10	35	<10	61	
D1199266		<10	<10	271	<10	89	
D1199267		<10	<10	286	<10	94	
D1199268		<10	<10	304	<10	85	
D1199269		<10	<10	238	<10	71	
D1199270		<10	<10	350	<10	98	
D1199271		<10	<10	284	<10	82	
D1199272		<10	<10	279	<10	72	
D1199273		<10	<10	281	<10	80	
D1199274		10	<10	272	<10	73	
D1199275		10	<10	88	<10	51	
D1199276		<10	<10	281	<10	77	
D1199277		<10	<10	253	<10	68	
D1199278		<10	<10	256	<10	61	
D1199279		<10	<10	255	<10	69	
D1199280		<10	<10	262	<10	70	
D1199281		<10	<10	262	<10	62	
D1199282		<10	<10	224	<10	59	
D1199283		<10	<10	260	<10	72	
D1199284		<10	<10	260	<10	80	
D1199285		<10	<10	33	<10	25	

Comments: Additional Au-AA24 check assay for sample D1199306 reports 8.29 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-SEP-2015
Account: DETGLD

Project: DGEX-324

CERTIFICATE OF ANALYSIS SD15137510

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1199286		6.03	<0.005	<0.5	7.11	<5	100	<0.5	<2	6.23	<0.5	45	159	69	8.10	20
D1199287		5.79	<0.005	<0.5	7.12	<5	80	<0.5	<2	6.13	<0.5	47	167	68	8.35	20
D1199288		6.15	<0.005	<0.5	7.35	<5	40	<0.5	<2	6.32	<0.5	46	162	62	8.20	20
D1199289		6.02	<0.005	<0.5	7.10	<5	30	<0.5	2	6.70	<0.5	46	168	94	8.22	20
D1199290		6.35	<0.005	<0.5	6.90	<5	30	<0.5	<2	6.60	<0.5	41	159	20	7.72	20
D1199291		6.13	<0.005	<0.5	7.08	<5	30	<0.5	<2	6.52	<0.5	43	167	68	8.16	20
D1199292		6.04	<0.005	<0.5	7.33	<5	30	<0.5	<2	6.15	<0.5	47	166	89	8.76	20
D1199293		5.80	<0.005	<0.5	7.33	<5	30	<0.5	<2	6.30	<0.5	47	159	83	8.81	20
D1199294		5.73	<0.005	<0.5	7.17	<5	100	<0.5	<2	6.32	<0.5	45	152	39	8.71	20
D1199295		0.07	1.235	<0.5	6.78	760	440	1.0	<2	5.36	<0.5	42	171	89	9.62	20
D1199296		5.94	<0.005	<0.5	6.97	<5	150	<0.5	<2	6.09	<0.5	44	145	82	8.77	20
D1199297		6.73	<0.005	<0.5	7.28	<5	160	<0.5	<2	5.97	<0.5	50	151	86	9.16	20
D1199298		5.97	<0.005	<0.5	8.87	<5	90	0.6	2	4.66	<0.5	36	17	47	6.48	20
D1199299		6.09	<0.005	<0.5	7.60	5	230	<0.5	<2	5.84	<0.5	45	123	85	8.59	20
D1199300		5.92	<0.005	<0.5	7.19	<5	240	<0.5	<2	7.17	<0.5	46	149	75	9.29	20
D1199301		5.97	<0.005	<0.5	7.44	<5	150	<0.5	3	6.17	<0.5	50	178	84	9.72	20
D1199302		6.78	<0.005	<0.5	7.55	<5	50	<0.5	<2	6.09	<0.5	52	182	93	9.02	20
D1199303		7.39	<0.005	<0.5	7.49	<5	130	<0.5	<2	6.38	<0.5	52	182	90	9.02	20
D1199304		6.57	<0.005	<0.5	7.65	<5	40	<0.5	<2	7.41	<0.5	50	183	83	8.86	20
D1199305		0.35	<0.005	<0.5	3.26	<5	260	0.5	2	21.0	<0.5	10	24	13	1.92	10
D1199306		7.22	4.17	0.8	7.29	<5	100	<0.5	2	6.37	<0.5	46	158	78	8.20	20
D1199307		4.61	0.026	<0.5	7.45	<5	690	0.9	<2	3.76	<0.5	13	84	8	2.64	20
D1199308		4.95	0.076	<0.5	7.01	<5	140	<0.5	<2	6.72	<0.5	47	158	86	8.40	20
D1199309		6.36	<0.005	<0.5	7.37	<5	60	<0.5	2	5.06	<0.5	48	190	95	8.91	20
D1199310		6.63	<0.005	<0.5	7.37	<5	40	<0.5	<2	6.32	<0.5	48	191	86	9.15	20
D1199311		2.76	0.005	<0.5	7.28	<5	30	<0.5	<2	6.61	<0.5	48	174	85	8.83	20
D1199312		5.24	<0.005	<0.5	7.73	<5	30	<0.5	<2	6.14	<0.5	50	190	114	9.33	20
D1199313		6.62	<0.005	<0.5	7.68	<5	30	<0.5	<2	6.42	<0.5	55	236	96	9.66	20
D1199314		6.72	<0.005	<0.5	7.42	<5	20	<0.5	2	6.48	<0.5	53	222	93	9.20	20
D1199315		0.06	0.339	<0.5	7.40	179	350	1.1	<2	5.66	<0.5	41	183	109	7.96	20
D1199316		7.67	<0.005	<0.5	7.53	<5	30	<0.5	<2	6.15	<0.5	54	232	96	9.55	20
D1199317		6.41	<0.005	<0.5	7.42	5	20	<0.5	2	6.75	<0.5	51	203	81	9.41	20
D1199318		7.04	0.010	<0.5	6.65	<5	20	<0.5	<2	6.30	<0.5	51	208	94	9.12	20
D1199319		6.60	0.007	<0.5	7.38	<5	20	<0.5	<2	6.72	<0.5	53	192	91	9.33	20
D1199320		6.03	<0.005	<0.5	7.82	<5	20	<0.5	<2	7.04	<0.5	53	199	103	9.61	20
D1199321		6.68	<0.005	<0.5	7.89	<5	30	<0.5	<2	8.01	<0.5	52	185	95	9.55	20
D1199322		7.52	<0.005	<0.5	7.55	<5	30	<0.5	<2	7.15	<0.5	53	122	115	9.84	20
D1199323		6.44	<0.005	<0.5	7.30	<5	30	<0.5	<2	7.59	<0.5	47	70	112	9.52	20
D1199324		6.66	<0.005	<0.5	7.36	<5	30	<0.5	3	8.48	<0.5	47	70	105	9.24	20
D1199325		0.30	<0.005	<0.5	4.88	<5	390	0.8	<2	13.8	<0.5	11	41	23	2.79	10

Comments: Additional Au-AA24 check assay for sample D1199306 reports 8.29 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-SEP-2015
Account: DETGLD

Project: DGEX-324

CERTIFICATE OF ANALYSIS SD15137510

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1199286		0.50	<10	4.31	1400	<1	1.63	131	330	<2	0.06	<5	34	116	<20	0.59
D1199287		0.39	<10	4.36	1375	<1	1.69	131	290	<2	0.07	<5	35	109	<20	0.61
D1199288		0.22	<10	4.25	1405	<1	1.81	130	300	<2	0.04	<5	35	108	<20	0.59
D1199289		0.14	<10	4.02	1300	<1	2.06	130	310	<2	0.03	<5	35	109	<20	0.61
D1199290		0.16	<10	4.18	1195	<1	1.85	126	320	<2	0.01	<5	34	88	<20	0.58
D1199291		0.18	<10	4.24	1205	<1	1.89	126	330	<2	0.02	<5	35	92	<20	0.59
D1199292		0.18	<10	4.20	1195	<1	1.60	124	330	<2	0.02	<5	35	117	<20	0.60
D1199293		0.38	<10	4.49	1315	<1	1.23	118	330	<2	0.07	<5	36	109	<20	0.61
D1199294		0.51	<10	4.45	1255	<1	1.35	101	370	<2	0.01	<5	38	137	<20	0.66
D1199295		0.67	20	3.70	2580	<1	1.91	134	1940	3	1.00	<5	17	373	<20	0.92
D1199296		0.71	<10	4.30	1190	<1	1.25	104	350	<2	0.02	<5	36	120	<20	0.64
D1199297		0.73	<10	4.37	1325	<1	1.38	111	350	<2	0.02	<5	38	134	<20	0.66
D1199298		0.36	<10	2.84	979	<1	3.44	18	680	<2	0.09	<5	21	213	<20	0.47
D1199299		1.08	<10	4.07	1345	<1	1.63	86	440	<2	0.08	<5	34	142	<20	0.63
D1199300		0.74	<10	4.19	1360	<1	1.26	98	370	<2	0.07	<5	40	184	<20	0.67
D1199301		0.57	<10	4.69	1380	<1	1.29	112	390	<2	0.07	<5	36	219	<20	0.72
D1199302		0.20	<10	4.96	1410	<1	1.43	155	330	<2	0.06	<5	30	228	<20	0.61
D1199303		0.37	<10	4.58	1405	<1	1.19	159	350	<2	0.14	<5	31	200	<20	0.61
D1199304		0.22	<10	4.86	1550	<1	1.13	164	330	<2	0.08	<5	35	206	<20	0.60
D1199305		1.67	20	1.07	1315	<1	0.57	16	2280	7	0.34	<5	5	451	<20	0.14
D1199306		0.48	<10	4.32	1240	<1	1.08	125	350	<2	0.09	<5	33	206	<20	0.56
D1199307		1.06	10	1.56	493	<1	3.45	40	730	<2	0.08	<5	7	354	<20	0.22
D1199308		0.59	<10	4.50	1285	<1	1.16	122	330	<2	0.09	<5	33	111	<20	0.58
D1199309		0.58	<10	4.70	1260	<1	1.37	126	330	<2	0.08	<5	36	95	<20	0.63
D1199310		0.21	<10	4.60	1250	<1	1.31	116	350	<2	0.04	<5	35	163	<20	0.65
D1199311		0.19	<10	4.61	1360	<1	0.95	122	330	<2	0.09	<5	36	137	<20	0.62
D1199312		0.12	<10	4.88	1390	<1	1.31	129	350	<2	0.11	<5	38	165	<20	0.64
D1199313		0.12	<10	5.41	1470	<1	1.23	168	330	<2	0.04	<5	35	165	<20	0.64
D1199314		0.09	<10	4.95	1400	<1	1.17	167	350	<2	0.11	<5	33	156	<20	0.65
D1199315		0.76	20	3.77	1435	2	2.22	135	1620	<2	0.26	<5	19	420	<20	1.02
D1199316		0.12	<10	5.29	1365	<1	1.10	174	350	<2	0.08	<5	34	132	<20	0.64
D1199317		0.10	<10	5.34	1405	<1	1.00	146	330	<2	0.05	<5	35	108	<20	0.63
D1199318		0.09	<10	4.78	1395	<1	1.07	151	330	<2	0.08	<5	23	116	<20	0.60
D1199319		0.09	<10	4.64	1445	<1	1.26	139	370	<2	0.14	<5	32	139	<20	0.67
D1199320		0.10	<10	4.46	1445	<1	1.10	150	350	2	0.11	<5	38	158	<20	0.64
D1199321		0.11	<10	4.04	1570	<1	1.56	146	350	<2	0.09	5	38	200	<20	0.65
D1199322		0.12	<10	3.53	1775	<1	1.61	92	460	<2	0.15	<5	43	141	<20	0.82
D1199323		0.09	<10	2.81	2010	<1	1.45	45	440	<2	0.15	<5	44	109	<20	0.82
D1199324		0.10	<10	2.17	2100	<1	1.25	44	470	<2	0.18	<5	44	90	<20	0.83
D1199325		2.46	30	1.15	1060	<1	0.75	22	2960	6	0.32	<5	8	411	<20	0.30

Comments: Additional Au-AA24 check assay for sample D1199306 reports 8.29 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-SEP-2015
Account: DETGLD

Project: DGEX-324

CERTIFICATE OF ANALYSIS SD15137510

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1199286		10	<10	255	<10	77	
D1199287		<10	<10	257	<10	72	
D1199288		<10	<10	259	<10	72	
D1199289		<10	<10	266	<10	64	
D1199290		<10	<10	250	<10	53	
D1199291		10	<10	264	<10	53	
D1199292		10	<10	264	<10	75	
D1199293		<10	<10	269	<10	98	
D1199294		<10	<10	288	<10	80	
D1199295		<10	<10	155	<10	122	
D1199296		<10	<10	274	<10	68	
D1199297		<10	<10	283	<10	79	
D1199298		<10	<10	180	<10	70	
D1199299		<10	<10	260	<10	78	
D1199300		<10	<10	302	<10	74	
D1199301		10	<10	311	<10	75	
D1199302		<10	<10	272	<10	76	
D1199303		10	<10	260	<10	84	
D1199304		<10	<10	260	<10	90	
D1199305		<10	<10	24	<10	21	
D1199306		<10	<10	245	<10	80	
D1199307		<10	<10	60	<10	48	
D1199308		10	<10	251	<10	90	
D1199309		10	<10	274	<10	81	
D1199310		<10	<10	285	<10	86	
D1199311		10	<10	275	<10	84	
D1199312		10	<10	282	<10	89	
D1199313		<10	<10	281	<10	93	
D1199314		10	<10	284	<10	86	
D1199315		10	<10	156	<10	107	
D1199316		<10	<10	278	<10	90	
D1199317		<10	<10	271	<10	93	
D1199318		10	<10	268	<10	94	
D1199319		<10	<10	298	<10	90	
D1199320		<10	<10	284	<10	118	
D1199321		<10	<10	288	<10	97	
D1199322		<10	<10	346	<10	160	
D1199323		<10	<10	351	<10	123	
D1199324		<10	<10	359	<10	107	
D1199325		<10	<10	48	<10	29	

Comments: Additional Au-AA24 check assay for sample D1199306 reports 8.29 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-SEP-2015
Account: DETGLD

Project: DGEX-324

CERTIFICATE OF ANALYSIS SD15137510

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1199326		6.38	<0.005	<0.5	7.10	<5	30	<0.5	<2	8.27	<0.5	41	72	84	7.84	20
D1199327		7.24	<0.005	<0.5	7.29	<5	30	0.5	<2	7.53	<0.5	48	72	108	8.48	20
D1199328		6.31	<0.005	<0.5	7.26	<5	20	<0.5	<2	8.34	<0.5	48	71	116	9.72	20
D1199329		6.97	<0.005	<0.5	7.40	<5	30	<0.5	<2	7.73	<0.5	51	71	112	10.35	20
D1199330		6.59	<0.005	<0.5	7.02	<5	20	<0.5	<2	7.90	<0.5	47	69	105	9.91	20
D1199331		6.08	<0.005	<0.5	6.84	<5	20	<0.5	<2	8.51	<0.5	47	65	116	9.03	20
D1199332		6.59	<0.005	<0.5	7.21	<5	20	0.5	<2	8.53	0.5	47	71	98	9.44	20
D1199333		7.67	<0.005	<0.5	7.10	<5	30	<0.5	<2	7.19	<0.5	47	71	130	9.18	20
D1199334		6.56	<0.005	<0.5	7.58	<5	60	0.5	<2	5.61	<0.5	51	77	97	9.44	20
D1199335		0.06	6.72	1.0	6.12	4300	580	0.8	<2	5.70	<0.5	35	128	185	12.05	20
D1199336		4.54	0.005	<0.5	7.26	14	90	0.5	<2	6.05	0.5	44	71	103	7.98	20
D1199337		4.98	<0.005	<0.5	7.68	<5	370	0.9	<2	2.99	<0.5	15	64	12	3.23	20
D1199338		5.35	<0.005	<0.5	6.56	<5	50	<0.5	<2	7.55	<0.5	44	70	101	8.16	20
D1199339		6.36	<0.005	<0.5	6.99	<5	30	<0.5	<2	7.24	<0.5	44	58	105	7.95	20
D1199340		6.14	<0.005	<0.5	7.01	<5	50	<0.5	<2	6.89	<0.5	42	69	111	8.24	20
D1199341		5.81	0.006	<0.5	7.43	<5	60	<0.5	<2	6.94	<0.5	47	70	109	7.85	20
D1199342		6.31	0.005	<0.5	7.10	<5	80	<0.5	2	5.35	<0.5	46	68	102	7.61	20
D1199343		5.88	0.007	<0.5	7.08	<5	100	<0.5	<2	6.34	<0.5	47	65	109	7.74	20
D1199344		6.05	0.005	<0.5	6.61	<5	120	<0.5	<2	6.96	<0.5	46	59	96	7.92	20
D1199345		0.28	<0.005	<0.5	3.73	6	270	0.6	<2	17.3	<0.5	10	32	16	2.72	10
D1199346		6.37	<0.005	<0.5	6.86	<5	100	0.6	<2	7.15	<0.5	46	146	69	7.30	20
D1199347		6.30	<0.005	<0.5	6.54	<5	280	<0.5	<2	7.18	<0.5	41	66	92	7.93	20
D1199348		6.21	<0.005	<0.5	7.07	<5	410	<0.5	<2	7.79	<0.5	41	73	85	7.50	20
D1199349		5.76	<0.005	<0.5	6.95	<5	260	<0.5	<2	7.55	<0.5	44	57	104	8.08	20
D1199350		5.97	<0.005	<0.5	6.94	<5	130	<0.5	3	7.01	<0.5	45	44	128	8.58	20
D1199351		6.19	<0.005	<0.5	7.10	<5	100	<0.5	<2	7.02	<0.5	47	71	113	7.70	20
D1199352		6.22	<0.005	<0.5	6.84	<5	670	<0.5	<2	8.29	<0.5	45	63	103	8.74	20
D1199353		3.29	<0.005	<0.5	6.88	<5	640	0.6	<2	8.05	<0.5	36	56	82	8.12	20
D1199354		4.82	<0.005	<0.5	5.48	<5	410	0.6	<2	3.58	<0.5	13	6	75	4.45	20
D1199355		0.07	4.50	5.5	4.43	14	280	0.9	<2	5.07	<0.5	8	23	62	2.60	10
D1199356		5.47	0.006	<0.5	6.83	<5	1000	1.0	<2	4.18	<0.5	4	9	46	3.13	20
D1199357		4.26	<0.005	<0.5	6.02	<5	410	0.8	<2	2.75	0.5	9	28	42	4.03	20
D1199358		6.02	<0.005	<0.5	5.44	<5	140	0.7	<2	2.46	<0.5	9	12	33	4.93	20
D1199359		5.95	<0.005	<0.5	5.83	<5	350	0.7	<2	3.41	<0.5	6	7	34	3.95	20
D1199360		6.48	<0.005	<0.5	6.35	<5	190	0.9	<2	2.41	<0.5	9	13	50	5.70	20
D1199361		5.77	<0.005	<0.5	7.74	<5	380	1.5	<2	4.86	<0.5	10	8	53	3.98	30
D1199362		6.21	<0.005	<0.5	7.25	<5	200	1.2	<2	5.27	<0.5	12	23	55	5.83	20
D1199363		5.54	<0.005	<0.5	6.31	<5	310	1.1	<2	3.02	<0.5	16	25	70	6.29	20
D1199364		2.93	<0.005	<0.5	6.83	<5	700	1.3	<2	3.38	<0.5	11	10	60	4.52	20
D1199365		0.31	<0.005	<0.5	4.42	<5	350	0.8	<2	15.6	<0.5	12	28	23	3.15	10

Comments: Additional Au-AA24 check assay for sample D1199306 reports 8.29 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-SEP-2015
Account: DETGLD

Project: DGEX-324

CERTIFICATE OF ANALYSIS SD15137510

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1199326		0.08	<10	1.98	1935	<1	1.24	39	460	<2	0.06	<5	42	91	<20	0.81
D1199327		0.11	<10	2.46	2010	<1	1.73	47	490	<2	0.15	<5	46	106	<20	0.89
D1199328		0.12	<10	2.35	2070	<1	1.24	46	480	<2	0.15	<5	45	107	<20	0.86
D1199329		0.14	<10	2.61	2130	<1	1.54	47	480	<2	0.15	<5	46	129	<20	0.88
D1199330		0.12	<10	2.44	2030	<1	1.50	40	470	<2	0.14	<5	45	123	<20	0.85
D1199331		0.11	<10	2.23	2020	<1	1.44	42	470	3	0.26	<5	43	111	<20	0.83
D1199332		0.11	<10	2.15	2110	<1	1.17	46	470	<2	0.11	<5	46	95	<20	0.86
D1199333		0.12	<10	2.41	2060	<1	1.84	44	490	<2	0.18	<5	44	122	<20	0.86
D1199334		0.16	<10	3.16	2090	<1	2.08	48	520	<2	0.08	<5	48	143	<20	0.93
D1199335		0.53	10	3.03	4070	2	1.21	102	2290	7	3.60	11	20	241	<20	0.57
D1199336		0.19	<10	2.66	1900	<1	2.23	40	480	<2	0.21	<5	42	129	<20	0.84
D1199337		0.39	10	1.50	568	<1	4.09	28	540	<2	0.02	<5	8	256	<20	0.26
D1199338		0.13	<10	2.41	1930	<1	1.62	36	480	<2	0.16	<5	45	129	<20	0.85
D1199339		0.11	<10	2.34	1910	<1	2.00	39	500	<2	0.14	<5	43	114	<20	0.91
D1199340		0.16	<10	2.37	1865	<1	2.12	42	460	<2	0.19	<5	43	76	<20	0.84
D1199341		0.17	<10	2.43	1855	<1	2.02	42	480	<2	0.08	<5	45	72	<20	0.85
D1199342		0.28	<10	2.83	1685	<1	2.19	41	560	<2	0.03	<5	45	62	<20	0.93
D1199343		0.34	<10	2.49	1700	<1	1.93	43	470	<2	0.10	<5	45	100	<20	0.85
D1199344		0.43	<10	2.45	1785	<1	1.55	39	490	<2	0.13	<5	42	147	<20	0.86
D1199345		1.87	20	1.14	1515	<1	0.58	22	3710	7	0.51	<5	7	448	<20	0.19
D1199346		0.45	10	3.15	1555	<1	1.41	98	730	<2	0.15	<5	34	164	<20	0.70
D1199347		0.75	<10	2.25	1645	<1	0.85	46	440	6	0.10	<5	41	82	<20	0.81
D1199348		1.60	<10	1.53	1595	<1	0.33	52	480	<2	0.11	<5	38	62	<20	0.72
D1199349		0.63	<10	2.43	1905	<1	1.34	41	500	<2	0.11	<5	43	99	<20	0.87
D1199350		0.50	<10	2.52	1885	<1	1.57	33	580	<2	0.26	<5	41	110	<20	0.92
D1199351		0.38	<10	2.59	1785	<1	1.94	47	470	<2	0.08	<5	43	135	<20	0.81
D1199352		0.83	<10	1.87	1895	<1	0.84	38	460	<2	0.18	<5	42	95	<20	0.81
D1199353		1.69	10	1.15	1605	<1	0.20	32	460	<2	0.11	6	38	69	<20	0.73
D1199354		1.74	20	0.72	642	<1	0.16	7	470	2	0.17	<5	10	53	<20	0.25
D1199355		2.04	10	0.84	620	4	0.67	10	530	15	0.81	<5	10	252	<20	0.23
D1199356		2.65	20	1.03	604	2	0.52	4	550	5	0.47	<5	13	111	<20	0.24
D1199357		1.61	20	1.07	485	<1	0.94	14	580	39	0.30	<5	9	138	<20	0.22
D1199358		0.95	20	0.98	618	2	0.40	6	510	3	0.18	<5	10	98	<20	0.26
D1199359		1.53	20	1.04	566	1	0.32	3	470	7	0.19	<5	11	97	<20	0.23
D1199360		1.36	20	1.10	539	1	0.28	9	920	2	0.50	<5	13	78	<20	0.36
D1199361		2.20	20	0.66	518	1	0.41	5	1020	3	0.46	<5	15	79	<20	0.45
D1199362		1.30	30	0.92	655	1	0.60	15	860	4	0.47	<5	15	49	<20	0.40
D1199363		1.73	20	0.83	547	<1	0.25	16	740	2	0.93	<5	13	88	<20	0.35
D1199364		1.95	20	0.71	530	<1	0.44	5	800	<2	0.53	<5	14	135	<20	0.34
D1199365		2.17	30	1.42	1295	<1	0.81	22	2930	13	0.45	<5	9	482	<20	0.46

Comments: Additional Au-AA24 check assay for sample D1199306 reports 8.29 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-SEP-2015
Account: DETGLD

Project: DGEX-324

CERTIFICATE OF ANALYSIS SD15137510

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1199326		<10	<10	353	<10	95	
D1199327		<10	<10	370	<10	122	
D1199328		<10	<10	357	<10	122	
D1199329		<10	<10	371	<10	118	
D1199330		<10	<10	363	<10	108	
D1199331		<10	<10	348	<10	111	
D1199332		10	<10	370	<10	119	
D1199333		<10	<10	356	<10	111	
D1199334		10	<10	387	<10	117	
D1199335		<10	<10	176	10	117	NSS
D1199336		10	<10	341	<10	173	
D1199337		<10	<10	68	<10	56	
D1199338		10	<10	352	<10	114	
D1199339		<10	<10	360	<10	109	
D1199340		<10	<10	336	<10	100	
D1199341		<10	<10	362	<10	116	
D1199342		<10	<10	358	<10	105	
D1199343		<10	<10	353	<10	113	
D1199344		<10	<10	352	<10	107	
D1199345		<10	<10	35	<10	22	
D1199346		<10	<10	278	<10	98	
D1199347		<10	<10	332	<10	125	
D1199348		<10	<10	288	<10	91	
D1199349		10	<10	352	<10	119	
D1199350		<10	<10	336	<10	123	
D1199351		<10	<10	348	<10	111	
D1199352		<10	<10	340	<10	110	
D1199353		<10	<10	287	<10	89	
D1199354		<10	<10	24	<10	51	
D1199355		<10	10	87	<10	54	
D1199356		<10	<10	5	<10	115	
D1199357		<10	<10	22	<10	191	
D1199358		<10	<10	27	<10	86	
D1199359		<10	<10	8	<10	111	
D1199360		<10	<10	33	<10	187	
D1199361		<10	<10	16	<10	126	
D1199362		<10	<10	63	<10	135	
D1199363		<10	<10	49	<10	173	
D1199364		<10	<10	13	<10	115	
D1199365		<10	<10	69	<10	40	

Comments: Additional Au-AA24 check assay for sample D1199306 reports 8.29 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-SEP-2015
Account: DETGLD

Project: DGEX-324

CERTIFICATE OF ANALYSIS SD15137510

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

NSS is non-sufficient sample.

Applies to Method: ALL METHODS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-32	PUL-QC	SPL-22Y	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA24	Au-GRA22	ME-ICP61