ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 4-NOV-2015
Account: DETGLD

CERTIFICATE SD15161165

Project: DGEX-374

P.O. No.: DGC 4800002115

This report is for 160 Drill Core samples submitted to our lab in Timmins, ON, Canada on 21-OCT-2015.

The following have access to data associated with this certificate:

APRIL COOMBS	ADREE DELAZZER	GUY MAC GILLIVRAY
KELLY MALCOLM	JEAN FRANCOIS METAIL	LARRY THON
JAMES TOLHURST	DETOUR GOLD WEBTRIEVE	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM

To: **DETOUR GOLD CORPORATION**
ATTN: JAMES TOLHURST
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: An additional Au-GRA22 check assay for D1206994 reports 8.58 g/t.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 4-NOV-2015
Account: DETGLD

Project: DGEX-374

CERTIFICATE OF ANALYSIS SD15161165

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1206946		4.03	0.040	<0.5	7.48	5	590	0.8	<2	2.55	<0.5	7	37	9	1.42	20
D1206947		0.06	6.67	1.0	5.52	4070	520	0.7	<2	5.33	<0.5	32	130	177	11.35	10
D1206948		3.66	0.209	<0.5	6.96	6	500	0.8	4	2.54	<0.5	6	35	7	1.40	20
D1206949		3.95		<0.5	3.88	8	220	<0.5	9	1.38	1.2	6	60	5	1.09	10
D1206950		3.40	0.308	<0.5	5.97	7	400	0.7	2	2.03	<0.5	7	43	12	1.39	20
D1206951		3.83	0.324	<0.5	6.19	5	450	0.7	<2	2.11	<0.5	7	42	9	1.44	10
D1206952		3.63	0.595	<0.5	5.94	5	380	0.6	<2	2.06	<0.5	6	39	62	1.47	10
D1206953		3.67	0.055	<0.5	7.51	7	590	0.9	2	2.63	<0.5	7	35	71	1.55	20
D1206954		4.21	0.266	<0.5	7.47	<5	590	0.9	2	2.86	<0.5	9	39	34	1.76	20
D1206955		3.81	0.119	<0.5	7.40	<5	590	0.9	<2	2.72	<0.5	6	34	43	1.52	20
D1206956		3.65	0.287	<0.5	7.50	<5	600	0.9	<2	2.62	<0.5	7	31	22	1.52	20
D1206957		0.26	<0.005	<0.5	4.16	7	460	0.7	3	16.0	<0.5	6	29	11	1.70	10
D1206958		3.87	0.993	<0.5	7.53	5	770	0.9	<2	2.78	<0.5	6	32	16	1.51	20
D1206959		3.91	0.122	<0.5	7.52	5	600	0.9	2	2.79	<0.5	7	33	13	1.56	20
D1206960		3.72	0.056	<0.5	7.78	<5	630	0.9	<2	2.84	<0.5	7	35	14	1.59	20
D1206961		3.95	0.092	<0.5	7.77	<5	590	0.9	<2	2.79	<0.5	6	29	16	1.50	20
D1206962		3.84	0.038	<0.5	7.52	<5	590	0.8	2	2.39	<0.5	7	33	14	1.55	20
D1206963		3.73	0.249	<0.5	7.44	5	620	0.8	<2	2.63	<0.5	7	29	39	1.57	20
D1206964		3.97		<0.5	7.32	<5	690	0.9	3	2.41	<0.5	7	31	26	1.57	20
D1206965		3.80	0.378	<0.5	7.80	<5	630	1.0	<2	2.69	<0.5	7	33	25	1.54	20
D1206966		3.63	0.048	<0.5	8.06	<5	670	1.0	<2	2.63	<0.5	6	34	12	1.53	20
D1206967		0.07	4.56	5.4	4.41	20	280	0.9	<2	4.94	<0.5	10	26	60	2.56	10
D1206968		3.95	0.346	<0.5	7.44	<5	590	0.9	<2	2.61	<0.5	6	32	10	1.41	20
D1206969		3.76	0.503	<0.5	7.73	<5	650	0.9	2	2.62	<0.5	8	29	11	1.47	20
D1206970		4.06	0.031	<0.5	7.25	6	570	0.9	<2	2.61	<0.5	7	31	18	1.45	20
D1206971		3.99	0.718	<0.5	7.85	<5	640	0.9	2	2.33	<0.5	8	30	17	1.71	20
D1206972		3.95	0.314	<0.5	7.15	7	580	0.9	2	2.27	<0.5	6	31	10	1.51	20
D1206973		3.91	0.283	<0.5	7.56	7	600	0.8	3	2.13	<0.5	8	32	12	1.66	20
D1206974		3.87	0.403	<0.5	7.68	9	560	0.8	2	2.04	<0.5	8	31	10	1.67	20
D1206975		3.77	0.737	<0.5	7.46	7	590	0.8	2	2.55	<0.5	8	45	38	1.72	20
D1206976		3.96	0.209	<0.5	7.30	5	450	0.8	<2	3.64	<0.5	15	77	38	2.65	20
D1206977		0.31	<0.005	<0.5	4.20	6	390	0.8	2	15.3	<0.5	6	31	11	1.71	10
D1206978		4.18	0.242	<0.5	6.90	7	510	0.8	2	3.66	<0.5	13	71	43	2.58	20
D1206979		3.75	0.075	<0.5	7.04	6	640	0.9	<2	3.66	<0.5	14	71	68	2.56	20
D1206980		3.96	0.010	<0.5	7.06	5	570	0.8	<2	3.77	<0.5	14	75	98	2.55	20
D1206981		3.89	<0.005	<0.5	7.30	5	560	0.8	2	3.86	<0.5	16	81	83	2.78	20
D1206982		4.13	0.121	<0.5	7.82	8	650	0.9	2	2.69	0.7	8	38	37	1.62	20
D1206983		3.97	0.154	<0.5	7.39	<5	620	0.9	<2	2.52	<0.5	7	28	29	1.40	20
D1206984		3.63	0.685	<0.5	7.58	<5	540	0.9	<2	2.57	<0.5	6	25	24	1.45	20
D1206985		3.81		<0.5	5.89	<5	530	0.7	5	1.81	0.8	4	37	14	1.15	10

Comments: An additional Au-GRA22 check assay for D1206994 reports 8.58 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 4-NOV-2015
Account: DETGLD

Project: DGEX-374

CERTIFICATE OF ANALYSIS SD15161165

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1206946		0.86	<10	0.58	223	2	3.97	13	360	4	0.23	<5	3	515	<20	0.11
D1206947		0.52	20	2.85	3790	3	1.17	98	2170	10	3.36	6	19	229	<20	0.53
D1206948		0.72	<10	0.54	215	1	3.86	11	340	2	0.32	<5	3	492	<20	0.09
D1206949		0.34	<10	0.28	156	3	2.37	9	180	4	0.45	<5	1	236	<20	0.04
D1206950		0.68	<10	0.51	263	3	3.59	10	260	3	0.63	<5	2	368	<20	0.06
D1206951		0.81	<10	0.50	233	2	3.53	10	290	2	0.59	<5	2	418	<20	0.07
D1206952		0.70	<10	0.45	213	2	3.56	11	280	2	0.80	<5	2	350	<20	0.07
D1206953		0.96	<10	0.59	236	1	4.07	12	350	2	0.62	<5	3	518	<20	0.09
D1206954		1.14	<10	0.76	263	1	4.01	17	380	<2	0.63	<5	3	523	<20	0.11
D1206955		1.04	<10	0.62	229	2	3.91	11	360	3	0.47	<5	3	528	<20	0.10
D1206956		1.07	<10	0.58	227	1	4.01	12	360	<2	0.56	<5	3	546	<20	0.10
D1206957		2.27	30	0.77	903	<1	0.90	15	3520	9	0.17	<5	6	412	<20	0.24
D1206958		1.18	<10	0.59	267	2	3.95	11	370	4	0.54	<5	3	526	<20	0.10
D1206959		1.09	<10	0.59	221	2	4.25	11	380	5	0.55	<5	3	549	<20	0.11
D1206960		0.88	<10	0.65	227	1	4.24	12	380	3	0.36	<5	3	606	<20	0.12
D1206961		0.84	<10	0.62	220	<1	4.09	11	370	3	0.28	<5	3	606	<20	0.12
D1206962		1.02	<10	0.65	194	2	4.15	11	400	2	0.43	<5	3	445	<20	0.13
D1206963		0.95	<10	0.63	211	1	4.02	11	380	<2	0.54	<5	3	509	<20	0.11
D1206964		0.89	<10	0.52	188	2	4.05	11	360	2	0.78	<5	2	493	<20	0.10
D1206965		0.91	<10	0.59	193	1	4.32	12	390	3	0.50	<5	3	624	<20	0.11
D1206966		0.90	<10	0.57	207	1	4.45	10	390	2	0.42	<5	2	579	<20	0.12
D1206967		2.05	10	0.81	610	5	0.67	9	520	15	0.80	<5	10	255	<20	0.23
D1206968		0.79	<10	0.53	179	1	4.25	11	360	4	0.42	<5	2	577	<20	0.10
D1206969		0.92	<10	0.54	197	1	4.31	10	390	3	0.42	<5	2	572	<20	0.10
D1206970		0.93	<10	0.56	215	1	4.15	10	370	3	0.45	<5	2	524	<20	0.10
D1206971		1.26	<10	0.55	201	1	4.03	13	360	2	0.86	<5	3	488	<20	0.10
D1206972		1.10	<10	0.51	190	1	3.74	10	330	2	0.72	<5	2	446	<20	0.09
D1206973		0.96	<10	0.49	202	2	4.39	9	340	2	0.94	<5	2	419	<20	0.09
D1206974		1.04	<10	0.52	212	3	4.43	10	370	<2	1.02	<5	2	409	<20	0.09
D1206975		1.09	<10	0.66	242	2	3.86	13	360	3	0.73	<5	3	470	<20	0.10
D1206976		1.13	10	1.64	455	1	3.28	39	550	3	0.78	<5	6	408	<20	0.16
D1206977		2.35	30	0.77	830	<1	0.83	15	2870	13	0.22	<5	6	386	<20	0.28
D1206978		1.09	10	1.44	428	<1	3.40	37	520	3	0.95	<5	5	524	<20	0.15
D1206979		0.85	10	1.47	409	<1	3.68	36	510	3	0.84	<5	6	614	<20	0.14
D1206980		1.10	10	1.56	412	1	3.38	39	530	4	0.59	<5	6	560	<20	0.17
D1206981		1.09	10	1.74	408	1	3.20	44	570	5	0.52	<5	7	591	<20	0.19
D1206982		1.02	<10	0.66	231	1	4.13	13	390	2	0.67	<5	3	540	<20	0.10
D1206983		0.85	<10	0.49	206	1	4.13	8	360	5	0.57	<5	2	524	<20	0.09
D1206984		0.80	<10	0.48	195	1	4.38	10	360	3	0.74	<5	2	534	<20	0.07
D1206985		0.81	<10	0.37	157	3	3.25	7	260	4	0.57	<5	2	347	<20	0.06

Comments: An additional Au-GRA22 check assay for D1206994 reports 8.58 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 4-NOV-2015
Account: DETGLD

Project: DGEX-374

CERTIFICATE OF ANALYSIS SD15161165

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1206946		<10	<10	30	<10	57	
D1206947		<10	<10	163	<10	118	6.61
D1206948		<10	<10	29	10	56	
D1206949		<10	<10	16	2510	155	9.74
D1206950		<10	<10	23	120	19	
D1206951		<10	<10	25	70	19	
D1206952		<10	<10	25	160	18	
D1206953		<10	<10	30	<10	36	
D1206954		<10	<10	36	<10	35	
D1206955		<10	<10	31	<10	60	
D1206956		<10	<10	31	<10	52	
D1206957		<10	<10	27	<10	20	
D1206958		<10	<10	31	<10	46	
D1206959		<10	<10	33	<10	33	
D1206960		<10	<10	32	<10	51	
D1206961		<10	<10	30	<10	44	
D1206962		<10	<10	31	<10	45	
D1206963		<10	<10	32	<10	41	
D1206964		<10	<10	32	10	39	1.22
D1206965		<10	<10	32	<10	78	
D1206966		<10	<10	31	<10	48	
D1206967		10	<10	85	<10	53	
D1206968		10	<10	28	<10	38	
D1206969		<10	<10	30	<10	33	
D1206970		<10	<10	29	<10	39	
D1206971		<10	<10	30	<10	29	
D1206972		<10	<10	29	<10	44	
D1206973		<10	<10	24	30	26	
D1206974		<10	<10	27	<10	19	
D1206975		<10	<10	31	<10	28	
D1206976		<10	<10	55	<10	39	
D1206977		10	<10	29	<10	20	
D1206978		<10	<10	48	10	40	
D1206979		<10	<10	51	<10	44	
D1206980		<10	<10	54	<10	54	
D1206981		<10	<10	59	<10	53	
D1206982		<10	<10	32	<10	89	
D1206983		<10	<10	28	<10	36	
D1206984		<10	<10	24	<10	28	
D1206985		<10	<10	20	<10	113	6.53

Comments: An additional Au-GRA22 check assay for D1206994 reports 8.58 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 4-NOV-2015
Account: DETGLD

Project: DGEX-374

CERTIFICATE OF ANALYSIS SD15161165

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1206986		4.40	1.590	<0.5	7.85	7	690	0.8	<2	2.77	<0.5	6	26	4	1.60	20
D1206987		0.07	1.245	<0.5	6.70	776	440	1.0	<2	5.36	<0.5	39	178	92	9.77	20
D1206988		3.94	0.097	<0.5	7.43	<5	610	0.9	<2	2.58	<0.5	6	32	10	1.42	20
D1206989		4.13	0.133	<0.5	8.06	<5	680	0.9	2	2.62	<0.5	7	30	10	1.48	20
D1206990		3.86	3.31	<0.5	7.33	6	540	0.9	<2	2.29	<0.5	5	39	19	1.29	20
D1206991		4.03	0.036	<0.5	7.76	5	640	0.9	<2	2.50	<0.5	6	32	48	1.41	20
D1206992		4.15	0.848	<0.5	7.70	5	660	0.9	<2	2.38	<0.5	7	31	56	1.63	20
D1206993		3.75	0.633	<0.5	7.92	<5	620	1.0	3	2.56	<0.5	8	29	91	1.61	20
D1206994		4.14	6.39	<0.5	7.82	<5	610	1.0	13	2.44	<0.5	6	22	82	1.63	20
D1206995		3.91	0.120	<0.5	7.90	<5	680	1.0	<2	2.44	<0.5	7	28	55	1.44	20
D1206996		4.08	0.309	<0.5	7.85	6	680	1.0	<2	2.38	1.3	6	27	71	1.46	20
D1206997		0.27	<0.005	<0.5	3.51	10	360	0.7	<2	19.6	<0.5	6	27	10	1.46	10
D1206998		3.82	0.691	<0.5	7.70	7	650	0.9	<2	2.21	<0.5	7	21	21	1.62	20
D1206999		3.85	0.076	<0.5	7.62	<5	630	1.0	2	2.47	<0.5	5	23	31	1.42	20
D1207000		4.36	0.041	<0.5	7.98	<5	640	1.0	<2	2.44	<0.5	7	26	44	2.07	20
D1207001		3.78	0.134	<0.5	7.63	<5	660	0.9	<2	2.46	<0.5	7	29	19	1.61	20
D1207002		3.84	0.157	<0.5	7.81	<5	600	1.0	<2	2.51	<0.5	6	24	17	1.56	20
D1207003		3.67	1.400	<0.5	7.79	<5	680	1.0	3	2.48	<0.5	7	24	7	1.83	20
D1207004		4.38	0.296	<0.5	7.70	<5	590	0.9	<2	2.21	<0.5	6	24	6	1.53	20
D1207005		4.09	0.645	<0.5	7.32	<5	580	0.8	<2	2.08	<0.5	7	31	12	1.72	20
D1207006		3.83	1.285	<0.5	7.75	7	580	1.0	<2	2.36	<0.5	6	24	98	1.57	20
D1207007		0.07	0.347	<0.5	7.81	211	370	1.2	<2	6.00	<0.5	43	192	120	8.51	20
D1207008		4.07	0.018	<0.5	7.42	<5	530	1.0	<2	2.48	<0.5	5	22	17	1.39	20
D1207009		3.85	0.158	<0.5	7.92	5	740	1.1	3	2.62	<0.5	11	46	20	2.27	20
D1207010		3.96	0.046	<0.5	7.75	<5	620	0.9	<2	2.37	<0.5	7	37	17	1.77	20
D1207011		4.04	0.064	<0.5	7.97	<5	710	1.0	2	2.63	<0.5	7	28	17	1.65	20
D1207012		3.57	0.028	<0.5	7.79	<5	620	1.0	<2	2.54	<0.5	7	30	12	1.67	20
D1207013		3.96	0.011	<0.5	7.94	<5	570	1.0	<2	2.57	<0.5	7	34	14	1.62	20
D1207014		4.09	0.018	<0.5	8.06	<5	480	1.0	<2	2.57	<0.5	8	34	18	1.78	20
D1207015		3.96	0.027	<0.5	7.98	<5	530	1.0	<2	2.66	<0.5	8	29	18	1.66	20
D1207016		3.63	0.353	<0.5	7.82	6	470	0.9	<2	2.51	<0.5	12	29	16	2.52	20
D1207017		0.30	<0.005	<0.5	3.05	5	430	0.5	<2	21.2	<0.5	4	18	8	1.23	10
D1207018		3.95	0.242	<0.5	7.47	<5	390	0.8	<2	1.63	<0.5	7	28	7	1.70	20
D1207019		4.08	0.119	<0.5	7.83	5	430	0.9	<2	1.33	<0.5	6	21	16	1.59	20
D1207020		3.48	0.079	<0.5	7.69	<5	280	0.8	<2	2.13	<0.5	7	29	14	1.76	20
D1207021		3.86	0.074	<0.5	7.37	<5	320	0.8	<2	2.16	<0.5	8	22	17	1.53	20
D1207022		3.83	0.116	<0.5	7.79	<5	490	0.9	<2	1.27	<0.5	6	31	17	1.70	20
D1207023		3.85	0.124	<0.5	7.64	5	380	0.7	<2	2.33	<0.5	7	29	27	1.60	20
D1207024		4.09	0.721	<0.5	7.77	5	330	0.8	2	3.87	<0.5	14	93	6	2.79	20
D1207025		3.61	0.106	<0.5	7.92	5	540	0.9	<2	2.20	<0.5	7	25	13	1.52	20

Comments: An additional Au-GRA22 check assay for D1206994 reports 8.58 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 4-NOV-2015
Account: DETGLD

Project: DGEX-374

CERTIFICATE OF ANALYSIS SD15161165

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1206986		0.91	<10	0.54	271	1	4.71	9	360	<2	0.85	<5	2	426	<20	0.08
D1206987		0.69	20	3.70	2630	3	1.93	139	1970	7	1.00	<5	17	386	<20	0.92
D1206988		0.86	<10	0.51	192	1	4.32	9	350	2	0.53	<5	2	556	<20	0.09
D1206989		0.94	<10	0.52	202	1	4.59	11	390	4	0.66	<5	2	553	<20	0.10
D1206990		0.78	<10	0.44	190	2	4.44	7	330	<2	0.55	<5	2	427	<20	0.08
D1206991		1.07	<10	0.51	176	1	4.26	6	370	<2	0.63	<5	2	498	<20	0.10
D1206992		1.13	<10	0.59	194	2	4.07	12	350	<2	0.73	<5	2	476	<20	0.10
D1206993		0.88	<10	0.54	184	1	4.26	10	370	3	0.68	<5	2	569	<20	0.10
D1206994		0.71	<10	0.45	178	1	4.44	6	410	4	0.82	<5	2	566	<20	0.10
D1206995		0.93	<10	0.44	172	1	4.40	7	420	2	0.60	<5	2	551	<20	0.09
D1206996		1.22	<10	0.44	196	1	4.25	7	410	<2	0.64	<5	2	551	<20	0.10
D1206997		1.96	20	0.69	925	<1	0.72	13	2680	8	0.20	<5	5	420	<20	0.18
D1206998		0.97	<10	0.41	179	1	4.48	6	400	2	0.94	<5	2	501	<20	0.10
D1206999		0.84	<10	0.42	194	1	4.37	5	420	3	0.55	<5	2	579	<20	0.10
D1207000		0.87	10	0.43	231	1	4.51	7	420	3	0.62	<5	2	596	<20	0.11
D1207001		0.91	10	0.53	196	1	4.29	8	420	2	0.67	<5	2	519	<20	0.10
D1207002		0.63	10	0.45	176	1	4.48	7	470	5	0.52	<5	1	603	<20	0.10
D1207003		0.87	10	0.44	212	1	4.44	7	460	3	1.01	<5	2	509	<20	0.10
D1207004		1.06	10	0.40	205	1	4.47	5	420	2	0.72	<5	2	370	<20	0.11
D1207005		0.96	10	0.38	196	1	4.13	8	400	<2	0.97	<5	2	361	<20	0.10
D1207006		0.75	10	0.46	179	1	4.49	6	480	3	0.79	<5	2	525	<20	0.12
D1207007		0.85	20	3.99	1475	6	2.39	149	1730	4	0.29	<5	20	456	<20	1.08
D1207008		0.62	10	0.44	173	1	4.35	5	460	5	0.58	<5	2	564	<20	0.10
D1207009		0.88	10	0.72	246	<1	4.43	17	490	2	1.29	<5	3	535	<20	0.12
D1207010		0.83	10	0.70	205	<1	4.19	13	390	2	0.69	5	3	465	<20	0.12
D1207011		0.90	<10	0.57	192	<1	4.44	9	410	4	0.79	<5	2	516	<20	0.11
D1207012		0.86	<10	0.59	197	<1	4.33	11	380	3	0.74	<5	3	505	<20	0.11
D1207013		0.84	<10	0.61	187	1	4.39	12	410	<2	0.60	<5	3	544	<20	0.12
D1207014		0.76	<10	0.66	220	1	4.41	11	400	6	0.63	<5	3	541	<20	0.13
D1207015		0.74	<10	0.62	225	<1	4.43	10	400	<2	0.62	<5	3	539	<20	0.13
D1207016		0.65	<10	0.57	214	1	4.34	14	370	2	1.52	<5	2	516	<20	0.12
D1207017		1.65	20	0.68	915	<1	0.72	10	2390	7	0.13	<5	4	419	<20	0.16
D1207018		0.65	<10	0.60	197	1	4.78	11	380	2	0.85	<5	2	368	<20	0.12
D1207019		0.88	<10	0.60	128	1	4.82	8	400	2	0.67	<5	2	344	<20	0.14
D1207020		0.60	10	0.77	183	<1	5.05	11	450	2	0.48	<5	2	289	<20	0.15
D1207021		0.71	<10	0.57	136	1	4.86	7	390	<2	0.59	<5	2	261	<20	0.14
D1207022		0.86	10	0.71	153	1	4.82	10	400	<2	0.63	<5	2	268	<20	0.14
D1207023		0.69	<10	0.63	158	1	4.79	10	390	<2	0.62	<5	2	313	<20	0.14
D1207024		0.63	10	1.66	449	1	4.51	39	370	<2	0.70	<5	8	325	<20	0.18
D1207025		0.84	10	0.47	167	1	4.61	6	410	3	0.66	<5	2	460	<20	0.12

Comments: An additional Au-GRA22 check assay for D1206994 reports 8.58 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 4-NOV-2015
Account: DETGLD

Project: DGEX-374

CERTIFICATE OF ANALYSIS SD15161165

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1206986		<10	<10	25	10	34	
D1206987		<10	<10	153	<10	129	
D1206988		<10	<10	27	<10	27	
D1206989		<10	<10	28	<10	31	
D1206990		<10	<10	25	10	25	
D1206991		<10	<10	29	<10	30	
D1206992		<10	<10	32	<10	35	
D1206993		<10	<10	29	<10	43	
D1206994		<10	<10	27	<10	36	5.21
D1206995		<10	<10	27	<10	57	
D1206996		<10	<10	29	<10	118	
D1206997		<10	<10	24	<10	17	
D1206998		<10	<10	29	10	25	
D1206999		<10	<10	29	<10	29	
D1207000		<10	<10	30	<10	53	
D1207001		<10	<10	30	<10	33	
D1207002		<10	<10	30	<10	29	
D1207003		<10	<10	31	<10	25	
D1207004		<10	<10	32	40	16	
D1207005		<10	<10	31	10	15	
D1207006		<10	<10	32	10	53	
D1207007		<10	<10	164	<10	123	
D1207008		<10	<10	29	<10	25	
D1207009		<10	<10	36	<10	31	
D1207010		<10	<10	38	<10	76	
D1207011		<10	<10	35	<10	30	
D1207012		<10	<10	33	<10	28	
D1207013		<10	<10	31	<10	29	
D1207014		<10	<10	32	<10	32	
D1207015		<10	<10	31	<10	31	
D1207016		<10	<10	29	<10	29	
D1207017		<10	<10	18	<10	14	
D1207018		<10	<10	29	10	17	
D1207019		<10	<10	28	<10	21	
D1207020		<10	<10	34	<10	26	
D1207021		<10	<10	27	<10	21	
D1207022		<10	<10	31	<10	23	
D1207023		<10	<10	30	<10	19	
D1207024		<10	<10	47	<10	41	
D1207025		<10	<10	27	<10	16	

Comments: An additional Au-GRA22 check assay for D1206994 reports 8.58 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 4-NOV-2015
Account: DETGLD

Project: DGEX-374

CERTIFICATE OF ANALYSIS SD15161165

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1207026		4.01	0.297	<0.5	7.80	<5	590	0.9	<2	2.16	<0.5	6	27	16	1.49	20
D1207027		0.08	6.35	0.9	5.92	4380	450	0.8	2	5.70	<0.5	36	133	191	12.15	10
D1207028		3.85	0.360	<0.5	8.42	9	510	1.0	3	2.60	<0.5	9	40	11	2.10	20
D1207029		3.88	0.007	<0.5	7.88	<5	540	1.1	<2	3.01	<0.5	14	81	35	2.49	20
D1207030		3.90	0.038	<0.5	7.89	5	520	1.0	<2	2.93	<0.5	13	79	85	2.46	20
D1207031		3.74	0.046	<0.5	7.67	<5	520	1.0	<2	2.27	<0.5	7	31	9	1.69	20
D1207032		3.65	0.221	<0.5	7.69	<5	560	0.9	<2	2.00	<0.5	4	24	18	1.34	20
D1207033		3.42	0.187	<0.5	7.25	<5	240	0.9	<2	3.91	<0.5	18	136	60	3.34	20
D1207034		4.54	0.872	<0.5	7.24	5	260	0.9	<2	3.44	<0.5	21	150	171	3.68	20
D1207035		3.76	0.036	<0.5	7.59	<5	370	1.0	<2	3.50	<0.5	17	84	55	3.21	20
D1207036		3.90	0.005	<0.5	7.31	<5	540	0.9	<2	3.38	<0.5	17	87	89	3.27	20
D1207037		0.26	<0.005	<0.5	3.08	<5	310	0.6	2	21.9	<0.5	7	22	9	1.54	10
D1207038		4.03	<0.005	<0.5	7.42	<5	520	0.9	<2	3.59	<0.5	19	85	68	3.36	20
D1207039		3.80	0.036	<0.5	7.43	5	500	0.9	<2	3.62	<0.5	13	60	4	2.86	20
D1207040		3.80	0.010	<0.5	7.80	<5	490	1.0	<2	2.91	<0.5	10	45	13	2.32	20
D1207041		3.84	0.084	<0.5	7.81	<5	510	0.9	<2	2.31	<0.5	7	32	108	1.77	20
D1207042		4.47	0.164	<0.5	7.61	<5	490	1.1	<2	2.25	<0.5	10	68	156	2.20	20
D1207043		4.15	0.093	<0.5	7.27	<5	170	0.6	<2	2.06	<0.5	8	48	29	1.82	10
D1207044		3.77	0.053	<0.5	7.23	<5	80	0.5	3	2.41	<0.5	5	23	4	1.30	10
D1207045		4.29	0.105	<0.5	7.96	<5	370	1.0	2	1.92	<0.5	6	28	9	1.65	20
D1207046		4.35	0.018	<0.5	7.74	<5	450	0.9	<2	1.99	<0.5	5	25	8	1.49	20
D1207047		0.08	4.50	5.6	4.47	19	280	0.9	2	4.96	<0.5	8	23	59	2.55	10
D1207048		3.88	0.066	<0.5	7.63	<5	460	0.9	3	1.97	<0.5	5	26	9	1.51	20
D1207049		3.86	0.216	<0.5	7.35	<5	480	0.9	3	2.46	<0.5	6	27	11	1.60	20
D1207050		4.44	0.120	<0.5	7.66	5	540	0.9	2	2.28	<0.5	7	31	9	1.60	20
D1207051		4.12	0.030	<0.5	7.76	5	550	0.9	<2	3.01	<0.5	9	38	10	1.99	20
D1207052		4.19	0.047	<0.5	8.05	<5	610	0.9	3	2.63	<0.5	5	28	13	1.62	20
D1207053		3.82	0.335	<0.5	7.78	7	480	0.8	3	2.76	<0.5	6	36	29	1.80	20
D1207054		3.77	0.050	<0.5	8.06	<5	560	0.9	<2	2.71	<0.5	7	27	19	1.58	20
D1207055		3.88	0.222	<0.5	8.07	<5	580	0.9	2	2.92	<0.5	5	29	18	1.60	20
D1207056		3.94	0.012	<0.5	8.23	<5	520	0.9	<2	2.81	<0.5	7	27	47	1.69	20
D1207057		0.33	<0.005	<0.5	3.59	<5	380	0.7	<2	20.8	<0.5	6	25	13	1.81	10
D1207058		4.26	0.014	<0.5	8.06	<5	510	0.9	3	2.81	<0.5	5	31	64	1.65	20
D1207059		3.94	0.504	<0.5	7.79	5	610	0.8	<2	3.57	0.6	11	44	68	2.59	20
D1207060		3.81	0.307	<0.5	7.69	6	680	0.9	<2	4.07	<0.5	15	50	87	3.30	20
D1207061		3.99	0.504	<0.5	8.05	6	610	0.9	<2	2.86	<0.5	7	30	38	1.72	20
D1207062		3.92	0.042	<0.5	8.12	<5	720	0.9	2	5.05	<0.5	25	93	41	4.90	20
D1207063		3.81	<0.005	<0.5	7.62	5	280	0.7	2	6.12	<0.5	33	206	65	5.77	20
D1207064		4.42	<0.005	<0.5	7.42	<5	280	0.7	<2	6.21	<0.5	39	263	52	5.97	20
D1207065		3.96	<0.005	<0.5	7.47	<5	170	0.7	<2	6.43	<0.5	37	243	66	5.89	20

Comments: An additional Au-GRA22 check assay for D1206994 reports 8.58 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 4-NOV-2015
Account: DETGLD

Project: DGEX-374

CERTIFICATE OF ANALYSIS SD15161165

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1207026		0.71	<10	0.48	140	1	4.62	8	440	2	0.54	<5	2	507	<20	0.12
D1207027		0.55	20	3.06	4050	4	1.25	106	2330	13	3.61	10	20	246	<20	0.57
D1207028		0.80	10	0.86	260	<1	4.87	17	520	3	1.04	<5	3	495	<20	0.16
D1207029		0.77	10	1.21	355	1	4.18	29	580	3	0.87	<5	5	543	<20	0.18
D1207030		0.82	10	1.30	350	1	4.27	38	570	<2	0.58	<5	6	499	<20	0.19
D1207031		0.87	10	0.66	227	<1	4.54	12	420	<2	0.54	<5	3	432	<20	0.14
D1207032		0.92	<10	0.44	149	1	4.49	7	410	2	0.50	<5	2	432	<20	0.11
D1207033		0.48	10	2.21	485	<1	3.91	64	690	2	0.60	<5	10	272	<20	0.26
D1207034		0.50	10	2.26	456	<1	4.08	73	720	<2	1.16	<5	11	257	<20	0.28
D1207035		0.96	10	1.90	497	<1	3.92	43	680	3	0.67	<5	8	434	<20	0.24
D1207036		1.20	10	2.05	537	<1	3.47	45	710	2	0.11	<5	8	647	<20	0.23
D1207037		1.70	30	0.77	1060	<1	0.57	11	2780	11	0.22	<5	5	475	<20	0.18
D1207038		1.10	10	2.13	543	<1	3.56	44	730	<2	0.13	<5	8	695	<20	0.23
D1207039		0.92	10	1.53	463	<1	3.74	29	650	4	0.50	<5	6	519	<20	0.20
D1207040		0.93	10	1.13	365	1	4.19	21	570	2	0.43	<5	4	496	<20	0.18
D1207041		0.77	10	0.61	197	1	4.58	11	440	<2	0.81	<5	2	434	<20	0.13
D1207042		0.86	10	1.11	270	1	4.38	22	540	2	0.84	<5	5	430	<20	0.16
D1207043		0.35	10	0.74	197	<1	5.15	17	390	<2	0.84	<5	3	213	<20	0.14
D1207044		0.18	<10	0.56	151	1	6.03	11	350	<2	0.53	6	2	174	<20	0.14
D1207045		0.80	<10	0.76	200	<1	5.00	12	380	3	0.43	5	3	325	<20	0.14
D1207046		0.78	<10	0.67	189	<1	4.84	10	400	<2	0.26	<5	3	351	<20	0.13
D1207047		2.00	10	0.82	608	4	0.66	8	520	12	0.80	<5	10	249	<20	0.23
D1207048		0.82	<10	0.64	186	1	4.79	11	380	<2	0.41	<5	3	329	<20	0.13
D1207049		0.72	<10	0.63	224	<1	4.41	10	370	<2	0.54	<5	3	396	<20	0.12
D1207050		0.78	<10	0.61	232	1	4.33	12	350	3	0.46	<5	3	417	<20	0.11
D1207051		0.65	<10	0.79	318	1	4.12	15	420	3	0.30	<5	4	578	<20	0.14
D1207052		0.85	<10	0.64	257	1	4.50	14	380	4	0.39	<5	3	490	<20	0.11
D1207053		0.73	<10	0.61	230	1	4.39	13	350	2	0.71	<5	3	516	<20	0.09
D1207054		0.77	<10	0.63	219	1	4.36	11	380	<2	0.40	<5	3	559	<20	0.10
D1207055		0.69	<10	0.63	233	1	4.38	9	370	<2	0.34	<5	3	566	<20	0.11
D1207056		0.58	<10	0.67	247	1	4.53	11	370	<2	0.30	<5	3	560	<20	0.12
D1207057		2.03	30	0.74	1040	1	0.76	13	3250	12	0.20	<5	6	464	<20	0.21
D1207058		0.57	<10	0.64	222	1	4.40	11	410	<2	0.24	<5	3	571	<20	0.11
D1207059		0.96	10	1.17	394	1	3.71	21	570	<2	0.64	<5	5	539	<20	0.16
D1207060		1.18	10	1.59	536	<1	3.32	29	680	3	0.86	<5	7	585	<20	0.21
D1207061		0.87	<10	0.67	270	1	4.42	13	400	2	0.38	<5	3	577	<20	0.13
D1207062		1.13	10	2.65	858	<1	3.19	54	870	6	0.31	<5	13	510	<20	0.33
D1207063		0.37	10	4.29	1015	1	2.23	107	770	4	0.12	<5	23	487	<20	0.28
D1207064		0.39	10	5.09	980	<1	1.72	129	730	3	0.10	<5	26	458	<20	0.22
D1207065		0.31	10	4.80	936	<1	2.02	117	790	5	0.06	<5	27	448	<20	0.25

Comments: An additional Au-GRA22 check assay for D1206994 reports 8.58 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 4-NOV-2015
Account: DETGLD

Project: DGEX-374

CERTIFICATE OF ANALYSIS SD15161165

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1207026		<10	<10	32	<10	21	
D1207027		<10	<10	176	<10	125	NSS
D1207028		<10	<10	53	<10	27	
D1207029		<10	<10	55	<10	32	
D1207030		<10	<10	58	<10	40	
D1207031		<10	<10	33	<10	20	
D1207032		<10	<10	28	<10	17	
D1207033		<10	<10	81	<10	58	
D1207034		<10	<10	87	<10	65	
D1207035		<10	<10	68	<10	54	
D1207036		<10	<10	71	<10	58	
D1207037		<10	<10	22	<10	15	
D1207038		<10	<10	71	<10	63	
D1207039		<10	<10	54	<10	52	
D1207040		<10	<10	44	<10	47	
D1207041		<10	<10	31	<10	28	
D1207042		<10	<10	45	<10	45	
D1207043		<10	<10	32	<10	29	
D1207044		<10	<10	25	<10	25	
D1207045		<10	<10	34	<10	42	
D1207046		<10	<10	31	<10	47	
D1207047		<10	<10	84	<10	52	
D1207048		<10	<10	33	<10	33	
D1207049		<10	<10	32	40	42	
D1207050		<10	<10	32	10	32	
D1207051		<10	<10	37	<10	49	
D1207052		<10	<10	31	<10	34	
D1207053		<10	<10	28	<10	26	
D1207054		<10	<10	31	<10	54	
D1207055		<10	<10	32	<10	51	
D1207056		<10	<10	32	<10	60	
D1207057		<10	<10	25	<10	20	
D1207058		<10	<10	32	<10	53	
D1207059		<10	<10	50	<10	126	
D1207060		<10	<10	64	<10	61	
D1207061		<10	<10	35	20	28	
D1207062		<10	<10	112	<10	77	
D1207063		<10	<10	145	<10	79	
D1207064		<10	<10	155	<10	80	
D1207065		<10	<10	162	<10	77	

Comments: An additional Au-GRA22 check assay for D1206994 reports 8.58 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 4-NOV-2015
Account: DETGLD

Project: DGEX-374

CERTIFICATE OF ANALYSIS SD15161165

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1207066		3.96	<0.005	<0.5	7.34	<5	180	0.6	<2	7.58	<0.5	37	230	89	5.97	20
D1207067		0.08	1.230	<0.5	6.92	816	460	1.1	4	5.61	0.5	39	182	97	10.15	20
D1207068		3.83	<0.005	<0.5	6.91	8	190	0.6	<2	7.52	<0.5	36	251	68	5.60	10
D1207069		3.87	<0.005	<0.5	7.43	6	200	0.6	3	6.80	<0.5	34	201	80	5.64	20
D1207070		3.80	<0.005	<0.5	7.87	<5	240	0.7	<2	5.77	<0.5	33	215	67	5.80	20
D1207071		3.81	<0.005	<0.5	8.03	<5	620	0.8	<2	5.16	<0.5	21	95	22	4.44	20
D1207072		3.94	<0.005	<0.5	7.91	<5	480	0.7	<2	4.52	<0.5	20	114	3	3.52	20
D1207073		4.07	<0.005	<0.5	8.04	<5	380	0.7	<2	4.75	<0.5	19	151	3	3.64	20
D1207074		4.26	<0.005	<0.5	8.30	<5	380	0.7	3	4.57	<0.5	18	116	3	3.54	20
D1207075		3.91	<0.005	<0.5	8.36	<5	410	0.7	2	4.45	<0.5	18	126	2	3.51	20
D1207076		4.06	<0.005	<0.5	8.22	<5	480	0.7	<2	4.77	<0.5	19	119	2	3.63	20
D1207077		0.30	<0.005	<0.5	3.59	<5	310	0.7	<2	20.7	<0.5	6	35	11	1.72	10
D1207078		3.97	<0.005	<0.5	7.59	<5	440	0.7	<2	4.06	<0.5	18	116	2	3.41	20
D1207079		4.01	<0.005	<0.5	8.13	6	460	0.7	4	4.54	<0.5	19	118	2	3.56	20
D1207080		3.90	<0.005	<0.5	7.87	5	410	0.7	<2	4.53	<0.5	19	126	2	3.54	20
D1207081		4.26	<0.005	<0.5	8.20	<5	530	0.8	<2	4.68	<0.5	19	122	2	3.53	20
D1211720		6.32	<0.005	<0.5	8.11	<5	40	<0.5	<2	7.98	0.5	51	203	94	9.18	20
D1211721		7.27	<0.005	<0.5	8.21	<5	30	<0.5	<2	6.59	<0.5	54	212	75	9.81	20
D1211722		5.92	<0.005	<0.5	8.73	7	30	<0.5	<2	7.54	<0.5	55	216	70	9.85	20
D1211723		6.62	<0.005	<0.5	8.34	<5	20	<0.5	2	7.22	0.5	54	206	97	9.45	20
D1211724		6.71	<0.005	<0.5	8.18	6	20	<0.5	4	7.14	<0.5	52	203	89	9.55	20
D1211725		6.65	<0.005	<0.5	7.97	<5	20	<0.5	4	7.06	<0.5	52	198	90	9.38	20
D1211726		6.37	<0.005	<0.5	7.76	5	20	<0.5	<2	7.27	<0.5	49	185	98	9.51	20
D1211727		6.54	0.005	<0.5	7.33	6	20	<0.5	2	7.69	<0.5	47	167	102	8.89	20
D1211728		6.75	<0.005	<0.5	7.65	<5	20	<0.5	<2	7.32	<0.5	50	177	103	9.46	20
D1211729		0.07	4.51	5.5	4.41	22	280	0.9	3	5.04	<0.5	8	25	61	2.59	10
D1211730		5.65	<0.005	<0.5	7.52	<5	20	<0.5	2	7.30	<0.5	50	174	94	9.39	20
D1211731		6.97	<0.005	<0.5	7.49	<5	20	<0.5	3	7.26	<0.5	48	178	96	9.28	20
D1211732		6.20	<0.005	<0.5	7.88	6	20	<0.5	<2	7.46	<0.5	53	184	101	9.67	20
D1211733		6.00	<0.005	<0.5	7.57	<5	20	<0.5	<2	7.60	<0.5	50	175	127	9.31	20
D1211734		6.32	<0.005	<0.5	7.28	5	50	<0.5	<2	6.31	<0.5	48	178	87	9.09	20
D1211735		6.02	<0.005	<0.5	7.55	6	90	<0.5	3	6.14	<0.5	49	176	127	9.66	20
D1211736		6.76	<0.005	<0.5	7.73	8	50	<0.5	<2	6.01	<0.5	52	191	142	10.15	20
D1211737		5.77	<0.005	<0.5	7.30	7	20	<0.5	<2	5.88	<0.5	49	176	139	9.65	20
D1211738		6.61	<0.005	<0.5	7.59	7	40	<0.5	<2	6.65	<0.5	54	179	160	10.10	20
D1211739		0.27	<0.005	<0.5	3.32	8	310	0.6	3	22.1	<0.5	5	30	12	1.74	10
D1211740		6.81	<0.005	<0.5	7.60	7	30	<0.5	3	6.98	<0.5	54	177	146	10.05	20
D1211741		5.62	<0.005	<0.5	7.39	<5	30	<0.5	3	7.17	<0.5	51	180	136	10.00	20
D1211742		7.06	<0.005	<0.5	7.71	7	30	<0.5	4	7.59	<0.5	54	184	142	10.20	20
D1211743		6.52	<0.005	<0.5	7.82	5	50	<0.5	3	5.86	0.5	54	178	144	10.45	20

Comments: An additional Au-GRA22 check assay for D1206994 reports 8.58 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 4-NOV-2015
Account: DETGLD

Project: DGEX-374

CERTIFICATE OF ANALYSIS SD15161165

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1207066		0.37	10	4.72	1060	<1	1.79	110	690	4	0.06	<5	27	453	<20	0.25
D1207067		0.72	20	3.87	2740	3	2.01	143	2050	5	1.05	<5	18	394	<20	0.93
D1207068		0.28	10	4.77	1055	<1	1.86	119	650	2	0.07	<5	26	422	<20	0.18
D1207069		0.24	10	4.33	964	<1	2.17	99	680	5	0.11	<5	25	515	<20	0.27
D1207070		0.31	10	4.08	930	<1	2.52	93	790	6	0.11	<5	23	518	<20	0.35
D1207071		0.68	10	2.44	819	1	3.50	57	810	3	0.27	<5	12	504	<20	0.30
D1207072		0.62	10	2.31	562	<1	3.65	67	590	6	0.34	<5	10	564	<20	0.22
D1207073		0.53	10	2.46	599	1	3.85	71	600	3	0.30	<5	10	564	<20	0.21
D1207074		0.49	10	2.35	554	<1	3.88	68	620	3	0.31	<5	10	606	<20	0.22
D1207075		0.51	10	2.37	567	1	4.06	67	620	5	0.26	<5	10	579	<20	0.23
D1207076		0.62	10	2.37	599	<1	4.04	65	590	2	0.34	<5	11	571	<20	0.24
D1207077		2.01	30	0.78	1040	1	0.70	13	2800	11	0.19	<5	6	452	<20	0.19
D1207078		0.57	10	2.24	494	<1	3.84	66	590	5	0.43	<5	9	554	<20	0.23
D1207079		0.60	10	2.27	562	<1	3.75	64	590	<2	0.40	<5	10	581	<20	0.24
D1207080		0.51	10	2.33	555	<1	3.93	65	590	3	0.35	<5	10	526	<20	0.24
D1207081		0.63	10	2.37	598	1	4.04	67	610	<2	0.32	<5	10	542	<20	0.25
D1211720		0.15	<10	4.63	1450	<1	1.75	170	340	<2	0.10	<5	36	144	<20	0.58
D1211721		0.12	<10	5.28	1475	<1	1.57	181	360	<2	0.04	<5	34	162	<20	0.63
D1211722		0.11	<10	5.34	1540	<1	1.49	190	350	<2	0.03	<5	37	161	<20	0.62
D1211723		0.11	<10	5.04	1495	<1	1.37	189	340	<2	0.07	<5	35	162	<20	0.59
D1211724		0.12	<10	5.11	1515	<1	1.40	179	350	<2	0.06	<5	36	150	<20	0.61
D1211725		0.12	<10	4.80	1500	<1	1.41	168	350	<2	0.08	<5	36	133	<20	0.61
D1211726		0.10	<10	4.60	1460	1	1.18	153	360	2	0.12	<5	38	106	<20	0.65
D1211727		0.13	<10	4.44	1430	<1	1.19	147	340	<2	0.09	<5	35	95	<20	0.59
D1211728		0.13	<10	4.55	1445	1	1.33	146	360	<2	0.12	<5	37	123	<20	0.63
D1211729		2.06	10	0.83	617	6	0.67	11	520	14	0.80	5	10	252	<20	0.23
D1211730		0.12	<10	4.54	1425	<1	1.15	143	350	<2	0.08	<5	37	106	<20	0.62
D1211731		0.12	<10	4.39	1400	<1	1.20	143	350	<2	0.12	<5	37	92	<20	0.62
D1211732		0.14	<10	4.70	1480	<1	1.27	153	360	<2	0.12	<5	38	113	<20	0.64
D1211733		0.15	<10	4.51	1450	<1	1.39	149	350	<2	0.13	<5	37	134	<20	0.62
D1211734		0.22	<10	4.52	1360	<1	1.69	137	350	<2	0.09	<5	36	120	<20	0.61
D1211735		0.36	<10	4.78	1400	<1	1.91	142	360	<2	0.07	<5	38	107	<20	0.64
D1211736		0.27	<10	4.73	1400	<1	2.16	144	400	<2	0.13	<5	39	145	<20	0.66
D1211737		0.09	<10	4.40	1365	<1	1.77	135	350	<2	0.17	<5	37	112	<20	0.63
D1211738		0.24	<10	4.63	1480	<1	1.83	149	460	<2	0.13	<5	39	132	<20	0.66
D1211739		1.81	30	0.78	1115	2	0.66	14	3130	10	0.24	<5	6	435	<20	0.19
D1211740		0.19	<10	4.48	1435	<1	1.94	143	390	<2	0.24	<5	38	122	<20	0.65
D1211741		0.22	<10	4.43	1305	<1	1.95	141	380	<2	0.25	<5	38	120	<20	0.65
D1211742		0.23	<10	4.52	1445	<1	1.83	153	390	<2	0.04	<5	39	148	<20	0.66
D1211743		0.36	<10	4.78	1545	<1	2.04	140	410	<2	0.16	<5	41	135	<20	0.73

Comments: An additional Au-GRA22 check assay for D1206994 reports 8.58 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 4-NOV-2015
Account: DETGLD

Project: DGEX-374

CERTIFICATE OF ANALYSIS SD15161165

Sample Description	Method Analyte Units LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1207066		<10	<10	169	<10	75	
D1207067		<10	<10	159	<10	134	
D1207068		<10	<10	150	<10	72	
D1207069		<10	<10	163	<10	68	
D1207070		<10	<10	160	<10	78	
D1207071		<10	<10	98	<10	67	
D1207072		<10	<10	74	<10	46	
D1207073		<10	<10	73	<10	45	
D1207074		<10	<10	73	<10	43	
D1207075		<10	<10	74	<10	48	
D1207076		<10	<10	77	<10	47	
D1207077		<10	<10	26	<10	20	
D1207078		<10	<10	73	<10	45	
D1207079		<10	<10	74	<10	46	
D1207080		<10	<10	73	<10	48	
D1207081		<10	<10	74	<10	49	
D1211720		<10	<10	252	<10	90	
D1211721		<10	<10	272	<10	98	
D1211722		<10	<10	268	<10	101	
D1211723		<10	<10	253	<10	95	
D1211724		<10	<10	262	<10	97	
D1211725		<10	10	266	<10	98	
D1211726		<10	10	282	<10	106	
D1211727		<10	10	262	<10	99	
D1211728		10	<10	278	<10	96	
D1211729		<10	<10	87	<10	53	
D1211730		10	<10	274	<10	95	
D1211731		<10	<10	275	<10	95	
D1211732		<10	<10	285	<10	99	
D1211733		<10	<10	274	<10	91	
D1211734		<10	<10	271	<10	84	
D1211735		<10	<10	281	<10	82	
D1211736		<10	<10	291	<10	81	
D1211737		<10	<10	276	<10	91	
D1211738		<10	<10	288	<10	99	
D1211739		<10	<10	25	<10	21	
D1211740		10	<10	284	<10	101	
D1211741		<10	<10	283	<10	101	
D1211742		<10	<10	284	<10	100	
D1211743		<10	<10	312	<10	109	

Comments: An additional Au-GRA22 check assay for D1206994 reports 8.58 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 4-NOV-2015
Account: DETGLD

Project: DGEX-374

CERTIFICATE OF ANALYSIS SD15161165

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

NSS is non-sufficient sample.

Applies to Method: ALL METHODS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-32	PUL-QC	SPL-22Y	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA24	Au-GRA22	ME-ICP61