ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 17-AUG-2015
Account: DETGLD

CERTIFICATE SD15117751

Project: DGEX-280

P.O. No.: DGC 4800002115

This report is for 197 Drill Core samples submitted to our lab in Timmins, ON, Canada on 6-AUG-2015.

The following have access to data associated with this certificate:

APRIL COOMBS JEAN FRANCOIS METAIL DETOUR GOLD WEBTRIEVE	ADREE DELAZZER LARRY THON	GUY MAC GILLIVRAY JAMES TOLHURST

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM

To: **DETOUR GOLD CORPORATION**
ATTN: JAMES TOLHURST
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Additional Au-GRA22 check assay for sample D1190664 reports 30.2 g/t.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 17-AUG-2015
Account: DETGLD

Project: DGEX-280

CERTIFICATE OF ANALYSIS SD15117751

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1192821		6.22	<0.005	<0.5	7.95	<5	90	<0.5	<2	6.93	<0.5	51	265	100	8.67	20
D1192822		7.07	<0.005	<0.5	7.66	<5	120	<0.5	<2	7.07	<0.5	49	231	63	8.45	20
D1192823		0.08	4.40	5.4	4.39	19	280	0.9	<2	4.88	<0.5	9	26	61	2.52	10
D1192824		6.63	0.008	<0.5	7.54	<5	180	<0.5	<2	6.46	<0.5	50	230	64	8.69	20
D1192825		6.03	<0.005	<0.5	7.68	<5	150	<0.5	<2	6.51	<0.5	50	246	109	8.92	20
D1192826		6.74	<0.005	<0.5	7.50	<5	140	<0.5	<2	6.82	<0.5	50	226	296	8.79	20
D1192827		6.64	<0.005	<0.5	7.63	<5	70	<0.5	<2	6.54	<0.5	48	216	46	8.63	20
D1192828		4.59	<0.005	<0.5	7.33	<5	170	<0.5	<2	6.20	<0.5	47	198	75	8.33	20
D1192829		4.29	0.014	<0.5	6.83	<5	450	<0.5	<2	5.52	<0.5	42	210	52	7.76	20
D1192830		3.87	0.638	<0.5	6.77	<5	420	0.5	<2	5.88	<0.5	33	156	66	6.90	20
D1192831		4.10	0.141	<0.5	7.75	<5	580	0.9	<2	3.49	<0.5	11	58	70	3.24	20
D1192832		4.17	0.012	<0.5	7.97	<5	640	1.0	<2	2.81	<0.5	9	36	13	2.01	20
D1192833		0.37	<0.005	<0.5	3.26	<5	280	0.6	<2	22.1	<0.5	6	28	9	1.77	10
D1192834		4.17	0.062	<0.5	7.62	<5	580	0.9	<2	2.68	<0.5	8	39	11	2.13	20
D1192835		4.42	0.151	<0.5	7.54	<5	570	0.9	<2	2.95	<0.5	8	40	51	2.19	20
D1192836		3.92	0.012	<0.5	8.00	<5	560	0.9	<2	2.87	<0.5	8	33	75	2.00	20
D1192837		4.35	0.069	<0.5	7.92	<5	650	1.0	<2	2.46	<0.5	7	41	104	1.92	20
D1192838		4.19	0.720	<0.5	7.86	<5	590	0.9	<2	2.73	<0.5	8	34	176	2.01	20
D1192839		3.00	0.060	<0.5	7.76	<5	680	1.0	<2	2.58	<0.5	6	28	15	2.01	20
D1192840		4.89	0.041	<0.5	6.35	<5	320	1.0	<2	0.94	<0.5	6	11	57	4.94	20
D1192841		6.90	<0.005	<0.5	8.03	<5	640	0.9	<2	4.86	<0.5	25	98	26	5.34	20
D1192842		6.36	0.007	<0.5	8.25	<5	600	1.0	<2	4.96	<0.5	26	105	50	5.74	20
D1192843		0.07	6.56	1.1	6.00	4320	430	0.8	<2	5.71	<0.5	36	138	191	12.05	20
D1192844		6.53	0.024	<0.5	8.15	<5	800	0.9	<2	5.21	<0.5	28	93	37	5.37	20
D1192845		6.32	<0.005	<0.5	8.22	<5	780	0.9	<2	4.46	<0.5	23	78	34	5.40	20
D1192846		6.28	0.009	<0.5	8.18	<5	680	0.9	<2	4.97	<0.5	26	110	32	5.43	20
D1192847		6.00	<0.005	<0.5	6.72	<5	470	0.6	<2	6.52	<0.5	39	299	47	5.60	10
D1192848		6.18	<0.005	<0.5	7.64	<5	470	0.7	<2	6.30	<0.5	33	169	64	5.59	20
D1192849		6.28	0.078	<0.5	7.73	<5	500	0.8	<2	4.91	<0.5	29	126	61	5.73	20
D1192850		2.01	0.038	<0.5	7.76	<5	1020	0.9	<2	4.87	<0.5	30	152	31	5.49	20
D1192851		2.13	<0.005	<0.5	7.18	<5	690	0.7	<2	3.05	<0.5	5	31	6	1.67	20
D1192852		3.67	<0.005	<0.5	7.29	<5	490	0.8	<2	2.74	<0.5	7	28	8	1.51	20
D1192853		0.33	<0.005	<0.5	3.78	5	400	0.7	<2	18.1	<0.5	6	32	10	2.09	10
D1192854		4.27	0.033	<0.5	5.12	<5	330	0.5	<2	1.81	<0.5	4	32	5	1.26	10
D1192855		3.51	<0.005	<0.5	4.39	<5	320	0.5	<2	1.83	<0.5	3	35	7	0.93	10
D1192856		4.16	0.065	<0.5	7.01	<5	580	0.8	<2	4.27	<0.5	22	341	29	3.37	20
D1192857		3.96	0.006	<0.5	6.61	<5	220	<0.5	<2	6.75	<0.5	44	79	206	9.49	20
D1192858		4.17	0.007	<0.5	6.81	<5	650	0.7	<2	4.31	<0.5	30	330	43	5.09	20
D1192859		3.94	0.303	<0.5	6.59	<5	310	0.5	<2	4.29	<0.5	24	63	33	6.10	20
D1192860		3.85	0.601	<0.5	6.00	<5	490	0.6	<2	2.44	<0.5	6	27	3	1.35	20

Comments: Additional Au-GRA22 check assay for sample D1190664 reports 30.2 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 17-AUG-2015
Account: DETGLD

Project: DGEX-280

CERTIFICATE OF ANALYSIS SD15117751

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1192821		0.55	<10	4.79	1375	2	1.48	205	320	<2	0.18	<5	32	154	<20	0.54
D1192822		0.73	<10	4.56	1300	6	1.54	186	300	<2	0.22	<5	32	153	<20	0.54
D1192823		1.99	10	0.80	608	5	0.66	8	530	13	0.79	<5	10	251	<20	0.23
D1192824		0.83	<10	4.56	1320	1	1.61	190	340	<2	0.22	<5	32	164	<20	0.57
D1192825		0.63	<10	4.78	1380	3	1.78	188	330	<2	0.20	<5	35	160	<20	0.59
D1192826		0.45	<10	4.51	1360	4	1.56	171	350	<2	0.29	<5	34	161	<20	0.58
D1192827		0.25	<10	4.57	1370	<1	1.63	168	320	<2	0.08	<5	35	179	<20	0.59
D1192828		0.62	<10	4.30	1300	3	1.61	155	350	<2	0.09	<5	34	218	<20	0.54
D1192829		1.40	<10	4.56	1165	<1	1.69	151	300	<2	0.09	<5	30	189	<20	0.46
D1192830		1.32	10	3.18	958	18	1.86	102	340	<2	0.88	<5	27	257	<20	0.43
D1192831		1.02	10	1.08	416	16	3.88	28	450	<2	0.44	<5	8	593	<20	0.22
D1192832		1.05	10	0.71	282	3	4.11	16	450	7	0.39	<5	3	650	<20	0.15
D1192833		1.70	30	0.75	1045	<1	0.59	12	3450	9	0.22	<5	6	481	<20	0.18
D1192834		1.06	<10	0.73	311	<1	4.13	14	450	2	0.66	<5	4	552	<20	0.14
D1192835		0.99	10	0.74	322	9	3.95	14	430	2	0.76	<5	3	579	<20	0.12
D1192836		1.16	10	0.70	270	3	3.96	10	450	3	0.52	<5	3	657	<20	0.13
D1192837		1.15	10	0.68	259	8	4.00	10	430	3	0.60	<5	3	556	<20	0.12
D1192838		1.15	10	0.71	256	9	3.89	12	430	<2	0.56	<5	3	653	<20	0.13
D1192839		1.27	10	0.71	282	<1	3.81	7	450	4	0.41	<5	4	544	<20	0.13
D1192840		0.74	20	1.23	337	4	2.51	<1	430	2	0.17	<5	11	198	<20	0.22
D1192841		1.19	10	2.60	931	<1	3.15	51	950	5	0.16	<5	14	489	<20	0.36
D1192842		1.11	10	2.87	942	<1	2.94	52	880	8	0.21	<5	16	464	<20	0.38
D1192843		0.55	20	3.04	4150	3	1.25	105	2340	10	3.58	11	20	249	<20	0.57
D1192844		1.61	10	2.64	961	<1	3.09	52	890	4	0.30	<5	14	517	<20	0.37
D1192845		1.56	10	2.44	823	<1	3.38	40	980	7	0.18	<5	13	482	<20	0.38
D1192846		1.14	10	2.81	888	<1	3.31	55	980	4	0.40	<5	15	498	<20	0.35
D1192847		0.90	10	5.05	1000	<1	1.34	127	620	3	0.09	<5	27	312	<20	0.18
D1192848		0.71	10	3.73	960	<1	2.45	77	750	7	0.11	<5	22	566	<20	0.33
D1192849		0.65	10	2.98	876	<1	2.98	58	870	4	0.37	<5	19	497	<20	0.41
D1192850		1.37	10	3.26	804	<1	2.55	70	850	4	1.17	<5	18	524	<20	0.36
D1192851		0.78	<10	0.68	249	<1	3.98	9	470	4	0.28	<5	3	711	<20	0.13
D1192852		0.56	10	0.63	164	<1	3.97	9	480	3	0.46	<5	2	766	<20	0.09
D1192853		2.00	30	0.79	1000	<1	0.70	13	3410	13	0.28	<5	6	435	<20	0.25
D1192854		0.38	<10	0.44	142	<1	2.80	6	410	2	0.43	<5	2	447	<20	0.06
D1192855		0.37	<10	0.35	127	1	2.43	3	620	<2	0.33	<5	2	396	<20	0.06
D1192856		0.90	10	2.94	546	<1	2.74	119	1020	5	0.47	<5	10	519	<20	0.18
D1192857		0.41	<10	2.49	1400	8	2.34	41	460	2	0.50	<5	41	329	<20	0.79
D1192858		1.27	20	3.50	702	<1	2.37	127	1040	2	0.43	<5	18	403	<20	0.33
D1192859		0.43	<10	1.75	818	1	2.76	26	440	<2	0.52	<5	23	355	<20	0.45
D1192860		0.56	10	0.52	173	<1	3.28	6	550	<2	0.34	<5	2	588	<20	0.09

Comments: Additional Au-GRA22 check assay for sample D1190664 reports 30.2 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 17-AUG-2015
Account: DETGLD

Project: DGEX-280

CERTIFICATE OF ANALYSIS SD15117751

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05	Au-GRA22 Au Check g/t 0.05
D1192821		<10	<10	243	<10	95		
D1192822		<10	<10	251	<10	91		
D1192823		<10	<10	86	<10	53		
D1192824		10	<10	243	<10	101		
D1192825		<10	<10	264	<10	92		
D1192826		<10	<10	255	<10	91		
D1192827		10	<10	262	<10	99		
D1192828		<10	<10	250	<10	92		
D1192829		10	<10	235	<10	97		
D1192830		10	<10	192	<10	85		
D1192831		<10	<10	67	<10	46		
D1192832		<10	<10	35	<10	35		
D1192833		10	<10	24	<10	17		
D1192834		<10	<10	41	10	24		
D1192835		<10	<10	36	<10	26		
D1192836		<10	<10	34	<10	28		
D1192837		<10	<10	39	<10	22		
D1192838		<10	<10	35	<10	28		
D1192839		<10	<10	37	10	25		
D1192840		<10	<10	6	<10	55		
D1192841		<10	<10	125	<10	85		
D1192842		<10	<10	117	<10	84		
D1192843		<10	<10	178	<10	124	6.82	
D1192844		<10	<10	132	<10	81		
D1192845		<10	<10	127	<10	80		
D1192846		<10	<10	132	<10	83		
D1192847		<10	<10	152	<10	79		
D1192848		<10	<10	166	<10	79		
D1192849		<10	<10	155	<10	80		
D1192850		<10	<10	144	<10	83		
D1192851		<10	<10	29	<10	21		
D1192852		<10	<10	23	<10	20		
D1192853		10	<10	26	<10	18		
D1192854		<10	<10	16	<10	13		
D1192855		<10	<10	15	<10	11		
D1192856		<10	<10	67	10	72		
D1192857		<10	<10	333	<10	89		
D1192858		<10	<10	130	<10	92		
D1192859		<10	<10	184	10	60		
D1192860		<10	<10	22	<10	20		

Comments: Additional Au-GRA22 check assay for sample D1190664 reports 30.2 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 17-AUG-2015
Account: DETGLD

Project: DGEX-280

CERTIFICATE OF ANALYSIS SD15117751

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1192861		4.08	0.016	<0.5	7.77	<5	700	0.8	<2	2.79	<0.5	6	29	3	1.63	20
D1192862		4.05	<0.005	<0.5	7.55	<5	590	0.8	<2	2.77	<0.5	7	25	2	1.78	20
D1192863		0.06	1.265	<0.5	6.57	739	420	1.0	<2	5.14	<0.5	39	178	89	9.36	20
D1192864		4.21	0.019	<0.5	7.03	<5	610	0.8	<2	2.59	<0.5	6	29	2	1.55	20
D1192865		4.00	0.080	<0.5	7.48	<5	570	0.8	<2	2.73	<0.5	7	25	11	1.81	20
D1192866		3.92	0.079	<0.5	8.17	<5	510	0.9	<2	3.00	<0.5	7	25	42	1.60	20
D1192867		3.96	2.54	<0.5	8.30	<5	420	0.9	4	3.13	<0.5	8	21	9	1.91	20
D1192868		3.93	0.808	<0.5	6.68	<5	170	0.6	2	2.16	<0.5	7	29	3	1.51	20
D1192869		4.02	0.007	<0.5	7.74	<5	660	0.8	<2	2.88	<0.5	7	31	24	1.67	20
D1192870		4.13	<0.005	<0.5	8.03	<5	640	0.9	<2	3.03	<0.5	7	29	7	1.86	20
D1192871		3.85	<0.005	<0.5	7.66	<5	580	0.8	<2	2.79	<0.5	7	28	9	1.73	20
D1192872		4.56	<0.005	<0.5	7.79	<5	560	0.8	<2	2.91	<0.5	8	28	31	1.84	20
D1192873		0.42	<0.005	<0.5	3.40	<5	350	0.6	<2	18.6	<0.5	6	29	8	1.74	10
D1192874		3.45	0.009	<0.5	6.93	<5	350	0.6	<2	5.20	<0.5	27	60	57	5.89	20
D1192875		6.59	0.050	<0.5	6.06	6	290	0.5	<2	7.42	<0.5	42	58	139	8.81	20
D1192876		6.57	0.030	<0.5	6.00	<5	80	0.5	<2	6.64	<0.5	43	32	182	11.25	20
D1192877		6.85	0.031	<0.5	6.85	<5	40	<0.5	<2	6.98	<0.5	45	68	193	10.95	20
D1192878		6.54	<0.005	<0.5	7.47	<5	50	<0.5	<2	7.10	<0.5	47	97	50	10.40	20
D1192879		6.64	<0.005	<0.5	6.91	<5	40	<0.5	<2	7.11	<0.5	46	87	117	10.05	20
D1192880		6.84	<0.005	<0.5	7.05	5	50	<0.5	<2	6.64	<0.5	45	73	120	10.55	20
D1192881		6.64	<0.005	<0.5	7.38	<5	90	<0.5	<2	7.04	<0.5	45	90	55	10.05	20
D1192882		6.55	<0.005	<0.5	7.41	<5	90	<0.5	<2	6.86	<0.5	47	96	33	10.30	20
D1192883		0.07	0.343	<0.5	7.44	183	350	1.1	<2	5.61	<0.5	42	192	111	7.95	20
D1192884		6.42	<0.005	<0.5	6.96	<5	50	<0.5	<2	7.30	<0.5	46	76	44	10.35	20
D1192885		6.90	<0.005	<0.5	7.13	<5	60	<0.5	<2	6.25	<0.5	45	86	21	11.05	20
D1192886		6.16	<0.005	<0.5	6.84	<5	80	<0.5	<2	8.64	<0.5	45	92	34	9.68	20
D1192887		5.82	<0.005	<0.5	7.06	<5	40	<0.5	<2	7.85	<0.5	41	87	59	9.46	20
D1192888		6.21	<0.005	<0.5	7.09	<5	30	<0.5	<2	6.43	<0.5	45	79	72	10.10	20
D1192889		5.79	<0.005	<0.5	7.16	<5	40	<0.5	<2	6.81	<0.5	47	81	82	10.50	20
D1192890		6.11	<0.005	<0.5	7.18	<5	30	<0.5	2	6.64	<0.5	47	75	98	10.20	20
D1192891		5.86	<0.005	<0.5	7.20	<5	40	<0.5	<2	6.81	<0.5	48	75	95	10.65	20
D1192892		5.90	<0.005	<0.5	6.70	<5	200	<0.5	<2	5.28	<0.5	37	70	213	7.96	20
D1192893		0.44	<0.005	<0.5	3.10	<5	320	0.6	<2	20.8	<0.5	6	24	10	1.47	10
D1192894		5.83	<0.005	<0.5	6.88	<5	90	<0.5	<2	6.56	<0.5	43	78	64	9.62	20
D1192895		5.83	<0.005	<0.5	6.67	<5	60	<0.5	<2	6.00	<0.5	42	72	109	9.55	20
D1192896		5.65	0.007	<0.5	6.70	<5	60	<0.5	<2	6.32	<0.5	40	82	110	9.68	20
D1192897		6.09	<0.005	<0.5	6.82	<5	60	0.5	<2	7.09	<0.5	49	75	80	10.60	20
D1192898		5.93	0.137	<0.5	6.35	<5	210	<0.5	<2	6.06	<0.5	47	67	196	11.00	20
D1192899		5.98	0.018	<0.5	6.29	<5	80	<0.5	<2	6.20	<0.5	46	81	265	10.35	20
D1192900		6.16	0.005	<0.5	6.91	<5	50	<0.5	<2	6.58	<0.5	48	81	114	10.25	20

Comments: Additional Au-GRA22 check assay for sample D1190664 reports 30.2 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 17-AUG-2015
Account: DETGLD

Project: DGEX-280

CERTIFICATE OF ANALYSIS SD15117751

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1192861		0.85	10	0.63	222	<1	4.09	7	480	<2	0.33	5	3	808	<20	0.12
D1192862		0.67	10	0.62	244	<1	4.14	9	460	2	0.14	<5	3	657	<20	0.11
D1192863		0.66	20	3.54	2490	2	1.85	132	1900	<2	0.95	<5	17	369	<20	0.87
D1192864		0.66	10	0.61	205	<1	3.98	8	450	2	0.33	<5	3	641	<20	0.12
D1192865		0.64	10	0.63	246	<1	4.16	8	440	<2	0.63	<5	3	633	<20	0.14
D1192866		0.58	10	0.68	290	<1	5.68	8	520	<2	0.41	8	3	576	<20	0.14
D1192867		0.53	10	0.68	331	<1	6.24	10	510	<2	0.83	5	3	531	<20	0.12
D1192868		0.30	<10	0.48	229	<1	4.91	7	450	<2	0.80	<5	2	317	<20	0.09
D1192869		0.93	10	0.73	194	<1	4.11	11	510	4	0.50	<5	3	646	<20	0.14
D1192870		0.81	10	0.67	233	<1	4.34	8	480	2	0.31	5	3	663	<20	0.16
D1192871		0.68	10	0.64	218	<1	4.38	9	460	<2	0.36	<5	3	593	<20	0.15
D1192872		0.66	10	0.62	219	<1	4.30	9	480	4	0.32	<5	3	617	<20	0.16
D1192873		1.77	30	0.72	918	<1	0.66	10	2940	7	0.19	<5	5	412	<20	0.21
D1192874		0.65	10	1.89	1130	<1	2.79	30	470	<2	0.29	<5	26	238	<20	0.54
D1192875		0.63	<10	2.15	1560	<1	2.09	31	450	<2	1.15	<5	36	166	<20	0.72
D1192876		0.17	<10	2.34	1505	11	1.92	21	620	<2	0.40	<5	41	147	<20	0.98
D1192877		0.15	10	2.95	1565	2	1.98	36	530	2	0.44	<5	45	153	<20	0.87
D1192878		0.16	<10	3.27	1685	<1	2.40	48	480	<2	0.15	<5	46	160	<20	0.78
D1192879		0.15	<10	3.10	1485	4	1.95	44	460	<2	0.64	<5	43	155	<20	0.76
D1192880		0.19	<10	3.14	1660	17	1.93	42	480	<2	0.45	<5	45	165	<20	0.87
D1192881		0.28	<10	3.30	1585	<1	2.18	50	470	<2	0.20	<5	44	186	<20	0.80
D1192882		0.31	<10	3.52	1570	<1	1.91	50	440	<2	0.05	<5	46	171	<20	0.81
D1192883		0.78	20	3.75	1405	5	2.22	139	1640	4	0.26	<5	19	430	<20	1.01
D1192884		0.26	<10	3.09	1530	<1	1.81	43	490	<2	0.04	<5	44	178	<20	0.83
D1192885		0.20	<10	3.45	1455	<1	1.89	42	500	<2	0.02	<5	45	154	<20	0.87
D1192886		0.26	<10	3.51	1475	<1	1.78	45	460	<2	0.05	<5	43	180	<20	0.72
D1192887		0.18	<10	3.26	1450	<1	1.78	43	440	2	0.07	<5	44	178	<20	0.77
D1192888		0.15	<10	3.68	1350	<1	1.40	47	450	<2	0.10	<5	44	146	<20	0.81
D1192889		0.18	<10	3.91	1425	<1	1.36	44	500	<2	0.12	<5	46	151	<20	0.86
D1192890		0.16	<10	3.54	1445	<1	1.40	48	450	<2	0.12	<5	43	175	<20	0.81
D1192891		0.18	<10	3.77	1495	1	1.42	43	480	<2	0.18	<5	46	191	<20	0.88
D1192892		0.50	<10	3.10	1130	1	1.85	46	400	<2	0.14	<5	33	201	<20	0.63
D1192893		1.71	30	0.79	911	<1	0.54	11	2890	11	0.28	<5	5	495	<20	0.20
D1192894		0.29	<10	3.65	1375	<1	1.68	46	440	<2	0.14	<5	42	169	<20	0.77
D1192895		0.25	<10	3.44	1255	<1	1.56	44	460	<2	0.21	<5	40	160	<20	0.78
D1192896		0.23	<10	3.31	1305	3	1.65	40	470	<2	0.18	<5	43	146	<20	0.81
D1192897		0.25	<10	2.93	1265	<1	1.69	36	510	<2	0.19	<5	45	161	<20	0.89
D1192898		0.78	<10	2.40	1205	4	2.01	36	470	<2	0.88	<5	40	112	<20	0.80
D1192899		0.33	<10	2.49	1260	6	2.03	40	390	<2	0.51	<5	38	111	<20	0.71
D1192900		0.25	<10	2.91	1435	<1	1.69	45	450	<2	0.30	<5	43	190	<20	0.81

Comments: Additional Au-GRA22 check assay for sample D1190664 reports 30.2 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 17-AUG-2015
Account: DETGLD

Project: DGEX-280

CERTIFICATE OF ANALYSIS SD15117751

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05	Au-GRA22 Au Check g/t 0.05
D1192861		<10	10	31	<10	28		
D1192862		<10	<10	31	<10	28		
D1192863		<10	<10	150	<10	123		
D1192864		<10	<10	27	<10	25		
D1192865		<10	<10	29	10	22		
D1192866		<10	<10	29	10	24		
D1192867		10	<10	25	30	22		
D1192868		<10	<10	13	170	12		
D1192869		<10	<10	32	<10	30		
D1192870		<10	<10	33	<10	29		
D1192871		10	<10	32	<10	27		
D1192872		<10	<10	35	<10	31		
D1192873		<10	<10	24	<10	19		
D1192874		<10	<10	218	<10	74		
D1192875		<10	<10	305	<10	97		
D1192876		<10	<10	375	<10	101		
D1192877		<10	<10	358	<10	103		
D1192878		<10	<10	354	<10	97		
D1192879		10	<10	338	<10	88		
D1192880		<10	<10	375	<10	95		
D1192881		<10	<10	343	<10	96		
D1192882		<10	<10	356	<10	96		
D1192883		<10	<10	156	<10	114		
D1192884		<10	<10	347	<10	92		
D1192885		<10	<10	364	<10	91		
D1192886		<10	<10	322	<10	82		
D1192887		<10	<10	326	<10	81		
D1192888		10	<10	351	<10	93		
D1192889		<10	<10	354	<10	95		
D1192890		<10	<10	353	<10	91		
D1192891		<10	<10	377	<10	93		
D1192892		<10	<10	265	<10	83		
D1192893		<10	<10	24	<10	25		
D1192894		<10	<10	335	<10	83		
D1192895		<10	<10	326	<10	73		
D1192896		<10	<10	335	<10	83		
D1192897		<10	<10	373	<10	82		
D1192898		<10	<10	332	10	99		
D1192899		<10	<10	316	<10	86		
D1192900		10	<10	342	<10	88		

Comments: Additional Au-GRA22 check assay for sample D1190664 reports 30.2 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 17-AUG-2015
Account: DETGLD

Project: DGEX-280

CERTIFICATE OF ANALYSIS SD15117751

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1192901		6.16	<0.005	<0.5	6.88	<5	40	<0.5	<2	6.97	<0.5	46	81	85	10.50	20
D1192902		5.82	<0.005	<0.5	7.07	<5	40	<0.5	<2	6.61	<0.5	47	77	104	10.55	20
D1192903		0.06	4.39	5.4	4.34	19	280	0.9	<2	4.82	<0.5	9	26	59	2.51	10
D1192904		5.65	0.100	<0.5	6.64	<5	90	<0.5	<2	7.02	<0.5	44	77	146	9.83	20
D1192905		5.83	0.029	<0.5	6.59	<5	50	<0.5	2	7.01	<0.5	44	76	147	9.80	20
D1192906		5.88	0.035	<0.5	7.03	<5	40	<0.5	<2	6.53	<0.5	45	82	124	10.45	20
D1192907		5.89	0.138	<0.5	6.80	7	90	<0.5	<2	7.07	<0.5	46	75	208	10.20	20
D1192908		5.67	0.007	<0.5	6.62	<5	30	<0.5	<2	6.16	<0.5	42	69	137	9.64	20
D1192909		5.59	<0.005	<0.5	6.95	<5	70	<0.5	<2	7.48	<0.5	46	81	160	10.35	20
D1190583		3.29	<0.005	<0.5	6.64	<5	60	0.6	<2	6.56	<0.5	45	41	50	11.35	20
D1190584		3.65	<0.005	<0.5	6.71	<5	50	0.5	3	8.32	<0.5	44	36	80	11.35	20
D1190585		3.90	<0.005	<0.5	6.73	<5	50	0.5	<2	7.28	<0.5	49	102	120	11.55	20
D1190586		2.91	<0.005	<0.5	6.95	<5	50	0.5	<2	7.65	<0.5	48	81	67	11.80	20
D1190587		3.39	0.005	<0.5	7.08	<5	50	0.5	<2	7.98	<0.5	49	37	120	12.30	20
D1190588		3.01	0.033	<0.5	6.88	<5	60	0.5	<2	6.35	<0.5	46	40	65	12.30	20
D1190589		3.67	<0.005	<0.5	6.50	<5	70	0.5	<2	6.89	<0.5	48	262	50	11.40	20
D1190590		2.43	0.005	<0.5	6.58	<5	60	0.5	<2	7.84	<0.5	48	150	79	11.80	20
D1190591		1.70	<0.005	<0.5	7.48	<5	600	0.8	2	3.40	<0.5	13	26	12	2.83	20
D1190592		0.07	1.175	<0.5	6.63	630	440	1.0	<2	5.16	<0.5	40	174	90	9.50	20
D1190593		3.28	<0.005	<0.5	6.93	<5	240	0.5	<2	7.06	<0.5	49	36	95	12.15	20
D1190594		2.15	<0.005	<0.5	7.00	<5	320	0.6	<2	6.56	<0.5	48	38	189	11.75	20
D1190595		3.06	<0.005	<0.5	7.36	<5	290	0.8	4	4.76	<0.5	29	144	29	6.16	20
D1190596		3.38	<0.005	<0.5	7.74	<5	110	0.7	3	4.02	<0.5	30	210	2	5.95	20
D1190597		3.40	<0.005	<0.5	7.29	<5	80	0.5	2	6.76	<0.5	51	45	100	13.45	20
D1190598		3.62	<0.005	<0.5	7.03	<5	90	0.5	3	7.57	<0.5	45	37	81	12.60	20
D1190599		3.52	<0.005	<0.5	6.99	<5	70	0.5	<2	7.56	<0.5	49	36	51	13.00	30
D1190600		3.51	<0.005	<0.5	7.10	<5	50	<0.5	<2	7.06	<0.5	47	38	114	13.00	20
D1190601		3.55	<0.005	<0.5	6.78	<5	60	0.5	<2	6.57	<0.5	46	39	70	12.20	20
D1190602		0.34	<0.005	<0.5	4.07	<5	580	0.6	<2	13.95	<0.5	6	27	11	1.88	10
D1190603		2.80	<0.005	<0.5	6.90	<5	100	0.5	<2	6.41	<0.5	52	45	164	12.85	20
D1190604		1.86	<0.005	<0.5	7.73	<5	530	0.9	<2	3.18	<0.5	12	29	23	2.76	20
D1190605		1.63	<0.005	<0.5	8.03	<5	560	0.9	4	3.35	<0.5	28	27	75	3.52	20
D1190606		1.95	<0.005	<0.5	6.87	<5	70	0.5	2	6.49	<0.5	50	47	98	13.20	20
D1190607		1.98	<0.005	<0.5	5.63	<5	70	<0.5	<2	8.47	<0.5	36	36	74	10.35	20
D1190608		3.86	<0.005	<0.5	6.74	<5	50	<0.5	<2	7.33	<0.5	46	42	90	12.15	20
D1190609		3.82	<0.005	<0.5	6.70	<5	40	<0.5	<2	7.35	<0.5	59	46	201	14.05	20
D1190610		1.86	0.006	<0.5	7.07	<5	140	0.5	<2	7.11	<0.5	48	44	266	11.70	20
D1190611		2.48	<0.005	<0.5	8.01	<5	470	0.9	<2	3.24	<0.5	11	33	177	2.82	20
D1190612		0.07	0.295	<0.5	7.98	202	380	1.2	<2	5.95	<0.5	44	202	121	8.59	20
D1190613		2.04	<0.005	<0.5	7.91	<5	460	0.9	<2	3.21	<0.5	11	34	92	2.45	20

Comments: Additional Au-GRA22 check assay for sample D1190664 reports 30.2 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 17-AUG-2015
Account: DETGLD

Project: DGEX-280

CERTIFICATE OF ANALYSIS SD15117751

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1192901		0.20	<10	2.95	1440	<1	1.78	43	460	<2	0.17	<5	43	185	<20	0.80
D1192902		0.16	<10	3.30	1565	<1	1.84	46	470	<2	0.28	<5	44	195	<20	0.84
D1192903		1.95	10	0.79	596	4	0.65	7	520	11	0.78	<5	10	248	<20	0.22
D1192904		0.38	<10	3.18	1485	2	1.57	44	450	<2	0.50	<5	42	164	<20	0.78
D1192905		0.21	<10	3.15	1440	1	1.54	41	450	<2	0.28	<5	41	138	<20	0.78
D1192906		0.21	<10	3.22	1415	<1	1.55	46	470	<2	0.23	<5	45	137	<20	0.83
D1192907		0.37	<10	3.10	1495	5	1.62	45	450	<2	0.48	<5	42	123	<20	0.80
D1192908		0.11	<10	3.23	1345	<1	1.44	42	450	<2	0.31	<5	40	102	<20	0.76
D1192909		0.22	<10	2.92	1470	2	1.89	45	460	<2	0.41	5	42	139	<20	0.79
D1190583		0.20	10	1.51	2120	<1	1.82	38	570	2	0.10	<5	42	228	<20	0.98
D1190584		0.20	10	1.40	2050	<1	0.89	34	570	<2	0.19	<5	42	225	<20	0.95
D1190585		0.19	10	2.08	2270	<1	1.42	67	600	3	0.26	<5	42	159	<20	0.95
D1190586		0.19	10	2.09	2210	<1	1.39	63	610	<2	0.12	<5	44	189	<20	1.00
D1190587		0.22	<10	1.64	2040	<1	0.92	36	590	3	0.19	<5	44	223	<20	1.01
D1190588		0.21	<10	1.66	2280	<1	1.56	36	590	<2	0.15	<5	44	159	<20	0.99
D1190589		0.22	10	2.88	2140	<1	1.36	132	640	2	0.06	<5	40	182	<20	0.89
D1190590		0.22	10	2.52	1960	<1	1.08	84	620	2	0.29	<5	40	225	<20	0.92
D1190591		0.58	10	0.91	474	<1	4.07	14	580	3	0.04	<5	5	503	<20	0.24
D1190592		0.65	20	3.53	2660	1	1.83	131	1930	6	0.95	<5	17	376	<20	0.87
D1190593		0.28	10	2.29	1875	<1	1.47	34	600	2	0.18	<5	43	192	<20	1.00
D1190594		0.34	<10	1.80	1985	<1	2.35	38	610	2	0.60	<5	44	180	<20	0.99
D1190595		0.38	20	2.69	1120	<1	2.77	119	880	2	0.03	<5	20	194	<20	0.49
D1190596		0.11	20	3.17	1110	<1	3.11	149	940	<2	<0.01	<5	15	155	<20	0.37
D1190597		0.28	<10	2.39	2510	<1	1.21	35	620	<2	0.23	<5	45	173	<20	1.03
D1190598		0.33	10	2.14	2430	<1	1.21	36	590	3	0.11	<5	43	195	<20	0.97
D1190599		0.29	10	2.02	2500	<1	1.23	37	600	<2	0.14	<5	43	153	<20	0.98
D1190600		0.25	<10	1.88	2560	<1	1.58	36	620	3	0.34	<5	44	125	<20	1.01
D1190601		0.26	<10	1.88	2510	<1	1.65	35	610	<2	0.21	<5	43	129	<20	0.98
D1190602		2.04	40	0.70	879	<1	0.89	11	3630	13	0.22	<5	6	396	<20	0.23
D1190603		0.33	<10	2.00	2410	<1	1.56	39	630	4	0.50	<5	45	149	<20	1.02
D1190604		0.63	10	1.10	518	<1	4.18	15	660	2	0.12	<5	5	451	<20	0.24
D1190605		0.59	10	0.93	446	11	3.96	21	590	3	1.05	<5	4	559	<20	0.21
D1190606		0.30	<10	2.22	2570	2	1.61	37	630	<2	0.40	<5	45	130	<20	1.02
D1190607		0.27	<10	1.48	2610	<1	1.01	25	460	2	0.24	<5	34	139	<20	0.77
D1190608		0.27	10	1.83	2740	<1	1.54	32	590	2	0.17	<5	43	110	<20	0.97
D1190609		0.27	10	1.85	2920	12	1.38	36	600	4	1.06	<5	42	113	<20	0.96
D1190610		0.30	10	1.72	1960	4	1.73	36	580	2	1.35	<5	41	223	<20	0.94
D1190611		0.72	10	0.90	414	10	4.26	15	580	2	0.66	<5	4	537	<20	0.21
D1190612		0.81	20	3.95	1550	3	2.34	148	1760	8	0.28	<5	21	464	<20	1.07
D1190613		0.67	10	0.95	413	16	3.89	14	600	3	0.28	<5	4	622	<20	0.21

Comments: Additional Au-GRA22 check assay for sample D1190664 reports 30.2 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 17-AUG-2015
Account: DETGLD

Project: DGEX-280

CERTIFICATE OF ANALYSIS SD15117751

Sample Description	Method Analyte Units LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05	Au-GRA22 Au Check g/t 0.05
D1192901		<10	<10	344	<10	93		
D1192902		<10	<10	353	<10	100		
D1192903		<10	10	84	<10	51		
D1192904		<10	<10	328	<10	89		
D1192905		<10	<10	332	<10	96		
D1192906		<10	<10	352	<10	106		
D1192907		<10	<10	334	<10	110		
D1192908		<10	<10	321	<10	101		
D1192909		<10	<10	340	<10	100		
D1190583		<10	<10	363	<10	117		
D1190584		<10	<10	385	<10	119		
D1190585		<10	<10	379	<10	161		
D1190586		<10	<10	389	<10	132		
D1190587		<10	<10	401	<10	126		
D1190588		10	<10	402	<10	151		
D1190589		<10	<10	348	<10	137		
D1190590		10	<10	361	<10	128		
D1190591		<10	<10	64	<10	52		
D1190592		<10	<10	155	<10	126		
D1190593		<10	<10	391	<10	110		
D1190594		<10	<10	396	<10	137		
D1190595		<10	<10	166	<10	89		
D1190596		<10	<10	127	<10	104		
D1190597		<10	<10	411	<10	140		
D1190598		10	<10	391	<10	112		
D1190599		<10	<10	398	<10	138		
D1190600		<10	<10	400	<10	162		
D1190601		<10	<10	388	<10	153		
D1190602		10	<10	25	<10	31		
D1190603		<10	<10	404	<10	160		
D1190604		<10	<10	62	<10	82		
D1190605		<10	<10	48	<10	73		
D1190606		<10	<10	394	<10	172		
D1190607		<10	<10	332	<10	155		
D1190608		<10	<10	382	<10	156		
D1190609		<10	<10	373	<10	167		
D1190610		<10	<10	366	<10	162		
D1190611		<10	<10	50	<10	65		
D1190612		<10	<10	170	<10	124		
D1190613		<10	<10	49	<10	70		

Comments: Additional Au-GRA22 check assay for sample D1190664 reports 30.2 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 17-AUG-2015
Account: DETGLD

Project: DGEX-280

CERTIFICATE OF ANALYSIS SD15117751

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1190614		2.76	<0.005	<0.5	7.85	<5	520	0.9	<2	3.20	<0.5	10	37	41	2.51	20
D1190615		1.71	<0.005	<0.5	7.40	<5	160	0.5	<2	6.08	<0.5	45	43	246	12.70	20
D1190616		2.46	<0.005	<0.5	7.27	<5	90	0.5	<2	5.48	<0.5	44	39	80	12.75	20
D1190617		3.86	<0.005	<0.5	6.87	<5	60	<0.5	<2	5.99	<0.5	42	37	62	12.10	30
D1190618		3.96	<0.005	<0.5	7.39	<5	80	<0.5	<2	5.87	<0.5	49	40	108	12.10	20
D1190619		3.77	<0.005	<0.5	7.55	<5	100	<0.5	<2	6.32	<0.5	53	43	60	12.90	20
D1190620		3.63	<0.005	<0.5	7.21	<5	40	<0.5	<2	8.63	<0.5	54	49	108	12.10	20
D1190621		3.59	<0.005	<0.5	7.17	<5	40	0.5	<2	7.99	<0.5	45	38	68	13.90	30
D1190622		0.39	<0.005	<0.5	3.81	<5	380	0.7	<2	19.3	<0.5	6	26	12	1.61	10
D1190623		3.68	<0.005	<0.5	7.08	<5	40	0.5	<2	7.18	<0.5	51	41	78	13.35	20
D1190624		3.69	<0.005	<0.5	7.46	<5	40	0.6	<2	7.02	<0.5	50	44	71	13.35	30
D1190625		3.86	0.008	<0.5	7.29	<5	40	0.6	<2	5.91	<0.5	42	40	70	11.50	20
D1190626		2.44	0.007	<0.5	7.26	<5	30	0.5	<2	6.76	1.0	56	96	176	12.45	20
D1190627		2.46	<0.005	<0.5	7.28	<5	40	0.5	<2	7.29	<0.5	44	46	40	12.00	20
D1190628		2.00	0.009	<0.5	7.22	<5	290	0.7	<2	5.82	<0.5	31	136	52	8.36	20
D1190629		2.06	<0.005	<0.5	7.65	<5	500	0.8	5	1.97	<0.5	18	42	13	5.98	20
D1190630		2.82	<0.005	<0.5	6.30	<5	280	0.9	3	0.63	<0.5	16	9	61	4.70	20
D1190631		1.27	0.044	<0.5	6.48	<5	290	0.8	<2	0.41	<0.5	10	6	33	5.12	20
D1190632		0.07	4.05	5.2	4.64	17	290	0.9	<2	4.87	<0.5	9	25	60	2.56	10
D1190633		1.63	0.006	<0.5	5.82	<5	140	0.7	<2	2.68	<0.5	19	289	11	4.64	20
D1190634		0.95		<0.5	2.09	<5	90	<0.5	<2	3.89	<0.5	19	324	6	2.81	10
D1190635		1.67	0.802	<0.5	6.77	<5	360	0.7	<2	2.76	<0.5	22	94	36	4.59	20
D1190636		1.86	3.77	<0.5	7.53	<5	720	0.9	4	2.98	<0.5	14	59	28	2.73	20
D1190637		1.62	0.029	<0.5	7.02	<5	190	<0.5	<2	5.50	<0.5	42	178	103	8.67	20
D1190638		2.00	0.006	<0.5	7.01	<5	100	<0.5	<2	5.64	<0.5	44	244	138	8.57	20
D1190639		2.45	0.009	<0.5	7.52	<5	760	0.9	<2	3.14	<0.5	14	57	18	2.83	20
D1190640		2.56	0.007	<0.5	7.92	<5	670	0.9	<2	2.88	<0.5	13	33	59	2.45	20
D1190641		1.86	0.012	<0.5	6.76	<5	90	<0.5	6	5.63	<0.5	42	174	88	8.35	20
D1190642		0.31	<0.005	<0.5	2.76	<5	250	0.5	<2	23.1	<0.5	6	23	9	1.58	10
D1190643		2.29	0.082	<0.5	7.07	<5	240	<0.5	<2	4.74	<0.5	35	149	47	7.01	20
D1190644		2.34	0.750	<0.5	5.79	<5	70	<0.5	<2	5.78	<0.5	47	502	45	7.26	20
D1190645		1.60	1.980	<0.5	4.18	<5	30	<0.5	<2	7.37	<0.5	51	1020	7	5.90	10
D1190646		1.95	8.39	<0.5	4.12	7	500	<0.5	<2	2.62	<0.5	12	75	7	2.44	10
D1190647		1.22	3.90	<0.5	6.30	10	240	<0.5	<2	5.94	<0.5	40	169	9	7.76	20
D1190648		1.28		<0.5	0.25	<5	20	<0.5	<2	0.19	<0.5	1	54	3	0.57	<10
D1190649		1.27		<0.5	0.76	7	70	<0.5	16	1.26	<0.5	5	59	20	1.41	<10
D1190650		1.03	0.055	<0.5	7.89	5	650	1.0	<2	1.99	<0.5	7	34	6	1.67	20
D1190651		1.29	0.520	<0.5	8.12	<5	570	0.9	<2	2.27	<0.5	9	26	8	1.81	20
D1190652		0.06	NSS	0.7	5.81	4300	570	0.8	<2	5.62	<0.5	35	133	187	12.10	20
D1190653		1.00		<0.5	8.70	8	490	0.8	<2	2.20	<0.5	12	28	7	2.42	20

Comments: Additional Au-GRA22 check assay for sample D1190664 reports 30.2 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 17-AUG-2015
Account: DETGLD

Project: DGEX-280

CERTIFICATE OF ANALYSIS SD15117751

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1190614		0.82	10	0.95	457	<1	3.93	16	580	<2	0.14	<5	5	580	<20	0.22
D1190615		0.42	10	2.93	1725	7	1.50	28	630	<2	0.45	<5	45	223	<20	1.05
D1190616		0.33	10	3.33	1685	<1	1.53	31	640	2	0.20	<5	46	198	<20	1.06
D1190617		0.28	<10	2.99	1610	<1	1.39	31	630	<2	0.16	<5	44	189	<20	1.00
D1190618		0.31	<10	2.60	1835	<1	2.19	44	600	<2	0.30	<5	44	161	<20	1.00
D1190619		0.34	10	2.67	2100	<1	2.22	52	590	3	0.20	<5	46	99	<20	1.03
D1190620		0.23	<10	2.07	1995	<1	1.32	46	580	4	0.42	<5	44	149	<20	0.99
D1190621		0.28	10	1.98	2740	9	1.30	32	580	2	0.28	<5	43	127	<20	0.99
D1190622		1.95	30	0.73	1010	<1	0.74	13	3310	9	0.23	<5	6	454	<20	0.20
D1190623		0.25	10	1.62	2920	<1	1.55	39	620	<2	0.29	<5	45	141	<20	1.03
D1190624		0.24	10	1.55	2870	<1	1.77	37	650	2	0.32	<5	44	109	<20	1.01
D1190625		0.21	10	1.47	2380	<1	1.86	32	600	4	0.34	<5	40	106	<20	0.91
D1190626		0.13	10	1.20	2460	1	0.98	57	590	5	1.33	<5	38	150	<20	0.85
D1190627		0.21	10	1.76	2340	<1	1.51	36	640	7	0.19	<5	46	146	<20	1.05
D1190628		0.56	10	2.74	1665	<1	2.03	57	710	<2	0.43	<5	26	272	<20	0.57
D1190629		1.19	30	2.97	584	<1	1.53	18	870	5	0.06	<5	16	173	<20	0.34
D1190630		1.00	20	1.50	380	<1	2.05	1	460	8	0.32	<5	12	118	<20	0.24
D1190631		0.98	20	1.93	371	<1	1.95	1	460	4	0.24	<5	12	95	<20	0.23
D1190632		2.01	10	0.80	633	4	0.67	9	520	9	0.79	<5	10	257	<20	0.22
D1190633		0.42	20	3.55	509	<1	1.90	122	540	<2	0.12	<5	14	140	<20	0.20
D1190634		0.25	10	2.43	694	1	0.26	125	220	<2	0.54	<5	9	95	<20	0.10
D1190635		1.00	10	2.34	598	4	2.23	51	380	<2	1.09	<5	14	377	<20	0.19
D1190636		1.42	<10	1.26	449	8	3.33	28	460	<2	0.79	<5	7	479	<20	0.15
D1190637		0.53	<10	4.69	1205	5	1.69	118	340	<2	0.40	<5	34	229	<20	0.59
D1190638		0.26	<10	4.45	1120	<1	1.90	131	300	<2	0.33	<5	34	275	<20	0.58
D1190639		1.18	10	1.41	459	<1	3.55	26	670	2	0.26	<5	6	618	<20	0.18
D1190640		1.16	10	0.93	384	<1	3.75	14	570	<2	0.55	<5	4	572	<20	0.15
D1190641		0.40	<10	4.05	1325	<1	1.71	121	310	<2	0.26	<5	32	218	<20	0.54
D1190642		1.48	20	0.80	1125	<1	0.47	12	2860	9	0.23	<5	5	526	<20	0.14
D1190643		0.90	<10	3.40	1035	<1	1.89	94	340	<2	0.91	<5	28	202	<20	0.45
D1190644		0.23	10	5.96	1180	<1	1.38	231	530	<2	1.20	<5	29	266	<20	0.36
D1190645		0.10	10	8.46	1255	1	0.33	460	710	6	0.46	7	22	284	<20	0.16
D1190646		1.00	<10	1.12	508	<1	1.44	27	180	3	0.91	<5	8	199	<20	0.12
D1190647		0.60	<10	3.94	1175	<1	2.16	110	290	<2	1.98	5	31	219	<20	0.51
D1190648		0.07	<10	0.07	79	2	0.09	3	10	<2	0.05	<5	<1	14	<20	0.01
D1190649		0.17	<10	0.54	306	1	0.17	12	30	<2	0.45	5	4	35	<20	0.04
D1190650		1.35	10	0.66	231	<1	4.21	10	450	<2	0.76	<5	3	448	<20	0.12
D1190651		1.31	<10	0.67	263	<1	4.82	14	520	<2	0.99	<5	3	424	<20	0.12
D1190652		0.55	20	3.02	4160	4	1.21	99	2280	14	3.48	16	20	243	<20	0.56
D1190653		1.13	<10	0.72	272	<1	5.05	15	520	<2	1.43	<5	3	401	<20	0.11

Comments: Additional Au-GRA22 check assay for sample D1190664 reports 30.2 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 17-AUG-2015
Account: DETGLD

Project: DGEX-280

CERTIFICATE OF ANALYSIS SD15117751

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05	Au-GRA22 Au Check g/t 0.05
D1190614		<10	<10	54	<10	72		
D1190615		<10	<10	413	<10	123		
D1190616		<10	<10	411	<10	124		
D1190617		<10	<10	395	<10	119		
D1190618		<10	<10	402	<10	124		
D1190619		<10	<10	411	<10	159		
D1190620		<10	<10	404	<10	139		
D1190621		<10	<10	402	<10	178		
D1190622		<10	<10	27	<10	25		
D1190623		<10	<10	403	<10	185		
D1190624		<10	<10	400	<10	181		
D1190625		<10	<10	349	<10	206		
D1190626		<10	<10	327	<10	390		
D1190627		<10	<10	416	<10	193		
D1190628		<10	<10	207	<10	163		
D1190629		10	<10	50	<10	48		
D1190630		10	<10	6	<10	41		
D1190631		<10	<10	2	<10	53		
D1190632		<10	<10	88	<10	52		
D1190633		<10	<10	38	<10	79		
D1190634		<10	<10	70	<10	61	0.92	
D1190635		<10	<10	104	<10	74		
D1190636		10	<10	65	<10	31		
D1190637		<10	<10	279	<10	87		
D1190638		<10	<10	278	<10	83		
D1190639		<10	<10	56	<10	52		
D1190640		<10	<10	49	<10	60		
D1190641		<10	<10	251	<10	99		
D1190642		<10	<10	21	<10	22		
D1190643		<10	<10	211	10	100		
D1190644		<10	<10	211	<10	163		
D1190645		<10	<10	145	<10	202		
D1190646		<10	<10	65	<10	25	6.70	
D1190647		<10	<10	234	<10	145		
D1190648		<10	<10	3	<10	<2	1.29	
D1190649		<10	<10	28	<10	12	36.2	
D1190650		<10	<10	31	<10	19		
D1190651		<10	<10	33	<10	23		
D1190652		<10	<10	172	10	121		
D1190653		<10	<10	29	<10	25	1.11	

Comments: Additional Au-GRA22 check assay for sample D1190664 reports 30.2 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 17-AUG-2015
Account: DETGLD

Project: DGEX-280

CERTIFICATE OF ANALYSIS SD15117751

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1190654		2.11	0.379	<0.5	7.87	<5	620	0.9	<2	2.28	<0.5	7	28	6	1.76	20
D1190655		2.26	0.239	<0.5	6.77	<5	530	0.7	<2	1.99	<0.5	6	36	8	1.78	20
D1190656		2.13	0.096	<0.5	7.60	<5	470	0.9	<2	2.85	<0.5	6	37	34	1.80	20
D1190657		2.01	0.020	<0.5	7.46	<5	420	0.9	<2	2.92	<0.5	8	39	31	1.77	20
D1190658		2.05	0.037	<0.5	7.80	<5	410	0.8	<2	3.22	<0.5	7	38	33	1.75	20
D1190659		2.23	0.121	<0.5	7.42	<5	430	0.8	<2	2.95	<0.5	8	38	40	1.73	20
D1190660		1.54	0.018	<0.5	7.63	<5	350	0.8	<2	3.21	<0.5	7	38	58	1.76	20
D1190661		1.38	0.009	<0.5	3.42	<5	150	<0.5	<2	1.44	<0.5	3	59	23	1.15	10
D1190662		0.30	<0.005	<0.5	3.26	<5	310	0.6	<2	21.8	<0.5	3	27	9	1.66	10
D1190663		1.09	0.736	<0.5	0.05	<5	<10	<0.5	3	0.15	<0.5	<1	34	2	0.55	<10
D1190664		0.88		<0.5	1.48	<5	20	<0.5	10	2.74	<0.5	12	342	8	2.42	10
D1190665		1.46	0.221	<0.5	4.98	<5	40	<0.5	<2	6.39	<0.5	46	869	5	6.25	20
D1190666		2.23	0.119	<0.5	3.78	<5	20	<0.5	<2	7.58	<0.5	55	1100	21	5.50	10
D1190667		2.50	4.28	<0.5	3.62	<5	10	<0.5	<2	8.62	<0.5	48	1070	16	5.43	10
D1190668		1.24	0.695	<0.5	3.75	<5	10	<0.5	<2	8.69	<0.5	43	1030	22	5.68	10
D1190669		1.46	1.240	<0.5	7.30	<5	580	0.9	<2	2.98	<0.5	12	175	10	2.50	20
D1190670		1.80	0.185	<0.5	6.97	<5	180	<0.5	<2	6.11	<0.5	46	189	95	8.44	20
D1190671		2.19	<0.005	<0.5	7.53	<5	20	<0.5	<2	6.17	<0.5	50	182	92	9.31	20
D1190672		0.07	1.235	<0.5	6.89	802	460	1.0	<2	5.53	<0.5	39	179	94	10.00	20
D1190673		2.43	<0.005	<0.5	7.25	<5	30	<0.5	<2	6.34	<0.5	46	174	119	9.08	20
D1190674		2.53	<0.005	<0.5	7.28	<5	50	<0.5	<2	6.18	<0.5	49	179	167	8.99	20
D1190675		2.24	<0.005	<0.5	7.35	<5	50	<0.5	<2	6.28	<0.5	53	177	116	9.40	20
D1190676		2.42	<0.005	<0.5	7.31	<5	40	<0.5	<2	6.29	<0.5	45	176	177	9.14	20
D1190677		2.33	<0.005	<0.5	6.97	<5	30	<0.5	<2	6.81	<0.5	48	165	138	8.70	20
D1190678		2.33	0.371	<0.5	7.67	<5	280	0.5	<2	4.94	<0.5	45	142	487	7.46	20
D1190679		2.11	0.013	<0.5	6.83	<5	150	<0.5	<2	5.99	<0.5	47	165	273	8.35	20
D1190680		2.54	<0.005	<0.5	6.96	<5	80	<0.5	<2	6.24	<0.5	46	174	150	8.65	20
D1190681		2.34	<0.005	<0.5	7.17	<5	20	<0.5	<2	6.51	<0.5	48	184	138	8.78	20
D1190682		0.30	<0.005	<0.5	3.03	<5	460	0.5	<2	23.6	<0.5	5	26	11	1.85	10
D1190683		2.05	<0.005	<0.5	7.21	<5	30	<0.5	<2	6.45	<0.5	48	181	230	8.91	20
D1190684		2.41	0.005	<0.5	6.77	<5	80	<0.5	<2	6.30	<0.5	44	172	338	8.41	20
D1190685		2.44	<0.005	<0.5	7.16	<5	20	<0.5	<2	6.66	<0.5	47	185	190	8.66	20
D1190686		2.19	<0.005	<0.5	7.31	<5	20	<0.5	<2	6.15	<0.5	48	178	104	8.84	20
D1190687		2.14	<0.005	<0.5	7.07	<5	20	<0.5	<2	6.94	<0.5	45	173	98	8.51	20
D1190688		2.35	<0.005	<0.5	7.38	<5	20	<0.5	<2	6.56	<0.5	49	178	98	9.17	20
D1190689		2.14	<0.005	<0.5	7.17	<5	20	<0.5	<2	6.54	<0.5	48	182	98	8.73	20
D1190690		2.36	<0.005	<0.5	5.98	<5	20	<0.5	<2	6.39	<0.5	41	157	144	7.83	20

Comments: Additional Au-GRA22 check assay for sample D1190664 reports 30.2 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 17-AUG-2015
Account: DETGLD

Project: DGEX-280

CERTIFICATE OF ANALYSIS SD15117751

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1190654		1.34	10	0.68	264	<1	4.25	11	440	<2	0.71	<5	3	408	<20	0.11
D1190655		1.09	10	0.58	220	<1	3.43	8	380	<2	0.62	<5	3	393	<20	0.10
D1190656		0.97	10	0.68	244	<1	4.10	9	450	<2	0.44	<5	3	577	<20	0.13
D1190657		0.94	<10	0.73	222	<1	4.07	13	410	<2	0.25	<5	3	553	<20	0.12
D1190658		0.81	10	0.82	239	<1	4.22	13	400	<2	0.31	<5	4	577	<20	0.12
D1190659		1.25	<10	0.87	251	<1	4.08	15	390	<2	0.26	<5	4	479	<20	0.11
D1190660		0.81	<10	0.81	258	<1	4.13	15	390	<2	0.35	<5	4	531	<20	0.12
D1190661		0.38	<10	0.52	192	1	1.59	10	170	<2	0.11	<5	2	231	<20	0.05
D1190662		1.80	30	0.85	920	<1	0.53	11	3140	9	0.29	<5	5	466	<20	0.17
D1190663		0.01	<10	0.02	71	<1	0.02	<1	10	<2	<0.01	<5	<1	8	<20	<0.01
D1190664		0.08	10	2.84	679	<1	0.01	120	290	2	0.01	<5	6	56	<20	0.06
D1190665		0.20	20	8.65	1260	<1	0.01	381	1030	<2	0.03	<5	24	167	<20	0.18
D1190666		0.11	20	9.61	1215	<1	<0.01	559	780	<2	0.01	<5	22	228	<20	0.11
D1190667		0.04	20	9.17	1455	<1	<0.01	567	740	<2	0.02	<5	20	184	<20	0.10
D1190668		0.07	20	9.10	1405	<1	<0.01	509	740	4	0.01	<5	20	176	<20	0.12
D1190669		1.33	10	1.64	429	2	3.78	60	530	<2	0.69	7	6	387	<20	0.14
D1190670		0.79	<10	4.39	1195	17	1.56	131	300	2	1.45	<5	35	266	<20	0.53
D1190671		0.10	<10	4.71	1390	<1	1.80	136	340	<2	0.13	8	37	138	<20	0.63
D1190672		0.71	20	3.82	2730	3	1.95	134	2020	4	1.01	<5	18	395	<20	0.93
D1190673		0.15	<10	4.58	1410	1	1.53	140	340	7	0.17	7	36	126	<20	0.60
D1190674		0.29	<10	4.50	1340	3	1.23	135	360	<2	0.25	<5	36	154	<20	0.58
D1190675		0.36	<10	4.64	1385	<1	1.12	141	360	<2	0.25	6	35	164	<20	0.61
D1190676		0.26	<10	4.50	1325	2	1.60	128	330	<2	0.30	<5	36	148	<20	0.59
D1190677		0.29	<10	4.22	1330	3	1.73	125	320	<2	0.24	6	35	152	<20	0.58
D1190678		1.47	<10	3.28	936	37	1.94	104	360	<2	1.66	<5	26	166	<20	0.47
D1190679		0.53	<10	4.03	1255	97	2.08	117	340	<2	0.61	5	34	177	<20	0.57
D1190680		0.28	<10	4.42	1225	40	1.62	121	350	<2	0.35	<5	35	133	<20	0.59
D1190681		0.17	<10	4.36	1265	3	1.69	134	330	6	0.22	5	36	112	<20	0.60
D1190682		1.62	30	0.72	1095	<1	0.59	11	2610	10	0.26	<5	5	455	<20	0.18
D1190683		0.14	<10	4.37	1320	11	1.90	132	340	<2	0.44	<5	35	113	<20	0.60
D1190684		0.30	<10	3.99	1140	60	1.98	119	330	<2	0.70	<5	34	138	<20	0.57
D1190685		0.10	<10	4.19	1215	31	2.17	129	330	<2	0.43	<5	35	130	<20	0.60
D1190686		0.14	<10	4.46	1305	6	1.86	133	320	2	0.18	<5	36	125	<20	0.60
D1190687		0.14	<10	4.32	1360	<1	1.72	124	320	3	0.15	<5	35	117	<20	0.59
D1190688		0.15	<10	4.59	1365	4	1.67	128	330	<2	0.15	<5	37	110	<20	0.62
D1190689		0.16	<10	4.50	1275	1	1.62	129	320	<2	0.11	14	36	108	<20	0.60
D1190690		0.11	<10	3.90	1235	2	1.38	106	270	<2	0.42	<5	31	102	<20	0.52

Comments: Additional Au-GRA22 check assay for sample D1190664 reports 30.2 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 17-AUG-2015
Account: DETGLD

Project: DGEX-280

CERTIFICATE OF ANALYSIS SD15117751

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05	Au-GRA22 Au Check g/t 0.05
D1190654		<10	<10	34	10	21		
D1190655		<10	<10	30	<10	18		
D1190656		<10	<10	33	<10	24		
D1190657		<10	<10	36	<10	26		
D1190658		<10	<10	37	<10	28		
D1190659		<10	<10	37	<10	31		
D1190660		<10	<10	37	<10	22		
D1190661		<10	<10	18	<10	15		
D1190662		<10	<10	25	<10	17		
D1190663		<10	<10	1	<10	<2		
D1190664		<10	<10	48	<10	81	25.1	36.7
D1190665		<10	<10	162	10	240		
D1190666		<10	<10	134	<10	167		
D1190667		<10	<10	126	<10	180		
D1190668		<10	<10	130	<10	231		
D1190669		<10	<10	63	10	44		
D1190670		<10	<10	258	<10	106		
D1190671		<10	<10	273	<10	101		
D1190672		<10	<10	160	<10	131		
D1190673		<10	<10	266	<10	104		
D1190674		<10	<10	262	<10	90		
D1190675		<10	<10	262	<10	91		
D1190676		<10	<10	271	<10	93		
D1190677		<10	<10	255	<10	89		
D1190678		<10	<10	197	10	71		
D1190679		<10	<10	250	<10	91		
D1190680		<10	<10	253	<10	89		
D1190681		<10	<10	264	<10	92		
D1190682		<10	<10	23	<10	14		
D1190683		<10	<10	258	<10	96		
D1190684		<10	<10	250	<10	83		
D1190685		<10	<10	261	<10	85		
D1190686		<10	<10	263	<10	91		
D1190687		<10	<10	258	<10	89		
D1190688		<10	<10	272	<10	95		
D1190689		<10	<10	266	<10	87		
D1190690		<10	<10	229	<10	72		

Comments: Additional Au-GRA22 check assay for sample D1190664 reports 30.2 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 17-AUG-2015
Account: DETGLD

Project: DGEX-280

CERTIFICATE OF ANALYSIS SD15117751

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

NSS is non-sufficient sample.

Applies to Method: ALL METHODS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-32	PUL-QC	SPL-22Y	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA24	Au-GRA22	ME-ICP61