ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 13-AUG-2015
Account: DETGLD

CERTIFICATE SD15112529

Project: DGEX-275

P.O. No.: DGC 4800002115

This report is for 211 Drill Core samples submitted to our lab in Timmins, ON, Canada on 29-JUL-2015.

The following have access to data associated with this certificate:

APRIL COOMBS JEAN FRANCOIS METAIL DETOUR GOLD WEBTRIEVE	ADREE DELAZZER LARRY THON	GUY MAC GILLIVRAY JAMES TOLHURST

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM

To: **DETOUR GOLD CORPORATION**
ATTN: JAMES TOLHURST
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Additional Au-GRA22 check assay for sample D1189655 reports 9.53ppm

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 13-AUG-2015
Account: DETGLD

Project: DGEX-275

CERTIFICATE OF ANALYSIS SD15112529

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1189646		2.01	1.505	<0.5	5.52	<5	380	0.8	<2	2.09	<0.5	5	11	58	2.74	10
D1189647		1.95	2.47	<0.5	2.18	5	80	<0.5	<2	1.48	<0.5	4	40	11	1.71	<10
D1189648		1.62	1.060	<0.5	1.98	9	140	<0.5	3	2.52	<0.5	13	74	28	2.72	10
D1189649		1.38	0.546	<0.5	2.17	6	80	<0.5	<2	2.14	<0.5	12	78	89	3.00	10
D1189650		0.06	3.39	<0.5	6.40	1400	430	1.0	5	5.26	<0.5	41	171	122	11.05	20
D1189651		1.87	1.485	<0.5	5.28	6	110	<0.5	<2	4.36	<0.5	18	100	16	4.65	10
D1189652		1.56	>10.0	<0.5	6.61	6	210	<0.5	9	5.48	<0.5	44	150	114	7.98	20
D1189653		2.76	1.570	0.5	6.92	<5	210	<0.5	<2	5.80	<0.5	47	152	124	8.40	20
D1189654		2.64	0.901	<0.5	7.59	<5	480	0.9	<2	3.02	<0.5	8	26	85	2.22	20
D1189655		2.61	7.27	<0.5	7.37	<5	650	0.8	5	3.21	<0.5	9	26	46	2.31	20
D1189656		2.32	0.141	<0.5	7.59	<5	730	0.9	<2	3.09	<0.5	8	30	63	2.31	20
D1189657		2.73	0.030	<0.5	7.53	<5	560	0.8	<2	2.99	<0.5	8	26	73	2.25	20
D1189658		3.26	0.005	<0.5	6.04	<5	160	<0.5	4	5.54	<0.5	40	140	177	7.59	20
D1189659		2.41	<0.005	<0.5	6.66	<5	80	<0.5	<2	5.59	<0.5	44	218	121	7.91	20
D1189660		0.36	<0.005	<0.5	3.72	<5	340	0.6	3	16.9	<0.5	3	27	12	1.68	10
D1189661		3.89	<0.005	<0.5	6.97	<5	60	<0.5	<2	5.90	<0.5	40	161	243	7.94	20
D1189662		2.41	<0.005	<0.5	7.23	<5	20	<0.5	<2	6.52	0.5	47	164	563	8.90	20
D1189663		2.04	<0.005	<0.5	6.85	<5	30	<0.5	<2	5.64	<0.5	48	179	635	8.37	20
D1189664		2.36	0.751	<0.5	7.03	<5	520	0.8	2	2.82	<0.5	8	28	28	2.00	20
D1189665		2.22	0.577	<0.5	7.35	<5	570	0.8	3	2.65	<0.5	7	24	26	1.75	20
D1189666		2.52	1.580	<0.5	7.38	<5	510	0.8	<2	3.73	<0.5	14	57	27	3.12	20
D1189667		2.43	1.145	<0.5	7.97	<5	550	0.9	<2	2.54	<0.5	7	21	17	1.76	20
D1189668		2.40	1.870	<0.5	7.16	<5	550	0.8	5	2.72	<0.5	5	21	6	1.57	20
D1189669		2.08	0.156	<0.5	7.46	5	510	0.7	3	2.42	<0.5	5	35	5	1.53	20
D1189670		0.06	6.62	0.7	5.61	4180	520	0.7	<2	5.38	0.5	30	122	181	11.40	20
D1189671		2.06	0.026	<0.5	7.77	6	510	0.9	<2	2.52	<0.5	5	26	15	1.71	20
D1189672		2.21	0.235	<0.5	7.72	<5	640	0.9	2	2.70	<0.5	7	23	8	1.77	20
D1189673		1.45	0.013	<0.5	7.74	<5	450	0.8	3	2.98	<0.5	7	43	8	1.97	20
D1189674		2.76	0.734	<0.5	6.97	<5	100	<0.5	<2	5.88	<0.5	42	171	132	8.08	20
D1189675		1.97	<0.005	<0.5	6.89	<5	140	<0.5	<2	5.34	<0.5	38	155	56	7.88	20
D1189676		1.75	0.048	<0.5	7.59	<5	320	0.7	3	3.87	<0.5	16	112	25	2.71	20
D1189677		1.52	0.058	<0.5	6.84	<5	140	<0.5	<2	5.83	<0.5	40	155	121	7.89	20
D1189678		2.29	0.349	<0.5	7.77	<5	290	0.7	2	5.59	<0.5	25	115	34	5.15	20
D1189679		3.29	<0.005	<0.5	6.87	<5	320	0.6	2	6.27	<0.5	32	217	3	5.26	20
D1189680		0.37	<0.005	<0.5	3.70	<5	340	0.6	3	17.8	<0.5	2	25	9	1.51	10
D1189681		3.31	<0.005	<0.5	6.86	<5	230	0.6	<2	6.13	<0.5	33	229	20	5.14	10
D1189682		3.17	<0.005	<0.5	6.99	<5	180	0.6	<2	6.15	<0.5	31	241	47	5.31	20
D1189683		3.25	<0.005	<0.5	7.32	<5	240	0.6	<2	5.90	<0.5	32	162	73	5.40	20
D1189684		3.45	0.105	<0.5	7.24	<5	420	0.6	<2	5.82	<0.5	30	170	46	5.17	20
D1189685		3.43	<0.005	<0.5	7.09	<5	510	0.7	2	5.28	<0.5	24	161	37	4.89	20

Comments: Additional Au-GRA22 check assay for sample D1189655 reports 9.53ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 13-AUG-2015
Account: DETGLD

Project: DGEX-275

CERTIFICATE OF ANALYSIS SD15112529

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1189646		1.51	30	0.88	262	2	1.64	8	190	3	1.18	<5	6	127	<20	0.13
D1189647		0.19	10	0.67	288	4	1.41	7	60	<2	0.84	<5	3	111	<20	0.05
D1189648		0.30	<10	1.34	569	5	0.81	32	70	<2	1.27	<5	9	106	<20	0.10
D1189649		0.33	<10	1.65	560	10	1.02	36	70	<2	1.47	<5	10	91	<20	0.11
D1189650		0.64	20	3.65	2710	4	1.83	144	2100	9	2.43	<5	17	374	<20	0.88
D1189651		0.44	10	5.00	1060	9	2.08	70	300	<2	0.82	<5	23	157	<20	0.27
D1189652		0.74	<10	4.22	1115	9	1.71	112	310	<2	1.21	<5	33	227	<20	0.49
D1189653		0.67	<10	4.34	1230	7	1.76	120	320	<2	0.76	<5	35	232	<20	0.58
D1189654		1.37	10	0.91	265	4	3.55	12	570	<2	0.67	<5	4	479	<20	0.16
D1189655		1.28	10	0.80	340	2	3.84	12	580	<2	0.94	6	4	336	<20	0.14
D1189656		1.13	10	0.85	281	<1	3.61	14	560	<2	0.56	<5	3	521	<20	0.12
D1189657		1.99	10	0.90	269	<1	2.93	14	540	2	0.31	<5	3	524	<20	0.12
D1189658		0.94	<10	3.96	1060	1	1.70	104	280	<2	0.31	<5	30	155	<20	0.38
D1189659		0.42	<10	4.27	1060	<1	1.74	125	310	<2	0.33	<5	32	162	<20	0.31
D1189660		1.95	30	0.78	927	<1	0.71	16	3210	12	0.26	<5	6	397	<20	0.24
D1189661		0.27	<10	4.01	1140	2	1.84	124	340	<2	0.36	<5	32	155	<20	0.32
D1189662		0.13	<10	3.58	1240	1	0.94	131	350	<2	0.55	<5	35	144	<20	0.43
D1189663		0.15	<10	3.24	1100	3	2.36	131	320	3	0.91	<5	34	141	<20	0.28
D1189664		1.07	10	0.67	316	<1	3.59	16	410	4	0.62	<5	4	357	<20	0.12
D1189665		1.19	10	0.56	278	<1	3.92	10	440	3	0.63	<5	3	369	<20	0.12
D1189666		1.19	10	1.32	477	9	3.35	29	590	2	0.97	<5	7	390	<20	0.19
D1189667		1.28	10	0.60	258	90	4.09	14	450	8	0.68	<5	3	435	<20	0.14
D1189668		1.17	10	0.46	295	<1	3.81	9	400	7	0.49	<5	2	352	<20	0.13
D1189669		1.15	10	0.41	264	<1	4.02	10	420	4	0.64	<5	3	308	<20	0.12
D1189670		0.52	20	2.84	3810	2	1.16	98	2210	9	3.35	9	19	224	<20	0.53
D1189671		0.78	10	0.63	237	<1	3.81	11	440	4	0.27	<5	3	534	<20	0.15
D1189672		1.14	10	0.62	304	<1	3.70	10	440	3	0.40	<5	3	525	<20	0.14
D1189673		0.94	10	0.68	283	<1	3.64	20	460	4	0.14	<5	3	546	<20	0.16
D1189674		0.32	<10	3.35	1180	1	2.62	122	330	2	0.42	<5	33	237	<20	0.36
D1189675		0.25	<10	3.80	1290	<1	2.53	110	380	2	0.09	<5	30	422	<20	0.25
D1189676		0.62	10	1.88	454	<1	3.72	57	520	2	0.20	<5	7	392	<20	0.13
D1189677		0.28	<10	3.80	1160	2	1.94	113	320	4	0.50	<5	32	268	<20	0.39
D1189678		0.46	10	2.96	995	<1	3.57	67	850	5	0.22	<5	16	377	<20	0.24
D1189679		0.33	10	4.14	1020	<1	2.34	110	680	4	0.05	<5	22	439	<20	0.14
D1189680		1.92	30	0.77	1030	<1	0.78	15	2940	10	0.24	<5	6	400	<20	0.22
D1189681		0.23	10	4.13	914	<1	2.22	107	670	4	0.02	5	22	473	<20	0.14
D1189682		0.23	10	4.21	964	<1	2.01	103	680	4	0.02	<5	24	412	<20	0.17
D1189683		0.31	10	3.73	855	<1	2.49	76	630	5	0.04	<5	24	569	<20	0.18
D1189684		0.68	10	3.55	851	<1	2.09	74	590	2	0.20	7	23	460	<20	0.20
D1189685		1.12	10	3.10	868	<1	1.97	68	830	<2	0.18	<5	18	300	<20	0.25

Comments: Additional Au-GRA22 check assay for sample D1189655 reports 9.53ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 13-AUG-2015
Account: DETGLD

Project: DGEX-275

CERTIFICATE OF ANALYSIS SD15112529

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1189646		<10	<10	18	<10	58	
D1189647		<10	<10	14	<10	14	
D1189648		<10	<10	68	<10	28	
D1189649		<10	<10	73	<10	46	
D1189650		<10	10	153	<10	131	
D1189651		<10	<10	163	<10	151	
D1189652		<10	10	248	<10	125	27.7
D1189653		<10	<10	261	10	110	
D1189654		<10	<10	46	20	25	
D1189655		<10	<10	50	10	24	8.58
D1189656		<10	<10	46	<10	32	
D1189657		<10	<10	43	<10	30	
D1189658		<10	<10	222	<10	92	
D1189659		<10	<10	231	<10	88	
D1189660		<10	<10	27	<10	16	
D1189661		<10	<10	245	<10	101	
D1189662		<10	<10	274	<10	97	
D1189663		<10	<10	242	<10	107	
D1189664		<10	<10	42	<10	20	
D1189665		<10	<10	35	<10	13	
D1189666		<10	<10	66	<10	38	
D1189667		<10	<10	36	<10	19	
D1189668		<10	<10	31	10	15	
D1189669		<10	<10	30	<10	11	
D1189670		<10	<10	164	<10	115	6.71
D1189671		<10	<10	32	<10	32	
D1189672		<10	<10	38	<10	22	
D1189673		<10	<10	44	<10	30	
D1189674		<10	<10	238	<10	109	
D1189675		<10	<10	225	<10	109	
D1189676		<10	<10	63	<10	42	
D1189677		<10	<10	232	<10	93	
D1189678		<10	<10	124	<10	72	
D1189679		<10	<10	134	<10	76	
D1189680		<10	<10	24	<10	11	
D1189681		<10	<10	134	<10	70	
D1189682		<10	10	148	<10	75	
D1189683		<10	<10	165	<10	68	
D1189684		<10	<10	157	<10	68	
D1189685		<10	10	128	<10	68	

Comments: Additional Au-GRA22 check assay for sample D1189655 reports 9.53ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 13-AUG-2015
Account: DETGLD

Project: DGEX-275

CERTIFICATE OF ANALYSIS SD15112529

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1189686		3.01	<0.005	<0.5	7.70	<5	590	0.8	<2	4.50	<0.5	21	72	30	4.55	20
D1189687		2.98	0.070	<0.5	7.76	<5	530	0.8	4	2.74	<0.5	7	29	201	1.81	20
D1189688		1.90	0.062	<0.5	7.99	<5	550	0.8	<2	2.76	<0.5	7	30	253	1.82	20
D1189689		2.45	2.13	0.5	7.73	<5	530	0.8	2	2.95	<0.5	6	29	95	1.81	20
D1189690		0.07	1.240	<0.5	6.56	766	420	1.0	4	5.15	<0.5	34	174	90	9.28	20
D1189691		2.21	0.030	<0.5	7.82	<5	540	0.8	3	2.86	<0.5	7	33	32	1.80	20
D1189692		2.39	0.020	<0.5	7.83	<5	450	0.7	<2	3.02	<0.5	7	30	99	1.85	20
D1189693		1.90	0.011	<0.5	8.19	<5	450	0.9	<2	2.99	<0.5	8	31	59	1.79	20
D1189694		2.02	0.035	<0.5	7.98	<5	540	0.8	<2	3.24	<0.5	7	22	23	1.81	20
D1189695		2.42	2.22	<0.5	7.67	<5	500	0.8	<2	2.67	<0.5	7	25	5	1.84	20
D1189696		2.14	0.049	<0.5	7.91	<5	570	0.8	<2	2.78	<0.5	7	26	6	1.67	20
D1189697		2.01	1.500	<0.5	8.19	<5	610	0.8	<2	2.75	<0.5	7	24	19	1.74	20
D1189698		2.58	0.424	<0.5	7.86	<5	580	0.8	<2	2.60	<0.5	6	25	12	1.64	20
D1189699		2.01	0.017	<0.5	7.61	<5	500	0.8	<2	2.78	<0.5	7	26	8	1.69	20
D1189700		0.34	<0.005	<0.5	3.50	<5	300	0.7	<2	20.8	<0.5	5	25	10	1.68	10
D1189701		2.94	0.028	<0.5	7.80	<5	570	0.8	<2	3.02	<0.5	9	34	17	2.01	20
D1189702		1.74	<0.005	<0.5	7.07	<5	110	<0.5	<2	5.95	<0.5	43	174	170	8.22	20
D1189703		1.05	<0.005	<0.5	7.33	<5	450	0.7	<2	3.16	<0.5	12	45	25	2.61	20
D1189704		2.71	<0.005	<0.5	7.19	<5	80	<0.5	<2	6.20	0.5	47	172	206	8.49	20
D1189705		2.26	0.031	<0.5	7.18	<5	500	0.8	<2	3.21	<0.5	12	29	139	2.50	20
D1189706		2.02	<0.005	<0.5	7.79	<5	550	0.9	<2	2.91	<0.5	12	26	180	2.56	20
D1189707		2.07	<0.005	<0.5	8.05	<5	620	0.9	<2	2.74	<0.5	13	26	251	2.69	20
D1189708		2.05	<0.005	<0.5	7.84	<5	580	0.9	<2	2.83	<0.5	10	26	126	2.45	20
D1189709		2.02	<0.005	<0.5	8.11	<5	590	1.0	<2	2.58	<0.5	8	19	92	2.04	20
D1189710		0.07	0.347	<0.5	7.37	198	350	1.1	<2	5.65	<0.5	39	185	112	7.95	20
D1189711		1.44	<0.005	<0.5	7.29	<5	550	0.9	<2	3.03	<0.5	10	26	140	2.44	20
D1189712		2.58	<0.005	<0.5	6.79	<5	100	<0.5	<2	6.01	<0.5	39	159	99	7.29	20
D1189713		2.92	0.017	<0.5	7.72	<5	630	0.9	<2	2.36	<0.5	4	17	37	1.46	20
D1189714		2.05	0.006	<0.5	7.91	<5	620	1.0	<2	2.12	<0.5	5	15	24	1.45	20
D1189715		2.22	0.085	<0.5	7.81	<5	640	1.0	<2	2.07	<0.5	5	13	24	1.40	20
D1189716		2.39	0.035	<0.5	7.87	<5	650	1.0	<2	2.25	<0.5	6	13	52	1.46	20
D1189717		2.40	0.033	<0.5	7.84	<5	620	0.9	<2	2.39	<0.5	6	16	27	1.49	20
D1189718		2.26	0.355	<0.5	7.94	<5	570	1.0	<2	2.37	<0.5	5	16	19	1.51	20
D1189719		2.07	0.080	<0.5	7.37	<5	570	0.9	<2	2.11	<0.5	5	16	20	1.35	20
D1189720		0.37	<0.005	<0.5	3.44	<5	320	0.6	<2	20.0	<0.5	6	25	9	1.62	10
D1189721		2.02	0.147	<0.5	7.15	<5	560	0.7	<2	3.33	<0.5	15	62	39	3.03	20
D1189722		2.08	0.143	<0.5	7.26	<5	330	0.6	<2	4.77	<0.5	26	113	92	5.17	20
D1189723		2.09	1.540	<0.5	7.28	<5	600	0.8	<2	3.30	<0.5	12	48	34	2.56	20
D1189724		2.42	0.121	<0.5	6.84	<5	630	0.9	<2	3.68	<0.5	12	55	22	2.65	20
D1189725		2.15	0.030	<0.5	7.18	<5	580	0.9	<2	3.23	<0.5	11	45	13	2.40	20

Comments: Additional Au-GRA22 check assay for sample D1189655 reports 9.53ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 13-AUG-2015
Account: DETGLD

Project: DGEX-275

CERTIFICATE OF ANALYSIS SD15112529

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1189686		1.31	10	2.13	798	<1	2.79	39	920	2	0.23	<5	12	342	<20	0.33
D1189687		0.80	<10	0.72	261	<1	3.95	16	370	3	0.41	<5	4	558	<20	0.11
D1189688		0.82	<10	0.79	332	<1	4.32	15	420	4	0.52	<5	4	501	<20	0.12
D1189689		0.86	<10	0.75	302	<1	3.92	16	390	3	0.53	<5	3	537	<20	0.11
D1189690		0.66	20	3.51	2490	1	1.83	134	1910	5	0.95	<5	17	356	<20	0.86
D1189691		0.96	<10	0.77	263	<1	3.86	17	390	2	0.45	<5	4	511	<20	0.11
D1189692		0.66	<10	0.79	255	4	3.88	20	410	<2	0.25	<5	4	636	<20	0.11
D1189693		0.82	<10	0.82	232	7	4.12	16	430	<2	0.27	<5	4	645	<20	0.12
D1189694		1.05	<10	0.69	268	<1	4.37	13	370	<2	0.80	<5	3	467	<20	0.11
D1189695		0.74	<10	0.63	241	<1	3.95	13	350	<2	0.58	<5	3	535	<20	0.10
D1189696		0.82	<10	0.68	243	<1	4.00	16	380	<2	0.35	<5	3	592	<20	0.11
D1189697		0.82	<10	0.66	231	<1	4.22	13	380	<2	0.46	<5	3	535	<20	0.10
D1189698		0.77	<10	0.62	215	<1	4.16	13	380	<2	0.43	<5	3	546	<20	0.10
D1189699		0.72	<10	0.67	227	<1	4.00	14	370	<2	0.32	<5	3	550	<20	0.10
D1189700		1.94	30	0.79	946	<1	0.60	14	2440	9	0.31	5	6	436	<20	0.22
D1189701		0.83	<10	0.84	285	<1	3.96	18	390	<2	0.41	<5	4	567	<20	0.13
D1189702		0.25	<10	4.15	1175	3	1.93	132	340	<2	0.57	<5	33	162	<20	0.32
D1189703		0.51	10	0.99	368	<1	4.08	26	410	<2	0.47	<5	6	377	<20	0.15
D1189704		0.23	<10	4.33	1220	4	1.43	135	330	<2	0.70	<5	34	256	<20	0.57
D1189705		0.81	10	0.92	316	6	3.93	18	550	<2	0.94	<5	4	478	<20	0.16
D1189706		0.72	10	0.92	213	10	3.83	14	580	<2	0.72	5	4	671	<20	0.13
D1189707		0.80	10	0.99	199	6	3.68	15	610	<2	0.52	<5	4	631	<20	0.11
D1189708		0.63	10	0.94	210	<1	3.47	13	570	<2	0.31	<5	4	632	<20	0.12
D1189709		0.58	10	0.72	178	<1	3.98	11	500	<2	0.22	<5	3	659	<20	0.12
D1189710		0.80	20	3.77	1420	4	2.22	138	1630	<2	0.27	<5	19	426	<20	1.03
D1189711		0.76	10	0.85	208	2	3.58	13	550	<2	0.55	<5	4	582	<20	0.12
D1189712		0.43	<10	3.67	1080	<1	2.20	119	300	<2	0.40	<5	29	161	<20	0.23
D1189713		0.78	<10	0.42	176	<1	4.05	7	350	2	0.26	<5	2	536	<20	0.10
D1189714		0.76	<10	0.44	188	<1	4.22	5	370	<2	0.22	<5	2	582	<20	0.10
D1189715		0.95	<10	0.42	182	<1	4.36	8	370	<2	0.45	<5	1	463	<20	0.09
D1189716		0.87	<10	0.44	196	<1	4.23	5	370	<2	0.40	<5	2	528	<20	0.10
D1189717		0.87	<10	0.44	204	<1	4.29	7	390	<2	0.39	<5	2	530	<20	0.10
D1189718		0.86	<10	0.45	181	<1	4.42	7	410	<2	0.47	<5	2	578	<20	0.10
D1189719		0.97	<10	0.39	168	<1	4.07	5	360	<2	0.46	6	1	502	<20	0.10
D1189720		1.89	30	0.83	1100	<1	0.64	16	3700	7	0.24	<5	6	486	<20	0.21
D1189721		1.02	<10	1.23	437	<1	3.43	38	320	<2	0.60	5	9	315	<20	0.21
D1189722		0.61	<10	2.46	752	<1	3.19	80	340	<2	0.40	<5	19	339	<20	0.36
D1189723		0.86	10	1.14	406	<1	3.77	23	590	<2	0.56	<5	5	460	<20	0.15
D1189724		1.03	10	1.29	461	<1	3.41	26	600	<2	0.54	7	5	466	<20	0.17
D1189725		0.70	10	1.10	369	<1	3.58	22	560	<2	0.37	<5	4	607	<20	0.15

Comments: Additional Au-GRA22 check assay for sample D1189655 reports 9.53ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 13-AUG-2015
Account: DETGLD

Project: DGEX-275

CERTIFICATE OF ANALYSIS SD15112529

Sample Description	Method Analyte Units LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1189686		<10	<10	110	<10	70	
D1189687		<10	<10	35	20	53	
D1189688		<10	<10	40	30	38	
D1189689		<10	<10	35	<10	34	
D1189690		<10	<10	147	<10	121	
D1189691		<10	<10	36	20	33	
D1189692		<10	<10	34	<10	41	
D1189693		<10	<10	38	<10	37	
D1189694		<10	<10	33	<10	28	
D1189695		<10	<10	28	<10	27	
D1189696		<10	<10	32	<10	30	
D1189697		<10	<10	32	<10	28	
D1189698		<10	<10	30	10	27	
D1189699		<10	<10	34	10	29	
D1189700		<10	<10	26	<10	16	
D1189701		<10	<10	44	<10	31	
D1189702		<10	<10	241	<10	85	
D1189703		<10	<10	56	<10	41	
D1189704		<10	<10	253	<10	86	
D1189705		<10	<10	47	<10	24	
D1189706		<10	<10	46	<10	29	
D1189707		<10	<10	48	<10	32	
D1189708		<10	<10	45	<10	35	
D1189709		<10	<10	36	<10	40	
D1189710		<10	<10	153	<10	113	
D1189711		<10	<10	45	<10	34	
D1189712		<10	<10	207	<10	85	
D1189713		<10	<10	26	<10	39	
D1189714		<10	<10	23	<10	41	
D1189715		<10	<10	24	<10	28	
D1189716		<10	<10	24	<10	28	
D1189717		<10	<10	25	<10	30	
D1189718		<10	<10	25	<10	31	
D1189719		<10	<10	23	<10	25	
D1189720		<10	<10	24	<10	44	
D1189721		<10	<10	79	<10	41	
D1189722		<10	<10	145	40	77	
D1189723		<10	<10	48	<10	47	
D1189724		<10	<10	49	<10	49	
D1189725		<10	<10	43	<10	50	

Comments: Additional Au-GRA22 check assay for sample D1189655 reports 9.53ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 13-AUG-2015
Account: DETGLD

Project: DGEX-275

CERTIFICATE OF ANALYSIS SD15112529

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1189726		2.04	0.084	<0.5	7.16	<5	550	0.9	<2	1.85	<0.5	5	21	18	1.34	20
D1189727		2.07	0.360	<0.5	7.14	<5	520	0.9	<2	1.98	<0.5	5	16	15	1.37	20
D1189728		2.00	0.043	<0.5	6.80	<5	490	0.8	<2	1.89	<0.5	3	19	15	1.30	20
D1189729		2.38	0.194	<0.5	7.56	<5	620	0.8	2	3.59	<0.5	14	67	51	2.65	20
D1189730		0.06	NSS	<0.5	6.21	1340	430	0.9	<2	5.01	<0.5	39	161	120	10.70	20
D1189731		2.19	<0.005	<0.5	7.48	<5	500	0.8	<2	3.71	<0.5	14	70	53	2.69	20
D1189732		2.10	1.265	<0.5	6.95	<5	550	0.8	4	3.04	<0.5	8	42	22	1.93	20
D1189733		1.98	0.944	<0.5	7.15	<5	470	0.9	5	2.02	<0.5	4	21	25	1.55	20
D1189734		2.10	1.160	<0.5	6.72	<5	490	0.8	2	2.44	<0.5	6	30	15	1.75	20
D1189735		1.96	0.085	<0.5	7.58	<5	570	1.0	2	2.26	<0.5	4	16	6	1.43	20
D1189736		2.00	0.130	<0.5	7.10	<5	500	0.9	<2	2.25	<0.5	5	16	8	1.48	20
D1189737		2.24	0.697	<0.5	7.64	<5	650	1.0	<2	2.30	<0.5	6	21	23	1.47	20
D1189738		1.78	0.782	<0.5	7.53	<5	770	1.0	5	3.73	<0.5	13	57	18	2.93	20
D1189739		1.57	0.005	<0.5	6.77	<5	1080	0.9	<2	6.10	<0.5	35	138	11	5.32	20
D1189740		0.38	<0.005	<0.5	4.13	<5	330	0.8	<2	16.3	<0.5	9	25	20	3.00	10
D1189741		2.04	<0.005	<0.5	6.94	<5	660	0.9	<2	6.68	<0.5	38	115	15	5.47	20
D1189742		1.57	3.11	<0.5	7.32	<5	630	0.8	2	2.31	<0.5	5	18	14	1.56	20
D1189743		2.02	2.06	<0.5	7.36	<5	580	0.8	3	2.96	<0.5	6	21	10	1.63	20
D1189744		1.80	0.028	<0.5	7.97	<5	550	1.0	<2	2.31	<0.5	5	17	25	1.46	20
D1189745		2.23	0.073	<0.5	7.70	<5	560	1.0	3	2.04	<0.5	7	24	24	1.82	20
D1189746		2.25	1.005	<0.5	7.31	<5	510	0.9	<2	1.96	<0.5	5	16	23	1.49	20
D1189747		1.33	0.123	<0.5	6.96	<5	540	0.8	<2	1.90	<0.5	5	17	25	1.38	20
D1189748		1.48	0.083	<0.5	7.49	<5	540	0.9	2	2.40	<0.5	6	21	41	1.71	20
D1189749		2.50	1.655	<0.5	6.68	<5	390	0.5	<2	5.49	<0.5	30	124	55	5.72	20
D1189750		0.06	NSS	<0.5	6.33	1350	440	0.9	<2	5.12	<0.5	38	162	122	10.90	20
D1189751		2.15	<0.005	<0.5	7.36	<5	260	0.5	<2	6.90	<0.5	36	131	119	6.50	20
D1189752		2.66	<0.005	<0.5	7.03	<5	110	<0.5	2	5.94	<0.5	46	172	166	8.36	20
D1189753		2.25	<0.005	<0.5	7.55	<5	30	<0.5	<2	7.25	<0.5	49	189	156	8.82	20
D1189754		2.37	<0.005	<0.5	7.57	<5	310	0.6	<2	5.20	<0.5	31	126	44	5.97	20
D1189755		2.33	<0.005	<0.5	7.48	<5	70	<0.5	<2	7.30	<0.5	48	191	113	9.20	20
D1189756		2.52	<0.005	<0.5	7.43	<5	90	<0.5	<2	6.55	<0.5	49	183	105	8.90	20
D1189757		2.32	<0.005	<0.5	7.37	<5	100	<0.5	<2	6.49	0.5	47	179	164	8.67	20
D1189758		2.47	0.005	<0.5	7.45	<5	100	<0.5	<2	6.14	<0.5	49	185	96	8.99	20
D1189759		2.42	<0.005	<0.5	7.35	<5	90	<0.5	<2	6.34	<0.5	48	178	97	8.89	20
D1189760		0.39	<0.005	<0.5	3.90	<5	290	0.7	3	18.6	<0.5	9	28	19	2.39	10
D1189761		1.63	0.026	<0.5	7.34	<5	30	<0.5	2	6.08	<0.5	48	189	152	8.66	20
D1189762		2.00	0.699	<0.5	6.70	<5	120	0.5	<2	6.70	<0.5	37	148	95	6.58	20
D1189763		2.24	0.978	<0.5	6.92	<5	120	<0.5	2	7.36	<0.5	46	179	155	8.27	20
D1189764		3.66	<0.005	<0.5	7.05	<5	200	0.5	<2	5.61	<0.5	32	131	120	6.17	20
D1189765		3.58	<0.005	<0.5	7.34	<5	120	<0.5	<2	6.45	<0.5	48	181	136	8.71	20

Comments: Additional Au-GRA22 check assay for sample D1189655 reports 9.53ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 13-AUG-2015
Account: DETGLD

Project: DGEX-275

CERTIFICATE OF ANALYSIS SD15112529

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01
D1189726		0.81	<10	0.36	163	1	4.00	5	320	<2	0.49	<5	1	448	<20	0.08
D1189727		0.71	<10	0.38	161	<1	3.98	6	340	<2	0.51	<5	1	486	<20	0.09
D1189728		0.66	<10	0.38	164	<1	3.92	7	360	<2	0.43	<5	1	469	<20	0.08
D1189729		0.91	10	1.59	434	<1	3.62	41	550	<2	0.29	<5	6	548	<20	0.12
D1189730		0.62	20	3.50	2560	3	1.78	145	1980	7	2.30	<5	16	352	<20	0.84
D1189731		0.41	10	1.68	423	<1	3.37	44	560	3	0.22	6	6	618	<20	0.12
D1189732		0.91	10	0.96	379	<1	3.97	24	450	<2	0.62	5	4	533	<20	0.11
D1189733		0.60	<10	0.38	179	<1	4.28	9	360	2	0.78	<5	1	526	<20	0.08
D1189734		0.67	10	0.63	239	<1	3.64	11	460	2	0.55	<5	3	503	<20	0.11
D1189735		0.73	<10	0.43	182	<1	4.16	7	380	<2	0.28	<5	2	592	<20	0.13
D1189736		0.62	<10	0.42	181	<1	3.93	8	370	<2	0.58	<5	1	576	<20	0.10
D1189737		0.76	<10	0.42	175	<1	4.14	8	390	<2	0.46	<5	1	654	<20	0.11
D1189738		0.88	10	1.53	391	<1	3.73	43	750	<2	1.17	<5	9	669	<20	0.16
D1189739		1.24	40	4.47	811	<1	2.26	135	1370	3	0.55	<5	23	636	<20	0.26
D1189740		1.95	30	1.44	1320	<1	0.78	24	2320	7	0.35	<5	8	570	<20	0.45
D1189741		0.90	50	4.44	836	<1	1.76	125	1430	2	0.50	<5	24	407	<20	0.30
D1189742		1.14	10	0.49	185	<1	3.86	13	400	<2	0.66	<5	2	367	<20	0.10
D1189743		0.94	<10	0.57	215	<1	3.83	13	420	<2	0.58	<5	3	468	<20	0.11
D1189744		0.65	<10	0.43	180	<1	4.42	9	390	<2	0.41	<5	2	636	<20	0.12
D1189745		0.92	10	0.72	217	<1	4.14	14	460	<2	0.48	<5	3	547	<20	0.13
D1189746		0.91	<10	0.41	164	<1	4.29	9	380	<2	0.68	<5	2	422	<20	0.11
D1189747		0.93	<10	0.36	164	<1	3.89	7	370	<2	0.64	<5	2	399	<20	0.09
D1189748		0.89	<10	0.48	210	<1	3.93	10	390	<2	0.67	<5	2	515	<20	0.12
D1189749		0.71	10	2.79	850	<1	2.38	93	320	<2	0.80	<5	21	309	<20	0.39
D1189750		0.62	20	3.57	2570	2	1.82	146	2030	9	2.34	<5	17	359	<20	0.86
D1189751		0.38	10	3.27	1080	<1	2.66	103	420	2	0.49	5	24	238	<20	0.41
D1189752		0.26	<10	4.25	1250	9	1.60	146	320	2	0.37	<5	32	180	<20	0.56
D1189753		0.08	<10	4.41	1365	<1	0.75	152	340	4	0.30	<5	36	238	<20	0.60
D1189754		0.56	10	3.10	945	<1	2.10	92	570	<2	0.08	<5	19	376	<20	0.42
D1189755		0.16	<10	4.42	1375	<1	0.99	157	350	<2	0.28	5	32	229	<20	0.62
D1189756		0.21	<10	4.55	1350	<1	1.08	153	320	<2	0.21	<5	34	175	<20	0.58
D1189757		0.23	<10	4.46	1315	<1	1.35	150	300	<2	0.34	<5	35	231	<20	0.57
D1189758		0.27	<10	4.41	1325	<1	1.46	155	340	<2	0.24	<5	34	211	<20	0.61
D1189759		0.31	<10	4.55	1365	<1	1.24	154	310	<2	0.21	<5	34	175	<20	0.59
D1189760		2.04	30	1.17	1545	<1	0.59	23	3300	12	0.37	<5	7	502	<20	0.22
D1189761		0.08	<10	4.31	1285	2	2.06	148	310	<2	0.37	<5	34	120	<20	0.58
D1189762		0.32	<10	3.08	1100	<1	2.50	111	230	<2	1.96	<5	25	114	<20	0.43
D1189763		0.31	<10	4.04	1325	<1	1.76	144	300	2	1.31	<5	32	136	<20	0.56
D1189764		0.48	10	3.21	994	1	2.19	104	460	<2	0.31	<5	21	192	<20	0.42
D1189765		0.53	<10	4.31	1300	4	1.15	152	330	<2	0.24	<5	32	195	<20	0.58

Comments: Additional Au-GRA22 check assay for sample D1189655 reports 9.53ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 13-AUG-2015
Account: DETGLD

Project: DGEX-275

CERTIFICATE OF ANALYSIS SD15112529

Sample Description	Method Analyte Units LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1189726		<10	<10	21	<10	19	
D1189727		<10	<10	22	<10	22	
D1189728		<10	<10	22	<10	22	
D1189729		<10	<10	54	<10	62	
D1189730		<10	<10	145	<10	124	
D1189731		<10	<10	56	<10	62	
D1189732		<10	<10	37	10	29	
D1189733		<10	<10	22	<10	20	
D1189734		<10	<10	27	<10	28	
D1189735		<10	<10	26	<10	33	
D1189736		<10	<10	25	10	30	
D1189737		<10	<10	27	<10	28	
D1189738		<10	<10	67	230	43	
D1189739		<10	<10	135	<10	93	
D1189740		<10	<10	70	<10	46	
D1189741		<10	<10	142	<10	109	
D1189742		<10	<10	28	10	24	
D1189743		<10	<10	33	980	36	
D1189744		<10	<10	25	<10	33	
D1189745		<10	<10	36	<10	41	
D1189746		<10	<10	27	10	26	
D1189747		<10	<10	29	90	19	
D1189748		10	<10	30	<10	28	
D1189749		<10	<10	164	160	92	
D1189750		<10	<10	147	<10	126	
D1189751		<10	<10	178	<10	79	
D1189752		<10	<10	251	<10	90	
D1189753		<10	<10	258	<10	94	
D1189754		<10	<10	157	<10	73	
D1189755		<10	<10	262	<10	103	
D1189756		<10	<10	258	<10	100	
D1189757		<10	<10	257	<10	92	
D1189758		<10	<10	262	<10	92	
D1189759		<10	<10	258	<10	91	
D1189760		<10	<10	38	<10	41	
D1189761		<10	<10	252	<10	88	
D1189762		<10	<10	176	10	53	
D1189763		<10	<10	242	10	77	
D1189764		<10	<10	168	<10	78	
D1189765		<10	<10	253	<10	92	

Comments: Additional Au-GRA22 check assay for sample D1189655 reports 9.53ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 13-AUG-2015
Account: DETGLD

Project: DGEX-275

CERTIFICATE OF ANALYSIS SD15112529

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1189766		3.58	<0.005	<0.5	7.29	<5	150	<0.5	<2	6.08	<0.5	46	176	118	8.11	20
D1189767		3.31	0.015	<0.5	7.33	5	160	<0.5	3	6.40	<0.5	45	196	216	8.66	20
D1189768		3.65	<0.005	<0.5	7.54	<5	100	<0.5	<2	6.49	<0.5	48	193	102	8.83	20
D1189769		3.42	<0.005	<0.5	7.61	<5	140	<0.5	2	5.95	<0.5	46	195	78	8.89	20
D1189770		0.06	6.47	0.8	5.60	4190	530	0.7	<2	5.41	<0.5	30	127	181	11.45	20
D1189771		3.35	0.005	<0.5	7.04	12	70	<0.5	<2	5.75	<0.5	44	177	71	8.26	20
D1189772		3.56	0.035	<0.5	6.99	<5	150	<0.5	<2	5.54	<0.5	39	163	76	7.27	20
D1189773		3.23	<0.005	<0.5	6.94	<5	100	<0.5	<2	5.93	<0.5	44	177	155	8.15	20
D1189774		3.37	<0.005	<0.5	6.99	<5	150	<0.5	<2	5.54	<0.5	41	161	95	7.64	20
D1189775		3.63	<0.005	<0.5	7.29	<5	80	<0.5	<2	6.12	<0.5	46	179	133	8.68	20
D1189776		3.43	<0.005	<0.5	7.69	<5	80	<0.5	<2	6.40	<0.5	50	185	87	9.16	20
D1189777		3.38	<0.005	<0.5	7.69	<5	90	<0.5	<2	6.38	<0.5	47	187	62	9.00	20
D1189778		3.21	<0.005	<0.5	7.33	<5	100	<0.5	<2	5.47	<0.5	42	173	152	8.06	20
D1189779		3.33	<0.005	<0.5	7.30	<5	100	<0.5	<2	5.49	<0.5	45	186	91	8.19	20
D1189780		0.36	<0.005	<0.5	3.55	<5	270	0.6	2	18.7	<0.5	8	27	15	2.15	10
D1189781		3.04	<0.005	<0.5	7.48	<5	70	<0.5	<2	5.87	<0.5	52	203	99	9.04	20
D1189782		2.96	<0.005	<0.5	7.77	<5	90	<0.5	<2	5.90	0.5	49	205	44	9.03	20
D1189783		3.09	<0.005	<0.5	7.32	<5	70	<0.5	<2	5.82	<0.5	49	225	92	8.51	20
D1189784		3.14	<0.005	<0.5	7.10	<5	70	<0.5	<2	5.39	<0.5	48	292	44	7.52	20
D1189785		3.45	0.027	<0.5	6.62	<5	170	<0.5	<2	5.90	<0.5	57	477	69	8.08	20
D1189786		2.15	0.012	<0.5	6.83	<5	180	<0.5	<2	5.07	<0.5	51	300	41	7.51	20
D1189787		2.13	0.015	<0.5	7.04	<5	200	<0.5	<2	5.40	<0.5	48	212	76	7.04	10
D1189788		1.95	0.018	<0.5	7.15	<5	160	<0.5	2	5.03	<0.5	45	251	44	7.05	20
D1189789		2.36	0.253	<0.5	6.29	13	240	0.5	4	5.23	<0.5	50	438	64	6.49	20
D1189790		0.06	1.230	<0.5	6.48	762	410	1.0	<2	5.06	<0.5	35	162	90	9.21	20
D1189791		2.00	0.433	<0.5	6.63	13	670	0.6	3	7.49	<0.5	39	478	13	5.66	20
D1189792		2.34	0.008	<0.5	4.26	<5	10	<0.5	<2	6.61	<0.5	47	909	6	5.86	10
D1189793		1.88	0.005	<0.5	5.50	<5	150	<0.5	<2	6.12	<0.5	58	566	94	8.31	10
D1189794		1.78	<0.005	<0.5	6.00	<5	60	<0.5	<2	6.20	<0.5	50	503	92	6.76	10
D1189795		3.11	<0.005	<0.5	7.46	<5	130	<0.5	<2	5.12	<0.5	47	220	51	6.87	20
D1189796		3.36	0.005	<0.5	7.22	<5	130	<0.5	<2	6.75	<0.5	46	220	54	7.11	10
D1189797		2.22	<0.005	<0.5	7.67	<5	110	<0.5	<2	4.92	<0.5	49	238	36	7.66	20
D1189798		3.18	<0.005	<0.5	7.55	<5	130	<0.5	<2	4.99	<0.5	52	233	16	7.68	20
D1189799		3.10	<0.005	<0.5	7.21	<5	160	<0.5	<2	5.92	<0.5	50	295	8	7.48	20
D1189800		0.37	<0.005	<0.5	4.25	<5	280	0.8	2	18.2	<0.5	10	33	24	2.91	10
D1189801		3.45	<0.005	<0.5	7.51	<5	150	<0.5	<2	6.19	<0.5	53	254	25	8.19	20
D1189802		2.32	<0.005	<0.5	7.07	<5	160	<0.5	<2	6.08	<0.5	52	241	28	7.78	20
D1189803		1.73	<0.005	<0.5	7.49	<5	150	<0.5	<2	6.09	<0.5	52	236	32	7.95	20
D1189804		2.13	<0.005	<0.5	7.19	<5	420	0.8	<2	3.93	<0.5	18	81	4	3.63	20
D1189805		3.67	<0.005	<0.5	7.48	<5	160	<0.5	<2	6.01	<0.5	50	227	27	8.16	20

Comments: Additional Au-GRA22 check assay for sample D1189655 reports 9.53ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 13-AUG-2015
Account: DETGLD

Project: DGEX-275

CERTIFICATE OF ANALYSIS SD15112529

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1189766		0.52	<10	4.03	1240	<1	1.69	143	350	<2	0.22	<5	30	200	<20	0.55
D1189767		0.49	<10	4.24	1310	1	1.86	147	360	2	0.37	<5	33	207	<20	0.59
D1189768		0.40	<10	4.34	1390	<1	1.83	149	340	<2	0.16	<5	35	196	<20	0.59
D1189769		0.50	<10	4.37	1330	<1	1.55	153	390	<2	0.10	<5	35	211	<20	0.59
D1189770		0.52	20	2.84	3830	2	1.15	98	2240	12	3.38	10	19	224	<20	0.53
D1189771		0.18	<10	4.05	1220	<1	1.91	138	320	<2	0.10	<5	33	133	<20	0.54
D1189772		0.33	<10	3.68	1110	<1	2.24	123	370	3	0.26	<5	27	113	<20	0.49
D1189773		0.32	<10	4.00	1210	6	1.56	137	320	<2	0.26	<5	32	159	<20	0.48
D1189774		0.47	<10	3.70	1230	<1	1.63	126	330	<2	0.12	<5	28	204	<20	0.47
D1189775		0.35	<10	4.31	1360	<1	1.54	144	350	<2	0.23	5	34	158	<20	0.57
D1189776		0.41	<10	4.49	1470	<1	1.67	159	350	<2	0.12	<5	34	161	<20	0.59
D1189777		0.41	<10	4.64	1460	<1	1.90	159	310	2	0.07	<5	36	173	<20	0.59
D1189778		0.32	<10	4.13	1110	<1	1.91	141	340	<2	0.26	<5	31	234	<20	0.54
D1189779		0.40	<10	4.12	1210	<1	1.92	149	340	<2	0.09	<5	30	218	<20	0.52
D1189780		1.87	20	1.15	1420	<1	0.58	23	2770	10	0.38	<5	6	494	<20	0.21
D1189781		0.35	<10	4.79	1440	<1	1.38	168	310	2	0.07	5	32	177	<20	0.56
D1189782		0.50	<10	4.78	1460	<1	1.47	167	320	2	0.01	<5	35	186	<20	0.58
D1189783		0.50	<10	4.76	1350	<1	0.94	179	290	<2	0.04	<5	32	184	<20	0.53
D1189784		0.41	10	5.36	1110	<1	1.39	213	600	<2	0.05	<5	28	146	<20	0.30
D1189785		0.63	10	6.59	1360	<1	0.74	335	300	<2	0.27	<5	25	143	<20	0.30
D1189786		0.93	<10	5.99	1140	<1	1.01	278	280	<2	0.16	<5	24	173	<20	0.23
D1189787		1.05	<10	5.33	1110	<1	1.50	232	260	<2	0.33	<5	23	228	<20	0.26
D1189788		1.00	<10	5.34	1140	<1	1.34	242	250	<2	0.33	<5	23	176	<20	0.33
D1189789		1.27	10	4.95	1100	<1	1.14	290	260	<2	1.34	<5	18	147	<20	0.18
D1189790		0.67	20	3.47	2460	1	1.82	132	1920	5	0.94	<5	16	353	<20	0.86
D1189791		2.53	<10	4.81	1510	<1	0.60	289	320	2	1.41	<5	26	193	<20	0.29
D1189792		0.03	10	8.57	1160	<1	<0.01	534	690	<2	0.24	<5	20	117	<20	0.13
D1189793		0.27	<10	6.00	1300	<1	0.75	374	240	<2	0.21	<5	21	106	<20	0.14
D1189794		0.25	10	6.92	1210	<1	0.91	362	430	<2	0.05	<5	22	120	<20	0.14
D1189795		0.49	<10	5.19	1010	<1	1.68	239	300	<2	0.12	<5	21	167	<20	0.25
D1189796		0.54	<10	5.14	1240	<1	1.19	245	250	3	0.14	<5	23	186	<20	0.34
D1189797		0.43	<10	5.61	1110	<1	1.30	263	250	2	0.02	<5	25	272	<20	0.27
D1189798		0.51	<10	5.39	1080	<1	1.19	264	260	4	<0.01	<5	23	238	<20	0.39
D1189799		0.69	<10	5.32	1220	8	0.85	286	260	2	<0.01	<5	24	204	<20	0.42
D1189800		2.15	30	1.44	1480	<1	0.58	26	2510	10	0.40	<5	8	547	<20	0.35
D1189801		0.72	<10	5.36	1330	<1	1.05	281	280	3	<0.01	<5	22	243	<20	0.45
D1189802		0.75	<10	5.15	1310	<1	0.99	257	270	<2	<0.01	<5	20	225	<20	0.42
D1189803		0.57	<10	5.31	1320	<1	1.03	252	250	4	<0.01	7	24	271	<20	0.43
D1189804		0.83	10	2.13	589	<1	2.97	55	690	<2	0.01	<5	8	542	<20	0.26
D1189805		0.52	<10	5.41	1300	<1	1.09	244	330	7	<0.01	<5	28	277	<20	0.50

Comments: Additional Au-GRA22 check assay for sample D1189655 reports 9.53ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 13-AUG-2015
Account: DETGLD

Project: DGEX-275

CERTIFICATE OF ANALYSIS SD15112529

Sample Description	Method Analyte Units LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1189766		<10	<10	237	<10	88	
D1189767		<10	<10	250	<10	97	
D1189768		<10	<10	257	<10	101	
D1189769		<10	<10	257	<10	107	
D1189770		<10	<10	166	<10	115	6.78
D1189771		<10	<10	241	<10	102	
D1189772		<10	<10	216	<10	88	
D1189773		<10	<10	235	<10	97	
D1189774		<10	<10	218	<10	95	
D1189775		<10	<10	253	<10	106	
D1189776		<10	<10	264	<10	95	
D1189777		<10	<10	266	<10	98	
D1189778		<10	<10	232	<10	104	
D1189779		<10	<10	232	<10	90	
D1189780		<10	<10	34	<10	24	
D1189781		<10	<10	263	<10	109	
D1189782		<10	<10	259	<10	101	
D1189783		<10	<10	245	<10	93	
D1189784		<10	<10	201	<10	89	
D1189785		<10	<10	186	<10	102	
D1189786		<10	<10	174	<10	101	
D1189787		<10	<10	167	<10	89	
D1189788		<10	<10	169	<10	87	
D1189789		<10	<10	153	<10	69	
D1189790		<10	<10	145	<10	120	
D1189791		<10	<10	202	10	43	
D1189792		<10	<10	135	<10	110	
D1189793		<10	<10	165	<10	88	
D1189794		<10	<10	157	<10	80	
D1189795		<10	<10	165	<10	77	
D1189796		10	<10	172	<10	78	
D1189797		<10	<10	190	<10	107	
D1189798		<10	10	196	<10	88	
D1189799		<10	<10	193	<10	92	
D1189800		<10	<10	58	<10	43	
D1189801		<10	<10	222	<10	101	
D1189802		<10	<10	206	<10	97	
D1189803		<10	<10	214	<10	105	
D1189804		<10	<10	77	<10	64	
D1189805		<10	<10	224	<10	99	

Comments: Additional Au-GRA22 check assay for sample D1189655 reports 9.53ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 13-AUG-2015
Account: DETGLD

Project: DGEX-275

CERTIFICATE OF ANALYSIS SD15112529

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1189806		3.24	<0.005	<0.5	7.33	<5	280	<0.5	3	5.71	<0.5	43	232	10	6.61	20
D1189807		1.34	0.056	<0.5	7.17	<5	540	0.9	<2	2.95	<0.5	10	63	9	2.07	20
D1189808		2.17	0.187	<0.5	7.36	<5	490	0.9	<2	2.80	<0.5	8	57	7	1.89	20
D1189809		2.13	0.015	<0.5	7.35	<5	490	0.9	<2	2.60	<0.5	8	61	7	1.86	20
D1189810		0.06	0.345	<0.5	7.44	198	340	1.1	<2	5.64	<0.5	40	183	113	7.92	20
D1189811		2.33	0.060	<0.5	7.60	<5	520	1.0	<2	2.58	<0.5	7	57	23	1.89	20
D1189812		2.09	0.066	<0.5	7.51	<5	570	0.9	2	2.61	<0.5	8	56	14	1.82	20
D1189813		2.08	0.047	<0.5	7.72	<5	560	1.0	<2	2.54	<0.5	10	60	24	2.11	20
D1189814		1.88	0.036	<0.5	7.75	<5	610	1.0	<2	2.75	<0.5	8	63	19	1.99	20
D1189815		2.14	0.008	<0.5	7.98	<5	470	0.8	<2	4.26	<0.5	16	115	1	3.19	20
D1189816		2.08	<0.005	<0.5	7.59	<5	460	0.7	2	4.03	<0.5	18	123	1	3.19	20
D1189817		2.24	<0.005	<0.5	7.95	<5	420	0.7	2	4.02	<0.5	17	117	1	3.22	20
D1189818		3.17	<0.005	<0.5	7.21	<5	440	0.6	<2	4.17	<0.5	17	110	1	3.12	20
D1189819		3.15	<0.005	<0.5	7.58	<5	390	0.7	<2	4.24	<0.5	17	110	<1	3.23	20
D1189820		0.37	<0.005	<0.5	4.65	<5	330	0.9	3	15.3	<0.5	11	36	22	3.24	10
D1189821		3.30	<0.005	<0.5	8.07	<5	410	0.7	<2	3.85	<0.5	17	121	1	3.34	20
D1189822		3.17	<0.005	<0.5	7.75	<5	440	0.7	4	3.70	<0.5	17	113	1	3.18	20
D1189823		3.53	0.174	<0.5	7.89	<5	520	0.7	4	4.25	<0.5	18	116	1	3.38	20
D1189824		3.21	0.120	<0.5	6.97	<5	420	0.6	<2	4.08	<0.5	15	105	1	3.12	20
D1189825		3.10	0.186	<0.5	7.65	<5	480	0.7	<2	4.02	<0.5	15	114	1	3.26	20
D1189826		3.07	<0.005	<0.5	7.12	<5	510	0.7	<2	3.85	<0.5	16	106	1	3.03	20
D1189827		3.17	0.539	1.1	7.81	<5	310	0.8	3	3.92	<0.5	22	137	22	3.44	20
D1189828		3.04	0.018	<0.5	7.38	<5	440	0.7	<2	3.62	<0.5	18	113	1	3.17	20
D1189829		3.12	0.134	<0.5	7.55	<5	550	0.7	3	3.80	<0.5	19	117	1	3.47	20
D1189830		0.06	0.343	<0.5	7.39	201	340	1.1	<2	5.57	<0.5	39	184	114	7.88	20
D1189831		3.30	0.169	<0.5	7.46	<5	490	0.7	3	3.90	<0.5	17	118	1	3.30	20
D1189832		3.20	0.052	<0.5	7.97	<5	460	0.8	<2	3.81	<0.5	18	125	2	3.19	20
D1189833		2.93	0.038	<0.5	7.23	<5	500	0.6	<2	4.00	<0.5	16	121	1	3.21	20
D1189834		3.08	0.005	<0.5	7.96	<5	480	0.7	<2	3.83	<0.5	18	118	1	3.41	20
D1189835		3.17	<0.005	<0.5	7.71	<5	530	0.6	<2	4.15	<0.5	18	108	1	3.13	20
D1189836		3.09	0.006	<0.5	8.00	<5	470	0.7	<2	3.43	<0.5	18	119	7	3.33	20
D1189837		3.12	0.005	<0.5	7.94	<5	410	0.7	<2	3.77	<0.5	20	126	3	3.43	20
D1189838		3.12	<0.005	<0.5	7.60	<5	480	0.7	<2	3.42	<0.5	17	118	1	3.30	20
D1189839		2.93	<0.005	<0.5	7.81	<5	470	0.7	<2	4.18	<0.5	18	120	2	3.30	20
D1189840		0.33	<0.005	<0.5	4.91	<5	310	0.9	<2	14.8	<0.5	10	46	21	2.74	10
D1189841		3.20	<0.005	<0.5	7.75	<5	620	0.7	<2	4.17	<0.5	20	121	2	3.33	20
D1189842		3.16	<0.005	<0.5	7.64	<5	600	0.7	<2	4.78	<0.5	18	123	4	3.31	20
D1189843		3.04	<0.005	<0.5	7.77	<5	570	0.7	<2	3.91	<0.5	17	120	1	3.47	20
D1189844		3.11	0.008	<0.5	7.81	<5	570	0.7	<2	4.32	<0.5	19	119	1	3.36	20
D1189845		3.12	0.322	<0.5	7.64	<5	520	0.6	<2	4.29	<0.5	20	123	1	3.59	20

Comments: Additional Au-GRA22 check assay for sample D1189655 reports 9.53ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 13-AUG-2015
Account: DETGLD

Project: DGEX-275

CERTIFICATE OF ANALYSIS SD15112529

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1189806		0.68	10	4.70	1110	<1	1.74	217	440	<2	0.07	<5	22	263	<20	0.39
D1189807		0.90	10	1.03	377	<1	3.89	29	500	4	0.51	<5	5	552	<20	0.13
D1189808		0.82	10	0.94	352	<1	3.88	24	470	2	0.36	<5	4	610	<20	0.13
D1189809		0.76	10	0.97	319	<1	3.84	25	460	2	0.32	<5	5	568	<20	0.11
D1189810		0.78	20	3.71	1390	3	2.20	141	1670	5	0.27	<5	19	417	<20	1.01
D1189811		0.86	10	0.91	315	<1	3.89	23	480	3	0.37	<5	4	583	<20	0.11
D1189812		0.84	10	0.89	296	<1	3.83	22	470	4	0.45	<5	4	584	<20	0.11
D1189813		0.77	10	0.92	269	<1	4.02	25	480	3	0.70	<5	4	642	<20	0.11
D1189814		0.71	10	0.95	271	<1	3.93	23	470	3	0.41	<5	4	692	<20	0.11
D1189815		0.87	10	1.98	534	<1	4.05	60	590	3	0.31	<5	9	474	<20	0.15
D1189816		0.70	10	2.10	525	<1	3.77	63	560	5	0.02	<5	9	448	<20	0.15
D1189817		0.56	10	2.15	518	<1	3.80	65	600	3	<0.01	<5	9	481	<20	0.13
D1189818		0.53	10	2.04	519	<1	3.57	62	580	2	<0.01	6	8	481	<20	0.10
D1189819		0.50	10	2.16	546	<1	3.75	63	580	<2	<0.01	<5	9	486	<20	0.12
D1189820		2.30	30	1.43	1380	<1	0.71	25	2820	13	0.44	<5	9	573	<20	0.45
D1189821		0.54	10	2.21	494	<1	3.76	64	590	3	<0.01	<5	9	516	<20	0.11
D1189822		0.70	10	2.11	482	<1	3.76	60	560	<2	<0.01	5	9	440	<20	0.13
D1189823		0.90	10	2.17	542	<1	3.62	64	600	<2	0.25	<5	9	438	<20	0.14
D1189824		0.92	10	2.04	591	<1	3.15	57	510	2	0.35	<5	8	371	<20	0.14
D1189825		1.10	10	2.10	577	<1	3.43	59	580	3	0.47	6	9	463	<20	0.16
D1189826		0.85	10	2.02	475	<1	3.23	60	540	3	0.04	<5	8	471	<20	0.14
D1189827		0.88	10	2.69	524	<1	3.43	83	610	2	0.51	<5	9	328	<20	0.16
D1189828		1.23	10	2.19	503	<1	3.27	63	610	<2	0.46	<5	9	340	<20	0.17
D1189829		1.42	10	2.20	544	<1	3.32	67	590	2	0.71	<5	10	406	<20	0.19
D1189830		0.78	20	3.68	1400	4	2.19	141	1680	5	0.27	<5	19	418	<20	1.01
D1189831		1.16	10	2.14	545	<1	3.41	63	570	5	0.57	<5	9	411	<20	0.17
D1189832		1.00	10	2.32	510	<1	3.53	78	590	<2	0.43	<5	9	420	<20	0.16
D1189833		0.96	10	2.17	545	<1	3.33	69	590	3	0.23	<5	9	395	<20	0.15
D1189834		0.87	10	2.19	521	<1	3.75	64	580	<2	0.25	<5	9	417	<20	0.15
D1189835		0.82	10	2.06	530	<1	3.44	60	570	<2	0.14	<5	9	435	<20	0.15
D1189836		0.79	10	2.22	516	<1	3.85	69	560	5	0.06	<5	9	384	<20	0.20
D1189837		0.69	10	2.30	546	<1	4.06	67	590	5	0.15	<5	10	369	<20	0.20
D1189838		0.79	10	2.20	497	<1	3.75	63	560	5	<0.01	<5	9	425	<20	0.17
D1189839		0.80	10	2.30	574	<1	3.95	67	600	<2	<0.01	<5	9	405	<20	0.19
D1189840		2.59	30	1.13	1200	<1	0.60	29	2320	10	0.45	5	8	414	<20	0.23
D1189841		0.98	10	2.18	542	<1	3.47	65	580	<2	0.05	<5	9	480	<20	0.20
D1189842		0.93	10	2.20	588	<1	3.46	65	550	4	<0.01	<5	9	553	<20	0.19
D1189843		0.87	10	2.22	532	<1	3.43	63	550	<2	0.01	<5	10	498	<20	0.20
D1189844		0.83	10	2.23	584	<1	3.64	64	590	<2	0.08	<5	9	517	<20	0.18
D1189845		0.77	10	2.10	585	<1	3.19	59	520	<2	0.40	<5	9	514	<20	0.16

Comments: Additional Au-GRA22 check assay for sample D1189655 reports 9.53ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 13-AUG-2015
Account: DETGLD

Project: DGEX-275

CERTIFICATE OF ANALYSIS SD15112529

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1189806		<10	<10	174	<10	88	
D1189807		<10	<10	43	<10	27	
D1189808		<10	<10	40	<10	25	
D1189809		<10	<10	41	<10	26	
D1189810		<10	<10	153	<10	112	
D1189811		<10	<10	41	<10	25	
D1189812		<10	<10	40	<10	22	
D1189813		<10	<10	41	<10	23	
D1189814		<10	<10	40	<10	23	
D1189815		<10	<10	66	<10	37	
D1189816		<10	<10	67	<10	37	
D1189817		<10	<10	64	<10	36	
D1189818		<10	<10	64	<10	34	
D1189819		<10	<10	67	<10	35	
D1189820		<10	<10	71	<10	38	
D1189821		<10	<10	68	<10	36	
D1189822		<10	<10	66	<10	34	
D1189823		<10	<10	67	<10	36	
D1189824		<10	<10	60	<10	36	
D1189825		<10	<10	67	<10	54	
D1189826		<10	<10	63	<10	95	
D1189827		<10	<10	73	<10	105	
D1189828		<10	<10	69	<10	64	
D1189829		<10	<10	78	<10	36	
D1189830		<10	<10	153	<10	111	
D1189831		<10	<10	70	<10	42	
D1189832		<10	<10	69	<10	45	
D1189833		<10	<10	69	<10	39	
D1189834		<10	<10	70	<10	36	
D1189835		<10	<10	65	<10	32	
D1189836		<10	<10	70	<10	41	
D1189837		<10	<10	72	<10	39	
D1189838		<10	<10	70	<10	38	
D1189839		<10	<10	70	<10	40	
D1189840		<10	<10	40	<10	44	
D1189841		<10	10	71	<10	37	
D1189842		<10	10	70	<10	39	
D1189843		10	10	74	<10	39	
D1189844		<10	<10	72	<10	39	
D1189845		<10	10	67	10	36	

Comments: Additional Au-GRA22 check assay for sample D1189655 reports 9.53ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 13-AUG-2015
Account: DETGLD

Project: DGEX-275

CERTIFICATE OF ANALYSIS SD15112529

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1189846		3.28	<0.005	<0.5	7.73	<5	540	0.7	<2	3.93	<0.5	19	128	2	3.54	20
D1189847		2.13	<0.005	<0.5	7.61	<5	520	0.7	<2	4.09	<0.5	18	118	1	3.40	20
D1189848		2.01	<0.005	<0.5	7.41	<5	490	0.7	<2	4.25	<0.5	17	110	1	3.20	20
D1189849		1.77	0.005	<0.5	7.79	<5	730	1.3	<2	3.28	<0.5	16	41	11	3.28	20
D1189850		0.07	3.51	<0.5	6.57	1385	450	0.9	4	5.22	<0.5	42	170	125	11.10	20
D1189851		3.21	<0.005	<0.5	7.31	<5	470	0.7	<2	3.75	<0.5	18	103	2	3.20	20
D1189852		3.17	<0.005	<0.5	7.88	<5	450	0.7	<2	4.03	<0.5	18	116	1	3.32	20
D1189853		3.25	0.008	<0.5	7.59	<5	420	0.7	<2	3.92	<0.5	18	119	1	3.47	20
D1189854		2.94	<0.005	<0.5	7.65	<5	420	0.6	<2	3.62	<0.5	18	123	1	3.41	20
D1189855		3.44	<0.005	<0.5	7.32	<5	480	0.6	<2	3.60	<0.5	19	122	1	3.31	20
D1189856		3.03	<0.005	<0.5	7.43	<5	500	0.7	<2	3.41	<0.5	18	120	1	3.22	20

Comments: Additional Au-GRA22 check assay for sample D1189655 reports 9.53ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 13-AUG-2015
Account: DETGLD

Project: DGEX-275

CERTIFICATE OF ANALYSIS SD15112529

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1189846		0.82	10	2.29	524	<1	3.41	67	590	<2	0.03	<5	9	574	<20	0.19
D1189847		0.79	10	2.18	560	<1	3.42	64	560	3	<0.01	<5	9	547	<20	0.18
D1189848		0.74	10	2.09	563	<1	3.43	62	550	6	<0.01	<5	8	526	<20	0.18
D1189849		0.99	40	1.82	413	<1	3.91	49	1340	2	0.17	<5	7	706	<20	0.26
D1189850		0.62	20	3.62	2630	3	1.83	146	2060	10	2.40	<5	17	364	<20	0.89
D1189851		0.71	10	2.08	483	<1	3.39	60	640	<2	0.01	<5	8	618	<20	0.19
D1189852		0.74	10	2.20	544	<1	3.52	61	550	<2	0.01	<5	9	554	<20	0.18
D1189853		0.61	10	2.27	529	<1	3.60	66	570	<2	<0.01	<5	9	560	<20	0.19
D1189854		0.63	10	2.24	491	<1	3.53	64	540	3	<0.01	<5	9	506	<20	0.17
D1189855		0.63	10	2.20	482	<1	3.53	66	540	3	<0.01	<5	8	498	<20	0.18
D1189856		0.71	10	2.18	479	<1	3.70	63	560	<2	<0.01	<5	9	457	<20	0.19

Comments: Additional Au-GRA22 check assay for sample D1189655 reports 9.53ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 13-AUG-2015
Account: DETGLD

Project: DGEX-275

CERTIFICATE OF ANALYSIS SD15112529

Sample Description	Method Analyte Units LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1189846		<10	<10	77	<10	42	
D1189847		<10	<10	69	<10	39	
D1189848		<10	<10	66	<10	39	
D1189849		<10	<10	64	<10	40	
D1189850		<10	<10	150	<10	131	
D1189851		<10	<10	66	<10	39	
D1189852		<10	10	68	<10	39	
D1189853		<10	<10	74	<10	39	
D1189854		<10	<10	70	10	38	
D1189855		<10	<10	69	<10	38	
D1189856		<10	<10	69	<10	37	

Comments: Additional Au-GRA22 check assay for sample D1189655 reports 9.53ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 13-AUG-2015
Account: DETGLD

Project: DGEX-275

CERTIFICATE OF ANALYSIS SD15112529

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

NSS is non-sufficient sample.

Applies to Method: ALL METHODS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-32	PUL-QC	SPL-22Y	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA24	Au-GRA22	ME-ICP61