ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-NOV-2015
Account: DETGLD

CERTIFICATE SD15174649

Project: DGEX-397

P.O. No.: DGC 4800002115

This report is for 160 Drill Core samples submitted to our lab in Timmins, ON, Canada on 11-NOV-2015.

The following have access to data associated with this certificate:

APRIL COOMBS	ADREE DELAZZER	GUY MAC GILLIVRAY
KELLY MALCOLM	JEAN FRANCOIS METAIL	LARRY THON
JAMES TOLHURST	DETOUR GOLD WEBTRIEVE	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM

To: **DETOUR GOLD CORPORATION**
ATTN: JAMES TOLHURST
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Additional Au-AA24 check assay for sample D1213233 are 1.185 g/t and 0.244 g/t.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-NOV-2015
Account: DETGLD

Project: DGEX-397

CERTIFICATE OF ANALYSIS SD15174649

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1213181		4.05	0.129	<0.5	7.84	<5	620	0.9	<2	2.60	<0.5	5	30	5	1.42	20
D1213182		0.07	0.345	<0.5	7.37	187	350	1.1	<2	5.69	<0.5	39	192	111	7.88	20
D1213183		4.09	0.045	<0.5	7.45	<5	580	0.9	<2	2.62	<0.5	5	27	16	1.47	20
D1213184		4.08	0.066	<0.5	7.37	<5	570	0.9	<2	2.48	<0.5	3	33	17	1.47	20
D1213185		3.60	0.491	<0.5	7.27	<5	510	0.8	<2	2.80	<0.5	6	23	17	1.74	20
D1213186		3.97	0.042	<0.5	7.99	<5	660	0.9	2	2.85	<0.5	5	23	22	1.51	20
D1213187		3.67	0.537	<0.5	7.69	<5	600	0.9	<2	2.35	<0.5	5	23	35	1.45	20
D1213188		4.33	0.014	<0.5	7.88	<5	640	0.9	<2	2.67	<0.5	5	22	10	1.42	20
D1213189		4.48	<0.005	<0.5	7.46	<5	590	0.8	2	3.63	<0.5	13	71	80	2.54	20
D1213190		4.59	0.023	<0.5	7.36	<5	560	0.8	<2	3.67	<0.5	13	70	104	2.61	20
D1213191		4.12	0.146	<0.5	7.67	<5	590	0.8	<2	3.71	<0.5	12	72	35	2.60	20
D1213192		0.39	<0.005	<0.5	3.98	<5	360	0.7	<2	18.5	<0.5	7	30	11	1.75	10
D1213193		4.39	0.029	<0.5	7.81	<5	590	0.9	<2	3.22	<0.5	9	47	30	2.04	20
D1213194		3.97	0.030	<0.5	7.82	<5	530	0.9	<2	2.80	<0.5	6	25	26	1.49	20
D1213195		4.32	0.471	<0.5	7.57	<5	540	0.8	2	2.67	<0.5	6	25	11	1.53	20
D1213196		4.14	0.096	<0.5	7.89	<5	560	0.9	<2	2.60	<0.5	5	24	19	1.46	20
D1213197		4.04	0.029	<0.5	7.71	<5	580	0.9	<2	2.52	<0.5	6	23	9	1.38	20
D1213198		3.75	0.012	<0.5	7.54	<5	550	0.8	<2	2.63	<0.5	6	26	19	1.41	20
D1213199		4.50	0.213	<0.5	7.71	<5	650	0.9	<2	2.49	<0.5	5	25	4	1.44	20
D1213200		4.04	0.010	<0.5	7.66	<5	580	0.9	<2	2.59	<0.5	6	22	8	1.40	20
D1213201		4.53	0.060	<0.5	7.74	<5	610	0.9	<2	2.57	0.6	4	24	11	1.44	20
D1213202		0.07	6.53	0.9	5.72	4240	380	0.8	2	5.46	<0.5	31	129	182	11.50	10
D1213203		4.68	0.274	<0.5	7.70	6	600	0.9	2	2.59	<0.5	5	25	9	1.42	20
D1213204		3.27	0.284	<0.5	7.42	5	600	0.9	2	2.57	<0.5	5	23	26	1.39	20
D1213205		4.06	0.053	<0.5	7.68	<5	580	0.9	<2	2.58	<0.5	5	28	24	1.52	20
D1213206		3.99	0.038	<0.5	7.47	<5	470	0.8	<2	2.22	<0.5	5	24	19	1.34	20
D1213207		3.99	0.040	<0.5	7.40	<5	380	0.7	<2	2.53	<0.5	5	28	6	1.47	20
D1213208		4.18	0.045	<0.5	7.94	<5	500	0.9	2	2.47	<0.5	5	23	9	1.42	20
D1213209		3.85	0.369	<0.5	7.43	<5	600	0.8	<2	2.45	<0.5	4	28	6	1.35	20
D1213210		4.07	0.661	<0.5	7.75	<5	580	0.9	<2	2.44	0.9	5	25	5	1.39	20
D1213211		4.18	0.183	<0.5	7.78	<5	560	0.9	<2	2.58	<0.5	4	23	7	1.40	20
D1213212		0.38	<0.005	<0.5	3.89	<5	420	0.7	<2	16.4	<0.5	6	29	10	1.62	10
D1213213		3.97	0.017	<0.5	7.86	<5	570	0.9	<2	2.66	<0.5	5	23	7	1.36	20
D1213214		3.80	0.009	<0.5	8.03	<5	620	0.9	<2	2.77	<0.5	5	25	9	1.45	20
D1213215		3.85	0.012	<0.5	7.63	<5	570	0.8	<2	2.62	<0.5	4	25	16	1.49	20
D1213216		3.95	0.014	<0.5	7.63	<5	620	0.9	<2	2.64	<0.5	6	30	6	1.52	20
D1213217		3.53	0.062	<0.5	7.76	<5	540	0.9	<2	2.68	1.1	6	31	11	1.57	20
D1213218		4.23	0.062	<0.5	7.34	<5	520	0.8	<2	2.73	<0.5	5	28	6	1.36	20
D1213219		4.10	0.064	<0.5	7.29	<5	670	0.9	<2	2.85	<0.5	8	53	29	1.80	20
D1213220		4.16	0.031	<0.5	7.18	<5	750	1.0	<2	3.20	<0.5	10	84	63	2.28	20

Comments: Additional Au-AA24 check assay for sample D1213233 are 1.185 g/t and 0.244 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-NOV-2015
Account: DETGLD

Project: DGEX-397

CERTIFICATE OF ANALYSIS SD15174649

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1213181		1.01	<10	0.57	247	<1	4.04	10	390	<2	0.48	<5	2	527	<20	0.10
D1213182		0.78	20	3.75	1435	4	2.19	137	1640	<2	0.27	<5	19	425	<20	1.02
D1213183		0.87	<10	0.57	231	<1	4.01	8	380	<2	0.52	<5	2	506	<20	0.09
D1213184		0.85	<10	0.62	227	<1	4.08	12	380	<2	0.50	<5	3	514	<20	0.09
D1213185		0.78	<10	0.52	219	3	3.89	9	330	3	0.89	<5	2	497	<20	0.08
D1213186		1.06	<10	0.57	212	<1	4.12	10	380	2	0.50	<5	2	550	<20	0.10
D1213187		0.91	<10	0.51	184	<1	4.00	9	350	<2	0.39	<5	2	518	<20	0.09
D1213188		0.80	<10	0.59	211	<1	4.19	9	390	2	0.27	<5	2	570	<20	0.11
D1213189		0.91	10	1.52	382	<1	3.34	35	550	3	0.46	<5	6	598	<20	0.19
D1213190		0.84	10	1.56	392	<1	3.35	37	560	2	0.57	<5	6	623	<20	0.17
D1213191		0.97	10	1.56	401	<1	3.53	36	560	<2	0.51	<5	6	603	<20	0.17
D1213192		2.12	30	0.82	1015	<1	0.72	14	2980	9	0.33	<5	6	409	<20	0.25
D1213193		0.89	10	1.05	309	2	3.84	24	470	2	0.53	<5	5	564	<20	0.14
D1213194		0.82	<10	0.57	206	<1	4.11	10	390	<2	0.52	<5	2	576	<20	0.09
D1213195		0.91	<10	0.52	214	<1	4.06	9	360	<2	0.66	<5	2	525	<20	0.09
D1213196		0.93	<10	0.55	204	5	4.13	10	370	3	0.50	<5	2	530	<20	0.10
D1213197		0.74	<10	0.53	191	<1	3.98	9	380	<2	0.28	<5	2	553	<20	0.10
D1213198		0.77	<10	0.55	204	<1	3.88	8	360	<2	0.32	<5	2	536	<20	0.09
D1213199		1.06	<10	0.57	235	<1	3.88	9	360	3	0.40	<5	3	469	<20	0.10
D1213200		0.78	<10	0.55	220	<1	4.07	9	370	<2	0.31	<5	2	553	<20	0.10
D1213201		0.78	<10	0.55	206	<1	4.01	9	370	2	0.30	<5	2	570	<20	0.11
D1213202		0.54	20	2.93	3890	3	1.18	99	2260	9	3.45	<5	19	234	<20	0.54
D1213203		0.84	<10	0.55	211	<1	4.10	9	380	<2	0.41	<5	2	546	<20	0.10
D1213204		0.85	<10	0.53	203	2	3.89	8	360	2	0.48	<5	2	511	<20	0.10
D1213205		0.79	<10	0.58	214	<1	3.98	11	360	2	0.47	<5	3	557	<20	0.10
D1213206		0.90	<10	0.53	172	<1	4.44	10	350	<2	0.42	<5	2	339	<20	0.12
D1213207		0.65	<10	0.55	186	<1	4.47	11	360	<2	0.46	5	2	341	<20	0.12
D1213208		0.81	<10	0.59	216	<1	4.34	7	370	2	0.34	<5	2	480	<20	0.11
D1213209		0.90	<10	0.51	188	<1	3.75	8	350	<2	0.29	<5	2	495	<20	0.10
D1213210		0.87	<10	0.58	223	<1	3.91	10	380	<2	0.33	<5	2	523	<20	0.11
D1213211		0.74	<10	0.56	209	<1	4.11	9	370	5	0.34	<5	2	550	<20	0.11
D1213212		2.19	30	0.77	869	<1	0.74	13	2720	8	0.25	<5	6	394	<20	0.27
D1213213		0.80	<10	0.55	181	<1	4.03	9	370	<2	0.26	<5	2	567	<20	0.11
D1213214		0.86	<10	0.56	199	1	4.16	10	370	3	0.32	<5	2	556	<20	0.12
D1213215		0.73	<10	0.53	176	<1	4.04	9	360	2	0.45	<5	2	530	<20	0.10
D1213216		0.76	<10	0.61	205	<1	4.03	12	390	2	0.35	<5	3	555	<20	0.10
D1213217		0.74	<10	0.60	197	<1	4.17	11	360	<2	0.43	<5	3	518	<20	0.09
D1213218		1.00	<10	0.51	185	<1	4.11	8	350	<2	0.48	<5	2	479	<20	0.09
D1213219		0.94	<10	0.86	284	1	3.92	22	430	<2	0.44	<5	4	548	<20	0.11
D1213220		0.73	10	1.30	402	<1	3.97	35	520	3	0.42	<5	6	613	<20	0.12

Comments: Additional Au-AA24 check assay for sample D1213233 are 1.185 g/t and 0.244 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-NOV-2015
Account: DETGLD

Project: DGEX-397

CERTIFICATE OF ANALYSIS SD15174649

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1213181		<10	<10	30	50	39	
D1213182		<10	<10	157	<10	117	
D1213183		<10	<10	30	<10	33	
D1213184		<10	<10	30	<10	36	
D1213185		<10	10	27	10	31	
D1213186		10	<10	31	10	30	
D1213187		<10	<10	28	10	30	
D1213188		<10	<10	30	<10	37	
D1213189		<10	<10	55	<10	52	
D1213190		<10	<10	56	<10	55	
D1213191		<10	<10	55	<10	47	
D1213192		<10	<10	29	<10	24	
D1213193		<10	<10	43	<10	35	
D1213194		<10	<10	30	<10	29	
D1213195		<10	<10	28	<10	29	
D1213196		<10	<10	29	10	31	
D1213197		<10	10	28	<10	48	
D1213198		<10	<10	28	10	48	
D1213199		<10	<10	38	10	71	
D1213200		<10	10	28	<10	44	
D1213201		<10	<10	28	<10	78	
D1213202		<10	<10	170	<10	120	6.81
D1213203		<10	<10	28	<10	45	
D1213204		<10	<10	28	10	35	
D1213205		<10	<10	31	<10	39	
D1213206		10	<10	28	<10	39	
D1213207		<10	<10	30	<10	30	
D1213208		<10	<10	29	<10	38	
D1213209		<10	<10	31	<10	34	
D1213210		<10	<10	29	<10	114	
D1213211		<10	<10	28	<10	44	
D1213212		<10	<10	29	<10	15	
D1213213		<10	<10	28	<10	30	
D1213214		<10	<10	29	<10	44	
D1213215		10	<10	27	<10	31	
D1213216		<10	<10	30	<10	40	
D1213217		10	<10	29	10	184	
D1213218		<10	<10	27	10	22	
D1213219		<10	<10	40	<10	31	
D1213220		<10	<10	51	<10	52	

Comments: Additional Au-AA24 check assay for sample D1213233 are 1.185 g/t and 0.244 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-NOV-2015
Account: DETGLD

Project: DGEX-397

CERTIFICATE OF ANALYSIS SD15174649

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1213221		3.52	0.031	<0.5	7.63	<5	580	0.9	<2	2.82	<0.5	6	45	17	1.79	20
D1213222		0.07	4.57	5.3	4.32	16	280	0.8	<2	4.80	<0.5	7	28	60	2.48	10
D1213223		4.42	0.030	<0.5	7.77	<5	630	0.9	<2	2.93	<0.5	5	37	5	1.60	20
D1213224		4.17	0.033	<0.5	7.53	<5	590	0.8	<2	2.65	<0.5	5	29	8	1.46	20
D1213225		3.90	0.193	<0.5	7.25	<5	580	0.8	<2	2.54	<0.5	4	29	7	1.37	20
D1213226		3.86	0.652	<0.5	7.23	<5	570	0.8	3	2.43	<0.5	6	28	12	1.36	20
D1213227		3.84	0.919	<0.5	7.76	<5	560	0.9	7	2.62	1.2	6	28	8	1.44	20
D1213228		3.86	0.150	<0.5	7.43	5	560	0.9	<2	2.57	<0.5	5	29	8	1.43	20
D1213229		4.08	0.251	<0.5	7.56	<5	560	0.9	<2	2.60	<0.5	6	31	8	1.57	20
D1213230		4.07	0.065	<0.5	7.97	<5	610	0.9	<2	2.48	0.5	5	28	6	1.49	20
D1213231		3.90	0.235	<0.5	7.94	<5	540	0.9	<2	2.58	<0.5	5	27	10	1.49	20
D1213232		0.38	<0.005	<0.5	3.68	<5	310	0.7	<2	19.8	<0.5	5	31	11	1.63	10
D1213233		3.80	0.769	<0.5	7.84	<5	430	0.9	<2	2.43	<0.5	5	23	8	1.38	20
D1213234		3.93	1.005	<0.5	7.65	<5	270	0.8	<2	2.34	<0.5	4	27	4	1.61	20
D1213235		3.91	2.82	<0.5	7.83	<5	440	0.9	<2	2.69	<0.5	6	25	31	1.70	20
D1213236		4.12	0.315	<0.5	7.86	<5	560	0.8	<2	2.71	<0.5	4	26	9	1.57	20
D1213237		4.13	2.58	<0.5	7.57	<5	340	0.7	<2	2.42	<0.5	7	26	5	1.83	20
D1213238		3.67	4.30	<0.5	6.03	<5	110	0.5	<2	1.98	<0.5	3	27	4	1.42	10
D1213239		3.93	0.069	<0.5	6.41	<5	390	0.7	<2	1.90	<0.5	4	28	10	1.22	20
D1213240		3.88	0.767	<0.5	7.54	<5	470	0.8	<2	2.46	<0.5	4	26	6	1.35	20
D1213241		3.82	0.024	<0.5	7.49	<5	570	0.9	<2	2.59	<0.5	5	28	25	1.60	20
D1213242		0.07	1.230	<0.5	6.75	790	440	1.0	<2	5.41	<0.5	35	188	94	9.70	20
D1213243		4.22	0.018	<0.5	7.73	<5	490	0.8	<2	2.78	<0.5	4	29	14	1.55	20
D1213244		3.83	0.084	<0.5	7.86	<5	540	0.8	<2	2.86	<0.5	5	28	6	1.54	20
D1213245		4.13	0.124	<0.5	7.81	<5	720	0.9	<2	2.79	<0.5	5	30	4	1.65	20
D1213246		4.14	0.403	<0.5	7.91	<5	640	0.9	<2	2.86	<0.5	6	31	6	1.64	20
D1213247		4.35	0.130	<0.5	7.52	<5	580	0.8	<2	2.80	<0.5	4	32	7	1.60	20
D1213248		4.07	0.368	<0.5	7.36	<5	620	0.9	4	2.55	<0.5	4	33	8	1.63	20
D1213249		4.15	0.105	<0.5	7.40	<5	680	0.8	<2	2.58	0.5	5	33	8	1.67	20
D1213250		3.78	1.325	<0.5	7.77	<5	550	0.8	<2	2.83	<0.5	4	32	5	1.65	20
D1213251		3.94	0.063	<0.5	7.66	<5	560	0.8	<2	2.84	<0.5	5	30	4	1.74	20
D1213252		0.35	<0.005	<0.5	4.07	<5	420	0.7	<2	17.1	<0.5	3	29	10	1.59	10
D1213253		4.23	0.051	<0.5	7.75	<5	570	0.8	<2	2.86	<0.5	4	31	5	1.76	20
D1213254		3.83	0.152	<0.5	7.70	<5	630	0.9	<2	2.80	<0.5	5	31	10	1.83	20
D1213255		4.38	0.210	<0.5	7.60	<5	460	0.8	<2	2.91	<0.5	6	30	4	1.79	20
D1213256		4.04	0.011	<0.5	7.69	<5	580	0.8	<2	2.80	<0.5	4	34	3	1.76	20
D1213257		3.99	0.011	<0.5	7.87	<5	610	0.9	<2	2.83	<0.5	5	32	3	1.67	20
D1213258		3.91	0.169	<0.5	7.55	<5	620	0.8	<2	3.19	<0.5	5	32	8	1.69	20
D1213259		4.04	0.005	<0.5	7.74	<5	570	0.8	<2	3.06	<0.5	4	32	6	1.68	20
D1213260		4.19	0.133	<0.5	7.29	<5	550	0.7	<2	2.64	<0.5	5	33	17	1.51	20

Comments: Additional Au-AA24 check assay for sample D1213233 are 1.185 g/t and 0.244 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-NOV-2015
Account: DETGLD

Project: DGEX-397

CERTIFICATE OF ANALYSIS SD15174649

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1213221		0.80	10	0.81	283	<1	4.20	18	420	<2	0.43	6	4	530	<20	0.11
D1213222		2.02	10	0.78	595	5	0.65	11	510	14	0.78	<5	10	248	<20	0.23
D1213223		0.93	<10	0.60	290	<1	4.15	11	370	<2	0.32	<5	3	573	<20	0.10
D1213224		0.79	<10	0.57	196	<1	3.84	10	360	2	0.31	<5	2	560	<20	0.10
D1213225		0.74	<10	0.52	203	<1	3.89	8	340	<2	0.35	<5	2	529	<20	0.09
D1213226		0.79	<10	0.53	193	<1	3.83	8	350	<2	0.42	<5	2	511	<20	0.09
D1213227		0.75	<10	0.55	183	<1	4.00	9	370	<2	0.40	<5	2	583	<20	0.10
D1213228		0.70	<10	0.55	194	<1	3.94	9	370	<2	0.40	5	2	547	<20	0.09
D1213229		0.80	<10	0.68	231	<1	3.94	13	390	2	0.36	<5	3	545	<20	0.12
D1213230		0.75	<10	0.58	216	<1	4.03	9	360	<2	0.32	<5	2	561	<20	0.11
D1213231		0.73	<10	0.57	224	<1	4.37	10	390	3	0.43	<5	2	549	<20	0.11
D1213232		2.07	30	0.82	937	<1	0.58	13	2340	8	0.25	<5	6	424	<20	0.21
D1213233		0.63	<10	0.55	241	<1	4.76	8	380	<2	0.56	<5	3	447	<20	0.10
D1213234		0.48	<10	0.54	239	<1	5.07	8	380	2	0.88	<5	3	366	<20	0.10
D1213235		0.73	<10	0.61	286	<1	4.77	9	420	<2	0.84	<5	3	468	<20	0.10
D1213236		0.86	<10	0.63	276	<1	4.44	10	400	2	0.47	<5	3	512	<20	0.10
D1213237		0.48	<10	0.61	258	<1	4.94	8	390	<2	1.05	<5	3	396	<20	0.09
D1213238		0.18	<10	0.40	177	<1	4.21	8	280	<2	0.79	<5	2	268	<20	0.07
D1213239		0.61	<10	0.46	174	<1	4.02	8	290	<2	0.35	<5	2	330	<20	0.08
D1213240		0.60	<10	0.53	232	<1	4.28	8	350	2	0.26	<5	3	473	<20	0.11
D1213241		0.67	<10	0.65	244	1	4.11	14	370	<2	0.32	6	3	529	<20	0.12
D1213242		0.69	20	3.70	2620	3	1.93	139	1960	<2	1.00	<5	17	375	<20	0.93
D1213243		0.50	<10	0.64	213	1	4.12	10	360	<2	0.19	6	3	557	<20	0.11
D1213244		0.64	<10	0.64	208	1	4.15	12	380	<2	0.26	8	3	594	<20	0.12
D1213245		0.99	<10	0.67	269	<1	4.01	12	370	<2	0.48	<5	3	545	<20	0.11
D1213246		0.80	<10	0.70	241	<1	4.21	13	370	<2	0.55	5	3	561	<20	0.11
D1213247		0.73	<10	0.67	221	<1	3.96	12	360	<2	0.39	5	3	543	<20	0.11
D1213248		0.85	<10	0.63	234	<1	3.98	12	350	<2	0.56	<5	3	504	<20	0.11
D1213249		0.99	<10	0.70	239	<1	3.82	16	360	3	0.41	<5	3	485	<20	0.12
D1213250		0.74	<10	0.70	269	1	4.25	11	370	<2	0.40	<5	3	527	<20	0.12
D1213251		0.72	<10	0.66	224	<1	4.01	13	370	<2	0.50	<5	3	559	<20	0.11
D1213252		2.24	30	0.75	875	<1	0.88	13	3050	11	0.22	<5	6	402	<20	0.22
D1213253		0.70	<10	0.72	226	<1	4.05	13	410	<2	0.34	<5	3	578	<20	0.12
D1213254		1.00	<10	0.66	234	<1	4.19	11	410	<2	0.64	5	3	533	<20	0.11
D1213255		0.67	<10	0.69	290	<1	4.66	12	400	<2	0.71	<5	3	464	<20	0.11
D1213256		0.67	<10	0.65	242	<1	4.19	11	350	<2	0.27	<5	3	550	<20	0.11
D1213257		0.74	<10	0.68	232	<1	4.16	14	370	<2	0.29	5	3	546	<20	0.11
D1213258		0.87	<10	0.65	242	<1	4.00	11	370	<2	0.36	6	3	567	<20	0.11
D1213259		0.75	<10	0.69	232	1	4.06	12	370	<2	0.27	<5	3	555	<20	0.10
D1213260		0.78	<10	0.62	204	<1	3.69	12	340	<2	0.29	<5	3	500	<20	0.10

Comments: Additional Au-AA24 check assay for sample D1213233 are 1.185 g/t and 0.244 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-NOV-2015
Account: DETGLD

Project: DGEX-397

CERTIFICATE OF ANALYSIS SD15174649

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1213221		<10	<10	37	10	34	
D1213222		<10	<10	84	<10	51	
D1213223		<10	<10	33	<10	29	
D1213224		<10	<10	29	<10	36	
D1213225		<10	<10	28	<10	34	
D1213226		<10	<10	28	<10	30	
D1213227		<10	<10	27	<10	132	
D1213228		<10	<10	27	<10	32	
D1213229		<10	<10	33	<10	48	
D1213230		<10	<10	28	<10	67	
D1213231		<10	<10	28	10	63	
D1213232		<10	<10	29	<10	25	
D1213233		<10	<10	25	20	41	
D1213234		10	<10	19	10	29	
D1213235		<10	<10	26	140	29	
D1213236		10	<10	29	10	44	
D1213237		<10	<10	23	10	32	
D1213238		<10	<10	15	20	22	
D1213239		<10	<10	21	<10	29	
D1213240		10	<10	25	10	47	
D1213241		<10	<10	30	<10	40	
D1213242		<10	<10	155	<10	130	
D1213243		<10	<10	29	<10	34	
D1213244		<10	<10	28	<10	35	
D1213245		<10	<10	36	<10	29	
D1213246		<10	<10	32	<10	36	
D1213247		<10	<10	30	<10	35	
D1213248		<10	<10	32	<10	31	
D1213249		<10	<10	34	20	78	
D1213250		<10	<10	32	<10	41	
D1213251		<10	<10	31	<10	31	
D1213252		<10	<10	26	<10	29	
D1213253		<10	<10	34	<10	38	
D1213254		<10	<10	38	20	28	
D1213255		<10	<10	28	180	40	
D1213256		<10	<10	32	<10	37	
D1213257		<10	<10	33	<10	35	
D1213258		<10	<10	33	<10	39	
D1213259		<10	<10	32	<10	37	
D1213260		<10	<10	30	<10	33	

Comments: Additional Au-AA24 check assay for sample D1213233 are 1.185 g/t and 0.244 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-NOV-2015
Account: DETGLD

Project: DGEX-397

CERTIFICATE OF ANALYSIS SD15174649

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1213261		3.92	0.005	<0.5	7.84	<5	620	0.8	<2	2.93	<0.5	4	36	6	1.74	20
D1213262		0.07	0.343	<0.5	7.56	204	360	1.2	<2	5.87	<0.5	40	196	115	8.18	20
D1213263		3.86	0.007	<0.5	7.79	<5	630	0.8	<2	2.99	<0.5	5	32	14	1.65	20
D1213264		4.04	0.014	<0.5	7.68	<5	640	0.8	<2	2.75	<0.5	4	33	8	1.66	20
D1213265		4.09	0.043	<0.5	8.12	<5	650	0.8	<2	2.95	<0.5	5	36	6	1.67	20
D1213266		4.12	0.044	<0.5	8.03	<5	680	0.9	<2	2.86	<0.5	4	33	5	1.77	20
D1213267		4.52	0.587	<0.5	8.14	<5	620	0.9	<2	3.04	<0.5	5	32	13	1.73	20
D1213268		4.19	0.281	<0.5	7.89	<5	760	0.9	<2	2.62	<0.5	5	33	8	1.83	20
D1213269		4.13	0.041	<0.5	7.67	<5	600	0.9	<2	2.95	<0.5	5	30	7	1.61	20
D1213270		3.21	0.032	<0.5	7.80	<5	590	0.9	<2	2.96	<0.5	5	31	27	1.73	20
D1213271		4.08	0.093	<0.5	8.10	<5	1010	0.9	<2	3.52	<0.5	6	29	9	1.77	20
D1213272		0.36	<0.005	<0.5	3.73	<5	610	0.7	<2	19.8	<0.5	5	28	11	1.77	10
D1213273		4.11	0.016	<0.5	7.74	<5	610	0.9	<2	3.03	<0.5	5	33	19	1.76	20
D1213274		4.12	0.020	<0.5	7.85	<5	650	0.8	<2	3.03	<0.5	6	36	2	1.77	20
D1213275		3.92	0.142	<0.5	7.43	<5	570	0.8	<2	2.73	<0.5	5	31	8	1.67	20
D1213276		4.18	0.488	<0.5	8.26	<5	600	0.8	<2	2.54	<0.5	5	32	2	1.99	20
D1213277		4.16	0.142	<0.5	7.61	<5	660	0.9	<2	2.63	<0.5	5	21	8	1.40	20
D1213278		3.04	0.070	<0.5	7.63	5	620	0.9	<2	2.70	<0.5	5	24	5	1.60	20
D1213279		4.41	0.008	<0.5	7.92	<5	630	0.9	<2	3.79	<0.5	11	42	4	2.76	20
D1213280		2.08	0.055	<0.5	7.93	<5	590	0.9	<2	2.48	<0.5	4	21	6	1.48	20
D1213281		3.75	<0.005	<0.5	7.09	<5	640	0.8	<2	3.88	<0.5	15	71	18	3.25	20
D1213282		0.07	6.54	1.0	5.88	4370	570	0.8	2	5.65	<0.5	32	135	190	12.15	10
D1213283		3.23	0.039	<0.5	7.74	5	570	0.9	<2	2.46	<0.5	4	19	7	1.45	20
D1213284		3.84	0.041	<0.5	7.51	<5	530	0.9	<2	2.41	<0.5	5	27	8	1.49	20
D1213285		4.20	0.428	<0.5	7.66	6	550	0.9	3	3.46	<0.5	11	37	120	2.62	20
D1213286		4.31	0.011	<0.5	7.59	<5	630	0.9	<2	3.65	<0.5	14	33	69	3.85	20
D1213287		4.14	0.006	<0.5	8.26	<5	650	1.0	<2	2.21	<0.5	5	22	13	1.55	20
D1213288		4.20	0.054	<0.5	8.14	5	760	0.9	<2	2.26	<0.5	5	26	56	1.67	20
D1213289		4.21	0.025	<0.5	7.60	<5	650	0.9	<2	3.69	<0.5	12	62	7	2.96	20
D1213290		4.04	<0.005	<0.5	7.74	<5	630	0.9	2	3.77	<0.5	13	60	11	2.94	20
D1213291		2.85	0.006	<0.5	7.63	<5	670	0.9	<2	3.49	<0.5	11	53	38	2.71	20
D1213292		0.35	<0.005	<0.5	4.06	5	370	0.7	<2	17.7	<0.5	6	28	12	1.84	10
D1213293		2.03	0.007	<0.5	8.18	<5	630	0.9	3	2.58	<0.5	4	29	37	1.51	20
D1213294		3.45	0.013	<0.5	7.89	<5	700	0.9	2	2.81	<0.5	7	25	37	1.78	20
D1213295		4.33	0.006	<0.5	8.00	<5	610	0.9	<2	2.49	<0.5	5	19	74	1.42	20
D1213296		3.80	0.108	<0.5	7.97	<5	670	0.9	<2	2.47	<0.5	5	17	33	1.33	20
D1213297		4.01	0.177	<0.5	8.16	<5	590	0.9	2	2.77	<0.5	6	18	9	1.67	20
D1213298		4.10	0.220	<0.5	8.42	<5	640	0.9	<2	2.65	<0.5	5	19	9	1.44	20
D1213299		4.12	0.073	<0.5	8.62	5	670	0.9	<2	2.60	<0.5	5	20	8	1.42	20
D1213300		4.17	0.094	<0.5	8.05	<5	710	0.8	<2	2.05	<0.5	5	17	13	1.37	20

Comments: Additional Au-AA24 check assay for sample D1213233 are 1.185 g/t and 0.244 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-NOV-2015
Account: DETGLD

Project: DGEX-397

CERTIFICATE OF ANALYSIS SD15174649

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1213261		0.77	<10	0.68	243	<1	4.07	12	370	<2	0.31	<5	3	556	<20	0.11
D1213262		0.82	20	3.88	1450	5	2.31	141	1680	<2	0.28	6	19	436	<20	1.07
D1213263		0.77	<10	0.68	232	<1	4.18	14	370	<2	0.25	<5	3	562	<20	0.11
D1213264		0.74	<10	0.64	221	<1	4.10	11	350	<2	0.35	<5	3	506	<20	0.10
D1213265		0.88	<10	0.74	230	<1	4.13	15	400	<2	0.33	<5	3	575	<20	0.12
D1213266		0.88	<10	0.70	288	<1	4.35	10	380	<2	0.55	<5	3	528	<20	0.11
D1213267		0.84	<10	0.70	237	<1	4.18	13	390	<2	0.49	<5	3	602	<20	0.11
D1213268		1.04	<10	0.64	265	<1	4.10	13	380	<2	0.82	<5	3	527	<20	0.10
D1213269		0.99	<10	0.67	243	<1	4.13	14	370	<2	0.47	6	3	552	<20	0.11
D1213270		1.10	<10	0.69	249	<1	4.04	13	370	<2	0.57	6	3	576	<20	0.11
D1213271		1.39	<10	0.66	357	<1	4.19	13	420	<2	0.71	<5	3	523	<20	0.12
D1213272		2.08	30	0.87	1050	<1	0.68	15	2930	8	0.36	<5	6	513	<20	0.23
D1213273		1.06	<10	0.71	258	<1	4.13	13	390	<2	0.53	<5	3	604	<20	0.12
D1213274		0.90	<10	0.69	236	<1	4.12	14	370	<2	0.38	<5	3	570	<20	0.11
D1213275		1.08	<10	0.65	224	<1	3.73	11	350	<2	0.53	<5	3	484	<20	0.11
D1213276		1.57	<10	0.68	246	<1	4.07	13	390	<2	1.01	<5	3	379	<20	0.11
D1213277		1.13	<10	0.52	216	1	4.07	8	360	3	0.40	<5	2	525	<20	0.09
D1213278		0.96	<10	0.62	254	<1	4.15	7	410	2	0.42	<5	3	608	<20	0.10
D1213279		0.95	10	1.17	418	<1	3.50	19	710	<2	0.30	<5	5	716	<20	0.18
D1213280		0.53	<10	0.49	186	<1	4.29	6	350	3	0.32	<5	2	583	<20	0.09
D1213281		1.07	10	1.81	439	<1	2.79	36	680	<2	0.56	<5	8	537	<20	0.18
D1213282		0.56	20	3.01	4060	3	1.22	104	2290	12	3.61	8	20	238	<20	0.56
D1213283		0.64	<10	0.48	199	<1	4.31	8	360	3	0.37	<5	2	569	<20	0.09
D1213284		0.63	<10	0.48	188	1	4.07	8	320	2	0.45	<5	2	576	<20	0.09
D1213285		0.86	10	1.08	383	1	3.82	19	540	2	0.62	<5	5	543	<20	0.16
D1213286		1.04	10	1.17	577	1	3.60	19	550	2	0.29	<5	9	561	<20	0.27
D1213287		0.81	<10	0.51	190	1	4.39	7	370	3	0.17	<5	2	563	<20	0.09
D1213288		0.93	<10	0.62	230	1	4.23	12	400	2	0.20	<5	2	547	<20	0.12
D1213289		1.07	10	1.43	473	<1	3.19	29	660	4	0.22	<5	6	647	<20	0.21
D1213290		0.97	10	1.48	465	<1	3.16	29	670	3	0.31	<5	6	655	<20	0.21
D1213291		1.07	10	1.33	387	<1	3.30	25	610	5	0.64	<5	6	607	<20	0.19
D1213292		2.24	30	0.82	1050	<1	0.72	15	3720	10	0.30	<5	6	456	<20	0.24
D1213293		0.63	<10	0.50	195	1	4.37	9	370	4	0.29	<5	2	603	<20	0.11
D1213294		0.99	10	0.69	253	<1	4.04	11	430	3	0.36	<5	3	584	<20	0.13
D1213295		0.87	<10	0.48	185	<1	4.17	9	350	<2	0.36	<5	2	586	<20	0.10
D1213296		0.86	<10	0.46	195	<1	4.19	7	350	2	0.34	<5	2	563	<20	0.09
D1213297		0.74	<10	0.55	227	<1	4.23	10	370	3	0.51	<5	2	633	<20	0.10
D1213298		0.76	<10	0.52	202	1	4.39	9	370	4	0.22	<5	2	639	<20	0.11
D1213299		0.84	<10	0.53	207	<1	4.47	7	380	2	0.20	<5	2	659	<20	0.11
D1213300		0.95	<10	0.45	164	1	4.41	8	340	<2	0.44	<5	2	502	<20	0.10

Comments: Additional Au-AA24 check assay for sample D1213233 are 1.185 g/t and 0.244 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-NOV-2015
Account: DETGLD

Project: DGEX-397

CERTIFICATE OF ANALYSIS SD15174649

Sample Description	Method Analyte Units LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1213261		<10	<10	32	<10	38	
D1213262		<10	<10	159	<10	118	
D1213263		<10	<10	32	<10	31	
D1213264		<10	<10	31	<10	29	
D1213265		<10	<10	34	<10	33	
D1213266		<10	<10	35	70	34	
D1213267		<10	<10	34	10	35	
D1213268		<10	<10	36	20	27	
D1213269		<10	<10	33	<10	30	
D1213270		<10	<10	35	<10	30	
D1213271		<10	<10	45	<10	35	
D1213272		<10	<10	26	<10	21	
D1213273		<10	<10	35	<10	32	
D1213274		<10	<10	35	40	32	
D1213275		<10	<10	33	<10	28	
D1213276		<10	<10	34	10	20	
D1213277		<10	<10	29	<10	26	
D1213278		<10	<10	30	<10	28	
D1213279		<10	<10	48	<10	72	
D1213280		<10	<10	27	<10	30	
D1213281		<10	<10	65	<10	84	
D1213282		<10	<10	175	<10	125	6.64
D1213283		<10	<10	26	<10	32	
D1213284		<10	<10	27	<10	31	
D1213285		<10	<10	51	<10	48	
D1213286		<10	<10	93	<10	69	
D1213287		<10	<10	27	<10	37	
D1213288		<10	<10	29	<10	36	
D1213289		<10	<10	53	<10	71	
D1213290		<10	<10	56	<10	68	
D1213291		<10	<10	50	<10	68	
D1213292		<10	<10	29	<10	17	
D1213293		<10	<10	27	<10	37	
D1213294		<10	<10	33	<10	46	
D1213295		<10	<10	27	<10	36	
D1213296		<10	<10	25	<10	29	
D1213297		<10	<10	26	<10	36	
D1213298		<10	<10	28	<10	33	
D1213299		<10	<10	27	<10	33	
D1213300		<10	<10	24	<10	25	

Comments: Additional Au-AA24 check assay for sample D1213233 are 1.185 g/t and 0.244 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-NOV-2015
Account: DETGLD

Project: DGEX-397

CERTIFICATE OF ANALYSIS SD15174649

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1213301		4.52	0.096	<0.5	7.83	<5	700	0.8	<2	2.71	<0.5	7	25	24	1.66	20
D1213302		0.07	4.47	5.5	4.53	20	290	0.9	<2	5.01	<0.5	9	24	62	2.59	10
D1213303		4.09	0.792	<0.5	7.79	<5	690	0.8	2	2.40	<0.5	8	16	7	1.81	20
D1213304		3.91	0.022	<0.5	8.06	<5	670	0.9	<2	2.36	<0.5	4	18	29	1.35	20
D1213305		3.87	0.025	<0.5	8.13	<5	690	1.0	3	2.45	<0.5	4	18	62	1.44	20
D1213306		3.78	0.119	<0.5	7.92	9	370	0.7	<2	2.24	<0.5	7	17	29	1.53	20
D1213307		4.25	0.079	<0.5	8.23	5	190	0.8	<2	2.87	<0.5	7	22	6	1.52	20
D1213308		4.36	0.167	<0.5	8.13	5	330	0.9	<2	2.80	<0.5	6	25	7	1.43	20
D1213309		4.37	0.324	<0.5	7.69	6	370	0.8	3	2.63	<0.5	4	26	7	1.38	20
D1213310		4.19	0.050	<0.5	7.54	5	400	0.8	5	2.51	<0.5	5	29	5	1.40	20
D1213311		4.14	0.303	<0.5	7.53	<5	440	0.8	<2	2.34	<0.5	6	29	10	1.52	20
D1213312		0.29	<0.005	<0.5	3.46	7	340	0.6	3	20.9	<0.5	5	23	11	1.64	10
D1213313		3.85	0.030	<0.5	7.73	<5	410	0.9	<2	2.59	<0.5	2	28	10	1.35	20
D1213314		4.21	0.159	<0.5	7.06	<5	180	0.7	<2	2.49	<0.5	4	25	4	1.17	20
D1213315		3.85	0.279	<0.5	5.94	<5	220	0.6	2	1.78	<0.5	4	26	8	1.32	20
D1213316		4.26	0.006	<0.5	8.23	<5	660	1.0	<2	2.84	<0.5	5	29	7	1.68	20
D1213317		4.07	<0.005	<0.5	7.86	<5	650	1.0	<2	2.78	<0.5	5	27	7	1.66	20
D1213318		4.25	0.005	<0.5	8.53	<5	690	1.0	<2	2.95	<0.5	6	30	9	1.72	30
D1213319		4.34	0.018	<0.5	8.19	<5	650	1.1	<2	2.86	<0.5	4	30	10	1.69	20
D1213320		4.09	0.130	<0.5	8.31	<5	670	1.0	<2	2.79	<0.5	6	28	28	1.80	20
D1213321		4.54	0.025	<0.5	8.40	<5	660	1.0	<2	2.96	<0.5	6	33	6	1.86	20
D1213322		0.08	1.220	<0.5	7.05	812	460	1.1	<2	5.66	0.5	39	184	96	10.20	20
D1213323		4.20	0.022	<0.5	8.52	<5	690	1.0	<2	2.82	<0.5	6	29	16	1.74	20
D1213324		4.18	0.037	<0.5	8.28	<5	620	1.0	<2	2.78	<0.5	7	32	9	1.79	20
D1213325		3.83	0.012	<0.5	7.65	<5	610	0.9	<2	3.36	<0.5	10	50	3	2.26	20
D1213326		3.90	0.020	<0.5	8.31	<5	710	0.9	<2	3.04	<0.5	6	34	15	1.59	20
D1213327		3.88	0.006	<0.5	8.56	<5	790	1.0	<2	2.77	<0.5	6	31	23	1.64	20
D1213328		4.08	0.005	<0.5	7.94	<5	680	0.9	<2	3.19	<0.5	8	54	6	2.14	20
D1213329		4.01	<0.005	<0.5	7.50	<5	540	0.8	<2	4.38	<0.5	13	108	1	3.13	20
D1213330		4.10	0.136	<0.5	8.12	<5	960	1.1	<2	3.13	<0.5	8	52	6	2.22	20
D1213331		4.03	0.008	<0.5	7.74	<5	920	1.0	<2	3.27	<0.5	6	54	6	2.04	20
D1213332		0.35	<0.005	<0.5	3.97	<5	390	0.7	<2	19.6	<0.5	3	24	10	1.70	10
D1213333		3.91	0.006	<0.5	8.01	<5	1020	1.1	<2	3.02	<0.5	7	58	27	2.04	20
D1213334		2.69	0.036	<0.5	7.66	<5	990	1.0	<2	2.81	<0.5	7	59	28	2.04	20
D1213335		3.77	1.200	<0.5	6.20	7	940	0.8	<2	4.87	<0.5	15	87	13	3.82	20
D1213336		5.84	0.045	<0.5	8.32	<5	850	0.9	<2	5.87	<0.5	27	140	24	5.38	20
D1213337		3.72	0.005	<0.5	7.92	<5	390	0.8	<2	6.41	<0.5	30	206	51	5.39	20
D1213338		3.53	<0.005	<0.5	7.10	<5	290	0.7	<2	6.09	<0.5	38	270	49	5.73	20
D1213339		4.39	<0.005	<0.5	7.23	<5	330	0.6	<2	6.32	<0.5	40	305	45	6.07	20
D1213340		4.08	0.006	<0.5	7.58	<5	420	0.7	<2	6.13	<0.5	32	221	46	5.57	20

Comments: Additional Au-AA24 check assay for sample D1213233 are 1.185 g/t and 0.244 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-NOV-2015
Account: DETGLD

Project: DGEX-397

CERTIFICATE OF ANALYSIS SD15174649

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1213301		1.13	<10	0.63	213	<1	4.34	11	380	<2	0.51	<5	3	502	<20	0.12
D1213302		2.09	10	0.83	630	6	0.68	9	530	15	0.82	<5	10	257	<20	0.24
D1213303		0.91	<10	0.50	219	<1	4.59	8	350	<2	0.96	<5	2	414	<20	0.10
D1213304		0.96	<10	0.50	190	1	4.33	7	360	<2	0.25	<5	2	623	<20	0.10
D1213305		0.84	<10	0.48	181	<1	4.40	7	390	3	0.46	<5	2	630	<20	0.10
D1213306		0.55	<10	0.47	185	2	5.00	10	370	<2	0.88	<5	2	444	<20	0.08
D1213307		0.33	10	0.66	283	2	6.17	13	450	<2	0.77	<5	2	420	<20	0.09
D1213308		0.47	10	0.67	257	1	5.92	10	490	2	0.48	<5	2	553	<20	0.10
D1213309		0.52	<10	0.65	257	1	5.55	10	450	<2	0.37	<5	2	527	<20	0.10
D1213310		0.54	10	0.66	251	<1	5.03	13	440	<2	0.41	<5	3	498	<20	0.10
D1213311		0.58	10	0.62	219	1	4.71	10	400	<2	0.51	<5	2	537	<20	0.10
D1213312		1.82	30	0.76	985	<1	0.67	14	2980	11	0.31	<5	5	421	<20	0.22
D1213313		0.50	10	0.63	225	<1	4.84	11	440	<2	0.23	<5	2	584	<20	0.10
D1213314		0.29	10	0.49	228	1	5.02	8	400	<2	0.41	<5	2	413	<20	0.07
D1213315		0.33	<10	0.43	171	<1	3.95	10	330	<2	0.63	<5	2	316	<20	0.06
D1213316		0.84	10	0.75	218	<1	4.37	14	470	3	0.28	<5	3	625	<20	0.13
D1213317		0.86	10	0.69	195	<1	4.10	16	450	<2	0.25	<5	3	631	<20	0.13
D1213318		0.89	10	0.76	229	<1	4.47	16	480	5	0.23	<5	3	663	<20	0.14
D1213319		0.82	10	0.72	224	<1	4.33	16	460	2	0.26	<5	3	653	<20	0.12
D1213320		0.85	10	0.72	245	<1	4.48	15	470	<2	0.51	<5	3	631	<20	0.12
D1213321		0.98	10	0.86	339	<1	4.44	18	500	2	0.35	<5	3	584	<20	0.13
D1213322		0.73	20	3.92	2740	1	2.01	144	2070	2	1.03	<5	18	396	<20	0.95
D1213323		0.81	10	0.71	232	<1	4.48	14	480	<2	0.30	<5	3	647	<20	0.13
D1213324		0.79	10	0.79	260	<1	4.49	16	470	<2	0.37	<5	3	559	<20	0.13
D1213325		0.87	10	1.18	362	<1	4.17	27	520	<2	0.22	<5	5	584	<20	0.14
D1213326		0.70	10	0.74	236	<1	4.32	16	480	<2	0.15	<5	3	651	<20	0.14
D1213327		0.76	10	0.76	238	<1	4.47	16	480	3	0.18	<5	3	684	<20	0.13
D1213328		0.77	10	1.07	330	<1	4.15	26	490	5	0.20	<5	4	613	<20	0.14
D1213329		0.82	10	1.96	570	<1	3.79	55	570	3	0.24	<5	8	545	<20	0.15
D1213330		0.98	10	1.03	377	<1	4.13	24	540	2	0.49	<5	5	659	<20	0.15
D1213331		0.85	10	1.08	435	<1	4.25	24	480	2	0.22	<5	5	675	<20	0.10
D1213332		2.23	30	0.82	1120	<1	0.76	16	3400	8	0.20	<5	6	483	<20	0.21
D1213333		0.91	10	1.03	369	<1	4.13	26	480	<2	0.28	<5	5	666	<20	0.14
D1213334		0.99	10	0.99	363	<1	3.95	24	480	<2	0.40	<5	5	583	<20	0.15
D1213335		1.52	10	1.95	809	<1	1.87	37	680	3	1.07	<5	11	334	<20	0.26
D1213336		1.47	20	3.28	954	<1	2.46	73	860	6	0.45	<5	17	414	<20	0.37
D1213337		0.59	10	4.14	942	<1	2.56	102	760	4	0.10	<5	22	466	<20	0.29
D1213338		0.39	10	5.09	941	<1	1.89	133	690	<2	0.06	<5	26	457	<20	0.21
D1213339		0.39	10	5.69	958	<1	1.65	148	650	<2	0.04	<5	29	370	<20	0.22
D1213340		0.46	10	4.32	870	<1	2.27	99	670	<2	0.22	<5	26	402	<20	0.37

Comments: Additional Au-AA24 check assay for sample D1213233 are 1.185 g/t and 0.244 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-NOV-2015
Account: DETGLD

Project: DGEX-397

CERTIFICATE OF ANALYSIS SD15174649

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1213301		<10	<10	31	<10	32	
D1213302		<10	<10	88	<10	54	
D1213303		<10	<10	26	<10	27	
D1213304		<10	<10	26	<10	31	
D1213305		<10	<10	27	<10	27	
D1213306		<10	<10	20	110	23	
D1213307		<10	<10	20	70	27	
D1213308		<10	<10	29	10	26	
D1213309		<10	<10	25	40	25	
D1213310		<10	<10	26	70	25	
D1213311		<10	<10	26	<10	24	
D1213312		10	<10	25	<10	16	
D1213313		<10	<10	27	20	29	
D1213314		<10	<10	17	20	24	
D1213315		<10	<10	18	80	21	
D1213316		<10	<10	37	<10	41	
D1213317		<10	<10	34	<10	60	
D1213318		<10	<10	38	<10	50	
D1213319		<10	<10	35	<10	54	
D1213320		<10	<10	36	40	40	
D1213321		<10	<10	41	<10	29	
D1213322		<10	<10	164	<10	136	
D1213323		<10	<10	37	<10	46	
D1213324		<10	<10	37	<10	37	
D1213325		<10	<10	48	<10	43	
D1213326		<10	<10	35	<10	41	
D1213327		<10	<10	36	<10	42	
D1213328		<10	<10	46	<10	46	
D1213329		<10	<10	64	<10	54	
D1213330		<10	<10	44	10	43	
D1213331		<10	<10	41	<10	41	
D1213332		<10	<10	28	<10	30	
D1213333		<10	<10	42	<10	48	
D1213334		<10	<10	42	<10	42	
D1213335		<10	<10	101	<10	58	
D1213336		<10	<10	128	<10	82	
D1213337		10	<10	142	<10	78	
D1213338		<10	<10	155	<10	74	
D1213339		<10	<10	168	<10	79	
D1213340		<10	<10	173	<10	75	

Comments: Additional Au-AA24 check assay for sample D1213233 are 1.185 g/t and 0.244 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-NOV-2015
Account: DETGLD

Project: DGEX-397

CERTIFICATE OF ANALYSIS SD15174649

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-24
	PUL-32	PUL-QC	SPL-22Y	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA24	Au-GRA22	ME-ICP61