ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 14-NOV-2015
Account: DETGLD

CERTIFICATE SD15165356

Project: DGEX-382

P.O. No.: DGC 4800002115

This report is for 160 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 28-OCT-2015.

The following have access to data associated with this certificate:

APRIL COOMBS	ADREE DELAZZER	GUY MAC GILLIVRAY
KELLY MALCOLM	JEAN FRANCOIS METAIL	LARRY THON
JAMES TOLHURST	DETOUR GOLD WEBTRIEVE	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM

To: **DETOUR GOLD CORPORATION**
ATTN: JAMES TOLHURST
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Additional check assay for sample D1216393 reports 7.18g/t for Au-AA24 and 1.88g/t for Au-GRA22.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 14-NOV-2015
Account: DETGLD

Project: DGEX-382

CERTIFICATE OF ANALYSIS SD15165356

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1216283		6.59	<0.005	<0.5	7.07	<5	40	<0.5	7	6.15	0.5	43	36	109	11.15	20
D1216284		6.50	<0.005	<0.5	7.06	<5	40	<0.5	<2	6.47	0.5	48	35	122	11.80	20
D1216285		3.29	<0.005	<0.5	7.05	7	50	0.6	<2	6.15	0.6	43	34	98	11.95	20
D1216286		2.48	0.031	<0.5	6.41	6	280	0.9	<2	4.36	<0.5	27	19	52	6.32	20
D1216287		2.36	<0.005	<0.5	5.40	<5	260	0.8	<2	1.55	<0.5	4	11	53	3.14	10
D1216288		0.07	0.344	<0.5	7.22	196	340	1.1	<2	5.63	<0.5	39	181	112	7.94	20
D1216289		4.15	<0.005	<0.5	6.99	<5	340	0.7	<2	3.17	0.5	25	100	24	6.68	20
D1216290		3.98	0.005	<0.5	6.52	<5	370	0.9	2	2.33	1.8	14	19	81	5.05	20
D1216291		4.08	<0.005	<0.5	6.89	8	370	1.0	2	3.68	<0.5	10	12	67	5.31	20
D1216292		2.50	<0.005	<0.5	6.17	<5	620	0.6	2	2.39	<0.5	6	10	36	4.99	20
D1216293		2.90	<0.005	<0.5	6.04	5	320	0.9	<2	1.13	<0.5	6	12	69	4.52	20
D1216294		2.04	<0.005	<0.5	7.57	<5	480	0.9	<2	4.01	<0.5	8	50	10	2.31	20
D1216295		3.76	<0.005	<0.5	7.76	<5	290	0.9	<2	3.46	<0.5	9	54	40	2.62	20
D1216296		3.72	<0.005	<0.5	7.54	<5	400	0.9	<2	2.47	<0.5	8	26	60	3.43	20
D1216297		4.18	0.014	<0.5	7.42	<5	460	0.9	<2	2.87	0.5	9	43	49	2.79	20
D1216298		0.36	<0.005	<0.5	3.95	<5	440	0.7	<2	18.0	<0.5	4	26	8	1.65	10
D1216299		2.02	0.805	<0.5	6.63	<5	590	0.8	<2	2.71	<0.5	8	6	111	4.88	20
D1216300		3.83	0.012	<0.5	8.24	<5	550	0.9	<2	3.14	<0.5	6	26	73	2.27	20
D1216301		3.94	0.010	<0.5	7.81	<5	540	0.9	<2	2.78	<0.5	8	30	35	2.26	20
D1216302		3.54	<0.005	<0.5	8.07	<5	580	1.0	<2	2.77	<0.5	10	34	14	2.59	20
D1216303		4.09	0.012	<0.5	7.91	<5	580	0.8	<2	3.78	<0.5	8	24	10	2.33	20
D1216304		4.09	0.011	<0.5	6.84	<5	720	0.8	<2	1.80	0.6	8	7	52	5.91	20
D1216305		3.90	0.042	<0.5	6.28	<5	370	1.0	<2	0.90	<0.5	5	6	14	5.81	20
D1216306		3.84	<0.005	<0.5	5.67	<5	470	0.9	<2	1.09	<0.5	5	9	56	4.16	10
D1216307		4.01	<0.005	<0.5	7.52	<5	390	1.1	2	2.80	<0.5	15	34	50	5.83	20
D1216308		0.06	6.62	1.4	5.97	4370	540	0.8	<2	5.81	<0.5	34	137	191	12.30	10
D1216309		4.11	<0.005	<0.5	7.33	6	320	0.8	2	2.47	<0.5	21	57	104	5.84	20
D1216310		2.79	<0.005	<0.5	7.71	<5	280	0.8	<2	5.28	<0.5	12	54	67	2.74	20
D1216311		5.59	<0.005	<0.5	7.25	<5	200	0.5	4	5.28	<0.5	50	79	183	10.10	20
D1216312		4.08	0.009	<0.5	7.80	<5	120	<0.5	2	4.71	<0.5	50	166	174	9.60	20
D1216313		3.93	<0.005	<0.5	7.80	<5	60	<0.5	6	5.37	<0.5	56	178	165	10.50	20
D1216314		6.29	<0.005	<0.5	7.74	<5	50	<0.5	2	5.97	<0.5	52	177	105	9.92	20
D1216315		7.65	0.006	<0.5	7.92	<5	40	<0.5	4	6.25	<0.5	53	263	92	9.92	20
D1216316		6.99	0.021	<0.5	7.43	5	40	<0.5	4	6.83	<0.5	52	196	590	10.15	20
D1216317		6.63	0.007	<0.5	7.78	<5	30	<0.5	<2	6.50	<0.5	52	189	112	9.75	20
D1216318		0.41	<0.005	<0.5	3.30	<5	320	0.6	<2	20.8	<0.5	5	23	9	1.45	10
D1216319		6.05	<0.005	<0.5	7.88	<5	60	<0.5	4	6.59	<0.5	52	187	106	9.71	20
D1216320		5.70	<0.005	<0.5	7.78	<5	110	<0.5	5	7.36	<0.5	51	186	110	9.45	20
D1216321		6.39	<0.005	<0.5	7.97	<5	50	<0.5	3	6.78	<0.5	53	190	97	9.74	20
D1216322		6.56	<0.005	<0.5	7.37	<5	80	<0.5	2	5.66	<0.5	49	187	87	9.35	20

Comments: Additional check assay for sample D1216393 reports 7.18g/t for Au-AA24 and 1.88g/t for Au-GRA22.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 14-NOV-2015
Account: DETGLD

Project: DGEX-382

CERTIFICATE OF ANALYSIS SD15165356

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1216283		0.20	<10	2.73	1795	<1	1.35	38	540	3	0.13	<5	38	229	<20	0.89
D1216284		0.20	<10	2.88	1875	<1	1.50	44	560	<2	0.17	<5	39	214	<20	0.93
D1216285		0.22	<10	3.04	1925	<1	1.46	54	580	<2	0.07	<5	40	261	<20	0.93
D1216286		1.33	20	1.58	740	<1	1.44	19	390	4	0.43	<5	18	154	<20	0.41
D1216287		1.07	30	0.75	345	<1	2.07	5	160	2	0.07	<5	5	86	<20	0.13
D1216288		0.78	20	3.71	1405	5	2.22	137	1610	5	0.26	5	19	417	<20	0.98
D1216289		0.87	10	2.37	927	<1	1.64	65	550	2	0.06	<5	23	149	<20	0.49
D1216290		1.10	20	1.16	698	1	1.43	14	560	10	0.56	<5	12	222	<20	0.31
D1216291		0.88	20	0.89	604	1	1.74	4	840	13	0.37	<5	13	125	<20	0.36
D1216292		1.60	20	0.81	502	2	0.82	<1	490	<2	0.05	<5	13	153	<20	0.25
D1216293		0.59	20	0.67	438	1	2.97	1	450	4	0.26	<5	12	126	<20	0.23
D1216294		1.77	10	1.18	349	4	3.27	26	480	<2	0.04	<5	5	360	<20	0.15
D1216295		0.67	10	1.24	367	<1	3.63	27	520	3	0.10	<5	6	562	<20	0.18
D1216296		1.26	10	1.03	447	1	3.86	11	550	<2	0.15	<5	7	230	<20	0.22
D1216297		1.31	10	1.13	367	<1	3.37	19	550	6	0.15	<5	6	391	<20	0.20
D1216298		2.15	30	0.80	976	<1	0.79	13	3700	9	0.26	<5	7	416	<20	0.25
D1216299		1.68	20	1.07	356	3	1.22	<1	650	6	0.84	<5	14	200	<20	0.31
D1216300		1.00	10	0.77	295	<1	4.01	11	510	<2	0.38	<5	3	670	<20	0.18
D1216301		1.15	10	0.80	297	<1	3.80	12	510	5	0.56	<5	3	662	<20	0.18
D1216302		1.27	10	1.00	322	<1	4.04	14	600	<2	0.40	<5	4	507	<20	0.21
D1216303		2.63	10	0.91	295	<1	3.79	10	580	2	0.35	<5	4	225	<20	0.20
D1216304		2.47	20	1.34	583	2	1.52	2	920	4	0.38	<5	14	180	<20	0.38
D1216305		1.30	30	1.47	625	2	1.71	<1	480	3	0.08	<5	13	94	<20	0.26
D1216306		1.41	20	0.64	451	2	2.04	2	400	<2	0.44	<5	11	75	<20	0.21
D1216307		1.49	20	2.15	619	1	0.93	21	460	<2	0.54	<5	17	102	<20	0.32
D1216308		0.57	20	3.09	4170	4	1.26	107	2330	14	3.60	10	20	249	<20	0.58
D1216309		0.92	20	2.82	599	2	1.68	38	430	<2	0.39	<5	18	170	<20	0.34
D1216310		0.83	10	1.52	545	1	3.35	32	570	<2	0.22	<5	6	449	<20	0.21
D1216311		0.53	10	4.03	1585	1	1.31	54	450	<2	0.66	<5	38	190	<20	0.72
D1216312		0.42	10	5.44	1190	12	1.39	128	370	2	0.52	<5	36	150	<20	0.63
D1216313		0.26	<10	5.38	1240	1	1.23	140	370	4	0.38	<5	39	157	<20	0.68
D1216314		0.24	<10	5.02	1270	<1	1.38	135	370	<2	0.13	<5	39	170	<20	0.68
D1216315		0.22	<10	4.98	1325	<1	1.65	145	390	2	0.18	<5	39	181	<20	0.69
D1216316		0.19	<10	3.89	1230	47	1.43	133	350	<2	1.29	<5	37	175	<20	0.64
D1216317		0.21	<10	4.53	1350	<1	1.48	138	360	3	0.12	<5	39	165	<20	0.67
D1216318		1.84	30	0.78	976	1	0.60	10	3040	7	0.25	<5	6	428	<20	0.20
D1216319		0.43	<10	4.80	1280	1	1.54	144	380	<2	0.14	<5	39	162	<20	0.68
D1216320		0.55	<10	4.33	1420	1	1.85	142	350	2	0.23	<5	38	151	<20	0.65
D1216321		0.25	<10	4.66	1450	<1	1.92	143	370	4	0.11	<5	40	188	<20	0.68
D1216322		0.35	<10	4.84	1315	1	1.99	144	360	3	0.09	<5	35	174	<20	0.65

Comments: Additional check assay for sample D1216393 reports 7.18g/t for Au-AA24 and 1.88g/t for Au-GRA22.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 14-NOV-2015
Account: DETGLD

Project: DGEX-382

CERTIFICATE OF ANALYSIS SD15165356

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1216283		<10	<10	341	<10	125	
D1216284		<10	<10	356	<10	146	
D1216285		<10	<10	357	<10	107	
D1216286		<10	<10	136	<10	83	
D1216287		<10	<10	9	<10	116	
D1216288		<10	10	151	<10	115	
D1216289		<10	<10	158	<10	201	
D1216290		<10	<10	42	<10	639	
D1216291		<10	<10	22	<10	107	
D1216292		10	<10	1	<10	60	
D1216293		<10	<10	2	<10	114	
D1216294		<10	<10	45	<10	48	
D1216295		<10	<10	43	<10	42	
D1216296		<10	<10	33	<10	48	
D1216297		<10	<10	38	10	89	
D1216298		<10	<10	27	<10	18	
D1216299		<10	<10	8	<10	103	
D1216300		<10	<10	37	<10	36	
D1216301		<10	<10	38	<10	37	
D1216302		<10	<10	46	<10	61	
D1216303		<10	<10	47	<10	44	
D1216304		<10	<10	16	<10	202	
D1216305		<10	<10	2	<10	172	
D1216306		<10	<10	1	<10	217	
D1216307		<10	<10	43	<10	163	
D1216308		<10	<10	181	10	125	6.61
D1216309		<10	<10	78	<10	112	
D1216310		<10	<10	54	<10	38	
D1216311		<10	<10	298	<10	99	
D1216312		<10	<10	269	<10	85	
D1216313		<10	<10	297	<10	93	
D1216314		<10	<10	295	<10	88	
D1216315		<10	<10	298	<10	86	
D1216316		<10	<10	277	<10	79	
D1216317		<10	<10	292	<10	92	
D1216318		<10	<10	25	<10	23	
D1216319		<10	<10	293	<10	89	
D1216320		<10	<10	290	<10	84	
D1216321		<10	<10	296	<10	85	
D1216322		<10	<10	287	<10	79	

Comments: Additional check assay for sample D1216393 reports 7.18g/t for Au-AA24 and 1.88g/t for Au-GRA22.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 14-NOV-2015
Account: DETGLD

Project: DGEX-382

CERTIFICATE OF ANALYSIS SD15165356

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1216323		2.97	<0.005	<0.5	7.04	<5	170	<0.5	<2	6.52	<0.5	45	165	92	8.80	20
D1216324		4.66	<0.005	<0.5	8.59	<5	440	0.9	3	3.51	<0.5	12	33	7	2.51	20
D1216325		3.46	<0.005	<0.5	8.04	<5	500	0.8	2	3.46	<0.5	9	31	6	2.26	20
D1216326		3.61	<0.005	<0.5	8.16	<5	560	0.8	<2	3.50	<0.5	8	32	14	2.35	20
D1216327		4.61	<0.005	<0.5	8.00	<5	490	0.8	<2	3.45	<0.5	10	35	25	2.34	20
D1216328		0.07	4.52	5.7	4.64	22	290	0.9	<2	5.10	<0.5	8	25	61	2.61	10
D1216329		2.74	<0.005	<0.5	7.56	<5	90	<0.5	<2	6.91	<0.5	51	180	131	9.33	20
D1216330		5.63	<0.005	<0.5	7.74	<5	40	<0.5	<2	6.24	<0.5	52	184	100	9.56	20
D1216331		5.67	<0.005	<0.5	7.98	<5	30	<0.5	<2	6.91	<0.5	54	188	100	9.75	20
D1216332		6.06	<0.005	<0.5	7.91	<5	30	<0.5	<2	6.68	<0.5	52	195	114	9.73	20
D1216333		5.93	<0.005	<0.5	7.37	<5	30	<0.5	2	6.35	<0.5	51	181	116	9.35	20
D1216334		6.03	<0.005	<0.5	7.58	<5	40	<0.5	2	6.34	<0.5	49	183	88	9.25	20
D1216335		6.60	<0.005	<0.5	7.65	<5	80	<0.5	3	6.08	<0.5	50	194	83	9.52	20
D1216336		6.60	<0.005	<0.5	7.88	<5	50	<0.5	<2	6.20	<0.5	53	196	96	9.85	20
D1216337		6.26	<0.005	<0.5	7.47	<5	80	<0.5	<2	6.79	<0.5	48	180	91	9.03	20
D1216338		0.28	<0.005	<0.5	3.92	<5	510	0.6	<2	16.4	<0.5	6	26	9	1.57	10
D1216339		6.70	<0.005	<0.5	7.61	<5	130	<0.5	2	6.00	<0.5	49	192	110	9.56	20
D1216340		6.79	<0.005	<0.5	7.83	<5	130	<0.5	<2	5.97	<0.5	52	186	111	9.53	20
D1216341		6.38	<0.005	<0.5	7.09	5	150	<0.5	<2	5.59	<0.5	47	179	115	8.87	20
D1216342		6.29	<0.005	<0.5	7.25	<5	110	<0.5	2	5.48	<0.5	48	200	65	9.09	20
D1216343		6.72	<0.005	<0.5	7.52	<5	60	<0.5	<2	7.15	<0.5	47	178	57	9.72	20
D1216344		6.37	<0.005	<0.5	7.74	<5	50	<0.5	4	6.41	<0.5	52	203	67	9.62	20
D1216345		6.50	<0.005	<0.5	7.90	<5	70	<0.5	3	6.42	<0.5	51	201	92	9.80	20
D1216346		6.26	<0.005	<0.5	7.40	5	110	<0.5	<2	6.40	0.5	50	184	118	9.10	20
D1216347		6.17	<0.005	<0.5	7.35	<5	150	<0.5	<2	5.88	<0.5	47	183	86	8.84	20
D1216348		0.04	1.265	<0.5	6.47	762	420	1.0	2	5.26	0.5	37	177	91	9.47	20
D1216349		6.23	<0.005	<0.5	7.37	<5	50	<0.5	<2	6.17	<0.5	47	193	79	9.42	20
D1216350		6.68	<0.005	<0.5	7.69	<5	80	<0.5	<2	5.94	0.6	48	194	91	9.33	20
D1216351		6.78	<0.005	<0.5	7.07	5	40	<0.5	<2	5.99	<0.5	47	178	96	9.19	20
D1216352		6.64	<0.005	<0.5	7.42	<5	30	<0.5	3	6.32	0.6	48	181	75	9.35	20
D1216353		6.77	<0.005	<0.5	7.54	<5	40	<0.5	2	7.11	<0.5	49	183	73	9.61	20
D1216354		6.66	<0.005	<0.5	7.21	5	50	<0.5	2	6.58	<0.5	46	175	73	8.85	20
D1216355		6.90	<0.005	<0.5	7.18	5	50	<0.5	<2	5.87	<0.5	47	187	71	9.12	20
D1216356		6.70	<0.005	<0.5	7.55	<5	110	<0.5	<2	5.98	0.5	47	192	132	9.52	20
D1216357		6.57	0.021	<0.5	7.05	<5	120	<0.5	<2	6.33	0.5	59	177	422	9.07	20
D1216358		0.27	<0.005	<0.5	3.88	<5	460	0.7	<2	19.4	<0.5	3	23	10	1.54	10
D1216359		6.83	<0.005	<0.5	7.36	6	130	<0.5	<2	6.35	<0.5	47	182	127	8.99	20
D1216360		6.81	<0.005	<0.5	7.09	<5	70	<0.5	<2	5.72	<0.5	49	184	113	9.20	20
D1216361		6.59	0.029	<0.5	7.07	7	120	<0.5	<2	5.99	0.5	47	172	249	8.68	20
D1216362		6.86	0.017	<0.5	7.24	<5	70	<0.5	<2	6.47	<0.5	51	182	405	9.29	20

Comments: Additional check assay for sample D1216393 reports 7.18g/t for Au-AA24 and 1.88g/t for Au-GRA22.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 14-NOV-2015
Account: DETGLD

Project: DGEX-382

CERTIFICATE OF ANALYSIS SD15165356

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1216323		0.59	<10	4.40	1390	<1	1.42	117	330	<2	0.16	<5	36	157	<20	0.63
D1216324		0.96	10	1.02	341	<1	4.35	22	600	4	0.11	<5	5	656	<20	0.23
D1216325		0.85	10	0.91	339	<1	4.04	13	560	2	0.15	<5	4	671	<20	0.21
D1216326		0.85	10	0.93	376	<1	3.94	14	590	3	0.13	<5	4	677	<20	0.20
D1216327		0.83	10	0.92	370	<1	4.01	14	560	2	0.17	<5	4	614	<20	0.21
D1216328		2.14	10	0.84	627	6	0.69	10	530	16	0.83	<5	10	259	<20	0.24
D1216329		0.34	<10	4.52	1460	2	1.82	127	370	<2	0.27	<5	39	199	<20	0.68
D1216330		0.20	<10	4.92	1420	<1	1.54	135	360	<2	0.10	<5	40	192	<20	0.68
D1216331		0.21	<10	4.77	1385	<1	1.42	146	360	3	0.10	<5	40	214	<20	0.68
D1216332		0.26	<10	4.84	1445	16	1.28	138	380	<2	0.12	<5	40	196	<20	0.69
D1216333		0.24	<10	4.54	1420	1	1.43	142	340	<2	0.14	<5	35	200	<20	0.64
D1216334		0.25	<10	4.80	1370	2	1.73	142	390	<2	0.11	10	37	196	<20	0.65
D1216335		0.43	<10	4.78	1430	1	2.08	143	350	2	0.10	<5	37	172	<20	0.67
D1216336		0.31	<10	4.80	1480	<1	2.35	144	370	2	0.09	<5	39	143	<20	0.68
D1216337		0.34	<10	4.50	1460	<1	2.13	133	330	<2	0.10	<5	37	147	<20	0.63
D1216338		2.18	30	0.73	792	1	0.76	11	2940	10	0.26	<5	6	405	<20	0.25
D1216339		0.56	<10	4.83	1420	<1	2.22	139	360	<2	0.19	<5	36	158	<20	0.67
D1216340		0.65	<10	4.84	1460	1	2.13	135	370	3	0.22	<5	40	170	<20	0.69
D1216341		0.71	<10	4.29	1385	11	2.06	129	370	<2	0.24	6	35	161	<20	0.61
D1216342		0.48	<10	4.74	1380	1	2.24	142	350	<2	0.07	5	33	143	<20	0.62
D1216343		0.30	<10	4.40	1495	<1	2.06	120	390	4	0.03	<5	39	179	<20	0.67
D1216344		0.30	<10	4.71	1500	<1	2.15	143	360	<2	0.03	<5	37	185	<20	0.65
D1216345		0.40	<10	4.64	1535	2	2.36	140	360	<2	0.06	<5	39	237	<20	0.66
D1216346		0.58	<10	4.38	1350	2	2.32	134	330	<2	0.12	<5	36	196	<20	0.60
D1216347		0.79	<10	4.41	1305	<1	2.32	135	330	<2	0.17	5	35	138	<20	0.60
D1216348		0.67	20	3.60	2530	2	1.87	134	1910	3	0.94	<5	17	364	<20	0.87
D1216349		0.29	<10	4.43	1395	<1	2.54	137	350	3	0.07	<5	35	187	<20	0.64
D1216350		0.45	<10	4.55	1380	<1	2.42	138	370	<2	0.16	<5	37	143	<20	0.64
D1216351		0.25	<10	4.15	1445	<1	2.24	131	340	<2	0.14	<5	33	144	<20	0.60
D1216352		0.21	<10	4.47	1520	<1	2.03	135	350	<2	0.06	<5	36	143	<20	0.62
D1216353		0.26	<10	4.42	1535	3	1.97	146	370	<2	0.08	<5	33	148	<20	0.64
D1216354		0.36	<10	4.14	1420	<1	2.00	135	330	2	0.08	<5	33	153	<20	0.59
D1216355		0.26	<10	4.36	1470	1	2.25	139	340	<2	0.10	5	33	166	<20	0.62
D1216356		0.53	<10	4.43	1475	1	2.16	132	360	<2	0.15	<5	39	210	<20	0.65
D1216357		0.50	<10	4.20	1370	346	1.99	136	320	<2	0.93	<5	35	187	<20	0.59
D1216358		2.11	30	0.72	869	1	0.81	10	3130	10	0.16	<5	6	401	<20	0.23
D1216359		0.57	<10	4.27	1510	4	2.09	135	340	2	0.30	<5	34	223	<20	0.61
D1216360		0.37	<10	4.23	1495	31	2.22	127	340	2	0.22	<5	33	227	<20	0.63
D1216361		0.45	<10	4.09	1365	51	1.89	135	320	<2	0.59	<5	33	181	<20	0.56
D1216362		0.32	<10	4.09	1380	91	1.92	119	370	<2	0.99	<5	37	202	<20	0.62

Comments: Additional check assay for sample D1216393 reports 7.18g/t for Au-AA24 and 1.88g/t for Au-GRA22.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 14-NOV-2015
Account: DETGLD

Project: DGEX-382

CERTIFICATE OF ANALYSIS SD15165356

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1216323		<10	<10	280	<10	89	
D1216324		<10	<10	64	<10	39	
D1216325		<10	<10	47	<10	50	
D1216326		<10	<10	47	<10	56	
D1216327		<10	<10	46	<10	55	
D1216328		<10	10	90	<10	54	
D1216329		<10	<10	293	<10	83	
D1216330		<10	<10	295	<10	87	
D1216331		<10	<10	301	<10	84	
D1216332		<10	<10	296	<10	85	
D1216333		<10	<10	284	<10	82	
D1216334		<10	<10	277	<10	78	
D1216335		<10	<10	295	<10	87	
D1216336		<10	<10	297	<10	95	
D1216337		10	<10	281	<10	84	
D1216338		<10	<10	27	<10	24	
D1216339		<10	<10	293	<10	91	
D1216340		<10	<10	302	<10	100	
D1216341		<10	<10	262	<10	102	
D1216342		<10	<10	270	<10	110	
D1216343		<10	<10	293	<10	97	
D1216344		<10	<10	288	<10	102	
D1216345		<10	<10	288	<10	102	
D1216346		<10	<10	268	<10	92	
D1216347		<10	<10	262	<10	97	
D1216348		<10	<10	149	<10	127	
D1216349		<10	<10	284	<10	95	
D1216350		<10	<10	277	<10	107	
D1216351		<10	<10	271	<10	98	
D1216352		<10	<10	274	<10	104	
D1216353		<10	<10	278	<10	102	
D1216354		<10	<10	269	<10	93	
D1216355		<10	<10	273	<10	103	
D1216356		<10	<10	293	<10	103	
D1216357		<10	<10	267	<10	107	
D1216358		<10	<10	25	<10	22	
D1216359		<10	<10	270	<10	103	
D1216360		<10	<10	277	<10	103	
D1216361		10	<10	245	<10	104	
D1216362		<10	<10	272	<10	99	

Comments: Additional check assay for sample D1216393 reports 7.18g/t for Au-AA24 and 1.88g/t for Au-GRA22.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 14-NOV-2015
Account: DETGLD

Project: DGEX-382

CERTIFICATE OF ANALYSIS SD15165356

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1216363		7.10	<0.005	<0.5	7.66	5	30	<0.5	<2	6.66	<0.5	48	185	104	9.73	20
D1216364		6.29	<0.005	<0.5	7.21	<5	30	<0.5	3	5.95	<0.5	48	182	101	9.37	20
D1216365		7.54	<0.005	<0.5	7.56	<5	40	<0.5	5	6.53	0.5	51	183	95	9.45	20
D1216366		4.99	<0.005	<0.5	7.33	<5	30	<0.5	<2	6.38	<0.5	46	178	107	9.78	20
D1216367		6.83	<0.005	<0.5	7.20	5	20	<0.5	<2	6.74	<0.5	49	178	123	9.70	20
D1216368		0.06	0.343	<0.5	7.08	197	330	1.1	2	5.46	<0.5	40	182	110	7.79	20
D1216369		6.50	<0.005	<0.5	7.02	<5	10	<0.5	<2	6.87	<0.5	46	163	90	8.89	20
D1216370		7.41	<0.005	<0.5	7.28	5	10	<0.5	<2	7.18	<0.5	46	185	93	9.06	20
D1216371		6.95	<0.005	<0.5	7.06	<5	30	<0.5	<2	6.97	0.5	47	188	106	8.95	20
D1216372		6.39	<0.005	<0.5	7.39	5	90	<0.5	<2	6.48	<0.5	53	196	167	9.35	20
D1216373		6.94	<0.005	<0.5	7.38	<5	20	<0.5	<2	7.13	<0.5	49	199	81	9.30	20
D1216374		6.84	<0.005	<0.5	7.02	5	10	<0.5	<2	6.90	0.5	46	188	136	8.84	20
D1216375		6.11	<0.005	<0.5	7.42	<5	20	<0.5	4	6.74	<0.5	51	209	109	9.30	20
D1216376		6.28	<0.005	<0.5	7.73	<5	30	<0.5	<2	7.33	<0.5	49	208	123	9.32	20
D1216377		6.69	<0.005	<0.5	7.27	<5	30	<0.5	7	7.14	<0.5	53	204	122	8.91	20
D1216378		0.36	<0.005	<0.5	3.36	<5	450	0.6	<2	19.0	<0.5	4	22	9	1.39	10
D1216379		7.24	<0.005	<0.5	7.32	<5	40	<0.5	<2	7.31	<0.5	55	203	113	9.38	20
D1216380		5.46	0.005	<0.5	7.70	<5	80	<0.5	3	6.79	<0.5	50	209	102	8.76	20
D1216381		5.47	<0.005	<0.5	7.77	<5	430	1.0	5	4.41	<0.5	26	202	30	4.77	20
D1216382		4.81	<0.005	<0.5	7.34	<5	500	1.0	3	4.18	<0.5	25	200	28	4.52	20
D1216383		4.29	<0.005	<0.5	7.28	<5	510	1.0	3	4.08	<0.5	26	189	10	4.50	20
D1216384		6.37	<0.005	<0.5	7.49	<5	510	1.0	2	4.13	<0.5	26	187	21	4.53	20
D1216385		5.78	<0.005	<0.5	7.24	<5	450	0.9	3	4.09	<0.5	23	164	31	4.47	20
D1216386		4.32	<0.005	<0.5	7.79	<5	260	0.7	<2	5.37	<0.5	34	205	63	6.14	20
D1216387		3.98	<0.005	<0.5	7.75	6	160	0.6	2	5.82	<0.5	40	222	85	7.09	20
D1216388		0.02	6.51	1.1	5.75	4210	430	0.7	2	5.54	<0.5	35	130	183	11.85	10
D1216389		5.09	<0.005	<0.5	7.37	6	150	<0.5	3	7.04	<0.5	51	204	94	9.00	20
D1216390		7.05	<0.005	<0.5	7.83	<5	160	<0.5	<2	6.64	<0.5	52	209	76	9.41	20
D1216391		6.95	<0.005	<0.5	7.81	<5	110	<0.5	<2	6.46	<0.5	53	215	52	9.22	20
D1216392		5.98	<0.005	<0.5	7.02	<5	120	<0.5	3	6.38	<0.5	47	194	31	8.41	20
D1216393		3.97	5.47	<0.5	6.45	<5	130	<0.5	2	6.02	<0.5	40	171	116	6.75	10
D1216394		4.13	6.82	0.8	6.50	6	240	<0.5	6	6.66	<0.5	46	334	120	7.14	20
D1216395		3.88	5.09	1.7	3.24	11	150	<0.5	3	4.18	<0.5	26	306	121	4.14	10
D1216396		2.90	0.386	<0.5	7.58	5	410	0.8	<2	3.18	<0.5	8	56	34	1.94	20
D1216397		4.09	0.851	<0.5	7.84	<5	410	0.8	4	2.71	<0.5	6	39	46	1.69	20
D1216398		0.35	<0.005	<0.5	3.23	<5	330	0.6	<2	21.9	<0.5	5	22	9	1.48	10
D1216399		4.05	0.167	<0.5	7.64	<5	550	0.9	<2	3.31	<0.5	7	58	30	2.17	20
D1216400		3.91	0.434	<0.5	7.51	<5	530	0.9	3	2.49	<0.5	6	29	18	1.89	20
D1216401		3.98	0.695	<0.5	7.57	<5	540	0.9	<2	2.39	<0.5	7	25	27	1.74	20
D1216402		3.79	1.105	<0.5	6.76	7	550	0.7	2	1.91	<0.5	5	31	32	1.57	20

Comments: Additional check assay for sample D1216393 reports 7.18g/t for Au-AA24 and 1.88g/t for Au-GRA22.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 14-NOV-2015
Account: DETGLD

Project: DGEX-382

CERTIFICATE OF ANALYSIS SD15165356

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1216363		0.21	<10	4.42	1565	<1	2.06	136	370	<2	0.10	<5	38	140	<20	0.65
D1216364		0.19	<10	4.29	1465	<1	2.16	127	350	<2	0.07	<5	34	116	<20	0.63
D1216365		0.20	<10	4.49	1520	4	2.25	138	350	<2	0.12	5	35	121	<20	0.62
D1216366		0.17	<10	4.21	1465	1	2.28	112	380	<2	0.15	<5	40	121	<20	0.69
D1216367		0.16	<10	4.32	1485	1	1.79	133	360	2	0.14	<5	32	136	<20	0.66
D1216368		0.77	20	3.63	1365	5	2.18	135	1580	2	0.25	<5	18	410	<20	0.96
D1216369		0.13	<10	4.20	1355	<1	1.11	127	330	<2	0.12	<5	35	124	<20	0.60
D1216370		0.14	<10	4.36	1325	<1	0.95	134	330	2	0.08	5	36	104	<20	0.60
D1216371		0.17	<10	4.27	1300	29	1.20	136	340	<2	0.20	<5	33	84	<20	0.60
D1216372		0.36	<10	4.67	1460	26	1.64	151	360	<2	0.38	<5	34	103	<20	0.62
D1216373		0.18	<10	4.56	1425	<1	1.17	153	340	<2	0.12	<5	31	85	<20	0.61
D1216374		0.12	<10	4.27	1330	1	1.02	148	320	<2	0.18	<5	29	94	<20	0.57
D1216375		0.16	<10	4.54	1460	<1	1.34	163	340	<2	0.19	<5	33	105	<20	0.61
D1216376		0.16	<10	4.59	1440	23	1.28	159	330	<2	0.26	<5	34	125	<20	0.60
D1216377		0.18	<10	4.51	1465	6	1.38	166	330	4	0.24	<5	27	141	<20	0.60
D1216378		1.85	30	0.72	1005	1	0.68	9	3790	9	0.19	<5	6	466	<20	0.19
D1216379		0.24	<10	4.66	1550	1	1.43	174	330	<2	0.20	<5	26	166	<20	0.62
D1216380		0.34	10	4.60	1480	1	1.57	169	390	<2	0.14	<5	30	219	<20	0.58
D1216381		1.37	30	3.32	717	<1	2.65	160	950	3	0.04	<5	15	406	<20	0.38
D1216382		1.73	20	3.17	672	<1	2.61	153	920	<2	0.03	<5	13	421	<20	0.37
D1216383		1.64	20	3.07	669	<1	2.59	146	930	2	0.03	<5	13	447	<20	0.36
D1216384		1.57	20	3.10	708	1	2.65	148	930	<2	0.04	<5	13	462	<20	0.37
D1216385		1.38	20	2.89	693	<1	2.56	136	910	2	0.07	<5	13	401	<20	0.36
D1216386		0.73	20	3.74	1065	2	2.41	162	800	<2	0.13	<5	21	343	<20	0.45
D1216387		0.53	20	4.08	1210	1	2.34	171	620	<2	0.17	6	26	290	<20	0.50
D1216388		0.55	20	2.98	3970	3	1.21	104	2210	14	3.47	13	19	239	<20	0.55
D1216389		0.45	<10	4.37	1585	6	1.94	162	340	3	0.24	<5	30	275	<20	0.60
D1216390		0.58	<10	4.69	1605	3	2.02	162	360	2	0.12	5	35	254	<20	0.65
D1216391		0.50	<10	4.78	1580	4	1.65	163	340	3	0.12	<5	35	227	<20	0.63
D1216392		0.53	<10	4.21	1415	4	1.73	151	310	<2	0.10	<5	30	196	<20	0.57
D1216393		0.35	<10	3.49	1185	5	2.01	123	280	<2	0.38	8	25	210	<20	0.44
D1216394		0.83	<10	4.53	1225	3	1.34	224	240	2	1.24	<5	27	192	<20	0.37
D1216395		0.51	<10	2.69	696	2	0.77	162	80	<2	1.47	<5	13	117	<20	0.12
D1216396		0.97	<10	0.97	317	1	3.91	26	370	2	0.44	<5	5	444	<20	0.13
D1216397		1.03	<10	0.80	250	1	4.08	19	400	<2	0.44	<5	4	432	<20	0.11
D1216398		1.76	30	0.73	1060	1	0.63	13	2630	7	0.26	<5	5	445	<20	0.18
D1216399		1.04	10	1.07	399	<1	3.90	28	440	2	0.53	<5	4	530	<20	0.15
D1216400		0.99	10	0.63	239	<1	4.07	12	450	<2	0.77	<5	3	469	<20	0.14
D1216401		1.25	10	0.58	228	<1	4.10	9	430	<2	0.79	<5	3	366	<20	0.12
D1216402		1.37	10	0.53	253	1	3.35	9	400	<2	0.87	<5	3	264	<20	0.10

Comments: Additional check assay for sample D1216393 reports 7.18g/t for Au-AA24 and 1.88g/t for Au-GRA22.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 14-NOV-2015
Account: DETGLD

Project: DGEX-382

CERTIFICATE OF ANALYSIS SD15165356

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1216363		10	<10	283	<10	101	
D1216364		<10	<10	275	<10	99	
D1216365		<10	<10	270	<10	104	
D1216366		<10	<10	303	<10	95	
D1216367		<10	<10	291	<10	95	
D1216368		<10	<10	146	<10	112	
D1216369		10	<10	262	<10	90	
D1216370		10	<10	267	<10	89	
D1216371		<10	<10	260	<10	93	
D1216372		<10	<10	272	<10	101	
D1216373		10	<10	267	<10	98	
D1216374		10	<10	251	<10	93	
D1216375		<10	<10	265	<10	99	
D1216376		<10	<10	263	<10	101	
D1216377		<10	<10	264	<10	98	
D1216378		<10	<10	23	<10	42	
D1216379		<10	<10	278	<10	99	
D1216380		<10	<10	252	<10	95	
D1216381		<10	<10	108	<10	78	
D1216382		<10	<10	102	<10	74	
D1216383		10	<10	101	<10	75	
D1216384		<10	<10	101	<10	73	
D1216385		<10	<10	101	<10	67	
D1216386		<10	<10	155	<10	79	
D1216387		<10	<10	187	<10	89	
D1216388		<10	<10	172	10	119	6.89
D1216389		<10	<10	268	<10	101	
D1216390		<10	<10	279	<10	101	
D1216391		<10	<10	277	<10	89	
D1216392		<10	<10	250	<10	82	
D1216393		<10	<10	196	<10	71	2.20
D1216394		<10	<10	208	<10	143	7.19
D1216395		<10	<10	115	<10	139	5.08
D1216396		<10	<10	45	<10	37	
D1216397		<10	<10	41	<10	29	
D1216398		10	<10	22	<10	33	
D1216399		<10	<10	41	10	40	
D1216400		<10	<10	32	10	52	
D1216401		<10	<10	32	<10	67	
D1216402		<10	<10	33	10	20	

Comments: Additional check assay for sample D1216393 reports 7.18g/t for Au-AA24 and 1.88g/t for Au-GRA22.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 14-NOV-2015
Account: DETGLD

Project: DGEX-382

CERTIFICATE OF ANALYSIS SD15165356

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1216403		4.17	>10.0	7.0	6.00	<5	440	0.7	<2	2.17	5.2	6	39	402	1.80	10
D1216404		3.99	0.921	<0.5	7.04	<5	620	0.9	<2	2.93	<0.5	8	38	27	2.22	20
D1216405		3.93	0.108	<0.5	7.19	<5	580	0.9	<2	2.92	<0.5	7	28	28	2.21	20
D1216406		3.93	0.024	<0.5	7.76	<5	630	0.9	2	3.21	<0.5	9	30	87	2.40	20
D1216407		4.05	0.037	<0.5	7.44	<5	590	0.9	<2	3.14	<0.5	9	28	41	2.24	20
D1216408		0.06	4.61	5.6	4.52	18	280	0.9	2	5.00	<0.5	9	25	60	2.57	10
D1216409		3.96	0.057	<0.5	7.55	<5	570	0.9	3	3.09	<0.5	10	32	63	2.20	20
D1216410		3.80	4.09	<0.5	7.05	<5	450	0.8	<2	2.54	<0.5	7	34	11	1.80	20
D1216411		3.88	4.82	0.5	7.80	5	490	0.9	8	3.09	<0.5	9	32	40	2.07	20
D1216412		4.16	0.275	<0.5	7.23	<5	590	0.9	2	3.11	<0.5	8	26	153	2.28	20
D1216413		4.17	0.950	0.5	7.21	<5	500	0.9	<2	2.84	<0.5	11	38	99	2.32	20
D1216414		3.60	0.248	<0.5	0.34	<5	20	<0.5	<2	0.54	<0.5	2	58	4	0.64	<10
D1216415		4.41	0.131	<0.5	6.66	<5	80	<0.5	<2	5.71	<0.5	49	392	75	7.39	10
D1216416		3.50	0.012	<0.5	7.43	<5	70	<0.5	3	4.99	<0.5	38	185	144	6.08	10
D1216417		5.77	0.009	<0.5	7.72	<5	40	0.5	<2	4.44	<0.5	27	115	5	5.03	20
D1216418		0.39	<0.005	<0.5	2.85	6	260	0.5	<2	23.6	<0.5	4	19	8	1.23	<10
D1216419		4.37	<0.005	<0.5	7.69	<5	60	0.7	<2	3.39	<0.5	22	87	2	4.99	20
D1216420		3.92	0.009	<0.5	7.73	<5	140	0.7	5	4.85	<0.5	25	73	30	5.17	20
D1216421		4.24	0.008	<0.5	7.54	<5	150	0.8	<2	2.95	<0.5	26	61	5	5.08	20
D1216422		6.29	0.009	<0.5	8.19	5	180	0.8	<2	4.89	<0.5	20	51	55	4.62	20
D1216423		5.86	0.053	<0.5	7.32	<5	390	0.8	<2	4.98	<0.5	21	101	27	4.59	20
D1216424		6.44	<0.005	<0.5	7.10	<5	140	<0.5	2	6.22	<0.5	46	86	155	9.83	20
D1216425		6.91	<0.005	<0.5	7.22	5	40	<0.5	3	8.29	<0.5	47	87	250	10.05	20
D1216426		6.52	<0.005	<0.5	7.00	<5	80	<0.5	5	8.41	<0.5	46	79	200	10.30	20
D1216427		4.58	0.006	<0.5	6.33	<5	80	<0.5	4	7.38	<0.5	40	70	264	9.34	10
D1216428		0.06	1.270	<0.5	6.60	668	420	0.9	4	5.08	<0.5	36	177	91	9.42	20
D1216429		4.48	<0.005	<0.5	8.47	6	550	1.0	<2	3.57	<0.5	6	39	7	2.39	20
D1216430		5.34	0.057	<0.5	7.57	<5	200	0.7	2	5.67	0.5	32	62	60	7.51	20
D1216431		4.78	<0.005	<0.5	7.15	<5	130	<0.5	3	5.99	0.7	43	82	162	9.84	20
D1216432		6.64	<0.005	<0.5	6.69	<5	50	<0.5	6	7.49	<0.5	38	75	191	9.86	20
D1216433		6.89	<0.005	<0.5	7.21	<5	30	<0.5	3	6.44	<0.5	44	79	94	10.75	20
D1216434		6.36	<0.005	<0.5	6.68	<5	20	<0.5	4	6.41	<0.5	42	69	108	10.30	20
D1216435		6.78	<0.005	<0.5	6.81	<5	20	<0.5	6	6.78	<0.5	43	72	108	10.30	20
D1216436		6.69	<0.005	<0.5	7.04	<5	30	<0.5	4	7.49	<0.5	47	76	171	10.25	20
D1216437		6.50	<0.005	<0.5	6.90	<5	30	<0.5	4	6.94	<0.5	42	77	98	9.88	20
D1216438		0.30	<0.005	<0.5	3.25	<5	310	0.5	<2	20.7	<0.5	4	20	9	1.29	10
D1216439		6.52	<0.005	<0.5	6.92	<5	40	<0.5	3	6.94	<0.5	49	75	177	10.10	20
D1216440		6.75	<0.005	<0.5	6.91	<5	40	<0.5	2	7.24	<0.5	43	76	145	9.74	20
D1216441		6.41	<0.005	<0.5	6.44	<5	130	0.5	3	5.06	<0.5	35	59	192	8.11	20
D1216442		6.31	<0.005	<0.5	6.27	<5	130	0.6	2	4.07	<0.5	29	50	318	7.92	20

Comments: Additional check assay for sample D1216393 reports 7.18g/t for Au-AA24 and 1.88g/t for Au-GRA22.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 14-NOV-2015
Account: DETGLD

Project: DGEX-382

CERTIFICATE OF ANALYSIS SD15165356

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1216403		1.07	10	0.64	262	3	2.98	14	390	4	0.73	<5	3	346	<20	0.12
D1216404		1.35	10	0.87	356	2	3.56	13	530	<2	0.67	<5	4	447	<20	0.19
D1216405		1.16	10	0.84	363	<1	3.59	11	530	2	0.51	<5	3	493	<20	0.18
D1216406		1.05	10	0.89	390	3	3.78	13	570	2	0.49	<5	4	598	<20	0.20
D1216407		1.05	10	0.90	421	<1	3.86	13	560	<2	0.39	<5	4	550	<20	0.20
D1216408		2.11	10	0.83	623	6	0.68	8	530	14	0.82	<5	10	254	<20	0.23
D1216409		1.18	10	0.85	342	<1	3.66	17	490	3	0.51	<5	4	550	<20	0.18
D1216410		0.82	<10	0.69	212	2	3.62	14	340	<2	0.38	<5	3	470	<20	0.12
D1216411		1.11	10	0.82	257	1	3.75	14	470	2	0.33	<5	4	515	<20	0.17
D1216412		1.45	10	0.84	289	<1	3.35	13	550	4	0.72	<5	3	390	<20	0.17
D1216413		1.27	10	0.88	285	2	3.20	18	530	3	0.85	<5	4	386	<20	0.15
D1216414		0.08	<10	0.18	127	3	0.07	7	20	<2	0.12	<5	1	10	<20	0.01
D1216415		0.75	<10	5.81	1120	5	0.39	291	220	<2	0.36	<5	23	102	<20	0.18
D1216416		0.33	<10	4.03	878	4	2.54	147	470	<2	0.42	<5	18	156	<20	0.28
D1216417		0.24	10	2.78	729	<1	3.93	59	830	2	0.20	<5	15	130	<20	0.39
D1216418		1.43	20	0.73	1025	<1	0.51	9	3130	7	0.19	<5	4	493	<20	0.14
D1216419		0.41	10	2.60	718	<1	3.94	45	900	<2	0.15	<5	13	146	<20	0.39
D1216420		0.57	10	2.54	791	<1	3.44	45	820	<2	0.11	<5	13	235	<20	0.40
D1216421		0.52	10	2.48	607	1	3.58	37	840	2	0.17	<5	12	229	<20	0.39
D1216422		0.49	10	2.20	684	<1	3.77	28	900	2	0.14	<5	12	295	<20	0.37
D1216423		0.84	10	2.40	1005	<1	2.46	51	810	<2	0.22	<5	13	340	<20	0.35
D1216424		0.44	<10	2.55	1730	1	1.89	50	440	<2	0.36	<5	42	209	<20	0.78
D1216425		0.15	<10	1.99	1815	1	1.59	50	450	4	0.65	<5	43	195	<20	0.79
D1216426		0.24	<10	2.06	1900	2	1.42	43	450	<2	0.56	<5	42	186	<20	0.79
D1216427		0.18	<10	1.98	1645	2	1.93	48	440	3	0.74	<5	37	213	<20	0.73
D1216428		0.63	20	3.46	2470	2	1.77	129	1830	5	0.87	<5	16	367	<20	0.85
D1216429		1.04	<10	1.02	474	<1	4.17	18	570	4	0.04	<5	7	578	<20	0.20
D1216430		0.50	20	2.30	1365	2	2.69	42	750	3	0.25	<5	31	336	<20	0.64
D1216431		0.25	<10	2.20	1735	3	2.63	41	470	7	0.34	<5	43	193	<20	0.82
D1216432		0.16	<10	2.24	1695	4	1.28	38	460	2	0.45	<5	40	120	<20	0.78
D1216433		0.17	<10	3.43	1545	3	1.12	46	460	4	0.18	<5	42	153	<20	0.81
D1216434		0.17	<10	3.27	1470	1	0.99	39	470	3	0.21	<5	40	115	<20	0.82
D1216435		0.19	<10	3.31	1520	3	1.10	54	450	3	0.25	<5	40	114	<20	0.77
D1216436		0.18	<10	3.14	1605	8	1.26	63	420	<2	0.46	<5	40	140	<20	0.74
D1216437		0.22	<10	3.36	1545	3	1.28	59	430	<2	0.30	<5	40	113	<20	0.75
D1216438		1.67	20	0.69	926	<1	0.59	8	2550	7	0.16	<5	5	429	<20	0.17
D1216439		0.28	<10	3.22	1450	12	1.26	60	420	<2	0.67	<5	40	115	<20	0.74
D1216440		0.26	<10	3.06	1475	11	1.29	54	400	2	0.57	<5	40	132	<20	0.74
D1216441		0.48	10	2.52	1105	5	1.58	36	380	<2	0.76	<5	29	124	<20	0.55
D1216442		0.53	10	2.60	948	5	1.52	25	370	4	1.00	<5	25	129	<20	0.50

Comments: Additional check assay for sample D1216393 reports 7.18g/t for Au-AA24 and 1.88g/t for Au-GRA22.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 14-NOV-2015
Account: DETGLD

Project: DGEX-382

CERTIFICATE OF ANALYSIS SD15165356

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1216403		<10	<10	37	60	944	49.8
D1216404		<10	<10	46	90	51	
D1216405		<10	<10	45	<10	57	
D1216406		<10	<10	48	<10	51	
D1216407		<10	<10	47	10	76	
D1216408		<10	<10	87	<10	52	
D1216409		<10	<10	43	10	54	
D1216410		<10	<10	33	<10	31	
D1216411		<10	<10	43	<10	28	
D1216412		<10	<10	53	20	28	
D1216413		<10	<10	53	20	27	
D1216414		<10	<10	9	<10	2	
D1216415		<10	<10	173	<10	101	
D1216416		<10	<10	146	<10	72	
D1216417		<10	<10	131	<10	66	
D1216418		<10	<10	21	<10	14	
D1216419		10	<10	126	<10	78	
D1216420		<10	<10	135	<10	80	
D1216421		<10	<10	129	<10	72	
D1216422		<10	<10	111	<10	62	
D1216423		<10	<10	115	<10	74	
D1216424		<10	<10	334	<10	123	
D1216425		<10	<10	346	<10	125	
D1216426		<10	<10	333	<10	130	
D1216427		<10	<10	304	<10	108	
D1216428		<10	<10	145	<10	122	
D1216429		<10	<10	72	<10	51	
D1216430		<10	<10	241	<10	172	
D1216431		<10	<10	342	<10	196	
D1216432		<10	<10	322	<10	129	
D1216433		<10	<10	345	<10	118	
D1216434		<10	<10	329	<10	114	
D1216435		<10	<10	322	<10	112	
D1216436		<10	<10	316	<10	109	
D1216437		<10	<10	318	<10	111	
D1216438		<10	<10	23	<10	16	
D1216439		<10	<10	316	<10	107	
D1216440		<10	<10	322	<10	112	
D1216441		10	<10	228	<10	127	
D1216442		<10	<10	192	<10	120	

Comments: Additional check assay for sample D1216393 reports 7.18g/t for Au-AA24 and 1.88g/t for Au-GRA22.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 14-NOV-2015
Account: DETGLD

Project: DGEX-382

CERTIFICATE OF ANALYSIS SD15165356

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-24
	PUL-32	PUL-QC	SPL-22Y	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA24	Au-GRA22	ME-ICP61