ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-JUL-2015
Account: DETGLD

CERTIFICATE SD15100434

Project: DGEX-258

P.O. No.: DGC 4800002115

This report is for 150 Drill Core samples submitted to our lab in Timmins, ON, Canada on 9-JUL-2015.

The following have access to data associated with this certificate:

APRIL COOMBS JEAN FRANCOIS METAIL DETOUR GOLD WEBTRIEVE	ADREE DELAZZER LARRY THON	GUY MAC GILLIVRAY JAMES TOLHURST

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM

To: **DETOUR GOLD CORPORATION**
ATTN: JAMES TOLHURST
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Additional Au-GRA22 check assay for samples D1196167 and D1196187 are 6.48 g/t and 5.21 g/t, respectively.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-JUL-2015
Account: DETGLD

Project: DGEX-258

CERTIFICATE OF ANALYSIS SD15100434

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1196142		4.67	0.732	<0.5	6.85	<5	550	0.8	<2	2.16	<0.5	5	38	25	1.44	20
D1196143		3.38	0.939	<0.5	6.98	<5	540	0.9	3	2.58	<0.5	5	33	21	1.89	20
D1196144		4.22	1.655	<0.5	6.89	<5	490	0.8	<2	2.17	<0.5	6	33	27	1.78	20
D1196145		4.31	>10.0	1.5	5.16	14	360	0.6	15	2.13	<0.5	5	46	19	4.10	10
D1196146		3.87	0.607	<0.5	6.09	<5	440	0.7	2	1.82	<0.5	4	37	16	1.51	10
D1196147		4.30	0.041	<0.5	7.10	<5	570	0.9	<2	2.59	<0.5	6	36	17	1.54	20
D1196148		4.54	0.057	<0.5	7.35	<5	570	0.9	<2	2.60	<0.5	6	32	17	1.68	20
D1196149		4.23	2.29	<0.5	7.30	<5	590	0.9	<2	2.43	<0.5	5	33	14	1.95	20
D1196150		4.14	0.696	<0.5	5.92	<5	440	0.7	<2	1.99	<0.5	4	46	27	1.47	20
D1196151		0.05	NSS	0.8	5.41	4180	520	0.7	2	5.35	<0.5	34	118	174	11.45	20
D1196152		4.34	1.975	<0.5	6.48	6	520	0.8	<2	2.39	<0.5	5	36	60	1.51	20
D1196153		4.04	0.285	<0.5	6.76	<5	500	0.8	<2	2.45	<0.5	5	31	14	1.61	20
D1196154		4.33	0.281	<0.5	7.20	<5	580	0.9	<2	2.57	<0.5	5	29	20	1.67	20
D1196155		3.55	0.179	<0.5	7.07	<5	510	0.9	<2	2.83	<0.5	5	32	21	1.67	20
D1196156		3.28	0.092	<0.5	7.57	<5	610	1.0	3	2.73	<0.5	7	25	35	1.70	20
D1196157		4.43	4.57	<0.5	5.99	<5	420	0.7	5	2.33	<0.5	10	34	12	4.42	10
D1196158		4.19	0.218	<0.5	7.20	<5	580	0.9	4	2.48	<0.5	4	26	35	1.70	20
D1196159		3.67	0.537	<0.5	7.07	5	560	0.9	4	2.49	<0.5	5	25	33	1.56	20
D1196160		4.61	2.30	<0.5	7.41	<5	570	0.9	7	2.61	<0.5	6	27	56	1.87	20
D1196161		0.27	<0.005	<0.5	3.23	<5	270	0.6	<2	19.5	<0.5	4	27	13	1.49	10
D1196162		4.80	0.131	<0.5	7.19	<5	520	0.9	<2	2.44	<0.5	5	31	16	1.58	20
D1196163		3.70	0.460	<0.5	7.36	<5	590	0.9	<2	2.42	<0.5	4	31	12	1.58	20
D1196164		4.23	3.51	<0.5	6.56	<5	510	0.7	4	2.30	<0.5	4	41	13	1.65	10
D1196165		3.79	4.37	<0.5	6.95	6	450	0.8	10	2.18	<0.5	7	31	24	2.40	20
D1196166		4.37	1.250	<0.5	6.04	<5	400	0.7	2	3.06	<0.5	5	34	40	1.55	10
D1196167		2.77	5.56	<0.5	7.60	<5	660	1.0	6	2.69	<0.5	7	28	41	2.11	20
D1196168		4.43	>10.0	<0.5	4.42	<5	300	0.5	14	1.34	<0.5	4	57	19	1.57	10
D1196169		4.03	1.395	<0.5	6.89	<5	530	0.8	<2	2.54	<0.5	9	35	48	1.75	20
D1196170		4.46	0.189	<0.5	7.08	<5	480	0.8	<2	3.11	<0.5	9	45	30	1.90	20
D1196171		0.04	1.240	<0.5	6.34	764	410	1.0	6	5.13	<0.5	39	163	86	9.33	20
D1196172		4.18	0.051	<0.5	7.34	<5	580	0.9	<2	2.57	<0.5	3	26	10	1.55	20
D1196173		3.31	0.104	<0.5	7.13	<5	560	0.8	<2	2.63	<0.5	5	28	8	1.50	20
D1196174		2.31	0.811	<0.5	6.59	<5	490	0.8	<2	2.28	<0.5	5	27	6	1.43	20
D1196175		2.35	0.067	<0.5	7.29	<5	540	0.9	<2	2.62	<0.5	5	27	14	1.50	20
D1196176		4.47	0.085	<0.5	7.32	<5	620	0.9	<2	2.64	<0.5	5	29	41	1.59	20
D1196177		4.20	0.085	<0.5	7.32	<5	640	0.9	4	2.58	<0.5	4	32	14	1.49	20
D1196178		4.39	0.110	<0.5	7.68	<5	580	0.9	<2	2.41	<0.5	6	28	26	1.55	20
D1196179		4.15	0.039	<0.5	7.59	<5	620	0.8	<2	2.79	<0.5	6	27	34	1.53	20
D1196180		4.28	0.096	<0.5	7.84	<5	630	0.9	<2	2.78	<0.5	6	39	47	1.66	20
D1196181		0.32	<0.005	<0.5	3.53	5	450	0.6	<2	18.3	<0.5	7	24	9	1.53	10

Comments: Additional Au-GRA22 check assay for samples D1196167 and D1196187 are 6.48 g/t and 5.21 g/t, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-JUL-2015
Account: DETGLD

Project: DGEX-258

CERTIFICATE OF ANALYSIS SD15100434

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1196142		1.21	10	0.52	241	18	3.90	8	350	9	0.61	<5	3	408	<20	0.10
D1196143		1.11	10	0.59	279	4	3.81	9	380	7	0.83	8	3	460	<20	0.10
D1196144		1.04	10	0.55	243	<1	3.74	11	360	18	0.95	5	3	386	<20	0.09
D1196145		0.78	10	0.45	242	2	2.66	8	270	4	3.74	<5	2	306	<20	0.06
D1196146		0.89	10	0.50	203	1	3.23	7	320	5	0.35	7	2	371	<20	0.09
D1196147		1.10	10	0.59	275	7	3.96	10	400	4	0.46	8	3	491	<20	0.10
D1196148		1.01	10	0.61	250	7	3.94	9	410	3	0.52	5	3	536	<20	0.12
D1196149		1.13	10	0.63	253	1	4.00	11	410	2	0.84	9	3	519	<20	0.11
D1196150		0.93	10	0.48	216	4	2.98	7	310	3	0.53	<5	2	389	<20	0.08
D1196151		0.54	20	2.83	3810	3	1.15	97	2180	13	3.41	15	19	222	<20	0.53
D1196152		1.05	10	0.54	230	1	3.48	8	370	3	0.45	6	2	480	<20	0.12
D1196153		0.93	10	0.61	255	1	3.67	10	400	<2	0.53	6	3	530	<20	0.11
D1196154		1.10	10	0.62	257	<1	3.88	9	420	3	0.56	6	3	560	<20	0.11
D1196155		1.11	10	0.68	280	1	4.10	11	440	<2	0.65	<5	3	517	<20	0.12
D1196156		1.28	10	0.63	271	<1	4.11	10	430	<2	0.61	<5	3	529	<20	0.12
D1196157		0.87	10	0.54	276	1	3.16	10	310	4	4.20	<5	2	395	<20	0.07
D1196158		1.26	10	0.70	270	<1	3.68	9	400	2	0.63	6	3	499	<20	0.10
D1196159		1.16	10	0.58	245	<1	3.97	9	390	2	0.65	5	3	454	<20	0.09
D1196160		1.21	<10	0.61	285	<1	3.90	11	420	<2	0.93	9	3	487	<20	0.10
D1196161		1.86	30	0.77	886	<1	0.58	42	2680	7	0.19	<5	6	386	<20	0.19
D1196162		1.05	10	0.61	244	1	3.99	8	410	4	0.45	<5	3	478	<20	0.11
D1196163		1.30	10	0.58	270	<1	4.01	8	410	2	0.66	6	3	421	<20	0.10
D1196164		1.17	10	0.58	309	38	3.34	9	350	<2	0.78	7	2	385	<20	0.09
D1196165		1.00	10	0.65	308	27	3.95	10	380	<2	1.63	6	3	387	<20	0.09
D1196166		0.85	10	0.77	425	33	3.25	7	330	<2	0.69	<5	2	406	<20	0.08
D1196167		1.51	10	0.60	270	<1	3.84	10	470	<2	1.35	<5	3	542	<20	0.10
D1196168		0.65	<10	0.33	196	2	2.31	6	240	2	1.01	<5	2	253	<20	0.05
D1196169		1.16	10	0.54	291	1	3.81	9	400	<2	0.90	8	3	462	<20	0.10
D1196170		1.09	10	0.87	370	13	4.15	16	480	3	0.67	<5	5	487	<20	0.14
D1196171		0.68	20	3.51	2530	2	1.83	129	1880	6	0.97	6	17	352	<20	0.88
D1196172		1.09	10	0.59	284	<1	3.95	8	400	3	0.43	7	3	506	<20	0.12
D1196173		1.22	10	0.56	282	<1	3.86	9	390	3	0.61	8	3	455	<20	0.11
D1196174		0.85	10	0.48	267	<1	3.87	7	340	2	0.61	7	2	387	<20	0.09
D1196175		0.86	10	0.58	237	<1	4.06	9	420	3	0.37	8	3	561	<20	0.12
D1196176		1.25	10	0.56	269	<1	3.79	9	390	<2	0.51	9	3	483	<20	0.11
D1196177		1.04	10	0.57	240	<1	4.06	6	400	<2	0.39	11	3	504	<20	0.10
D1196178		1.09	10	0.55	234	1	4.11	9	400	<2	0.57	<5	3	462	<20	0.10
D1196179		1.41	10	0.57	274	2	3.91	8	400	<2	0.42	<5	3	463	<20	0.11
D1196180		1.31	10	0.61	259	17	3.91	8	420	<2	0.58	<5	3	552	<20	0.11
D1196181		1.90	30	0.68	890	<1	0.73	23	3350	11	0.33	<5	6	405	<20	0.20

Comments: Additional Au-GRA22 check assay for samples D1196167 and D1196187 are 6.48 g/t and 5.21 g/t, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-JUL-2015
Account: DETGLD

Project: DGEX-258

CERTIFICATE OF ANALYSIS SD15100434

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1196142		<10	<10	27	10	23	
D1196143		<10	<10	29	<10	22	
D1196144		<10	<10	26	<10	20	
D1196145		<10	<10	20	<10	19	41.7
D1196146		<10	<10	23	<10	25	
D1196147		<10	<10	29	10	31	
D1196148		<10	<10	30	<10	28	
D1196149		<10	<10	30	10	25	
D1196150		<10	<10	23	<10	22	
D1196151		<10	<10	167	10	116	6.82
D1196152		<10	<10	26	<10	25	
D1196153		<10	<10	28	10	25	
D1196154		<10	<10	31	30	27	
D1196155		<10	<10	31	<10	25	
D1196156		<10	<10	30	<10	23	
D1196157		<10	<10	22	10	17	
D1196158		<10	<10	34	20	29	
D1196159		<10	<10	26	270	20	
D1196160		<10	<10	33	40	28	
D1196161		<10	<10	24	<10	22	
D1196162		<10	<10	27	10	32	
D1196163		<10	<10	28	<10	22	
D1196164		<10	<10	27	10	32	
D1196165		<10	<10	31	20	38	
D1196166		<10	<10	27	40	22	
D1196167		<10	<10	32	10	44	7.85
D1196168		<10	<10	25	100	19	30.6
D1196169		<10	<10	29	20	20	
D1196170		<10	<10	45	<10	26	
D1196171		<10	<10	150	<10	122	
D1196172		<10	<10	30	20	27	
D1196173		<10	<10	29	30	24	
D1196174		<10	<10	26	2300	18	
D1196175		<10	<10	28	10	32	
D1196176		<10	<10	29	10	24	
D1196177		<10	<10	27	10	30	
D1196178		<10	<10	27	10	27	
D1196179		<10	<10	29	<10	28	
D1196180		<10	<10	31	10	33	
D1196181		<10	<10	23	<10	54	

Comments: Additional Au-GRA22 check assay for samples D1196167 and D1196187 are 6.48 g/t and 5.21 g/t, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-JUL-2015
Account: DETGLD

Project: DGEX-258

CERTIFICATE OF ANALYSIS SD15100434

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1196182		4.26	0.660	<0.5	7.70	<5	570	0.9	<2	2.67	0.7	6	30	24	1.59	20
D1196183		4.39	0.092	<0.5	7.86	<5	610	0.9	<2	2.81	1.2	6	31	25	1.62	20
D1196184		3.50	0.105	<0.5	7.36	<5	620	0.9	<2	2.87	<0.5	6	37	23	1.81	20
D1196185		3.54	0.061	<0.5	7.12	<5	560	0.8	<2	3.85	<0.5	6	38	17	1.77	20
D1196186		4.00	0.895	<0.5	3.40	<5	180	<0.5	<2	2.97	1.4	4	53	5	1.26	10
D1196187		3.82	6.54	1.1	4.24	7	240	<0.5	2	1.88	25.0	6	65	31	2.04	10
D1196188		3.32	5.63	<0.5	5.47	<5	460	0.7	4	2.64	15.6	9	67	20	2.52	20
D1196189		2.65	0.068	<0.5	7.27	<5	630	0.9	2	2.74	<0.5	6	38	18	1.72	20
D1196190		4.41	0.929	<0.5	7.88	<5	660	0.9	<2	2.73	<0.5	7	37	43	1.78	20
D1196191		0.05	0.344	<0.5	7.43	199	350	1.1	<2	5.73	<0.5	42	184	114	7.96	20
D1196192		4.49	2.85	<0.5	7.39	<5	610	0.9	<2	3.14	<0.5	8	37	91	2.08	20
D1196193		4.14	0.044	<0.5	7.88	<5	570	0.9	<2	3.01	<0.5	8	36	26	1.82	20
D1196194		3.98	0.221	<0.5	6.93	<5	490	0.8	<2	2.73	<0.5	6	36	24	1.57	20
D1196195		4.40	0.231	<0.5	7.23	<5	580	0.8	2	2.56	<0.5	7	37	20	1.63	20
D1196196		4.10	0.440	<0.5	7.72	<5	570	0.9	<2	2.94	<0.5	9	36	70	2.00	20
D1196197		4.18	0.079	<0.5	7.39	<5	550	0.9	<2	2.82	<0.5	7	33	23	1.62	20
D1196198		3.93	0.044	<0.5	7.63	<5	530	0.8	<2	2.83	<0.5	7	36	36	1.71	20
D1196199		4.07	0.019	<0.5	7.94	<5	480	0.8	<2	2.96	<0.5	8	35	27	1.66	20
D1196200		4.43	0.029	<0.5	7.87	<5	540	0.8	<2	2.78	<0.5	7	32	14	1.67	20
D1196201		0.30	<0.005	<0.5	4.01	<5	300	0.7	<2	17.8	<0.5	10	30	16	2.45	10
D1196202		4.27	0.104	<0.5	7.67	5	560	0.9	<2	2.58	<0.5	7	33	12	1.61	20
D1196203		2.13	0.971	<0.5	8.03	<5	610	1.0	<2	2.89	<0.5	7	41	7	1.85	20
D1196204		5.61	0.164	<0.5	6.90	<5	550	0.8	<2	5.56	<0.5	31	158	17	4.95	20
D1196205		3.40	0.838	<0.5	7.23	<5	620	0.8	<2	3.08	<0.5	11	44	5	2.50	20
D1196206		4.65	0.232	<0.5	8.03	<5	460	0.7	<2	4.32	<0.5	26	89	25	5.06	20
D1196207		5.13	0.073	<0.5	7.67	<5	470	0.8	<2	4.77	<0.5	25	113	40	5.02	20
D1196208		3.83	0.013	<0.5	6.90	<5	680	0.7	<2	5.22	<0.5	27	158	18	4.80	20
D1196209		4.29	1.065	<0.5	6.25	5	520	0.6	<2	5.60	<0.5	32	220	32	5.05	20
D1196210		4.07	0.368	<0.5	6.36	<5	500	0.6	<2	5.69	<0.5	32	244	48	5.09	20
D1196211		0.05	3.38	<0.5	6.09	1340	430	0.9	<2	5.05	0.5	39	163	117	10.45	20
D1196212		4.57	<0.005	<0.5	7.94	<5	590	0.7	<2	4.92	<0.5	26	90	50	5.06	20
D1196213		4.25	<0.005	<0.5	8.15	<5	620	0.8	<2	5.00	<0.5	25	85	44	5.15	20
D1196214		4.20	<0.005	<0.5	8.48	<5	650	0.9	<2	4.99	<0.5	23	78	22	5.14	20
D1196215		4.01	<0.005	<0.5	8.45	<5	500	0.9	<2	5.31	<0.5	23	89	40	5.23	20
D1196216		3.88	0.019	<0.5	8.19	<5	480	0.8	2	6.30	<0.5	24	74	32	5.07	20
D1196217		4.33	<0.005	<0.5	8.33	<5	560	0.8	<2	4.51	<0.5	24	79	69	5.44	20
D1196218		4.28	0.006	<0.5	8.40	<5	810	0.8	<2	5.83	<0.5	22	53	74	5.29	20
D1196219		4.02	<0.005	<0.5	8.35	<5	560	0.8	<2	5.23	<0.5	23	79	28	5.34	20
D1196220		4.02	0.129	<0.5	8.27	<5	550	0.8	<2	5.18	<0.5	26	67	17	5.21	20
D1196221		0.31	<0.005	<0.5	3.19	<5	280	0.6	3	22.2	<0.5	4	20	8	1.41	10

Comments: Additional Au-GRA22 check assay for samples D1196167 and D1196187 are 6.48 g/t and 5.21 g/t, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-JUL-2015
Account: DETGLD

Project: DGEX-258

CERTIFICATE OF ANALYSIS SD15100434

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1196182		1.13	10	0.60	261	1	4.00	8	410	<2	0.61	<5	3	529	<20	0.11
D1196183		1.10	10	0.63	257	<1	3.85	8	430	2	0.44	<5	3	578	<20	0.13
D1196184		1.09	10	0.69	270	1	3.91	9	470	<2	0.47	<5	3	570	<20	0.15
D1196185		0.65	10	0.71	320	<1	3.88	10	410	<2	0.33	<5	3	759	<20	0.14
D1196186		0.27	<10	0.37	323	23	2.11	5	170	3	0.58	<5	2	362	<20	0.04
D1196187		0.44	10	0.47	298	4	2.50	14	240	<2	1.43	<5	4	215	<20	0.08
D1196188		0.77	10	0.80	395	3	2.88	20	270	<2	1.56	<5	6	308	<20	0.09
D1196189		1.38	<10	0.68	304	<1	3.81	11	410	<2	0.46	<5	3	497	<20	0.13
D1196190		1.39	10	0.71	307	28	3.68	13	430	<2	0.60	<5	3	495	<20	0.13
D1196191		0.82	20	3.78	1450	3	2.24	136	1640	3	0.28	<5	19	429	<20	1.04
D1196192		1.22	<10	0.74	345	6	3.87	13	420	2	1.03	<5	3	514	<20	0.10
D1196193		1.17	<10	0.78	302	<1	3.81	15	390	<2	0.50	<5	4	581	<20	0.11
D1196194		1.02	<10	0.68	319	3	3.68	13	340	2	0.48	<5	3	473	<20	0.09
D1196195		1.29	<10	0.62	275	<1	3.58	11	350	<2	0.72	<5	3	418	<20	0.08
D1196196		1.18	<10	0.80	322	10	3.88	14	400	<2	0.84	<5	4	482	<20	0.10
D1196197		1.21	<10	0.73	287	<1	3.73	14	380	<2	0.52	<5	3	531	<20	0.09
D1196198		0.93	<10	0.77	254	<1	3.93	14	390	<2	0.41	<5	4	527	<20	0.11
D1196199		0.75	<10	0.75	238	2	4.09	12	390	<2	0.36	<5	4	566	<20	0.10
D1196200		1.14	<10	0.72	233	<1	3.97	15	380	<2	0.40	<5	3	537	<20	0.10
D1196201		2.15	30	1.21	1390	<1	0.59	20	2470	6	0.35	<5	7	487	<20	0.28
D1196202		1.20	<10	0.59	269	<1	4.13	11	340	<2	0.71	<5	3	446	<20	0.07
D1196203		1.37	<10	0.87	307	<1	3.85	17	410	<2	0.64	<5	4	648	<20	0.09
D1196204		1.38	40	3.97	943	<1	1.88	124	1270	4	0.90	<5	18	459	<20	0.16
D1196205		1.64	10	1.17	503	<1	2.99	24	470	<2	1.17	<5	5	498	<20	0.11
D1196206		0.92	20	2.61	925	<1	3.58	49	920	<2	1.01	<5	14	435	<20	0.34
D1196207		0.82	10	2.84	843	<1	3.25	57	850	<2	0.18	6	15	486	<20	0.37
D1196208		1.21	10	3.23	872	<1	2.16	73	710	<2	0.41	5	18	368	<20	0.31
D1196209		1.11	10	4.12	931	<1	1.66	100	630	2	0.73	<5	21	302	<20	0.19
D1196210		1.22	10	4.44	967	<1	1.44	107	570	<2	0.31	5	24	272	<20	0.18
D1196211		0.60	20	3.45	2580	3	1.73	138	1960	6	2.30	8	16	346	<20	0.84
D1196212		1.39	20	2.74	788	<1	2.66	44	810	<2	0.19	<5	16	342	<20	0.22
D1196213		1.54	20	2.60	828	<1	2.64	46	910	2	0.15	<5	15	382	<20	0.22
D1196214		1.42	20	2.56	885	<1	3.08	45	1000	5	0.19	5	14	400	<20	0.24
D1196215		1.01	10	2.77	872	<1	3.40	47	880	<2	0.12	7	15	320	<20	0.24
D1196216		1.20	20	1.38	941	<1	2.81	40	930	2	0.10	7	15	314	<20	0.25
D1196217		1.26	10	2.72	869	<1	3.24	44	990	2	0.18	5	14	371	<20	0.24
D1196218		1.87	10	2.36	920	<1	2.54	30	1040	2	0.38	5	14	554	<20	0.23
D1196219		1.58	10	2.53	879	<1	2.93	40	1040	3	0.27	<5	14	437	<20	0.24
D1196220		1.35	20	2.32	874	<1	3.31	36	990	<2	1.09	<5	13	404	<20	0.25
D1196221		1.71	30	0.77	960	<1	0.52	10	3110	8	0.20	6	5	460	<20	0.18

Comments: Additional Au-GRA22 check assay for samples D1196167 and D1196187 are 6.48 g/t and 5.21 g/t, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-JUL-2015
Account: DETGLD

Project: DGEX-258

CERTIFICATE OF ANALYSIS SD15100434

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1196182		<10	<10	29	10	116	
D1196183		<10	<10	30	10	126	
D1196184		<10	<10	35	<10	60	
D1196185		<10	<10	34	120	53	
D1196186		<10	<10	11	3360	161	
D1196187		<10	<10	30	170	3260	4.97
D1196188		<10	<10	47	3140	2140	5.87
D1196189		<10	<10	33	10	45	
D1196190		<10	<10	35	10	27	
D1196191		<10	<10	155	<10	116	
D1196192		<10	<10	48	60	30	
D1196193		<10	<10	38	<10	45	
D1196194		10	<10	32	10	33	
D1196195		<10	<10	32	<10	30	
D1196196		<10	<10	37	<10	46	
D1196197		<10	<10	33	<10	30	
D1196198		<10	<10	34	<10	33	
D1196199		<10	<10	33	<10	33	
D1196200		<10	<10	33	<10	30	
D1196201		<10	<10	44	<10	26	
D1196202		<10	<10	29	<10	21	
D1196203		<10	<10	36	<10	25	
D1196204		<10	<10	117	<10	87	
D1196205		<10	<10	46	<10	24	
D1196206		10	<10	113	<10	71	
D1196207		10	<10	121	<10	66	
D1196208		<10	<10	121	<10	66	
D1196209		<10	<10	126	<10	86	
D1196210		<10	<10	145	<10	78	
D1196211		<10	<10	143	<10	125	
D1196212		<10	<10	131	<10	73	
D1196213		<10	<10	123	<10	78	
D1196214		<10	<10	126	<10	73	
D1196215		<10	<10	130	<10	75	
D1196216		<10	<10	129	<10	76	
D1196217		<10	<10	134	<10	81	
D1196218		<10	<10	126	<10	71	
D1196219		<10	<10	127	<10	76	
D1196220		<10	<10	115	10	65	
D1196221		<10	<10	24	<10	18	

Comments: Additional Au-GRA22 check assay for samples D1196167 and D1196187 are 6.48 g/t and 5.21 g/t, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-JUL-2015
Account: DETGLD

Project: DGEX-258

CERTIFICATE OF ANALYSIS SD15100434

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1196222		3.93	0.149	<0.5	8.20	<5	520	0.8	<2	4.98	<0.5	20	70	16	5.18	20
D1196223		4.70	<0.005	<0.5	8.33	<5	520	0.9	<2	4.90	<0.5	23	81	45	5.25	20
D1196224		3.60	0.007	<0.5	8.36	<5	570	0.9	<2	5.61	<0.5	21	80	43	5.08	20
D1196225		2.34	0.635	<0.5	7.75	<5	440	0.6	5	6.02	<0.5	33	124	41	6.17	20
D1196226		2.90	<0.005	<0.5	7.14	<5	80	<0.5	2	6.15	<0.5	46	165	210	8.54	20
D1196227		4.39	<0.005	<0.5	7.52	<5	50	<0.5	<2	6.40	<0.5	49	170	210	8.85	20
D1196228		3.82	0.346	<0.5	7.20	<5	180	<0.5	3	6.36	<0.5	44	162	164	8.15	20
D1196229		3.92	<0.005	<0.5	7.27	<5	100	<0.5	2	6.61	0.5	46	169	102	8.22	20
D1196230		4.27	0.007	<0.5	7.29	<5	70	<0.5	<2	5.86	<0.5	45	174	102	8.23	20
D1196231		0.05	6.54	0.9	5.84	4350	550	0.8	5	5.64	0.5	33	130	175	11.90	20
D1191156		3.57	1.400	<0.5	8.08	8	610	0.9	2	2.73	3.0	6	23	20	1.65	20
D1191157		3.43	0.005	<0.5	8.58	<5	620	0.9	<2	3.12	<0.5	4	32	14	1.65	20
D1191158		3.20	0.018	<0.5	8.65	<5	610	0.9	<2	2.92	<0.5	6	25	94	1.65	20
D1191159		3.88	0.069	<0.5	8.02	<5	660	0.8	<2	2.55	<0.5	5	27	17	1.54	20
D1191160		5.46	0.265	<0.5	8.01	<5	600	0.9	2	2.56	<0.5	6	32	15	1.60	20
D1191161		3.31	0.044	<0.5	8.30	<5	560	0.9	4	3.09	<0.5	6	30	37	1.62	20
D1191162		4.65	0.053	<0.5	8.01	5	580	0.9	2	3.14	<0.5	7	35	117	1.93	20
D1191163		4.92	0.008	<0.5	8.13	<5	630	0.9	<2	3.51	<0.5	13	60	29	3.03	20
D1191164		4.07	<0.005	<0.5	8.13	<5	590	0.9	2	3.67	<0.5	12	65	45	2.92	20
D1191165		0.05	1.230	<0.5	6.81	785	430	1.0	<2	5.29	<0.5	37	172	87	9.63	20
D1191166		4.58	0.006	<0.5	7.78	<5	610	0.9	<2	3.41	<0.5	13	59	31	2.97	20
D1191167		3.44	0.011	<0.5	7.89	<5	650	0.9	<2	3.30	<0.5	12	58	29	2.95	20
D1191168		4.15	0.024	<0.5	8.04	<5	640	0.9	<2	3.60	<0.5	11	54	20	2.71	20
D1191169		3.75	0.013	<0.5	8.31	<5	570	0.9	<2	2.39	<0.5	6	24	12	1.62	20
D1191170		4.28	0.081	<0.5	8.65	<5	610	0.9	<2	2.99	<0.5	7	27	14	1.67	20
D1191171		4.04	0.088	<0.5	8.13	<5	590	0.9	2	2.85	<0.5	5	26	11	1.57	20
D1191172		3.31	0.022	<0.5	8.10	<5	590	0.9	2	2.69	<0.5	6	25	27	1.62	20
D1191173		4.42	0.023	<0.5	8.35	<5	540	0.9	<2	2.06	<0.5	6	26	21	1.57	20
D1191174		3.88	0.034	<0.5	7.50	<5	480	0.9	<2	2.67	<0.5	7	26	21	1.47	20
D1191175		0.29	<0.005	<0.5	3.42	<5	290	0.7	<2	21.2	<0.5	6	25	10	1.57	10
D1191176		3.01	0.132	<0.5	7.82	<5	510	0.9	<2	2.46	<0.5	5	23	12	1.53	20
D1191177		4.09	0.017	<0.5	7.52	<5	510	0.9	<2	2.69	<0.5	6	23	32	1.49	20
D1191178		4.47	0.012	<0.5	7.99	<5	480	1.0	<2	2.03	<0.5	6	26	57	1.59	20
D1191179		3.77	0.061	<0.5	7.88	<5	530	0.9	<2	2.73	<0.5	6	25	7	1.57	20
D1191180		3.38	0.170	<0.5	7.68	<5	520	0.9	3	2.68	<0.5	6	25	42	1.57	20
D1191181		3.91	0.035	<0.5	7.89	<5	510	0.9	<2	2.68	<0.5	6	26	21	1.52	20
D1191182		4.11	0.045	<0.5	7.41	<5	520	0.9	<2	3.01	<0.5	6	30	62	1.55	20
D1191183		4.42	0.261	<0.5	6.98	<5	470	0.8	<2	2.71	<0.5	5	25	18	1.46	20
D1191184		3.59	0.125	<0.5	7.35	<5	570	0.9	<2	2.66	<0.5	6	26	21	1.49	20
D1191185		0.05	0.348	<0.5	7.42	205	340	1.1	3	5.78	<0.5	41	183	112	8.17	20

Comments: Additional Au-GRA22 check assay for samples D1196167 and D1196187 are 6.48 g/t and 5.21 g/t, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-JUL-2015
Account: DETGLD

Project: DGEX-258

CERTIFICATE OF ANALYSIS SD15100434

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01
D1196222		1.17	10	2.39	898	<1	3.63	38	1050	2	0.46	5	13	494	<20	0.26
D1196223		1.35	10	2.50	928	<1	3.52	44	1070	3	0.30	<5	13	571	<20	0.30
D1196224		1.64	20	2.51	981	<1	3.10	45	970	2	0.52	<5	14	529	<20	0.35
D1196225		1.39	10	3.32	1150	<1	1.74	83	660	<2	1.55	8	23	352	<20	0.33
D1196226		0.31	<10	4.25	1175	3	1.84	126	330	3	0.60	<5	34	186	<20	0.36
D1196227		0.17	<10	4.47	1225	3	1.80	133	330	<2	0.63	6	35	159	<20	0.39
D1196228		0.68	<10	3.89	1205	7	1.86	121	330	2	1.63	7	31	207	<20	0.46
D1196229		0.55	<10	4.13	1275	<1	1.86	130	310	2	0.31	6	33	183	<20	0.48
D1196230		0.32	<10	4.19	1260	<1	2.26	126	310	<2	0.38	<5	33	173	<20	0.55
D1196231		0.55	20	3.00	3990	2	1.15	97	2300	9	3.36	15	20	236	<20	0.56
D1191156		0.81	<10	0.65	214	<1	3.85	12	390	3	0.34	6	3	590	<20	0.12
D1191157		0.89	<10	0.66	228	<1	4.03	10	420	<2	0.17	<5	3	626	<20	0.12
D1191158		0.81	<10	0.68	223	1	3.86	11	400	3	0.20	<5	3	625	<20	0.13
D1191159		0.89	<10	0.65	217	<1	3.74	10	380	3	0.20	<5	3	570	<20	0.12
D1191160		0.87	<10	0.63	223	<1	3.83	10	360	<2	0.45	<5	3	569	<20	0.11
D1191161		0.77	10	0.66	267	<1	4.17	11	400	<2	0.56	7	3	585	<20	0.11
D1191162		1.04	10	0.81	286	<1	3.97	15	450	<2	0.64	<5	4	533	<20	0.13
D1191163		0.93	10	1.58	476	<1	3.60	29	720	3	0.13	5	7	678	<20	0.18
D1191164		0.84	10	1.58	467	<1	3.53	28	740	4	0.13	5	7	741	<20	0.17
D1191165		0.69	20	3.68	2600	1	1.82	127	1960	5	0.94	7	17	374	<20	0.89
D1191166		0.88	10	1.57	456	<1	3.47	28	720	<2	0.19	<5	7	661	<20	0.17
D1191167		0.94	10	1.55	434	<1	3.40	28	710	2	0.15	<5	6	653	<20	0.17
D1191168		0.94	10	1.35	412	<1	3.67	27	650	3	0.27	<5	6	643	<20	0.16
D1191169		0.74	<10	0.66	215	<1	3.93	12	400	3	0.18	6	3	599	<20	0.11
D1191170		0.87	<10	0.70	236	<1	4.15	10	400	4	0.29	<5	3	619	<20	0.12
D1191171		0.93	<10	0.63	238	<1	4.03	11	380	<2	0.46	<5	3	565	<20	0.11
D1191172		1.11	<10	0.65	249	<1	3.83	11	380	2	0.40	<5	3	496	<20	0.11
D1191173		0.88	<10	0.66	200	<1	4.04	10	410	3	0.14	<5	3	522	<20	0.10
D1191174		0.72	<10	0.61	235	<1	4.27	10	360	4	0.30	9	3	490	<20	0.10
D1191175		1.94	30	0.80	1010	<1	0.60	13	2790	13	0.36	<5	6	493	<20	0.21
D1191176		1.02	<10	0.61	245	<1	4.38	11	370	<2	0.46	9	3	433	<20	0.11
D1191177		0.82	<10	0.62	238	<1	4.14	10	380	4	0.34	7	3	498	<20	0.12
D1191178		1.11	<10	0.69	213	<1	4.32	12	380	3	0.34	<5	3	495	<20	0.11
D1191179		0.98	<10	0.66	253	<1	4.18	10	390	4	0.45	9	3	529	<20	0.12
D1191180		0.83	<10	0.63	243	<1	4.28	12	380	4	0.46	5	3	512	<20	0.12
D1191181		0.61	<10	0.64	224	<1	4.15	12	360	4	0.28	7	3	580	<20	0.11
D1191182		0.80	<10	0.63	250	3	4.27	8	360	<2	0.53	10	3	551	<20	0.10
D1191183		0.88	<10	0.59	266	<1	3.99	8	330	<2	0.53	5	3	435	<20	0.10
D1191184		1.04	<10	0.58	244	<1	4.19	12	360	3	0.57	9	3	470	<20	0.10
D1191185		0.83	20	3.82	1440	4	2.28	142	1660	3	0.28	12	20	425	<20	1.05

Comments: Additional Au-GRA22 check assay for samples D1196167 and D1196187 are 6.48 g/t and 5.21 g/t, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-JUL-2015
Account: DETGLD

Project: DGEX-258

CERTIFICATE OF ANALYSIS SD15100434

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1196222		<10	<10	120	10	72	
D1196223		<10	<10	117	<10	74	
D1196224		<10	<10	117	<10	69	
D1196225		<10	<10	175	10	99	
D1196226		<10	<10	251	<10	79	
D1196227		<10	<10	256	<10	80	
D1196228		<10	<10	235	<10	74	
D1196229		<10	<10	244	<10	83	
D1196230		<10	<10	252	<10	92	
D1196231		<10	<10	176	<10	115	6.70
D1191156		<10	<10	31	<10	207	
D1191157		<10	<10	31	<10	50	
D1191158		<10	<10	32	<10	49	
D1191159		<10	<10	30	<10	53	
D1191160		<10	<10	31	20	44	
D1191161		<10	<10	33	<10	43	
D1191162		<10	<10	35	<10	35	
D1191163		<10	<10	58	<10	57	
D1191164		<10	<10	57	<10	59	
D1191165		<10	<10	155	<10	119	
D1191166		<10	<10	58	10	54	
D1191167		<10	<10	57	<10	54	
D1191168		<10	<10	54	<10	53	
D1191169		<10	<10	32	<10	46	
D1191170		<10	<10	35	40	43	
D1191171		<10	<10	31	<10	32	
D1191172		<10	<10	34	<10	34	
D1191173		<10	<10	32	<10	42	
D1191174		<10	<10	29	<10	39	
D1191175		<10	<10	26	<10	53	
D1191176		<10	<10	31	140	27	
D1191177		<10	<10	31	<10	39	
D1191178		<10	<10	34	<10	40	
D1191179		<10	<10	33	20	35	
D1191180		<10	<10	33	10	38	
D1191181		<10	<10	31	<10	82	
D1191182		<10	<10	31	10	31	
D1191183		<10	<10	27	20	30	
D1191184		<10	<10	30	<10	26	
D1191185		<10	<10	160	<10	116	

Comments: Additional Au-GRA22 check assay for samples D1196167 and D1196187 are 6.48 g/t and 5.21 g/t, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-JUL-2015
Account: DETGLD

Project: DGEX-258

CERTIFICATE OF ANALYSIS SD15100434

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1191186		4.27	0.209	<0.5	7.59	<5	560	0.9	<2	2.40	<0.5	6	29	31	1.57	20
D1191187		3.24	0.070	<0.5	7.43	<5	540	0.7	<2	2.89	<0.5	6	22	41	1.43	20
D1191188		3.02	0.337	<0.5	7.85	<5	510	0.9	<2	2.78	<0.5	5	32	22	1.53	20
D1191189		4.07	0.119	<0.5	7.81	<5	470	0.9	<2	2.48	<0.5	6	24	56	1.52	20
D1191190		4.17	0.116	<0.5	7.64	<5	500	0.8	2	2.71	<0.5	7	27	27	1.67	20
D1191191		3.56	0.193	<0.5	7.93	<5	580	0.9	<2	2.67	<0.5	7	31	14	1.55	20
D1191192		4.25	1.230	<0.5	7.76	<5	520	0.9	<2	2.78	<0.5	7	29	30	1.56	20
D1191193		3.87	0.139	<0.5	7.67	<5	620	0.9	3	2.86	<0.5	6	25	32	1.53	20
D1191194		3.73	0.695	<0.5	7.49	<5	570	0.8	<2	2.71	<0.5	6	24	34	1.52	20
D1191195		0.28	<0.005	<0.5	2.58	<5	340	0.5	<2	24.2	<0.5	3	15	5	1.24	10
D1191196		3.61	0.025	<0.5	7.75	<5	620	0.9	<2	2.73	<0.5	5	27	37	1.57	20
D1191197		3.93	0.977	<0.5	8.00	<5	560	0.9	<2	2.71	<0.5	6	24	67	1.57	20
D1191198		3.96	0.239	<0.5	7.53	<5	640	1.0	<2	2.65	<0.5	5	22	59	1.45	20
D1191199		5.23	0.256	<0.5	7.75	<5	580	1.0	2	2.74	<0.5	5	26	36	1.49	20
D1191200		2.46	0.041	<0.5	7.72	<5	550	0.9	<2	2.61	<0.5	6	41	11	1.50	20
D1191201		3.76	0.618	<0.5	7.91	<5	570	0.9	<2	2.76	<0.5	4	24	9	1.56	20
D1191202		3.78	0.028	<0.5	7.49	<5	580	0.9	<2	2.54	<0.5	5	24	15	1.47	20
D1191203		3.64	0.012	<0.5	7.48	<5	550	0.9	<2	2.62	<0.5	6	25	6	1.52	20
D1191204		3.45	0.011	<0.5	7.74	<5	600	0.9	<2	2.62	<0.5	5	25	21	1.55	20
D1191205		0.06	6.49	0.9	5.80	4410	550	0.8	<2	5.73	<0.5	34	115	187	12.20	20
D1191206		4.20	0.058	<0.5	7.77	5	620	0.9	<2	2.76	<0.5	6	29	22	1.66	20
D1191207		3.73	1.200	<0.5	8.08	<5	580	0.9	<2	2.77	<0.5	6	31	24	1.69	20
D1191208		4.08	0.699	<0.5	7.49	<5	620	1.0	<2	2.71	0.7	6	23	30	1.56	20
D1191209		4.28	0.147	<0.5	8.08	<5	640	1.0	<2	2.73	<0.5	6	22	35	1.55	20
D1191210		4.13	0.018	<0.5	7.86	<5	560	0.9	2	2.69	<0.5	4	26	14	1.50	20
D1191211		2.78	0.111	<0.5	7.85	<5	530	1.0	<2	2.43	<0.5	5	24	9	1.50	20
D1191212		4.05	0.094	<0.5	7.52	<5	540	0.9	3	2.69	<0.5	6	26	8	1.66	20
D1191213		3.79	0.168	<0.5	7.63	<5	630	0.8	2	2.71	<0.5	6	26	19	1.63	20
D1191214		3.76	0.006	<0.5	7.56	<5	610	0.8	<2	2.68	<0.5	6	25	9	1.51	20
D1191215		0.31	<0.005	<0.5	3.40	<5	370	0.6	2	21.9	<0.5	4	25	8	1.55	10

Comments: Additional Au-GRA22 check assay for samples D1196167 and D1196187 are 6.48 g/t and 5.21 g/t, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-JUL-2015
Account: DETGLD

Project: DGEX-258

CERTIFICATE OF ANALYSIS SD15100434

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1191186		1.01	<10	0.61	237	<1	4.55	11	360	4	0.54	7	3	463	<20	0.12
D1191187		1.09	<10	0.58	220	<1	4.62	9	360	2	0.43	6	3	345	<20	0.13
D1191188		0.96	<10	0.66	252	<1	4.48	11	360	2	0.41	<5	3	491	<20	0.13
D1191189		0.83	<10	0.65	234	<1	4.22	10	360	3	0.30	<5	3	543	<20	0.12
D1191190		0.83	<10	0.71	299	<1	4.39	13	370	<2	0.43	6	4	450	<20	0.12
D1191191		0.83	<10	0.67	268	<1	4.46	11	380	<2	0.36	5	3	538	<20	0.12
D1191192		0.76	10	0.66	251	<1	4.22	12	380	3	0.46	10	3	562	<20	0.11
D1191193		0.88	<10	0.63	241	<1	4.35	12	370	3	0.45	6	3	523	<20	0.11
D1191194		0.85	<10	0.58	224	<1	4.08	11	350	<2	0.51	5	3	499	<20	0.10
D1191195		1.45	30	0.65	1170	<1	0.55	8	3280	11	0.21	9	5	454	<20	0.12
D1191196		0.93	<10	0.62	211	<1	4.29	10	370	2	0.53	13	3	528	<20	0.11
D1191197		0.86	<10	0.66	222	<1	4.25	10	380	3	0.54	10	3	586	<20	0.11
D1191198		0.95	<10	0.58	241	<1	4.11	10	360	<2	0.57	8	3	539	<20	0.11
D1191199		0.87	<10	0.60	219	<1	4.15	9	380	4	0.41	8	3	575	<20	0.12
D1191200		0.87	<10	0.58	212	<1	4.11	10	360	3	0.41	<5	3	530	<20	0.12
D1191201		0.87	<10	0.61	231	<1	4.38	10	380	5	0.37	11	3	560	<20	0.12
D1191202		0.90	10	0.62	214	<1	4.08	10	360	<2	0.48	8	3	539	<20	0.11
D1191203		0.76	<10	0.62	229	<1	4.23	11	370	3	0.28	6	3	568	<20	0.12
D1191204		0.84	<10	0.63	232	<1	4.03	11	380	4	0.29	8	3	556	<20	0.13
D1191205		0.57	20	3.04	4110	3	1.24	104	2320	13	3.62	19	20	238	<20	0.58
D1191206		0.94	<10	0.64	221	<1	4.14	11	400	<2	0.36	10	3	566	<20	0.13
D1191207		0.83	10	0.64	224	<1	4.10	10	400	4	0.36	<5	3	583	<20	0.13
D1191208		0.94	10	0.60	217	<1	4.12	9	380	2	0.45	<5	3	583	<20	0.13
D1191209		0.98	10	0.60	208	<1	4.41	11	400	2	0.49	10	3	598	<20	0.12
D1191210		0.76	<10	0.61	202	<1	3.82	12	380	4	0.27	<5	3	565	<20	0.11
D1191211		0.72	<10	0.62	196	<1	3.88	9	340	2	0.31	<5	3	527	<20	0.11
D1191212		0.88	<10	0.71	236	<1	3.78	13	360	<2	0.34	<5	4	514	<20	0.12
D1191213		0.88	<10	0.62	236	<1	3.91	12	370	<2	0.36	<5	3	532	<20	0.11
D1191214		0.85	<10	0.62	200	<1	3.82	11	370	<2	0.33	<5	3	537	<20	0.11
D1191215		1.88	30	0.88	1040	<1	0.55	14	2640	7	0.25	5	6	467	<20	0.18

Comments: Additional Au-GRA22 check assay for samples D1196167 and D1196187 are 6.48 g/t and 5.21 g/t, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-JUL-2015
Account: DETGLD

Project: DGEX-258

CERTIFICATE OF ANALYSIS SD15100434

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1191186		<10	<10	32	<10	35	
D1191187		<10	<10	32	10	35	
D1191188		<10	<10	33	<10	38	
D1191189		<10	<10	32	<10	41	
D1191190		<10	<10	37	10	47	
D1191191		<10	<10	32	<10	50	
D1191192		<10	<10	32	<10	57	
D1191193		<10	<10	32	<10	45	
D1191194		<10	<10	29	390	36	
D1191195		<10	<10	19	10	32	
D1191196		<10	<10	32	<10	39	
D1191197		<10	<10	31	<10	44	
D1191198		<10	<10	31	10	41	
D1191199		<10	<10	31	<10	42	
D1191200		<10	<10	30	<10	41	
D1191201		<10	<10	32	<10	46	
D1191202		<10	<10	29	<10	44	
D1191203		<10	<10	33	<10	54	
D1191204		<10	<10	32	<10	43	
D1191205		<10	<10	179	10	124	6.59
D1191206		<10	<10	34	<10	46	
D1191207		<10	<10	33	<10	38	
D1191208		<10	<10	33	30	89	
D1191209		<10	<10	34	<10	42	
D1191210		<10	<10	31	<10	38	
D1191211		<10	<10	29	<10	34	
D1191212		<10	<10	39	<10	37	
D1191213		<10	<10	32	<10	35	
D1191214		<10	<10	31	<10	32	
D1191215		<10	<10	25	<10	18	

Comments: Additional Au-GRA22 check assay for samples D1196167 and D1196187 are 6.48 g/t and 5.21 g/t, respectively.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 24-JUL-2015
Account: DETGLD

Project: DGEX-258

CERTIFICATE OF ANALYSIS SD15100434

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

NSS is non-sufficient sample.

Applies to Method: ALL METHODS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-32	PUL-QC	SPL-22Y	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA24	Au-GRA22	ME-ICP61