ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

CERTIFICATE SD15043280

Project: DGEX-250

P.O. No.: DGC 4800002115

This report is for 300 Drill Core samples submitted to our lab in Timmins, ON, Canada on 26-MAR-2015.

The following have access to data associated with this certificate:

APRIL COOMBS JEAN FRANCOIS METAIL DETOUR GOLD WEBTRIEVE	ADREE DELAZZER LARRY THON	GUY MAC GILLIVRAY JAMES TOLHURST

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM

To: **DETOUR GOLD CORPORATION**
ATTN: JAMES TOLHURST
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Additional Au-GRA22 check assay for sample D1188745 reports 9.31 g/t.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1188451		2.29	<0.005	<0.5	6.30	6	380	0.6	<2	4.66	<0.5	29	38	65	7.23	20
D1188452		0.30	<0.005	<0.5	3.24	<5	290	0.6	<2	22.3	<0.5	7	22	10	1.50	10
D1188453		2.25	<0.005	<0.5	7.23	<5	110	0.5	<2	6.82	<0.5	40	63	82	8.87	20
D1188454		2.59	<0.005	<0.5	7.40	<5	40	<0.5	<2	8.64	<0.5	52	68	100	8.75	20
D1188455		2.38	<0.005	<0.5	7.61	<5	40	<0.5	3	9.28	<0.5	52	70	121	8.42	20
D1188456		2.45	<0.005	<0.5	8.36	<5	60	<0.5	2	7.90	<0.5	47	75	86	8.18	20
D1188457		2.53	<0.005	<0.5	7.50	<5	40	<0.5	<2	7.95	<0.5	51	71	133	9.58	20
D1188458		2.31	<0.005	<0.5	7.36	<5	40	<0.5	<2	8.29	<0.5	49	69	173	9.27	30
D1188459		2.42	<0.005	<0.5	7.21	<5	70	1.3	<2	6.74	<0.5	41	319	30	6.41	20
D1188460		2.31	<0.005	<0.5	7.33	<5	50	<0.5	<2	7.58	0.5	47	73	110	8.67	20
D1188461		2.22	<0.005	<0.5	7.34	<5	40	<0.5	2	6.90	<0.5	50	72	118	8.85	20
D1188462		0.07	0.347	<0.5	7.67	195	360	1.1	4	5.96	<0.5	42	188	114	8.31	20
D1188463		2.40	<0.005	<0.5	7.74	<5	40	<0.5	<2	6.31	<0.5	49	73	118	9.04	20
D1188464		2.22	<0.005	<0.5	5.37	<5	30	<0.5	<2	5.93	<0.5	36	64	88	6.65	20
D1188465		2.15	<0.005	<0.5	7.24	<5	40	<0.5	3	7.77	<0.5	46	70	108	8.59	20
D1188466		2.34	<0.005	<0.5	7.55	<5	30	<0.5	4	8.42	<0.5	52	74	113	8.56	20
D1188467		2.35	<0.005	<0.5	7.43	<5	20	<0.5	2	7.33	<0.5	53	73	129	9.11	20
D1188468		2.31	<0.005	<0.5	7.53	<5	30	<0.5	<2	6.39	<0.5	49	77	139	8.84	20
D1188469		2.47	<0.005	<0.5	7.98	<5	30	0.5	<2	6.02	0.5	50	79	110	9.29	20
D1188470		2.47	<0.005	<0.5	7.77	<5	30	<0.5	<2	8.38	<0.5	47	78	93	8.57	30
D1188471		2.29	<0.005	<0.5	7.61	<5	20	<0.5	4	6.29	<0.5	52	77	117	8.67	20
D1188472		0.36	<0.005	<0.5	3.08	<5	280	0.6	<2	22.8	<0.5	7	21	9	1.50	10
D1188473		2.49	<0.005	<0.5	7.58	<5	30	<0.5	4	7.40	<0.5	47	72	113	7.67	20
D1188474		2.30	<0.005	<0.5	7.93	<5	30	<0.5	3	5.39	<0.5	52	79	99	8.91	20
D1188475		2.24	<0.005	<0.5	7.38	<5	30	<0.5	<2	7.95	<0.5	49	75	140	7.94	20
D1188476		2.32	<0.005	<0.5	7.48	<5	20	<0.5	4	7.67	<0.5	46	74	96	8.36	20
D1188477		2.58	<0.005	<0.5	7.64	<5	20	<0.5	<2	6.97	<0.5	51	74	126	8.14	20
D1188478		2.36	<0.005	<0.5	7.75	<5	20	0.5	<2	6.17	<0.5	50	76	119	8.39	20
D1188479		2.32	<0.005	<0.5	7.44	<5	20	0.5	<2	7.94	<0.5	46	74	153	8.07	30
D1188480		2.14	<0.005	<0.5	7.61	<5	20	<0.5	<2	8.88	0.8	47	74	95	7.69	20
D1188481		2.18	<0.005	<0.5	7.88	<5	20	<0.5	<2	8.24	0.9	50	69	93	8.22	20
D1188482		0.07	1.275	<0.5	7.11	847	470	1.0	<2	5.67	0.9	40	186	100	10.20	20
D1188483		2.24	<0.005	<0.5	7.96	<5	20	<0.5	<2	6.79	0.9	49	73	108	8.28	20
D1188484		2.19	<0.005	<0.5	7.64	<5	20	<0.5	<2	7.28	1.1	52	73	136	8.60	20
D1188485		2.41	<0.005	<0.5	7.65	<5	20	<0.5	<2	8.18	0.7	48	72	111	8.40	20
D1188486		2.26	<0.005	<0.5	7.49	<5	30	<0.5	4	7.25	0.9	52	71	124	9.66	20
D1188487		2.36	<0.005	<0.5	7.29	<5	30	<0.5	<2	8.59	1.0	49	67	125	9.33	20
D1188488		2.34	<0.005	<0.5	7.48	<5	30	<0.5	<2	8.11	1.2	52	69	135	10.60	20
D1188489		2.46	<0.005	<0.5	7.22	<5	20	<0.5	<2	8.52	1.0	49	64	112	9.97	20
D1188490		2.29	<0.005	<0.5	7.57	<5	20	<0.5	<2	8.92	1.2	51	64	127	10.40	20

Comments: Additional Au-GRA22 check assay for sample D1188745
reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1188451		0.47	10	1.64	1400	<1	1.78	20	1240	<2	0.38	<5	25	122	<20	0.62
D1188452		1.69	30	0.76	1035	<1	0.66	11	3520	4	0.19	<5	6	450	<20	0.24
D1188453		0.21	10	2.47	2000	<1	1.62	50	830	<2	0.13	<5	37	147	<20	0.78
D1188454		0.14	<10	2.62	2230	<1	1.36	76	440	<2	0.05	<5	43	113	<20	0.82
D1188455		0.13	<10	2.42	2230	<1	1.54	69	440	<2	0.11	<5	44	105	<20	0.83
D1188456		0.15	<10	2.74	2160	<1	2.15	60	500	<2	0.04	5	47	132	<20	0.92
D1188457		0.16	<10	2.53	2350	<1	1.72	47	520	<2	0.21	<5	47	143	<20	0.92
D1188458		0.14	<10	2.16	2240	<1	1.38	42	510	<2	0.36	<5	45	183	<20	0.89
D1188459		0.25	20	4.71	1225	<1	2.26	247	1580	<2	0.03	<5	21	269	<20	0.59
D1188460		0.18	<10	2.88	1940	<1	1.44	48	510	<2	0.16	<5	46	216	<20	0.89
D1188461		0.18	10	2.34	1920	<1	1.87	46	510	<2	0.30	<5	45	182	<20	0.85
D1188462		0.83	20	3.93	1475	5	2.33	143	1700	6	0.28	<5	20	443	<20	1.07
D1188463		0.15	<10	2.47	1985	<1	2.15	53	500	<2	0.21	<5	48	124	<20	0.90
D1188464		0.10	<10	1.60	1595	1	1.35	33	360	<2	0.18	<5	33	77	<20	0.65
D1188465		0.17	<10	2.22	1965	<1	1.48	44	480	<2	0.15	<5	44	89	<20	0.85
D1188466		0.15	<10	2.50	2060	<1	1.12	51	520	<2	0.09	<5	48	70	<20	0.95
D1188467		0.10	<10	2.53	2010	<1	1.13	40	570	<2	0.25	<5	48	61	<20	1.00
D1188468		0.15	<10	2.82	1965	<1	1.82	46	520	<2	0.19	<5	48	61	<20	0.95
D1188469		0.16	<10	3.08	2040	<1	2.35	48	550	<2	0.14	<5	49	75	<20	0.96
D1188470		0.10	<10	2.33	1975	<1	1.80	47	490	3	0.18	<5	46	74	<20	0.88
D1188471		0.10	<10	2.77	1950	<1	2.23	50	510	<2	0.19	<5	46	71	<20	0.90
D1188472		1.64	20	0.80	990	<1	0.59	10	2960	4	0.30	<5	5	435	<20	0.19
D1188473		0.12	<10	2.92	2160	<1	2.54	45	500	<2	0.06	<5	46	84	<20	0.91
D1188474		0.12	<10	3.31	1940	<1	2.70	53	520	<2	0.12	<5	49	74	<20	0.94
D1188475		0.15	<10	2.56	2040	<1	2.03	46	490	<2	0.08	<5	47	85	<20	0.90
D1188476		0.10	<10	2.49	1915	<1	1.79	47	510	<2	0.17	<5	45	163	<20	0.88
D1188477		0.09	<10	2.81	1885	<1	2.17	46	500	<2	0.15	<5	46	99	<20	0.91
D1188478		0.09	<10	3.00	1870	<1	2.56	48	530	<2	0.15	<5	49	70	<20	0.96
D1188479		0.09	<10	2.56	1900	<1	1.67	45	510	<2	0.08	<5	46	71	<20	0.89
D1188480		0.10	10	2.39	2070	<1	1.62	52	490	<2	0.07	8	46	89	<20	0.87
D1188481		0.13	10	2.66	2150	<1	1.96	52	550	<2	0.13	7	49	92	<20	0.96
D1188482		0.75	20	3.91	2840	2	2.01	148	2130	7	1.06	11	19	402	<20	0.96
D1188483		0.11	10	2.66	2020	<1	2.55	52	530	<2	0.16	10	49	75	<20	0.93
D1188484		0.11	10	2.57	2110	<1	2.29	53	520	<2	0.22	10	47	91	<20	0.90
D1188485		0.12	10	2.49	2130	<1	1.67	51	510	2	0.14	8	47	105	<20	0.92
D1188486		0.23	10	2.90	2260	<1	1.37	48	540	<2	0.12	<5	48	108	<20	0.94
D1188487		0.12	10	2.68	2370	<1	1.35	45	530	<2	0.14	10	46	134	<20	0.91
D1188488		0.14	10	2.84	2500	<1	1.38	48	550	<2	0.21	5	48	176	<20	0.96
D1188489		0.13	10	2.61	2280	<1	0.96	45	520	<2	0.12	<5	46	163	<20	0.90
D1188490		0.11	10	2.85	2410	<1	0.89	45	540	<2	0.12	<5	49	145	<20	0.94

Comments: Additional Au-GRA22 check assay for sample D1188745
reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1188451		<10	<10	132	<10	97	
D1188452		<10	<10	24	<10	14	
D1188453		<10	<10	255	<10	120	
D1188454		<10	<10	335	<10	120	
D1188455		<10	<10	355	<10	118	
D1188456		<10	<10	367	<10	127	
D1188457		<10	<10	372	<10	122	
D1188458		<10	<10	367	<10	112	
D1188459		<10	<10	190	<10	103	
D1188460		<10	<10	371	<10	123	
D1188461		<10	<10	348	<10	157	
D1188462		<10	<10	161	<10	119	
D1188463		<10	<10	375	<10	134	
D1188464		<10	<10	264	<10	92	
D1188465		<10	<10	354	<10	116	
D1188466		<10	<10	375	<10	132	
D1188467		<10	<10	385	<10	130	
D1188468		<10	<10	382	<10	131	
D1188469		<10	<10	391	<10	129	
D1188470		<10	<10	371	<10	119	
D1188471		<10	<10	362	<10	142	
D1188472		<10	<10	25	<10	23	
D1188473		<10	<10	375	<10	127	
D1188474		<10	<10	390	<10	132	
D1188475		<10	<10	361	<10	130	
D1188476		<10	<10	365	<10	112	
D1188477		<10	<10	380	<10	117	
D1188478		<10	<10	396	<10	138	
D1188479		<10	<10	376	<10	127	
D1188480		<10	<10	366	<10	115	
D1188481		<10	<10	405	<10	121	
D1188482		<10	<10	162	<10	141	
D1188483		<10	<10	381	<10	133	
D1188484		<10	<10	372	<10	137	
D1188485		<10	<10	380	10	131	
D1188486		10	<10	380	<10	122	
D1188487		<10	<10	377	<10	127	
D1188488		<10	<10	390	<10	138	
D1188489		<10	<10	371	<10	132	
D1188490		<10	<10	393	<10	135	

Comments: Additional Au-GRA22 check assay for sample D1188745
reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1188491		2.35	<0.005	<0.5	7.65	<5	30	<0.5	<2	8.91	0.9	51	63	118	9.69	20
D1188492		0.31	<0.005	<0.5	3.27	<5	320	0.6	2	24.7	<0.5	5	23	9	1.53	10
D1188493		2.30	<0.005	<0.5	7.25	<5	30	<0.5	<2	8.56	1.2	49	62	97	10.20	20
D1188494		2.58	<0.005	<0.5	7.59	<5	40	<0.5	<2	8.63	1.1	48	67	119	9.65	20
D1188495		2.32	<0.005	<0.5	7.46	5	30	<0.5	<2	9.06	0.8	53	75	233	10.60	20
D1188496		2.26	<0.005	<0.5	7.49	<5	40	<0.5	<2	8.40	1.3	52	78	281	10.75	30
D1188497		1.46	<0.005	<0.5	8.45	5	80	0.5	<2	4.51	0.9	50	83	95	10.15	20
D1188498		2.24	<0.005	<0.5	6.32	5	1600	0.8	<2	1.86	0.5	10	13	69	5.07	20
D1188499		2.14	<0.005	<0.5	7.50	<5	150	<0.5	4	7.24	1.2	49	80	140	9.83	20
D1188500		1.73	<0.005	<0.5	7.65	<5	370	0.6	3	5.28	1.1	38	62	89	8.19	20
D1188501		1.98	<0.005	<0.5	5.93	<5	1110	0.9	<2	2.71	<0.5	5	9	34	2.26	20
D1188502		0.07	6.72	1.0	6.16	4610	540	0.8	<2	5.80	0.8	37	146	198	12.45	20
D1188503		1.90	<0.005	<0.5	6.66	<5	830	0.9	<2	3.20	<0.5	9	8	47	4.84	20
D1188504		1.97	<0.005	<0.5	6.26	<5	380	1.0	<2	3.17	<0.5	7	5	46	5.01	20
D1188505		2.02	0.015	<0.5	5.79	<5	650	0.9	<2	2.82	<0.5	7	5	66	3.81	20
D1188506		2.10	<0.005	<0.5	5.96	<5	910	0.8	<2	3.05	0.5	5	6	38	2.70	20
D1188507		2.08	<0.005	<0.5	7.95	<5	600	0.9	<2	3.26	<0.5	6	20	5	1.77	20
D1188508		2.12	<0.005	<0.5	7.78	<5	540	0.8	<2	3.12	<0.5	5	24	5	1.78	20
D1188509		1.91	<0.005	<0.5	7.95	<5	630	0.8	<2	3.03	<0.5	7	24	4	1.87	20
D1188510		2.09	<0.005	<0.5	7.88	<5	510	0.9	<2	3.35	<0.5	7	24	7	1.93	20
D1188511		2.63	<0.005	<0.5	6.85	<5	260	1.0	<2	5.28	<0.5	12	13	46	4.73	20
D1188512		0.29	<0.005	<0.5	3.35	<5	600	0.6	<2	20.8	<0.5	6	25	9	1.56	10
D1188513		2.04	<0.005	<0.5	8.05	<5	290	1.2	<2	2.53	<0.5	16	15	63	5.25	20
D1188514		1.97	<0.005	<0.5	7.28	<5	590	1.0	<2	3.03	0.8	9	10	55	4.59	20
D1188515		2.03	<0.005	<0.5	7.18	<5	170	<0.5	<2	6.77	<0.5	46	199	90	8.50	20
D1188516		2.01	<0.005	<0.5	7.32	<5	150	<0.5	<2	5.45	<0.5	57	250	76	9.70	20
D1188517		2.02	<0.005	<0.5	7.06	<5	230	<0.5	<2	5.46	<0.5	52	226	94	8.90	20
D1188518		2.16	<0.005	<0.5	5.92	<5	270	<0.5	<2	10.15	0.5	39	156	103	7.20	10
D1188519		1.96	<0.005	<0.5	7.59	<5	40	<0.5	<2	5.64	0.6	52	220	96	9.71	20
D1188520		2.25	<0.005	<0.5	7.20	<5	30	<0.5	<2	6.49	<0.5	48	190	98	8.43	20
D1188521		1.22	<0.005	<0.5	7.21	<5	20	<0.5	<2	6.85	<0.5	47	175	89	8.63	20
D1188522		0.06	0.346	<0.5	7.63	191	360	1.1	<2	5.63	<0.5	42	196	116	8.19	20
D1188523		2.81	<0.005	<0.5	7.84	6	30	<0.5	<2	7.27	<0.5	52	190	112	9.19	20
D1188524		2.13	<0.005	<0.5	7.46	<5	30	<0.5	<2	6.65	0.5	49	187	101	9.05	20
D1188525		2.08	<0.005	<0.5	7.36	<5	30	<0.5	<2	5.18	<0.5	56	211	87	9.84	20
D1188526		2.08	<0.005	<0.5	7.90	<5	40	<0.5	<2	6.96	<0.5	51	206	82	9.51	20
D1188527		2.40	<0.005	<0.5	7.64	<5	30	<0.5	3	7.94	<0.5	49	191	96	9.00	20
D1188528		2.19	<0.005	<0.5	7.62	<5	30	<0.5	4	8.63	<0.5	47	192	110	8.60	20
D1188529		2.26	<0.005	<0.5	7.99	<5	20	<0.5	<2	9.15	<0.5	49	230	102	8.68	20
D1188530		1.97	<0.005	<0.5	8.06	<5	30	<0.5	4	6.90	<0.5	49	219	98	9.04	20

Comments: Additional Au-GRA22 check assay for sample D1188745
reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01
D1188491		0.12	10	2.73	2390	<1	1.28	43	570	<2	0.04	9	49	132	<20	0.98
D1188492		1.84	30	0.84	1030	<1	0.57	13	2700	7	0.18	7	6	487	<20	0.19
D1188493		0.12	10	2.79	2570	<1	1.15	43	560	<2	0.12	5	49	131	<20	0.97
D1188494		0.15	10	2.72	2390	<1	1.50	48	520	<2	0.15	13	48	184	<20	0.95
D1188495		0.12	10	2.49	2370	<1	1.16	48	510	<2	0.30	11	46	167	<20	0.88
D1188496		0.14	10	2.55	2400	<1	1.50	48	490	<2	0.40	<5	44	129	<20	0.85
D1188497		0.14	10	3.44	2130	<1	2.15	55	610	<2	0.12	11	47	152	<20	0.89
D1188498		0.55	20	1.42	713	2	2.15	7	520	3	0.34	7	12	125	<20	0.27
D1188499		0.31	10	2.79	2180	<1	1.65	47	510	<2	0.29	7	45	149	<20	0.87
D1188500		0.53	10	2.44	1470	<1	2.11	39	530	4	0.23	6	37	154	<20	0.72
D1188501		1.09	20	0.68	370	2	1.57	<1	430	<2	0.14	<5	11	146	<20	0.22
D1188502		0.57	20	3.11	4220	3	1.25	109	2420	10	3.71	7	21	250	<20	0.59
D1188503		2.02	20	0.41	666	<1	0.63	2	470	2	0.30	<5	12	68	<20	0.25
D1188504		2.35	20	0.28	768	<1	0.19	<1	460	5	0.19	<5	11	57	<20	0.25
D1188505		1.99	20	0.42	685	<1	0.19	<1	430	6	0.20	6	11	82	<20	0.22
D1188506		1.89	20	0.70	620	<1	0.33	<1	430	<2	0.09	<5	12	111	<20	0.23
D1188507		1.67	10	0.67	337	<1	2.59	8	490	7	0.12	<5	3	342	<20	0.17
D1188508		1.16	10	0.66	332	<1	3.20	9	490	4	0.09	<5	3	394	<20	0.17
D1188509		1.42	10	0.67	328	<1	3.17	9	490	14	0.20	<5	3	387	<20	0.17
D1188510		1.51	10	0.61	320	<1	2.67	9	530	5	0.12	<5	4	373	<20	0.20
D1188511		2.00	20	0.56	700	<1	0.42	6	890	5	0.70	<5	15	148	<20	0.42
D1188512		1.79	30	0.80	1120	<1	0.61	12	4670	9	0.29	<5	6	495	<20	0.21
D1188513		2.63	30	0.78	508	<1	0.33	17	650	6	0.72	<5	14	110	<20	0.40
D1188514		2.34	20	0.98	545	<1	0.39	6	640	<2	0.53	<5	13	84	<20	0.31
D1188515		0.47	10	4.03	1180	<1	0.96	149	320	<2	0.08	<5	32	116	<20	0.53
D1188516		0.41	<10	4.98	1205	<1	1.11	190	370	<2	0.03	<5	28	117	<20	0.63
D1188517		1.02	<10	4.73	1015	<1	0.91	179	320	<2	0.06	<5	30	84	<20	0.57
D1188518		0.93	10	3.66	1245	<1	0.92	120	270	4	0.42	<5	28	115	<20	0.46
D1188519		0.19	<10	5.35	1255	<1	1.17	170	330	3	0.17	<5	34	97	<20	0.58
D1188520		0.14	<10	4.83	1340	<1	1.22	146	340	<2	0.07	<5	35	128	<20	0.57
D1188521		0.13	<10	4.57	1440	<1	1.16	136	330	<2	0.08	<5	35	140	<20	0.58
D1188522		0.81	20	3.80	1440	3	2.22	143	1720	4	0.28	<5	20	444	<20	1.04
D1188523		0.12	<10	4.70	1525	<1	1.45	151	360	<2	0.09	<5	38	162	<20	0.65
D1188524		0.11	<10	4.53	1425	<1	1.56	143	350	<2	0.11	<5	37	166	<20	0.61
D1188525		0.12	<10	5.08	1465	<1	1.46	157	370	<2	0.06	5	28	163	<20	0.65
D1188526		0.14	<10	4.52	1645	<1	1.72	151	360	<2	0.07	<5	39	208	<20	0.67
D1188527		0.12	<10	3.95	1590	<1	1.88	143	360	<2	0.06	<5	38	226	<20	0.63
D1188528		0.13	<10	2.55	1750	<1	1.87	142	350	<2	0.22	<5	38	204	<20	0.66
D1188529		0.10	<10	2.22	1840	<1	1.52	150	360	<2	0.21	<5	39	208	<20	0.67
D1188530		0.15	<10	3.20	1705	<1	2.08	152	370	<2	0.19	<5	40	179	<20	0.70

Comments: Additional Au-GRA22 check assay for sample D1188745
reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method Analyte Units LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1188491		<10	<10	399	<10	135	
D1188492		<10	<10	28	<10	29	
D1188493		<10	<10	398	<10	148	
D1188494		<10	<10	391	<10	136	
D1188495		10	<10	365	<10	130	
D1188496		10	<10	357	<10	127	
D1188497		<10	<10	378	<10	156	
D1188498		<10	<10	14	<10	230	
D1188499		<10	<10	356	<10	127	
D1188500		<10	<10	265	<10	164	
D1188501		<10	<10	2	<10	120	
D1188502		<10	<10	185	<10	123	6.69
D1188503		<10	<10	6	<10	73	
D1188504		<10	<10	1	<10	140	
D1188505		<10	<10	1	<10	141	
D1188506		<10	<10	2	<10	110	
D1188507		<10	<10	33	<10	69	
D1188508		<10	<10	34	<10	54	
D1188509		<10	<10	35	<10	99	
D1188510		<10	<10	34	<10	68	
D1188511		<10	<10	39	<10	130	
D1188512		<10	<10	23	<10	28	
D1188513		<10	<10	52	<10	184	
D1188514		<10	<10	20	<10	306	
D1188515		<10	<10	238	<10	107	
D1188516		<10	<10	276	<10	103	
D1188517		<10	<10	257	<10	91	
D1188518		<10	<10	199	<10	110	
D1188519		<10	<10	270	<10	133	
D1188520		<10	<10	257	<10	88	
D1188521		<10	<10	263	<10	94	
D1188522		<10	<10	159	<10	111	
D1188523		<10	<10	286	<10	97	
D1188524		<10	<10	272	<10	94	
D1188525		<10	<10	287	<10	100	
D1188526		<10	<10	292	<10	103	
D1188527		<10	<10	278	<10	96	
D1188528		<10	<10	283	<10	86	
D1188529		<10	<10	298	<10	86	
D1188530		<10	<10	296	<10	91	

Comments: Additional Au-GRA22 check assay for sample D1188745
reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1188531		2.59	<0.005	<0.5	7.48	<5	40	<0.5	<2	6.47	<0.5	49	198	58	9.78	20
D1188532		0.32	<0.005	<0.5	3.14	<5	260	0.6	<2	21.6	<0.5	6	20	9	1.40	10
D1188533		2.28	<0.005	<0.5	7.61	<5	30	<0.5	3	6.70	<0.5	48	202	95	9.28	20
D1188534		2.10	0.005	<0.5	7.71	<5	30	<0.5	<2	7.57	<0.5	51	196	95	9.10	20
D1188535		2.21	<0.005	<0.5	6.85	<5	30	<0.5	<2	5.11	<0.5	44	183	50	8.50	20
D1188536		2.23	<0.005	<0.5	6.25	<5	20	<0.5	4	6.66	<0.5	42	159	32	8.40	20
D1188537		2.16	0.006	<0.5	7.49	<5	30	<0.5	<2	7.23	<0.5	51	187	116	9.48	20
D1188538		2.59	0.005	<0.5	7.91	<5	40	<0.5	6	7.95	<0.5	55	188	120	9.71	20
D1188539		2.14	<0.005	<0.5	5.94	<5	30	<0.5	<2	5.63	<0.5	39	173	80	6.42	10
D1188540		2.28	<0.005	<0.5	7.20	<5	50	<0.5	<2	8.44	<0.5	47	169	133	9.04	20
D1188541		1.21	<0.005	<0.5	7.13	<5	80	<0.5	3	6.45	<0.5	33	182	114	10.40	20
D1188542		0.07	3.48	<0.5	6.37	1425	450	0.9	<2	5.28	<0.5	40	173	122	11.05	20
D1188543		2.26	<0.005	<0.5	7.57	<5	440	1.1	<2	4.99	<0.5	24	93	40	5.65	20
D1188544		2.97	0.007	<0.5	7.19	<5	450	1.1	<2	4.55	<0.5	23	100	31	4.77	20
D1188545		2.58	<0.005	<0.5	6.38	<5	160	<0.5	3	5.45	<0.5	43	33	108	10.85	20
D1188546		2.38	<0.005	<0.5	5.74	<5	30	<0.5	<2	5.99	<0.5	36	33	88	9.62	20
D1188547		2.44	<0.005	<0.5	6.84	<5	60	0.7	<2	3.87	<0.5	33	27	93	9.85	20
D1188548		2.60	<0.005	<0.5	6.78	<5	40	0.5	3	7.43	<0.5	44	34	77	11.40	20
D1188549		1.51	0.012	<0.5	6.76	<5	40	0.5	4	7.19	<0.5	44	33	103	11.20	20
D1188550		1.76	<0.005	<0.5	6.53	<5	130	0.5	6	7.16	<0.5	44	32	104	11.05	20
D1188551		1.78	0.017	<0.5	7.38	<5	690	0.9	<2	3.25	<0.5	10	36	27	3.26	20
D1188552		0.34	<0.005	<0.5	3.69	<5	390	0.6	<2	18.9	<0.5	6	22	9	1.51	10
D1188553		1.72	0.005	<0.5	6.16	<5	160	0.5	2	6.72	<0.5	38	31	92	9.39	20
D1188554		1.66	<0.005	<0.5	7.08	<5	730	0.9	<2	3.51	<0.5	13	52	12	2.75	20
D1188555		2.39	0.008	<0.5	6.08	<5	140	<0.5	2	6.64	<0.5	39	29	96	10.40	20
D1188556		2.26	<0.005	<0.5	6.39	<5	50	<0.5	6	6.28	<0.5	42	32	102	10.95	20
D1188557		2.10	<0.005	<0.5	6.44	<5	30	<0.5	<2	6.69	<0.5	44	32	102	10.90	20
D1188558		2.23	<0.005	<0.5	5.47	<5	20	<0.5	5	6.46	<0.5	43	30	129	9.97	20
D1188559		2.31	<0.005	<0.5	6.53	<5	30	0.5	<2	5.24	<0.5	47	33	132	12.05	20
D1188560		2.57	<0.005	<0.5	6.71	<5	30	0.5	5	6.35	<0.5	48	34	148	12.00	20
D1188561		2.30	<0.005	<0.5	6.76	<5	40	0.5	4	5.69	<0.5	44	35	90	11.80	20
D1188562		0.07	6.56	0.9	5.62	4200	550	0.7	2	5.46	<0.5	33	134	180	11.60	20
D1188563		2.49	<0.005	<0.5	7.02	<5	40	0.5	4	6.19	<0.5	44	36	92	12.20	20
D1188564		1.47	<0.005	<0.5	7.01	<5	90	0.6	3	5.65	<0.5	45	35	112	11.35	20
D1188565		2.65	0.007	<0.5	7.49	<5	730	1.1	<2	3.24	<0.5	12	3	10	3.82	20
D1188566		2.19	<0.005	<0.5	7.08	<5	740	1.0	<2	2.86	<0.5	11	5	12	3.62	20
D1188567		3.02	<0.005	<0.5	6.33	<5	80	<0.5	5	7.80	<0.5	43	31	91	10.05	20
D1188568		2.22	<0.005	<0.5	6.39	<5	40	<0.5	<2	8.41	<0.5	48	31	108	9.87	20
D1188569		2.29	<0.005	<0.5	6.50	<5	30	<0.5	6	7.37	<0.5	44	31	102	10.25	20
D1188570		2.12	<0.005	<0.5	6.43	<5	30	<0.5	6	6.80	<0.5	42	32	99	10.95	20

Comments: Additional Au-GRA22 check assay for sample D1188745
reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01
D1188531		0.39	<10	4.70	1440	<1	1.34	143	370	<2	0.08	<5	37	119	<20	0.64
D1188532		1.67	20	0.73	1090	<1	0.64	13	3210	9	0.24	<5	5	429	<20	0.16
D1188533		0.23	<10	4.31	1410	<1	1.88	150	350	<2	0.04	<5	36	229	<20	0.64
D1188534		0.22	<10	3.31	1640	<1	1.84	141	360	<2	0.10	<5	38	265	<20	0.67
D1188535		0.32	<10	4.35	1260	<1	1.29	126	340	<2	0.01	<5	34	129	<20	0.57
D1188536		0.12	<10	4.13	1325	<1	1.23	123	310	4	<0.01	<5	32	145	<20	0.55
D1188537		0.13	<10	4.01	1580	<1	1.63	138	380	<2	0.16	<5	37	185	<20	0.67
D1188538		0.16	<10	3.64	1810	<1	1.91	154	370	<2	0.16	<5	40	200	<20	0.68
D1188539		0.12	<10	1.96	1340	<1	1.71	112	250	<2	0.23	<5	29	144	<20	0.50
D1188540		0.16	<10	2.40	1910	<1	1.92	131	330	<2	0.94	<5	34	178	<20	0.59
D1188541		0.14	<10	2.14	1880	<1	2.03	114	340	<2	1.55	<5	34	235	<20	0.57
D1188542		0.63	20	3.64	2720	2	1.82	147	2080	5	2.43	<5	17	368	<20	0.88
D1188543		0.91	10	2.60	973	<1	2.81	51	770	2	0.11	<5	17	428	<20	0.49
D1188544		1.17	10	2.67	804	<1	2.72	56	760	3	0.07	<5	14	428	<20	0.39
D1188545		0.48	<10	2.98	1535	<1	1.04	33	590	<2	0.35	<5	38	192	<20	0.93
D1188546		0.12	<10	2.04	1395	<1	1.16	26	520	2	0.18	<5	36	191	<20	0.87
D1188547		0.21	10	1.77	1360	<1	1.77	27	540	<2	0.56	<5	30	124	<20	0.72
D1188548		0.15	<10	1.55	2540	<1	1.52	37	570	<2	0.16	<5	42	102	<20	1.00
D1188549		0.14	<10	1.31	2470	<1	1.79	35	600	<2	0.22	<5	42	139	<20	1.00
D1188550		0.25	<10	1.54	2530	<1	1.71	37	540	<2	0.28	<5	40	165	<20	0.98
D1188551		1.15	10	1.01	701	<1	3.62	17	640	2	0.33	<5	7	372	<20	0.29
D1188552		1.99	30	0.78	985	<1	0.80	11	3360	10	0.27	<5	6	451	<20	0.22
D1188553		0.36	<10	1.29	2120	<1	1.78	32	540	<2	0.31	<5	35	209	<20	0.86
D1188554		1.13	10	0.97	546	<1	3.91	19	520	<2	0.10	<5	6	450	<20	0.25
D1188555		0.24	<10	1.70	2310	<1	1.62	33	530	<2	0.35	<5	38	104	<20	0.91
D1188556		0.15	<10	1.42	2600	<1	1.74	37	550	<2	0.19	<5	41	144	<20	0.98
D1188557		0.12	<10	1.54	2460	<1	1.61	32	560	<2	0.19	<5	41	148	<20	0.97
D1188558		0.13	<10	2.70	1575	<1	0.92	42	480	<2	0.20	<5	34	112	<20	0.80
D1188559		0.18	<10	3.12	1740	<1	1.26	41	590	<2	0.13	<5	41	146	<20	1.01
D1188560		0.21	<10	2.56	1865	<1	1.46	35	600	<2	0.30	<5	43	203	<20	1.04
D1188561		0.24	<10	3.06	1755	<1	1.34	33	600	<2	0.12	<5	43	206	<20	1.06
D1188562		0.53	20	2.89	4040	2	1.17	104	2250	9	3.49	6	19	233	<20	0.55
D1188563		0.24	<10	2.72	1850	<1	1.40	33	630	<2	0.11	<5	44	246	<20	1.06
D1188564		0.31	10	1.91	1940	<1	1.86	31	630	<2	0.25	<5	41	250	<20	1.01
D1188565		1.51	20	1.07	812	<1	3.92	<1	840	2	0.12	<5	8	263	<20	0.33
D1188566		1.34	20	1.02	798	<1	3.74	1	810	5	0.16	<5	7	246	<20	0.31
D1188567		0.21	<10	1.65	1995	<1	1.43	40	540	<2	0.12	<5	38	142	<20	0.91
D1188568		0.13	<10	1.26	2440	<1	1.86	40	560	<2	0.22	<5	39	139	<20	0.93
D1188569		0.10	<10	1.26	2520	<1	1.96	36	560	<2	0.18	<5	40	129	<20	0.97
D1188570		0.12	<10	1.74	2170	<1	1.70	31	590	<2	0.18	<5	41	127	<20	1.00

Comments: Additional Au-GRA22 check assay for sample D1188745
reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1188531		<10	<10	275	<10	126	
D1188532		<10	<10	25	<10	29	
D1188533		10	<10	284	<10	88	
D1188534		<10	<10	290	<10	79	
D1188535		<10	<10	260	<10	86	
D1188536		<10	<10	251	<10	84	
D1188537		<10	<10	282	<10	95	
D1188538		<10	<10	295	<10	103	
D1188539		<10	<10	216	<10	75	
D1188540		<10	<10	259	<10	93	
D1188541		<10	<10	261	<10	132	
D1188542		<10	<10	154	<10	127	
D1188543		<10	<10	160	<10	83	
D1188544		<10	<10	129	<10	70	
D1188545		10	<10	346	<10	122	
D1188546		<10	<10	325	<10	122	
D1188547		10	<10	253	<10	280	
D1188548		<10	<10	380	<10	137	
D1188549		<10	<10	379	<10	122	
D1188550		<10	<10	362	<10	126	
D1188551		10	<10	73	<10	45	
D1188552		<10	<10	25	<10	16	
D1188553		<10	<10	322	<10	107	
D1188554		<10	<10	69	<10	56	
D1188555		<10	<10	339	<10	125	
D1188556		<10	<10	363	<10	122	
D1188557		<10	<10	360	<10	122	
D1188558		10	<10	300	<10	120	
D1188559		<10	<10	375	<10	132	
D1188560		<10	<10	389	<10	128	
D1188561		<10	<10	394	<10	124	
D1188562		10	<10	169	<10	115	NSS
D1188563		<10	<10	401	<10	129	
D1188564		<10	<10	374	<10	134	
D1188565		<10	<10	90	<10	71	
D1188566		<10	<10	86	<10	70	
D1188567		<10	<10	344	<10	119	
D1188568		<10	<10	351	<10	122	
D1188569		<10	<10	367	<10	125	
D1188570		<10	<10	368	<10	136	

Comments: Additional Au-GRA22 check assay for sample D1188745
reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1188571		2.35	<0.005	<0.5	6.57	<5	30	<0.5	2	6.93	<0.5	43	36	102	11.70	20
D1188572		0.34	<0.005	<0.5	3.71	<5	450	0.7	<2	18.8	<0.5	5	26	10	1.64	10
D1188573		2.18	<0.005	<0.5	6.83	<5	30	<0.5	<2	7.79	<0.5	44	33	112	10.85	20
D1188574		2.09	<0.005	<0.5	7.78	<5	40	0.5	6	7.08	<0.5	50	40	102	12.25	20
D1188575		2.29	<0.005	<0.5	7.51	<5	40	0.5	3	7.19	<0.5	47	35	43	12.40	20
D1188576		2.42	<0.005	<0.5	6.87	<5	40	<0.5	5	6.58	<0.5	47	34	113	12.15	20
D1188577		2.23	<0.005	<0.5	6.87	<5	40	<0.5	6	7.55	<0.5	48	34	95	11.40	20
D1188578		2.28	<0.005	<0.5	6.58	<5	40	<0.5	<2	6.94	<0.5	45	32	107	11.00	20
D1188579		2.12	<0.005	<0.5	6.72	<5	60	0.5	4	5.21	<0.5	45	34	90	11.40	20
D1188580		2.13	<0.005	<0.5	6.15	<5	100	<0.5	<2	6.51	<0.5	40	29	95	10.30	20
D1188581		2.53	<0.005	<0.5	6.72	<5	110	<0.5	4	6.15	<0.5	44	34	100	11.05	20
D1188582		0.07	1.170	<0.5	6.50	759	430	1.0	7	5.20	<0.5	35	175	89	9.40	20
D1188583		2.17	<0.005	<0.5	6.64	<5	100	<0.5	<2	6.81	<0.5	43	35	102	11.10	20
D1188584		2.25	<0.005	<0.5	6.57	<5	90	<0.5	3	6.64	<0.5	45	33	98	11.35	20
D1188585		2.10	<0.005	<0.5	6.35	<5	50	<0.5	2	6.65	<0.5	42	31	101	10.95	20
D1188586		2.52	<0.005	<0.5	7.45	<5	40	<0.5	2	4.57	<0.5	51	38	75	13.30	30
D1188587		2.27	<0.005	<0.5	6.67	<5	30	<0.5	4	5.06	<0.5	43	35	97	12.00	20
D1188588		2.10	<0.005	<0.5	5.99	<5	30	<0.5	4	5.47	<0.5	42	30	95	10.80	20
D1188589		2.13	<0.005	<0.5	6.35	<5	80	<0.5	3	5.25	<0.5	47	29	87	10.90	20
D1188590		2.36	<0.005	<0.5	4.55	<5	130	<0.5	2	4.77	<0.5	30	30	57	7.88	20
D1188591		1.97	<0.005	<0.5	5.92	<5	120	<0.5	6	7.76	<0.5	41	28	101	10.00	20
D1188592		0.37	<0.005	<0.5	4.08	<5	460	0.8	<2	17.4	<0.5	7	27	10	1.79	10
D1188593		2.18	<0.005	<0.5	6.00	<5	110	<0.5	2	7.65	<0.5	43	28	122	10.90	20
D1188594		2.25	<0.005	<0.5	6.65	<5	60	<0.5	4	6.29	<0.5	43	34	101	10.80	20
D1188595		2.07	<0.005	<0.5	6.65	<5	50	0.5	3	6.33	<0.5	41	36	89	10.45	20
D1188596		2.50	<0.005	<0.5	6.50	<5	60	0.5	6	5.87	<0.5	42	32	90	10.50	20
D1188597		2.20	<0.005	<0.5	6.86	<5	40	0.5	2	5.80	<0.5	48	35	133	11.05	20
D1188598		2.27	<0.005	<0.5	7.54	<5	50	<0.5	6	7.41	0.9	51	41	110	11.10	20
D1188599		2.45	<0.005	<0.5	6.87	<5	50	<0.5	4	6.03	0.9	46	38	102	10.25	20
D1188600		2.06	<0.005	<0.5	7.03	<5	40	<0.5	3	6.38	0.8	46	38	100	10.70	20
D1188601		2.25	<0.005	<0.5	6.89	<5	40	<0.5	3	6.65	0.6	46	37	113	10.30	20
D1188602		0.07	3.47	0.7	6.51	1420	460	0.9	2	5.26	0.7	39	176	125	11.00	20
D1188603		2.22	<0.005	<0.5	7.16	<5	70	<0.5	4	6.30	<0.5	52	40	125	11.60	20
D1188604		2.49	0.024	<0.5	6.26	<5	50	<0.5	2	6.71	0.7	41	35	93	10.55	20
D1188605		2.27	0.296	0.5	6.43	<5	40	<0.5	5	6.22	1.2	44	35	115	10.25	20
D1188606		2.24	0.178	<0.5	6.89	<5	60	<0.5	5	5.94	0.7	45	36	116	11.30	20
D1188607		2.22	<0.005	<0.5	7.20	<5	50	<0.5	3	5.86	1.1	54	39	128	12.45	20
D1188608		2.36	<0.005	<0.5	6.42	<5	30	<0.5	5	6.63	0.6	44	35	100	10.95	20
D1188609		2.28	<0.005	<0.5	6.45	<5	30	<0.5	4	7.12	1.4	44	33	108	11.40	20
D1188610		2.48	<0.005	<0.5	6.81	<5	30	<0.5	7	6.10	0.8	44	37	104	11.20	20

Comments: Additional Au-GRA22 check assay for sample D1188745
reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01
D1188571		0.16	<10	2.49	1760	<1	1.15	30	610	2	0.14	<5	43	174	<20	1.04
D1188572		1.99	30	0.81	944	<1	0.72	13	3390	10	0.32	<5	6	409	<20	0.25
D1188573		0.16	<10	1.92	1845	<1	1.43	32	610	3	0.15	<5	42	162	<20	1.03
D1188574		0.17	<10	1.95	2080	<1	1.77	33	680	<2	0.10	<5	48	165	<20	1.17
D1188575		0.18	<10	2.21	2220	<1	1.61	33	660	<2	0.05	<5	46	152	<20	1.09
D1188576		0.19	<10	2.60	1830	<1	1.19	34	610	<2	0.13	<5	44	162	<20	1.06
D1188577		0.16	<10	1.72	2460	<1	1.39	39	620	<2	0.20	<5	43	176	<20	1.06
D1188578		0.11	<10	1.71	2410	<1	1.77	32	600	<2	0.22	<5	42	121	<20	1.02
D1188579		0.11	<10	1.57	2210	<1	1.95	32	620	<2	0.15	<5	42	121	<20	1.03
D1188580		0.16	<10	1.41	2200	<1	1.66	30	540	<2	0.18	<5	38	115	<20	0.91
D1188581		0.20	<10	1.44	2320	<1	1.95	36	590	<2	0.17	<5	42	110	<20	1.01
D1188582		0.67	20	3.60	2600	2	1.85	132	1960	5	0.99	<5	17	365	<20	0.89
D1188583		0.25	<10	1.36	2370	<1	1.78	35	610	<2	0.21	<5	42	123	<20	1.01
D1188584		0.26	<10	1.68	2090	<1	2.15	35	570	<2	0.19	<5	41	172	<20	0.97
D1188585		0.21	<10	2.41	1780	<1	1.70	32	560	<2	0.14	<5	40	164	<20	0.96
D1188586		0.12	<10	3.31	1840	<1	1.93	35	670	<2	0.13	<5	47	151	<20	1.15
D1188587		0.11	<10	3.03	1745	<1	1.95	33	640	<2	0.14	<5	44	138	<20	1.10
D1188588		0.13	<10	2.97	1620	<1	1.54	34	540	<2	0.16	<5	38	119	<20	0.93
D1188589		0.33	<10	3.17	1670	<1	1.50	49	510	3	0.21	<5	37	113	<20	0.88
D1188590		0.32	<10	1.90	1310	<1	1.02	31	390	<2	0.16	<5	27	89	<20	0.66
D1188591		0.26	<10	1.37	2590	<1	1.65	33	540	<2	0.22	<5	37	111	<20	0.90
D1188592		2.29	30	0.84	875	<1	0.73	15	3530	9	0.27	<5	7	418	<20	0.25
D1188593		0.18	<10	1.43	2820	<1	1.61	33	530	<2	0.33	<5	38	93	<20	0.90
D1188594		0.14	<10	1.46	2630	<1	1.96	36	560	<2	0.19	<5	42	108	<20	1.01
D1188595		0.13	<10	1.35	2650	<1	2.11	34	580	<2	0.16	<5	42	123	<20	1.01
D1188596		0.19	<10	1.52	2240	<1	1.82	32	570	<2	0.19	<5	40	103	<20	0.98
D1188597		0.16	<10	1.46	2360	<1	2.06	34	600	2	0.25	<5	44	111	<20	1.05
D1188598		0.19	10	1.64	2550	<1	2.29	41	690	5	0.19	<5	47	129	<20	1.10
D1188599		0.13	10	1.30	2330	<1	2.20	38	590	3	0.20	10	43	186	<20	1.01
D1188600		0.15	10	1.39	2470	<1	2.09	39	620	5	0.13	5	45	186	<20	1.05
D1188601		0.15	10	1.43	2310	<1	2.21	36	630	<2	0.23	5	43	121	<20	1.01
D1188602		0.64	20	3.64	2680	3	1.83	152	2160	13	2.39	7	17	384	<20	0.87
D1188603		0.17	10	1.68	2520	<1	2.00	39	650	4	0.21	<5	46	136	<20	1.08
D1188604		0.11	10	1.56	2220	<1	1.86	33	580	4	0.27	<5	40	105	<20	0.93
D1188605		0.09	<10	1.38	2180	<1	2.11	33	590	<2	0.52	<5	40	86	<20	0.95
D1188606		0.14	10	1.43	2280	1	2.15	36	650	<2	0.57	<5	43	106	<20	1.01
D1188607		0.10	<10	1.64	2460	<1	2.47	39	650	<2	0.33	<5	46	108	<20	1.07
D1188608		0.08	10	2.16	1875	<1	2.02	33	620	3	0.20	<5	41	92	<20	0.96
D1188609		0.07	10	2.45	2090	<1	1.86	34	570	4	0.31	<5	41	104	<20	0.95
D1188610		0.15	10	1.76	2050	<1	2.09	34	630	3	0.23	<5	44	97	<20	1.01

Comments: Additional Au-GRA22 check assay for sample D1188745
reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1188571		<10	<10	393	<10	130	
D1188572		<10	<10	27	<10	19	
D1188573		10	<10	380	<10	131	
D1188574		<10	<10	439	<10	143	
D1188575		<10	<10	443	<10	142	
D1188576		<10	<10	398	<10	127	
D1188577		<10	<10	383	<10	128	
D1188578		<10	<10	383	<10	125	
D1188579		<10	<10	382	<10	126	
D1188580		<10	<10	348	<10	117	
D1188581		<10	<10	379	<10	133	
D1188582		<10	<10	151	<10	121	
D1188583		<10	<10	374	<10	140	
D1188584		<10	<10	373	<10	121	
D1188585		<10	<10	360	<10	119	
D1188586		<10	<10	444	<10	151	
D1188587		10	<10	399	<10	133	
D1188588		<10	<10	350	<10	116	
D1188589		<10	<10	335	<10	122	
D1188590		<10	<10	246	<10	92	
D1188591		<10	<10	336	<10	127	
D1188592		<10	<10	31	<10	20	
D1188593		10	<10	335	<10	130	
D1188594		<10	<10	377	<10	130	
D1188595		<10	<10	373	<10	117	
D1188596		<10	<10	366	<10	122	
D1188597		<10	<10	394	<10	128	
D1188598		<10	<10	423	<10	145	
D1188599		<10	<10	388	<10	134	
D1188600		<10	<10	395	<10	143	
D1188601		<10	<10	382	<10	132	
D1188602		<10	<10	153	<10	132	
D1188603		<10	<10	415	<10	156	
D1188604		<10	<10	352	<10	142	
D1188605		<10	<10	355	<10	141	
D1188606		<10	<10	382	<10	153	
D1188607		<10	<10	407	<10	161	
D1188608		<10	<10	367	<10	131	
D1188609		<10	<10	364	<10	137	
D1188610		<10	<10	389	<10	136	

Comments: Additional Au-GRA22 check assay for sample D1188745
reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1188611		2.34	<0.005	<0.5	7.01	<5	30	<0.5	2	6.39	0.6	47	37	114	10.45	20
D1188612		0.30	<0.005	<0.5	3.77	<5	320	0.7	4	20.6	<0.5	5	27	8	1.66	10
D1188613		2.39	<0.005	<0.5	6.49	<5	40	<0.5	<2	7.45	0.8	45	34	112	11.00	20
D1188614		2.37	<0.005	<0.5	6.77	<5	30	<0.5	3	6.25	0.7	48	36	117	11.90	20
D1188615		2.16	<0.005	<0.5	6.70	<5	30	<0.5	6	6.17	1.2	49	35	106	11.75	20
D1188616		2.24	<0.005	<0.5	6.89	<5	30	0.5	3	5.92	1.3	48	38	105	11.90	20
D1188617		2.48	<0.005	<0.5	6.92	<5	30	<0.5	4	6.49	1.0	49	38	114	12.00	20
D1188618		2.35	<0.005	<0.5	7.05	<5	40	<0.5	2	6.02	1.2	49	39	100	12.40	20
D1188619		2.13	<0.005	<0.5	6.83	<5	40	<0.5	<2	6.28	0.8	50	37	110	11.95	20
D1188620		2.32	<0.005	<0.5	7.24	<5	40	0.5	4	5.49	1.0	53	41	134	12.80	20
D1188621		2.52	<0.005	<0.5	6.64	<5	30	<0.5	3	5.75	0.8	46	36	100	11.70	20
D1188622		0.07	0.321	<0.5	7.67	194	370	1.1	3	5.81	0.6	41	198	118	8.12	20
D1188623		1.31	<0.005	<0.5	6.92	<5	60	<0.5	<2	5.42	0.5	48	39	111	11.85	20
D1188624		1.91	0.009	<0.5	8.00	<5	540	1.0	2	3.35	<0.5	12	67	59	2.65	20
D1188625		1.65	<0.005	<0.5	7.64	<5	250	0.7	<2	4.07	<0.5	41	57	78	4.29	20
D1188626		1.89	0.007	<0.5	6.07	<5	40	<0.5	4	5.42	<0.5	47	39	128	10.85	20
D1188627		1.62	0.006	<0.5	6.81	<5	30	0.5	4	5.79	0.8	46	39	89	12.25	20
D1188628		2.69	0.008	<0.5	6.23	<5	20	<0.5	3	5.48	0.7	44	37	95	11.55	20
D1188629		2.08	0.005	<0.5	6.13	<5	180	<0.5	3	8.15	<0.5	44	33	108	10.10	20
D1188630		1.18	0.018	<0.5	6.35	<5	200	0.5	7	8.02	1.1	44	41	127	8.14	20
D1188631		2.49	0.005	<0.5	7.70	<5	570	0.9	<2	3.45	0.9	11	28	42	3.30	20
D1188632		0.27	<0.005	<0.5	3.98	<5	470	0.7	<2	16.8	<0.5	5	27	11	1.65	10
D1188633		2.21	0.005	<0.5	7.73	<5	650	1.0	<2	2.72	<0.5	7	29	63	2.39	20
D1188634		2.16	0.009	<0.5	7.70	<5	600	0.9	<2	2.90	<0.5	7	31	56	2.37	20
D1188635		1.78	0.024	<0.5	7.58	<5	780	0.8	<2	3.37	<0.5	11	38	61	3.22	20
D1188636		2.57	0.007	<0.5	6.67	<5	110	<0.5	<2	6.34	<0.5	36	134	98	7.52	20
D1188637		2.22	<0.005	<0.5	7.21	<5	40	<0.5	<2	5.09	<0.5	34	110	129	7.73	20
D1188638		2.69	0.005	<0.5	6.52	<5	110	<0.5	<2	5.15	0.5	35	79	99	8.57	20
D1188639		1.47	<0.005	<0.5	6.29	<5	20	<0.5	2	4.94	<0.5	45	33	85	11.35	20
D1188640		2.28	<0.005	<0.5	6.29	<5	20	<0.5	<2	5.10	0.5	44	32	87	10.85	20
D1188641		2.37	<0.005	<0.5	7.12	<5	90	<0.5	<2	4.35	<0.5	36	35	62	8.83	20
D1188642		0.07	0.320	<0.5	7.32	193	350	1.1	<2	5.65	<0.5	39	190	111	8.06	20
D1188643		1.60	<0.005	<0.5	7.66	<5	160	0.5	<2	3.97	<0.5	23	29	43	6.58	20
D1188644		2.64	<0.005	<0.5	7.46	<5	110	0.5	<2	4.95	<0.5	32	31	71	8.34	20
D1188645		1.54	<0.005	<0.5	7.29	<5	140	<0.5	<2	4.87	<0.5	24	35	45	6.31	20
D1188646		3.08	<0.005	<0.5	5.95	<5	20	<0.5	<2	6.44	<0.5	44	32	125	10.70	20
D1188647		2.62	<0.005	<0.5	5.70	<5	30	<0.5	<2	8.41	<0.5	38	30	41	9.86	20
D1188648		2.70	<0.005	<0.5	5.21	<5	20	<0.5	<2	7.73	<0.5	33	33	82	8.70	20
D1188649		2.16	<0.005	<0.5	5.94	<5	20	<0.5	<2	8.69	<0.5	40	33	104	10.55	20
D1188650		2.64	<0.005	<0.5	6.25	<5	60	<0.5	<2	6.11	<0.5	41	40	95	11.15	20

Comments: Additional Au-GRA22 check assay for sample D1188745
reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1188611		0.16	10	1.47	1980	<1	2.40	37	640	2	0.41	10	43	100	<20	1.01
D1188612		2.07	30	0.84	945	<1	0.59	14	2350	11	0.23	<5	6	447	<20	0.18
D1188613		0.19	10	1.54	2030	<1	1.93	34	610	4	0.28	<5	41	114	<20	0.96
D1188614		0.16	10	2.63	1920	<1	1.53	33	640	<2	0.15	<5	45	146	<20	1.05
D1188615		0.13	10	2.90	1865	<1	1.30	34	640	4	0.15	6	44	164	<20	1.02
D1188616		0.15	10	2.96	1890	<1	1.47	36	660	4	0.14	5	46	138	<20	1.06
D1188617		0.15	10	2.88	1935	<1	1.22	37	660	2	0.16	7	45	179	<20	1.04
D1188618		0.16	10	2.93	1925	<1	1.28	36	650	4	0.10	<5	46	228	<20	1.06
D1188619		0.16	10	2.74	1800	<1	1.52	34	630	2	0.17	<5	45	171	<20	1.05
D1188620		0.15	10	3.14	1940	<1	1.68	37	680	2	0.17	6	48	132	<20	1.10
D1188621		0.11	10	2.79	1810	<1	1.53	32	620	2	0.13	<5	43	123	<20	1.01
D1188622		0.83	20	3.88	1475	5	2.27	149	1750	4	0.27	<5	20	458	<20	1.05
D1188623		0.17	10	2.87	1795	1	1.69	34	670	2	0.22	<5	44	158	<20	1.04
D1188624		0.69	10	1.23	496	<1	4.64	31	610	2	0.41	<5	6	510	<20	0.20
D1188625		0.42	10	1.31	744	<1	4.62	32	560	2	0.97	5	8	363	<20	0.25
D1188626		0.16	10	2.41	1715	<1	1.28	32	590	<2	0.32	7	41	186	<20	0.96
D1188627		0.27	10	3.06	1855	<1	1.21	32	740	5	0.16	<5	46	167	<20	1.10
D1188628		0.13	10	3.23	1620	<1	0.70	30	610	<2	0.11	<5	42	95	<20	0.98
D1188629		0.73	10	0.90	2010	<1	0.77	30	590	4	0.36	<5	41	115	<20	0.96
D1188630		1.22	10	1.20	1735	2	1.07	31	590	2	1.12	<5	41	116	<20	0.94
D1188631		1.12	10	1.04	494	16	3.49	16	600	12	0.76	<5	7	429	<20	0.25
D1188632		2.14	30	0.76	928	1	0.80	16	3020	7	0.23	<5	6	397	<20	0.28
D1188633		1.17	10	0.90	317	<1	3.96	14	590	8	0.47	<5	4	484	<20	0.17
D1188634		1.14	10	0.92	341	<1	3.88	15	590	11	0.31	<5	4	479	<20	0.18
D1188635		1.52	10	1.10	457	2	3.63	20	580	3	0.80	<5	6	422	<20	0.21
D1188636		0.27	<10	3.23	1305	<1	2.11	50	370	5	0.28	<5	39	129	<20	0.52
D1188637		0.12	<10	3.60	1405	<1	2.53	44	340	7	0.34	<5	39	98	<20	0.54
D1188638		0.18	10	3.47	1370	<1	1.51	65	360	4	0.45	<5	33	107	<20	0.56
D1188639		0.05	<10	3.70	2100	<1	0.90	46	540	5	0.16	<5	38	67	<20	0.91
D1188640		0.06	<10	2.97	1975	<1	1.46	49	520	5	0.13	<5	37	181	<20	0.88
D1188641		0.22	10	2.46	1410	<1	2.29	37	560	8	0.12	<5	28	298	<20	0.70
D1188642		0.80	20	3.80	1445	4	2.23	142	1630	6	0.26	<5	19	432	<20	1.01
D1188643		0.37	10	1.80	986	<1	3.36	29	560	5	0.11	<5	18	375	<20	0.52
D1188644		0.29	10	2.36	1205	<1	2.46	40	570	5	0.14	<5	27	320	<20	0.67
D1188645		0.28	<10	1.74	1020	<1	3.43	35	520	4	0.20	<5	17	179	<20	0.46
D1188646		0.05	10	2.39	1720	<1	1.23	44	510	2	0.25	<5	36	165	<20	0.86
D1188647		0.06	<10	1.57	1870	<1	1.56	28	510	6	0.30	<5	34	109	<20	0.83
D1188648		0.07	10	1.19	1845	<1	1.59	27	500	4	0.21	5	34	85	<20	0.83
D1188649		0.12	10	1.59	2250	<1	1.69	30	560	2	0.24	<5	40	86	<20	0.95
D1188650		0.18	<10	2.08	2080	<1	1.72	31	600	3	0.25	<5	40	105	<20	0.97

Comments: Additional Au-GRA22 check assay for sample D1188745
reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1188611		<10	<10	388	<10	133	
D1188612		<10	<10	30	<10	21	
D1188613		<10	<10	365	<10	140	
D1188614		<10	<10	391	<10	146	
D1188615		<10	<10	391	<10	146	
D1188616		<10	<10	409	<10	142	
D1188617		<10	<10	397	<10	141	
D1188618		<10	<10	405	<10	147	
D1188619		10	<10	397	<10	135	
D1188620		<10	<10	422	<10	155	
D1188621		<10	<10	387	<10	140	
D1188622		<10	<10	161	<10	118	
D1188623		<10	<10	398	<10	142	
D1188624		<10	<10	49	<10	53	
D1188625		<10	<10	64	<10	58	
D1188626		<10	<10	362	<10	130	
D1188627		<10	<10	408	<10	133	
D1188628		<10	<10	376	<10	133	
D1188629		<10	<10	365	<10	135	
D1188630		<10	<10	352	<10	293	
D1188631		<10	<10	73	<10	98	
D1188632		<10	<10	27	<10	20	
D1188633		<10	<10	43	<10	56	
D1188634		<10	<10	45	<10	56	
D1188635		<10	<10	56	30	43	
D1188636		<10	<10	244	<10	109	
D1188637		<10	<10	248	<10	116	
D1188638		<10	<10	232	<10	189	
D1188639		<10	<10	335	<10	175	
D1188640		<10	<10	330	<10	139	
D1188641		<10	<10	253	<10	122	
D1188642		<10	<10	153	<10	115	
D1188643		<10	<10	176	<10	94	
D1188644		<10	<10	240	<10	115	
D1188645		<10	<10	167	<10	93	
D1188646		<10	<10	321	<10	124	
D1188647		10	<10	313	<10	104	
D1188648		<10	<10	307	<10	95	
D1188649		<10	<10	353	<10	120	
D1188650		<10	<10	359	<10	135	

Comments: Additional Au-GRA22 check assay for sample D1188745
reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1188651		1.88	0.032	<0.5	6.20	<5	110	<0.5	<2	6.57	<0.5	57	37	128	11.55	30
D1188652		0.31	<0.005	<0.5	3.21	<5	370	0.6	<2	20.5	<0.5	4	27	9	1.58	10
D1188653		1.55	<0.005	<0.5	5.53	<5	50	<0.5	<2	6.51	0.5	44	34	141	11.20	20
D1188654		3.43	<0.005	<0.5	7.08	<5	170	0.5	<2	7.51	0.5	39	35	87	9.81	20
D1188655		2.48	<0.005	<0.5	6.69	<5	60	<0.5	<2	7.69	<0.5	49	35	102	12.00	20
D1188656		2.71	<0.005	<0.5	6.48	<5	60	<0.5	<2	8.74	0.5	45	33	98	11.45	20
D1188657		2.47	<0.005	<0.5	6.76	<5	100	<0.5	<2	7.58	<0.5	49	35	116	11.35	20
D1188658		2.38	<0.005	<0.5	6.64	<5	120	0.5	<2	6.99	<0.5	43	35	94	10.60	20
D1188659		2.16	<0.005	<0.5	7.30	<5	130	0.5	3	7.15	<0.5	48	39	104	11.20	30
D1188660		2.49	<0.005	<0.5	6.87	<5	70	<0.5	<2	7.48	<0.5	48	35	103	11.95	20
D1188661		2.31	<0.005	<0.5	6.65	<5	90	<0.5	<2	6.51	<0.5	43	34	105	10.90	20
D1188662		0.07	1.275	<0.5	6.77	787	440	1.0	<2	5.40	<0.5	38	184	92	9.87	20
D1188663		2.87	<0.005	<0.5	6.96	<5	120	0.5	3	6.50	<0.5	34	31	74	9.07	20
D1188664		1.65	<0.005	<0.5	7.66	<5	740	1.0	<2	3.63	<0.5	4	15	7	2.40	20
D1188665		1.77	0.005	<0.5	7.56	<5	680	1.0	<2	3.56	<0.5	5	17	9	2.68	20
D1188666		3.14	<0.005	<0.5	6.04	<5	80	<0.5	<2	7.72	<0.5	42	33	94	10.30	20
D1188667		2.47	<0.005	<0.5	6.23	<5	110	<0.5	<2	8.28	<0.5	40	31	98	10.70	20
D1188668		1.74	<0.005	<0.5	7.48	<5	410	0.8	<2	3.94	<0.5	14	66	17	3.52	20
D1188669		3.14	<0.005	<0.5	6.75	<5	150	0.5	<2	6.89	<0.5	34	39	65	8.93	20
D1188670		2.34	<0.005	<0.5	6.48	<5	190	0.5	<2	6.91	0.6	36	32	92	9.77	20
D1188671		2.44	<0.005	<0.5	6.19	<5	110	0.5	<2	6.28	0.5	41	31	94	10.05	20
D1188672		0.30	<0.005	<0.5	2.80	<5	330	0.5	<2	20.8	<0.5	4	19	9	1.33	10
D1188673		2.28	<0.005	<0.5	6.47	<5	100	<0.5	<2	6.96	0.7	46	32	105	11.60	20
D1188674		2.43	<0.005	<0.5	6.74	<5	100	<0.5	<2	6.92	0.5	49	33	109	12.15	20
D1188675		2.36	0.025	<0.5	6.15	<5	120	<0.5	<2	7.53	0.7	45	31	97	10.80	20
D1188676		2.29	<0.005	<0.5	6.50	<5	120	<0.5	<2	6.14	0.6	43	34	96	11.35	20
D1188677		2.35	<0.005	<0.5	6.71	<5	120	<0.5	<2	5.96	<0.5	42	34	96	11.65	20
D1188678		2.34	<0.005	<0.5	5.92	<5	130	<0.5	<2	8.07	0.6	40	29	95	10.55	20
D1188679		2.30	<0.005	<0.5	6.24	<5	120	<0.5	<2	8.07	0.5	39	31	90	10.55	20
D1188680		2.43	<0.005	<0.5	6.37	<5	80	<0.5	<2	7.54	<0.5	42	32	99	10.95	20
D1188681		2.31	<0.005	<0.5	6.56	<5	80	0.5	<2	5.95	0.5	40	34	97	11.70	20
D1188682		2.31	<0.005	<0.5	5.67	<5	50	<0.5	<2	7.14	0.5	38	28	84	11.35	20
D1188683		0.07	3.57	<0.5	6.20	1350	430	0.9	<2	5.08	0.6	38	165	116	10.85	20
D1188684		2.41	<0.005	<0.5	6.57	<5	60	0.5	<2	7.95	0.6	45	31	96	11.45	20
D1188685		2.40	<0.005	<0.5	5.98	<5	80	<0.5	<2	6.17	<0.5	35	30	121	10.05	20
D1188686		2.61	<0.005	<0.5	6.33	<5	50	<0.5	<2	7.57	0.5	44	32	97	11.90	20
D1188687		2.46	<0.005	<0.5	6.19	<5	50	<0.5	<2	6.94	<0.5	43	33	101	10.70	20
D1188688		2.64	<0.005	<0.5	6.62	<5	50	<0.5	<2	7.89	<0.5	51	35	131	12.85	20
D1188689		1.94	<0.005	0.6	6.40	<5	110	0.5	<2	7.90	0.6	42	32	105	10.95	20
D1188690		2.46	<0.005	<0.5	6.74	<5	90	0.5	<2	8.62	0.5	49	30	127	11.50	20

Comments: Additional Au-GRA22 check assay for sample D1188745
reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1188651		0.37	<10	2.50	1975	1	1.36	37	570	<2	1.09	<5	39	89	<20	0.97
D1188652		1.76	30	0.79	1040	1	0.63	15	4070	14	0.21	<5	6	461	<20	0.24
D1188653		0.19	10	1.63	1665	2	1.42	32	520	6	2.44	<5	35	60	<20	0.84
D1188654		0.66	10	1.44	1790	<1	1.71	37	570	7	0.48	<5	35	145	<20	0.85
D1188655		0.51	<10	0.97	2420	<1	0.39	41	530	8	0.16	<5	42	144	<20	0.99
D1188656		0.42	<10	1.13	2070	<1	0.39	38	560	3	0.15	<5	40	76	<20	0.96
D1188657		0.64	<10	1.14	2280	<1	0.55	41	600	6	0.28	<5	42	87	<20	0.99
D1188658		0.72	<10	1.11	2500	<1	0.55	38	580	5	0.14	<5	41	106	<20	0.98
D1188659		0.79	10	1.19	2370	<1	0.61	40	570	3	0.18	<5	45	109	<20	1.08
D1188660		0.41	10	1.59	1845	<1	0.52	37	590	9	0.14	<5	43	103	<20	1.02
D1188661		0.39	<10	1.63	1670	<1	0.77	35	580	6	0.12	<5	40	124	<20	0.97
D1188662		0.70	20	3.77	2670	2	1.93	143	1980	15	0.99	<5	18	383	<20	0.90
D1188663		0.48	10	1.68	1385	1	1.40	30	580	<2	0.13	<5	30	241	<20	0.75
D1188664		1.41	10	0.59	611	<1	3.11	6	690	5	0.12	<5	4	530	<20	0.20
D1188665		1.40	10	0.60	553	1	2.95	8	680	12	0.16	<5	4	581	<20	0.21
D1188666		0.33	<10	1.41	2050	<1	0.83	36	520	7	0.17	<5	37	134	<20	0.90
D1188667		0.31	<10	1.18	2440	<1	0.95	34	550	9	0.16	<5	38	150	<20	0.92
D1188668		1.54	10	1.32	685	<1	3.34	39	580	3	0.06	<5	8	275	<20	0.26
D1188669		0.35	10	1.12	2180	<1	1.58	37	540	5	0.14	<5	34	198	<20	0.82
D1188670		0.47	<10	0.97	2510	<1	1.10	31	530	<2	0.14	<5	39	122	<20	0.93
D1188671		0.36	<10	1.02	2230	<1	1.09	31	550	4	0.14	<5	37	104	<20	0.90
D1188672		1.50	20	0.64	832	<1	0.53	12	3150	11	0.17	<5	5	426	<20	0.14
D1188673		0.29	<10	1.14	2740	<1	0.97	34	540	<2	0.15	<5	40	99	<20	0.94
D1188674		0.33	10	1.17	2820	<1	0.98	36	580	<2	0.13	<5	42	98	<20	1.00
D1188675		0.42	<10	1.05	2600	<1	0.90	35	500	<2	0.29	<5	38	87	<20	0.90
D1188676		0.37	<10	1.03	2840	<1	0.91	35	540	2	0.18	5	41	96	<20	0.96
D1188677		0.37	<10	1.07	2780	<1	0.91	36	550	3	0.15	<5	41	98	<20	0.98
D1188678		0.38	<10	1.00	2630	<1	0.66	29	520	<2	0.15	<5	37	82	<20	0.87
D1188679		0.42	<10	1.04	2380	<1	0.77	33	510	<2	0.13	<5	38	94	<20	0.89
D1188680		0.33	<10	1.00	2580	<1	0.73	34	540	<2	0.18	<5	39	98	<20	0.94
D1188681		0.35	<10	1.04	2620	<1	0.68	34	560	<2	0.18	5	40	88	<20	0.96
D1188682		0.21	<10	1.17	2640	<1	0.44	34	450	<2	0.07	<5	41	61	<20	0.82
D1188683		0.60	20	3.48	2560	2	1.74	140	1990	5	2.28	<5	16	352	<20	0.82
D1188684		0.30	<10	0.97	2950	<1	0.69	36	580	<2	0.17	5	41	96	<20	0.95
D1188685		0.34	<10	0.85	2450	<1	0.63	30	540	3	0.18	<5	37	78	<20	0.88
D1188686		0.23	<10	1.18	2860	<1	0.65	34	550	<2	0.17	12	38	76	<20	0.91
D1188687		0.24	10	1.04	2100	<1	0.57	34	540	3	0.18	<5	38	80	<20	0.89
D1188688		0.24	10	1.15	2590	<1	0.42	41	580	5	0.22	<5	42	76	<20	0.97
D1188689		0.36	<10	0.85	2760	<1	0.61	35	570	<2	0.18	<5	40	81	<20	0.95
D1188690		0.25	<10	1.13	2340	<1	1.05	37	590	<2	0.20	<5	41	96	<20	0.97

Comments: Additional Au-GRA22 check assay for sample D1188745
reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1188651		<10	<10	344	<10	173	
D1188652		10	<10	24	<10	22	
D1188653		<10	<10	309	<10	167	
D1188654		<10	<10	310	<10	151	
D1188655		<10	<10	372	<10	129	
D1188656		<10	<10	362	<10	127	
D1188657		<10	<10	375	<10	117	
D1188658		<10	<10	364	<10	112	
D1188659		<10	<10	402	<10	117	
D1188660		<10	<10	384	<10	124	
D1188661		<10	<10	366	<10	125	
D1188662		<10	<10	152	<10	131	
D1188663		10	<10	273	<10	111	
D1188664		<10	<10	34	<10	28	
D1188665		<10	<10	39	<10	32	
D1188666		<10	<10	332	<10	128	
D1188667		10	<10	341	<10	129	
D1188668		<10	<10	81	<10	60	
D1188669		<10	<10	304	<10	107	
D1188670		<10	<10	353	<10	115	
D1188671		<10	<10	333	<10	114	
D1188672		<10	<10	20	<10	17	
D1188673		<10	<10	362	<10	134	
D1188674		<10	<10	378	<10	143	
D1188675		<10	<10	340	<10	118	
D1188676		<10	<10	357	<10	122	
D1188677		<10	<10	368	<10	124	
D1188678		<10	<10	333	<10	121	
D1188679		<10	<10	353	<10	121	
D1188680		<10	<10	353	<10	116	
D1188681		<10	<10	362	<10	126	
D1188682		<10	<10	347	<10	121	
D1188683		<10	<10	146	<10	124	
D1188684		<10	<10	365	<10	129	
D1188685		<10	<10	327	<10	114	
D1188686		<10	<10	345	<10	153	
D1188687		<10	<10	337	<10	131	
D1188688		<10	<10	371	<10	156	
D1188689		<10	<10	354	<10	122	
D1188690		<10	<10	365	<10	141	

Comments: Additional Au-GRA22 check assay for sample D1188745
reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1188691		3.06	<0.005	<0.5	6.48	<5	100	<0.5	<2	7.79	0.7	45	32	92	10.85	20
D1188692		2.13	<0.005	<0.5	7.14	<5	50	0.5	<2	6.28	<0.5	45	38	98	12.55	20
D1188693		0.32	<0.005	<0.5	3.17	<5	450	0.5	<2	20.7	<0.5	4	22	9	1.56	10
D1188694		1.69	<0.005	<0.5	7.81	<5	160	0.8	<2	4.06	<0.5	22	95	34	5.25	20
D1188695		2.45	<0.005	<0.5	6.68	<5	30	<0.5	<2	5.90	<0.5	44	34	92	12.00	20
D1188696		2.51	<0.005	<0.5	6.54	<5	20	<0.5	<2	5.68	<0.5	50	34	109	12.55	20
D1188697		2.36	<0.005	<0.5	6.11	<5	30	<0.5	<2	5.30	<0.5	39	31	87	10.50	20
D1188698		2.44	<0.005	<0.5	6.05	<5	20	<0.5	<2	7.14	0.6	40	29	81	10.60	20
D1188699		2.39	<0.005	<0.5	6.72	<5	20	0.5	<2	6.34	0.5	43	33	94	11.70	20
D1188700		3.15	<0.005	<0.5	6.40	<5	20	<0.5	<2	6.52	0.5	43	31	112	10.40	20
D1188701		2.27	0.006	<0.5	7.89	<5	470	0.9	<2	3.03	<0.5	11	35	11	2.21	20
D1188702		2.59	0.152	<0.5	7.56	<5	440	0.8	<2	3.17	<0.5	9	37	23	2.42	20
D1188703		0.07	6.69	0.9	5.66	4250	550	0.7	2	5.49	0.7	31	125	183	11.85	20
D1188704		1.71	0.009	<0.5	6.62	6	80	0.5	<2	7.34	0.5	45	33	84	11.80	30
D1188705		1.65	0.005	<0.5	6.49	<5	20	<0.5	<2	7.28	0.8	61	35	168	14.35	30
D1188706		2.41	<0.005	<0.5	6.07	<5	30	<0.5	<2	7.93	0.5	44	31	93	10.90	20
D1188707		2.35	<0.005	<0.5	6.48	<5	20	0.5	<2	6.48	<0.5	45	34	100	11.10	20
D1188708		2.19	<0.005	<0.5	6.23	<5	50	<0.5	<2	7.94	0.7	45	32	104	11.45	20
D1188709		2.31	<0.005	<0.5	6.43	<5	20	<0.5	<2	6.87	0.5	43	34	99	10.70	30
D1188710		2.20	<0.005	<0.5	5.58	<5	20	<0.5	<2	5.25	<0.5	37	33	56	10.25	20
D1188711		2.55	<0.005	<0.5	6.63	<5	20	0.5	<2	6.03	0.6	42	35	80	11.20	20
D1188712		2.27	<0.005	<0.5	6.38	<5	20	<0.5	<2	6.16	0.7	45	35	110	11.05	20
D1188713		0.31	<0.005	<0.5	2.41	<5	270	<0.5	<2	22.9	<0.5	3	18	8	1.22	10
D1188714		2.30	<0.005	<0.5	6.24	<5	20	<0.5	<2	6.69	0.6	41	34	99	10.80	20
D1188715		2.53	<0.005	<0.5	6.50	<5	20	<0.5	<2	7.47	0.5	42	35	84	11.10	30
D1188716		2.22	<0.005	<0.5	6.54	<5	40	0.5	<2	5.98	0.6	45	35	97	10.85	20
D1188717		2.28	<0.005	1.7	6.00	<5	100	<0.5	<2	6.95	0.5	42	32	100	10.50	20
D1188718		2.05	<0.005	<0.5	6.01	<5	70	0.5	<2	8.83	<0.5	42	31	71	10.40	20
D1188719		2.62	<0.005	<0.5	6.44	<5	60	0.5	<2	6.02	0.7	45	34	125	11.30	20
D1188720		2.43	<0.005	<0.5	6.32	<5	90	<0.5	<2	5.56	0.6	44	42	310	12.25	20
D1188721		1.86	0.006	0.5	6.28	<5	110	<0.5	<2	5.54	0.6	49	39	341	12.30	20
D1188722		0.07	3.53	0.6	6.13	1350	420	0.9	<2	5.13	0.6	37	170	117	10.80	20
D1188723		2.30	<0.005	<0.5	6.58	<5	170	<0.5	<2	5.73	0.6	50	39	171	11.85	20
D1188724		2.01	0.007	<0.5	6.23	<5	200	0.5	<2	6.39	0.5	46	34	107	10.85	20
D1188725		2.33	0.062	<0.5	7.40	<5	520	0.9	<2	3.40	<0.5	12	31	10	2.64	20
D1188726		2.12	0.055	<0.5	7.54	<5	560	0.9	<2	3.26	<0.5	13	31	23	2.68	20
D1188727		2.04	0.206	<0.5	7.37	<5	580	0.9	<2	3.42	<0.5	12	34	11	2.60	20
D1188728		2.10	0.013	<0.5	7.68	<5	520	0.9	<2	3.37	<0.5	10	31	24	2.48	20
D1188729		2.01	0.148	<0.5	7.88	<5	550	0.9	<2	3.44	<0.5	10	33	34	2.64	20
D1188730		2.05	0.197	<0.5	7.60	<5	500	0.9	<2	3.49	<0.5	11	34	17	2.61	20

Comments: Additional Au-GRA22 check assay for sample D1188745
reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01
D1188691		0.25	<10	1.39	2410	<1	1.62	33	560	<2	0.18	<5	40	104	<20	0.95
D1188692		0.15	<10	1.26	2720	<1	2.27	38	620	<2	0.27	<5	44	133	<20	1.05
D1188693		1.70	20	0.74	967	<1	0.56	12	2430	8	0.24	<5	5	445	<20	0.16
D1188694		0.30	10	1.70	1175	<1	3.41	48	510	<2	0.11	<5	15	213	<20	0.39
D1188695		0.08	<10	1.34	2720	<1	2.26	34	560	<2	0.19	<5	41	103	<20	0.98
D1188696		0.08	<10	1.63	2870	<1	1.89	36	550	<2	0.23	6	40	82	<20	0.95
D1188697		0.08	<10	1.25	2400	<1	2.15	33	540	<2	0.16	<5	37	87	<20	0.89
D1188698		0.08	<10	1.28	2710	<1	2.06	33	520	2	0.14	6	37	91	<20	0.90
D1188699		0.08	10	1.26	2640	<1	2.34	37	580	3	0.13	7	41	110	<20	0.98
D1188700		0.08	10	1.21	2430	<1	2.46	34	550	<2	0.17	<5	39	107	<20	0.93
D1188701		0.59	10	0.94	386	<1	4.31	18	510	4	0.16	<5	4	561	<20	0.17
D1188702		0.76	10	0.90	482	<1	3.90	18	470	<2	0.27	<5	5	532	<20	0.19
D1188703		0.53	20	2.90	3940	3	1.17	102	2210	14	3.37	13	19	231	<20	0.55
D1188704		0.23	10	1.47	2640	<1	2.06	34	560	<2	0.16	<5	41	159	<20	0.98
D1188705		0.08	<10	1.56	2620	<1	1.64	43	560	<2	0.34	5	42	138	<20	1.02
D1188706		0.10	<10	1.38	2780	<1	1.97	34	500	6	0.15	7	38	140	<20	0.91
D1188707		0.10	<10	1.40	2190	<1	2.43	38	560	2	0.14	8	41	124	<20	0.97
D1188708		0.27	<10	1.94	2310	<1	1.51	34	510	3	0.14	8	38	110	<20	0.93
D1188709		0.12	<10	1.12	2260	<1	2.56	35	570	<2	0.18	12	40	125	<20	0.98
D1188710		0.08	<10	1.13	2000	<1	2.00	30	490	3	0.09	11	35	89	<20	0.85
D1188711		0.10	<10	1.41	2380	<1	2.23	36	560	3	0.11	5	41	90	<20	1.00
D1188712		0.10	<10	1.38	2290	<1	2.09	34	560	3	0.21	11	40	90	<20	0.98
D1188713		1.33	20	0.68	978	<1	0.50	10	2540	10	0.26	6	4	436	<20	0.16
D1188714		0.08	<10	1.26	2290	<1	2.08	35	540	4	0.16	9	39	100	<20	0.95
D1188715		0.10	10	1.14	2250	1	2.26	34	570	2	0.13	16	41	100	<20	0.99
D1188716		0.16	<10	1.25	2240	<1	2.53	36	560	5	0.17	11	41	87	<20	0.98
D1188717		0.32	<10	1.34	2130	<1	2.08	37	510	113	0.75	11	37	90	<20	0.89
D1188718		0.29	<10	1.44	2500	<1	1.63	31	490	6	0.16	12	37	83	<20	0.90
D1188719		0.27	<10	1.49	2360	<1	2.15	35	550	4	0.38	5	40	91	<20	0.98
D1188720		0.28	<10	1.96	2330	41	1.64	36	540	2	1.10	9	40	94	<20	0.98
D1188721		0.29	<10	1.94	2080	16	1.44	35	540	5	1.47	11	39	99	<20	0.95
D1188722		0.62	20	3.55	2620	4	1.79	140	1980	14	2.33	6	16	357	<20	0.86
D1188723		0.29	<10	1.59	2090	5	2.10	39	570	4	0.68	11	41	140	<20	0.99
D1188724		0.28	10	1.35	1910	1	2.32	34	500	5	0.47	14	32	195	<20	0.80
D1188725		0.75	10	1.06	397	<1	3.84	17	560	3	0.24	6	5	591	<20	0.22
D1188726		0.87	10	1.07	359	<1	3.87	16	570	2	0.45	8	5	595	<20	0.21
D1188727		0.86	10	1.06	380	<1	3.89	15	570	6	0.42	8	4	611	<20	0.22
D1188728		0.70	10	1.03	357	<1	3.94	15	590	4	0.26	5	4	704	<20	0.21
D1188729		0.84	10	1.07	384	<1	3.85	17	570	2	0.33	11	4	660	<20	0.22
D1188730		0.81	10	1.07	398	2	3.83	16	570	3	0.33	13	5	685	<20	0.22

Comments: Additional Au-GRA22 check assay for sample D1188745
reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1188691		<10	<10	358	<10	134	
D1188692		<10	<10	413	<10	123	
D1188693		<10	<10	24	<10	19	
D1188694		<10	<10	139	<10	72	
D1188695		<10	<10	368	<10	120	
D1188696		<10	<10	370	<10	141	
D1188697		<10	<10	337	<10	110	
D1188698		10	<10	333	<10	116	
D1188699		<10	<10	373	<10	120	
D1188700		<10	<10	356	<10	105	
D1188701		<10	<10	40	<10	64	
D1188702		<10	<10	50	<10	36	
D1188703		<10	<10	169	<10	117	6.82
D1188704		<10	<10	366	<10	129	
D1188705		<10	<10	390	<10	153	
D1188706		<10	<10	338	<10	136	
D1188707		<10	<10	359	<10	129	
D1188708		10	<10	347	<10	139	
D1188709		<10	<10	360	<10	123	
D1188710		<10	<10	327	<10	114	
D1188711		<10	<10	367	<10	132	
D1188712		<10	<10	365	<10	123	
D1188713		<10	<10	18	<10	9	
D1188714		10	<10	354	<10	120	
D1188715		<10	<10	366	<10	126	
D1188716		<10	<10	364	<10	147	
D1188717		<10	<10	328	<10	127	
D1188718		<10	<10	333	<10	134	
D1188719		<10	<10	357	<10	162	
D1188720		<10	<10	359	<10	183	
D1188721		<10	<10	353	<10	152	
D1188722		<10	<10	148	<10	125	
D1188723		<10	<10	368	<10	138	
D1188724		<10	<10	297	<10	129	
D1188725		<10	<10	53	<10	50	
D1188726		<10	<10	51	<10	44	
D1188727		<10	<10	51	<10	47	
D1188728		<10	<10	50	<10	47	
D1188729		<10	<10	50	<10	43	
D1188730		<10	<10	52	<10	44	

Comments: Additional Au-GRA22 check assay for sample D1188745
reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1188731		2.34	0.280	<0.5	7.84	<5	400	0.9	<2	3.38	<0.5	10	33	66	2.59	20
D1188732		0.34	<0.005	<0.5	3.05	<5	250	0.6	<2	21.0	<0.5	8	23	8	1.47	10
D1188733		2.04	0.232	<0.5	6.90	<5	380	0.8	<2	2.94	<0.5	9	32	164	2.48	20
D1188734		2.00	1.435	<0.5	6.83	<5	450	0.8	<2	3.12	<0.5	9	36	101	2.48	20
D1188735		2.05	0.131	<0.5	7.19	<5	570	0.9	<2	3.08	<0.5	9	29	48	2.32	20
D1188736		1.99	0.288	<0.5	7.22	<5	600	0.9	<2	3.22	<0.5	8	31	23	2.23	20
D1188737		2.12	<0.005	<0.5	7.28	<5	550	0.9	<2	3.17	<0.5	11	30	32	2.39	20
D1188738		2.10	0.713	<0.5	7.55	<5	600	0.9	<2	3.19	<0.5	11	30	7	2.38	20
D1188739		2.12	1.775	<0.5	7.68	<5	590	0.9	<2	3.22	<0.5	10	33	9	2.45	20
D1188740		2.26	0.017	<0.5	7.46	<5	540	0.9	<2	3.05	<0.5	9	29	5	2.29	20
D1188741		2.07	0.211	<0.5	7.29	<5	540	0.9	<2	2.90	<0.5	11	30	12	2.32	20
D1188742		0.08	1.245	<0.5	7.03	815	470	1.0	4	5.66	1.5	40	180	105	9.79	20
D1188743		2.10	0.079	<0.5	8.67	<5	600	1.1	<2	3.62	0.5	19	37	12	2.83	20
D1188744		2.15	0.501	<0.5	7.82	<5	570	0.9	<2	3.09	<0.5	17	32	7	2.41	20
D1188745		2.04	8.46	<0.5	7.89	<5	560	0.9	<2	3.19	1.4	10	31	5	2.38	20
D1188746		2.13	0.009	<0.5	7.68	<5	490	0.9	<2	3.08	0.5	9	32	9	2.55	20
D1188747		2.21	0.049	<0.5	7.52	<5	470	0.9	<2	3.40	0.5	7	31	11	2.23	20
D1188748		2.20	0.012	<0.5	7.49	<5	460	0.9	<2	3.25	<0.5	9	30	8	2.33	20
D1188749		2.26	0.086	<0.5	7.80	<5	520	0.9	<2	3.37	0.6	12	39	16	2.88	20
D1188750		2.36	0.195	<0.5	7.37	<5	480	0.8	<2	4.21	<0.5	6	34	21	2.54	20

Comments: Additional Au-GRA22 check assay for sample D1188745
reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1188731		0.74	10	1.02	361	1	3.73	18	590	4	0.37	12	4	699	<20	0.22
D1188732		1.73	20	0.78	993	<1	0.50	15	3480	16	0.36	11	5	476	<20	0.17
D1188733		0.79	10	0.86	307	7	3.24	12	500	4	0.48	<5	4	570	<20	0.18
D1188734		0.86	10	0.85	354	22	3.31	12	500	3	0.58	13	4	519	<20	0.19
D1188735		0.88	10	0.91	358	2	3.70	12	540	2	0.32	8	4	561	<20	0.20
D1188736		0.80	10	0.87	333	<1	4.03	13	540	2	0.40	<5	4	549	<20	0.19
D1188737		0.63	10	0.92	305	1	4.00	14	550	4	0.34	8	4	614	<20	0.20
D1188738		0.72	10	0.89	310	<1	3.92	14	550	2	0.35	<5	4	670	<20	0.20
D1188739		0.67	10	0.94	316	1	4.09	14	570	4	0.38	8	4	689	<20	0.21
D1188740		0.65	10	0.88	280	<1	3.87	14	540	4	0.35	10	4	674	<20	0.19
D1188741		0.67	10	0.87	274	<1	3.83	14	520	<2	0.44	11	3	641	<20	0.19
D1188742		0.74	20	3.91	2700	4	1.99	147	2140	11	1.05	7	18	400	<20	0.94
D1188743		0.74	10	1.05	347	<1	4.60	16	660	5	0.82	8	4	726	<20	0.23
D1188744		0.70	10	0.94	309	<1	4.23	13	590	3	0.71	<5	4	590	<20	0.20
D1188745		0.69	10	0.93	285	<1	4.14	14	590	5	0.54	5	4	677	<20	0.21
D1188746		0.61	10	1.10	318	<1	3.95	15	590	<2	0.26	<5	4	637	<20	0.20
D1188747		0.52	10	0.91	341	<1	4.03	14	590	3	0.21	<5	4	654	<20	0.20
D1188748		0.51	10	0.95	374	<1	4.05	13	590	4	0.23	<5	4	640	<20	0.21
D1188749		0.60	10	1.15	480	<1	4.01	21	620	2	0.18	6	6	602	<20	0.28
D1188750		0.61	10	1.08	522	<1	4.38	11	550	<2	0.20	8	5	325	<20	0.20

Comments: Additional Au-GRA22 check assay for sample D1188745
reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1188731		<10	<10	49	<10	36	
D1188732		<10	<10	24	<10	14	
D1188733		<10	<10	46	<10	31	
D1188734		<10	<10	48	<10	30	
D1188735		<10	<10	46	30	39	
D1188736		<10	<10	44	40	34	
D1188737		<10	<10	43	<10	45	
D1188738		<10	<10	44	<10	58	
D1188739		<10	<10	44	<10	101	
D1188740		<10	<10	42	20	47	
D1188741		<10	<10	42	<10	40	
D1188742		<10	<10	161	<10	140	
D1188743		<10	<10	50	10	63	
D1188744		<10	<10	46	30	36	
D1188745		<10	<10	44	<10	153	10.00
D1188746		<10	<10	47	<10	55	
D1188747		<10	<10	46	<10	49	
D1188748		<10	<10	47	<10	53	
D1188749		<10	<10	67	<10	64	
D1188750		<10	<10	50	30	57	

Comments: Additional Au-GRA22 check assay for sample D1188745 reports 9.31 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 6-APR-2015
Account: DETGLD

Project: DGEX-250

CERTIFICATE OF ANALYSIS SD15043280

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

NSS is non-sufficient sample.

Applies to Method: ALL METHODS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-32	PUL-QC	SPL-22Y	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA24	Au-GRA22	ME-ICP61