ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

CERTIFICATE SD15016807

Project: DGEX-236

P.O. No.: DGC 4800002115

This report is for 300 Drill Core samples submitted to our lab in Timmins, ON, Canada on 11-FEB-2015.

The following have access to data associated with this certificate:

APRIL COOMBS JEAN FRANCOIS METAIL DETOUR GOLD WEBTRIEVE	ADREE DELAZZER LARRY THON	GUY MAC GILLIVRAY JAMES TOLHURST

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM

To: **DETOUR GOLD CORPORATION**
ATTN: JAMES TOLHURST
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Additional Au-GRA22 check assay for sample D1185607 are 7.53 g/t and 6.67 g/t.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1185601		1.80	0.035	<0.5	7.64	<5	660	0.9	<2	3.29	<0.5	10	27	82	2.46	20
D1185602		1.43	0.027	<0.5	7.68	<5	590	0.9	<2	3.28	<0.5	10	27	89	2.61	20
D1185603		1.06	0.224	<0.5	7.31	<5	490	<0.5	<2	5.26	<0.5	50	310	87	8.12	20
D1185604		1.26	0.557	<0.5	7.43	<5	440	0.7	<2	3.91	<0.5	17	89	17	3.18	20
D1185605		1.06	0.021	<0.5	7.23	<5	170	<0.5	3	5.61	<0.5	49	210	61	7.24	10
D1185606		1.42	0.061	<0.5	7.11	<5	170	<0.5	<2	6.48	<0.5	46	190	117	6.81	10
D1185607		1.60	8.27	<0.5	6.91	8	460	0.7	2	2.91	<0.5	11	69	25	2.87	20
D1185608		1.47	<0.005	<0.5	7.76	<5	430	0.9	<2	3.23	<0.5	12	80	28	2.93	20
D1185609		1.80	<0.005	<0.5	7.68	<5	490	0.9	<2	3.17	<0.5	12	80	27	2.94	20
D1185610		0.05	3.52	0.7	6.80	1460	470	0.9	<2	5.49	0.7	42	163	133	11.55	20
D1185611		1.78	<0.005	<0.5	7.51	<5	440	0.8	<2	3.31	<0.5	11	76	35	2.85	20
D1185612		1.73	<0.005	<0.5	7.36	<5	440	0.8	<2	3.22	<0.5	12	80	52	3.05	20
D1185613		2.05	<0.005	<0.5	7.66	<5	520	0.9	<2	3.22	<0.5	11	80	16	2.93	20
D1185614		1.88	<0.005	<0.5	7.73	<5	500	0.9	<2	3.47	<0.5	12	78	13	2.82	20
D1185615		1.86	0.006	<0.5	7.58	<5	520	0.9	<2	3.19	<0.5	11	77	16	2.84	20
D1185616		1.94	<0.005	<0.5	7.37	<5	470	0.9	<2	3.02	<0.5	11	77	7	2.85	20
D1185617		1.87	0.008	<0.5	7.44	<5	480	0.8	<2	2.94	<0.5	10	73	9	2.64	20
D1185618		1.82	0.005	<0.5	7.57	<5	610	0.9	<2	3.28	<0.5	10	66	19	3.03	20
D1185619		1.91	0.142	<0.5	7.52	<5	560	0.8	<2	3.11	<0.5	11	77	10	2.76	20
D1185620		0.28	<0.005	<0.5	3.70	<5	410	0.6	<2	19.3	<0.5	6	24	21	1.63	10
D1185621		1.84	1.020	<0.5	7.40	5	580	0.8	<2	3.15	<0.5	12	80	16	2.88	20
D1185622		2.01	0.026	<0.5	6.98	<5	150	<0.5	2	6.05	0.5	43	173	85	8.12	20
D1185623		1.87	<0.005	<0.5	7.20	<5	130	<0.5	<2	5.83	<0.5	43	165	120	8.35	20
D1185624		1.84	0.894	<0.5	7.27	<5	680	0.9	<2	3.86	<0.5	13	58	4	3.19	20
D1185625		1.87	0.194	<0.5	7.01	<5	650	0.9	<2	3.25	<0.5	11	48	4	2.59	20
D1185626		1.40	0.011	<0.5	7.45	<5	610	0.9	<2	3.40	<0.5	11	46	8	2.55	20
D1185627		1.81	0.467	<0.5	7.26	<5	750	0.9	<2	2.08	<0.5	4	16	6	1.45	20
D1185628		1.02	0.449	<0.5	6.33	<5	580	0.7	6	2.50	<0.5	7	24	9	1.79	20
D1185629		1.74	0.091	<0.5	7.49	<5	610	0.9	<2	2.25	<0.5	5	18	15	1.31	20
D1185630		0.04	6.55	1.1	5.51	4120	520	0.7	3	5.34	0.6	34	128	181	11.40	20
D1185631		1.67	0.110	<0.5	7.58	<5	550	1.0	<2	2.38	<0.5	5	24	19	1.47	20
D1185632		0.90	0.134	<0.5	6.96	<5	490	0.9	7	2.10	<0.5	3	18	11	1.34	20
D1185633		1.07	0.071	<0.5	7.23	<5	500	0.9	<2	2.26	<0.5	5	14	26	1.35	20
D1185634		1.91	0.159	<0.5	7.44	<5	610	0.9	<2	2.67	<0.5	6	25	19	1.91	20
D1185635		1.99	0.620	<0.5	7.35	<5	580	0.9	<2	2.67	<0.5	5	28	40	1.79	20
D1185636		1.97	0.167	<0.5	6.82	<5	570	0.7	<2	2.44	<0.5	5	26	40	1.76	20
D1185637		1.98	0.340	<0.5	7.19	<5	590	0.8	<2	2.50	<0.5	8	38	7	2.09	20
D1185638		1.77	0.074	<0.5	7.26	<5	590	0.9	2	2.74	<0.5	7	27	11	1.85	20
D1185639		1.96	0.121	<0.5	7.24	<5	550	0.8	<2	2.82	<0.5	8	44	10	2.12	20
D1185640		0.28	0.025	<0.5	3.98	<5	370	0.7	<2	17.4	<0.5	5	30	38	1.76	10

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1185601		0.94	20	0.94	365	7	3.65	12	580	<2	0.66	<5	4	654	<20	0.17
D1185602		0.78	20	0.93	367	5	3.50	13	570	4	0.55	<5	4	640	<20	0.19
D1185603		2.36	20	5.18	1090	4	1.03	251	280	<2	0.97	<5	27	184	<20	0.40
D1185604		1.31	10	1.94	601	<1	3.57	61	480	<2	0.81	<5	8	423	<20	0.18
D1185605		0.80	10	4.77	1105	1	1.54	239	270	<2	0.25	<5	20	215	<20	0.36
D1185606		1.01	10	4.62	1125	2	1.31	218	260	<2	0.41	<5	23	200	<20	0.36
D1185607		1.35	20	1.19	509	3	2.70	28	490	<2	1.17	<5	6	325	<20	0.15
D1185608		0.94	20	1.30	501	1	3.52	29	560	2	0.19	<5	7	633	<20	0.17
D1185609		1.14	20	1.30	537	1	3.18	29	570	4	0.26	<5	7	580	<20	0.19
D1185610		0.67	30	3.82	2700	4	1.94	155	2160	8	2.47	<5	18	401	<20	0.91
D1185611		0.99	20	1.29	490	1	3.09	28	570	<2	0.28	<5	7	532	<20	0.19
D1185612		0.94	20	1.28	480	1	3.27	29	560	<2	0.28	<5	6	540	<20	0.18
D1185613		0.96	20	1.28	493	1	3.49	29	570	4	0.20	<5	7	691	<20	0.18
D1185614		0.84	20	1.32	535	<1	3.66	29	560	<2	0.17	<5	7	678	<20	0.16
D1185615		0.97	20	1.22	496	<1	3.67	27	540	<2	0.23	<5	6	651	<20	0.16
D1185616		0.72	20	1.24	452	1	3.49	27	560	2	0.17	<5	6	633	<20	0.14
D1185617		0.76	20	1.21	420	<1	3.43	26	530	3	0.32	<5	6	603	<20	0.15
D1185618		1.03	20	1.23	440	3	3.44	26	610	2	0.24	<5	6	692	<20	0.18
D1185619		1.08	20	1.22	512	1	3.37	26	540	4	0.47	<5	7	510	<20	0.17
D1185620		2.02	40	0.77	1070	<1	0.78	15	3900	12	0.34	<5	6	438	<20	0.21
D1185621		1.20	20	1.27	556	1	3.55	29	560	<2	0.58	<5	7	394	<20	0.17
D1185622		0.61	10	4.35	1190	1	1.55	136	320	<2	0.27	5	30	269	<20	0.38
D1185623		0.33	10	4.20	1105	1	2.00	133	340	<2	0.11	<5	31	262	<20	0.37
D1185624		1.00	10	1.40	491	<1	3.41	29	660	6	0.71	<5	6	572	<20	0.18
D1185625		1.22	10	1.11	442	<1	3.11	23	590	4	0.45	<5	5	547	<20	0.16
D1185626		1.13	10	1.12	415	<1	3.19	22	640	8	0.25	<5	5	713	<20	0.17
D1185627		0.95	<10	0.36	218	1	3.81	6	390	5	0.70	<5	1	442	<20	0.07
D1185628		0.68	<10	0.52	289	1	3.14	10	350	7	0.91	<5	2	379	<20	0.08
D1185629		0.80	<10	0.35	198	1	4.01	6	390	6	0.74	<5	1	500	<20	0.07
D1185630		0.52	20	2.83	3800	4	1.15	101	2210	14	3.28	10	19	229	<20	0.52
D1185631		0.70	<10	0.37	202	1	4.13	11	400	4	0.61	<5	1	584	<20	0.08
D1185632		0.65	<10	0.33	185	1	3.68	5	360	7	0.68	<5	1	525	<20	0.06
D1185633		0.70	<10	0.32	176	<1	4.08	7	390	7	0.81	<5	1	514	<20	0.07
D1185634		0.76	10	0.63	253	<1	3.67	11	430	7	0.55	<5	3	554	<20	0.11
D1185635		0.76	10	0.57	234	7	3.62	10	390	2	0.78	<5	3	571	<20	0.09
D1185636		0.80	10	0.51	185	18	3.43	9	400	7	0.79	5	2	520	<20	0.09
D1185637		1.14	10	0.68	361	<1	3.66	14	400	<2	0.94	<5	3	391	<20	0.09
D1185638		0.72	<10	0.46	244	<1	3.79	10	460	2	1.05	<5	2	501	<20	0.08
D1185639		1.01	<10	0.79	251	<1	3.45	20	450	3	0.83	<5	4	533	<20	0.11
D1185640		2.18	30	0.80	845	<1	0.71	48	2980	15	0.28	6	6	446	<20	0.24

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1185601		<10	<10	45	<10	39	
D1185602		<10	<10	46	<10	42	
D1185603		<10	<10	208	<10	148	
D1185604		<10	<10	69	<10	39	
D1185605		<10	<10	181	<10	92	
D1185606		<10	<10	168	<10	90	
D1185607		<10	<10	46	30	36	7.11
D1185608		<10	<10	50	<10	87	
D1185609		<10	<10	50	<10	122	
D1185610		<10	<10	158	<10	135	
D1185611		<10	<10	52	<10	87	
D1185612		<10	<10	51	<10	68	
D1185613		<10	<10	52	<10	64	
D1185614		<10	<10	52	<10	69	
D1185615		<10	<10	49	<10	63	
D1185616		<10	<10	49	<10	60	
D1185617		<10	<10	47	<10	59	
D1185618		<10	<10	50	<10	79	
D1185619		<10	<10	50	<10	53	
D1185620		<10	<10	23	<10	19	
D1185621		<10	<10	51	<10	46	
D1185622		<10	<10	222	<10	102	
D1185623		<10	<10	233	<10	94	
D1185624		<10	<10	55	<10	52	
D1185625		<10	<10	45	<10	43	
D1185626		<10	<10	46	<10	55	
D1185627		<10	<10	25	10	16	
D1185628		<10	<10	30	20	24	
D1185629		<10	<10	21	<10	16	
D1185630		<10	<10	164	10	118	6.73
D1185631		<10	<10	23	10	22	
D1185632		<10	<10	20	<10	16	
D1185633		<10	<10	21	<10	18	
D1185634		<10	<10	32	10	30	
D1185635		<10	<10	27	<10	27	
D1185636		<10	<10	29	<10	26	
D1185637		<10	<10	30	20	20	
D1185638		<10	<10	28	10	20	
D1185639		<10	<10	45	30	30	
D1185640		<10	<10	28	<10	18	

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1185641		1.86	0.114	<0.5	6.95	<5	430	0.7	<2	2.78	<0.5	7	47	16	2.15	20
D1185642		1.45	0.107	<0.5	7.32	<5	480	0.7	<2	3.56	<0.5	17	92	13	3.13	20
D1185643		0.85	0.061	<0.5	7.23	<5	560	0.6	<2	5.27	<0.5	29	141	71	5.32	20
D1185644		1.78	0.012	<0.5	7.23	<5	430	0.7	<2	4.36	<0.5	19	104	28	3.99	20
D1185645		1.85	<0.005	<0.5	7.31	<5	400	0.6	<2	4.58	<0.5	29	135	110	5.29	20
D1185646		1.73	<0.005	<0.5	7.23	<5	330	0.5	<2	4.99	<0.5	32	144	148	6.01	20
D1185647		2.00	0.005	<0.5	6.55	<5	240	<0.5	<2	6.13	<0.5	37	180	116	6.49	20
D1185648		1.83	<0.005	<0.5	7.04	<5	290	<0.5	<2	5.67	<0.5	38	191	112	6.82	20
D1185649		1.91	<0.005	<0.5	7.44	<5	480	0.6	<2	4.49	<0.5	24	125	50	4.79	20
D1185650		0.06	1.265	<0.5	6.43	760	410	1.0	2	5.11	<0.5	38	180	90	9.36	20
D1185651		1.90	<0.005	<0.5	7.10	<5	540	0.8	<2	3.10	<0.5	8	41	39	2.37	20
D1185652		1.94	<0.005	<0.5	7.32	<5	340	0.6	<2	4.96	<0.5	26	119	76	5.19	20
D1185653		1.85	0.007	<0.5	7.12	<5	190	0.5	<2	6.22	<0.5	37	157	95	6.96	20
D1185654		1.98	<0.005	<0.5	7.45	<5	370	0.7	<2	5.30	<0.5	23	118	32	5.02	20
D1185655		1.96	<0.005	<0.5	6.89	<5	500	0.8	<2	4.00	<0.5	18	101	87	3.59	20
D1185656		1.77	<0.005	<0.5	7.48	<5	560	0.8	<2	4.21	<0.5	21	143	43	4.88	20
D1185657		1.97	<0.005	<0.5	7.58	<5	580	1.0	<2	4.01	<0.5	17	100	10	3.93	20
D1185658		1.89	0.006	<0.5	7.66	<5	480	1.0	<2	4.55	<0.5	16	81	1	3.45	20
D1185659		1.80	<0.005	<0.5	7.57	<5	500	1.2	<2	4.56	<0.5	15	79	2	3.61	20
D1185660		0.29	<0.005	<0.5	4.28	<5	350	0.8	<2	16.5	<0.5	6	30	10	1.80	10
D1185661		1.84	0.325	<0.5	7.09	<5	520	1.0	<2	4.52	<0.5	15	74	2	3.38	20
D1185662		1.79	<0.005	<0.5	7.41	<5	550	0.8	<2	3.86	<0.5	16	108	1	3.27	20
D1185663		1.86	<0.005	<0.5	7.84	<5	450	0.8	<2	4.32	<0.5	18	122	2	3.39	20
D1185664		1.96	<0.005	<0.5	7.45	<5	410	0.8	<2	4.24	<0.5	16	116	2	3.29	20
D1185665		1.78	0.051	<0.5	7.35	<5	430	0.8	<2	4.02	<0.5	17	122	1	3.37	20
D1185666		1.93	<0.005	<0.5	7.80	<5	340	0.8	<2	4.50	<0.5	18	123	2	3.60	20
D1185667		1.90	<0.005	<0.5	7.63	<5	340	0.8	<2	4.03	<0.5	18	125	2	3.53	20
D1185668		1.82	<0.005	<0.5	7.42	<5	360	0.7	<2	4.42	<0.5	17	119	<1	3.36	20
D1185669		2.18	<0.005	<0.5	7.57	<5	360	0.8	<2	4.43	<0.5	18	124	2	3.51	20
D1185670		0.04	0.343	<0.5	7.44	200	340	1.1	3	5.80	<0.5	40	199	115	8.07	20
D1185671		2.03	<0.005	<0.5	7.42	<5	360	0.7	<2	4.41	<0.5	18	123	2	3.41	20
D1185672		2.10	<0.005	<0.5	7.36	<5	390	0.7	<2	4.22	<0.5	17	118	1	3.26	20
D1185673		1.68	<0.005	<0.5	7.84	<5	390	0.7	<2	4.26	<0.5	18	123	2	3.54	20
D1185674		1.99	<0.005	<0.5	7.45	<5	470	0.7	<2	4.14	<0.5	18	119	1	3.49	20
D1185675		1.77	<0.005	<0.5	7.09	<5	450	0.7	<2	4.35	<0.5	16	114	2	3.17	20
D1185676		1.89	<0.005	<0.5	7.35	<5	450	0.7	<2	4.09	<0.5	19	126	2	3.53	20
D1185677		1.92	<0.005	<0.5	7.26	<5	460	0.7	<2	4.24	<0.5	19	123	<1	3.42	20
D1185678		1.84	<0.005	<0.5	7.44	<5	390	0.7	<2	4.58	<0.5	18	122	1	3.49	20
D1185679		1.85	<0.005	<0.5	7.87	<5	340	0.7	<2	3.92	<0.5	19	134	2	3.62	20
D1185680		0.31	<0.005	<0.5	3.49	<5	320	0.6	<2	18.7	<0.5	4	25	9	1.52	10

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1185641		0.70	10	0.96	277	1	3.23	24	440	5	0.82	6	4	546	<20	0.10
D1185642		1.02	<10	1.62	393	<1	3.04	70	440	2	1.20	5	7	491	<20	0.15
D1185643		1.51	10	2.60	892	<1	2.65	87	400	<2	0.73	6	18	389	<20	0.26
D1185644		0.96	10	2.08	608	<1	2.94	71	510	<2	0.56	6	12	433	<20	0.19
D1185645		0.77	10	2.89	788	6	2.35	94	560	3	0.25	<5	16	389	<20	0.24
D1185646		0.62	<10	2.96	815	<1	2.34	103	360	4	0.57	<5	22	321	<20	0.27
D1185647		0.50	<10	3.58	1060	<1	1.98	148	310	<2	0.56	<5	21	218	<20	0.24
D1185648		0.64	<10	3.76	1035	<1	2.14	150	320	6	0.54	6	23	230	<20	0.30
D1185649		0.95	<10	2.19	703	<1	2.98	81	390	<2	0.46	5	15	360	<20	0.25
D1185650		0.67	20	3.52	2470	2	1.83	135	1880	6	0.94	7	17	369	<20	0.86
D1185651		0.79	10	0.83	316	<1	3.57	17	480	3	0.28	<5	5	512	<20	0.16
D1185652		0.61	<10	2.44	771	<1	2.93	81	370	4	0.49	<5	19	308	<20	0.30
D1185653		0.36	<10	3.36	1080	2	2.17	114	340	5	0.79	<5	27	294	<20	0.41
D1185654		0.60	10	2.47	864	<1	2.95	82	490	4	0.79	<5	15	427	<20	0.30
D1185655		0.67	10	1.77	561	<1	3.25	52	530	5	1.13	<5	9	470	<20	0.22
D1185656		0.76	10	2.15	676	<1	3.23	59	570	8	0.74	6	16	588	<20	0.31
D1185657		0.83	10	2.10	588	<1	3.11	49	700	7	0.69	<5	10	667	<20	0.25
D1185658		0.63	10	1.97	663	<1	3.29	41	750	7	0.27	<5	8	697	<20	0.22
D1185659		0.62	10	1.99	609	<1	3.40	44	740	7	0.15	<5	8	779	<20	0.21
D1185660		2.33	30	0.81	908	<1	0.78	16	3210	14	0.26	6	7	405	<20	0.24
D1185661		0.56	10	1.79	574	<1	3.37	40	700	10	0.19	5	8	726	<20	0.20
D1185662		0.57	10	1.97	470	<1	3.61	55	590	7	0.18	<5	8	631	<20	0.21
D1185663		0.48	10	2.18	555	<1	4.00	64	580	6	0.24	<5	9	509	<20	0.23
D1185664		0.47	10	2.06	535	<1	3.59	60	540	6	0.17	5	9	536	<20	0.22
D1185665		0.50	10	2.07	492	<1	3.49	64	550	6	0.13	<5	8	572	<20	0.22
D1185666		0.39	10	2.13	531	<1	3.65	63	570	7	0.10	5	9	578	<20	0.23
D1185667		0.39	10	2.15	504	<1	3.65	65	560	6	0.07	<5	9	571	<20	0.23
D1185668		0.41	10	2.11	538	<1	3.63	64	580	6	0.09	6	9	528	<20	0.24
D1185669		0.41	10	2.16	543	<1	3.67	65	580	8	0.11	6	9	533	<20	0.23
D1185670		0.81	20	3.75	1395	5	2.25	144	1660	6	0.27	<5	19	439	<20	1.01
D1185671		0.41	10	2.12	528	<1	3.61	65	570	8	0.10	<5	8	530	<20	0.23
D1185672		0.45	10	2.07	499	<1	3.43	61	540	6	0.10	<5	9	527	<20	0.22
D1185673		0.45	10	2.15	501	<1	3.63	66	580	7	0.20	<5	9	567	<20	0.23
D1185674		0.56	10	2.20	500	<1	3.62	63	570	10	0.14	<5	10	535	<20	0.26
D1185675		0.49	10	2.01	538	<1	3.62	61	530	6	0.18	<5	8	465	<20	0.21
D1185676		0.53	10	2.19	503	<1	3.74	66	610	7	0.21	6	9	554	<20	0.24
D1185677		0.56	10	2.16	510	<1	3.69	65	580	4	0.18	6	9	558	<20	0.23
D1185678		0.50	10	2.18	543	<1	3.62	66	560	6	0.13	<5	9	558	<20	0.24
D1185679		0.41	10	2.29	479	<1	3.77	69	590	5	0.16	<5	9	573	<20	0.25
D1185680		1.90	30	0.73	898	<1	0.65	13	2760	12	0.22	9	6	421	<20	0.23

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1185641		<10	<10	42	<10	33	
D1185642		<10	<10	73	<10	47	
D1185643		<10	<10	141	<10	67	
D1185644		<10	<10	97	<10	56	
D1185645		<10	<10	136	<10	82	
D1185646		<10	<10	170	<10	74	
D1185647		<10	<10	175	<10	73	
D1185648		<10	<10	188	<10	72	
D1185649		<10	<10	121	<10	51	
D1185650		<10	<10	148	<10	122	
D1185651		<10	<10	46	<10	33	
D1185652		<10	<10	149	<10	62	
D1185653		<10	<10	203	<10	79	
D1185654		<10	<10	129	<10	62	
D1185655		<10	<10	86	<10	49	
D1185656		<10	<10	123	<10	63	
D1185657		<10	<10	83	<10	70	
D1185658		<10	<10	67	<10	68	
D1185659		<10	<10	71	<10	59	
D1185660		<10	<10	31	<10	21	
D1185661		<10	<10	66	<10	50	
D1185662		<10	<10	65	<10	43	
D1185663		<10	<10	69	10	44	
D1185664		<10	<10	65	<10	40	
D1185665		<10	<10	68	<10	39	
D1185666		<10	<10	71	<10	39	
D1185667		<10	<10	71	<10	39	
D1185668		<10	<10	68	<10	39	
D1185669		<10	<10	70	<10	41	
D1185670		<10	<10	156	<10	115	
D1185671		<10	<10	70	<10	39	
D1185672		<10	<10	66	<10	37	
D1185673		<10	<10	70	<10	39	
D1185674		<10	<10	76	<10	41	
D1185675		<10	<10	66	<10	40	
D1185676		<10	<10	75	<10	41	
D1185677		<10	<10	71	<10	39	
D1185678		10	<10	73	<10	39	
D1185679		<10	<10	74	<10	40	
D1185680		<10	<10	25	<10	16	

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1185681		1.93	<0.005	<0.5	7.44	<5	390	0.7	<2	3.84	<0.5	18	128	2	3.52	20
D1185682		1.92	<0.005	<0.5	7.18	<5	390	0.6	<2	4.40	<0.5	19	144	2	3.52	20
D1185683		1.67	<0.005	<0.5	7.29	<5	400	0.6	<2	4.55	<0.5	18	120	2	3.31	20
D1185684		1.90	<0.005	<0.5	7.02	<5	310	0.6	<2	4.01	<0.5	18	118	2	3.33	20
D1185685		1.95	<0.005	<0.5	7.10	<5	400	0.6	<2	4.40	<0.5	18	120	2	3.46	20
D1185686		1.65	0.013	<0.5	7.36	<5	470	0.7	<2	4.80	<0.5	15	115	1	3.27	20
D1185687		1.90	0.010	<0.5	7.25	<5	510	0.7	<2	4.49	<0.5	15	122	2	3.37	20
D1185688		1.94	0.010	<0.5	7.52	<5	430	0.6	<2	4.63	<0.5	17	117	2	3.41	20
D1185689		1.86	<0.005	<0.5	7.19	<5	430	0.7	<2	4.13	<0.5	20	124	1	3.32	20
D1185690		0.05	3.44	0.6	6.21	1370	420	0.9	<2	5.06	<0.5	37	172	122	10.75	20
D1185691		1.92	<0.005	<0.5	7.08	<5	350	0.6	<2	4.75	<0.5	16	112	2	3.26	20
D1185692		1.79	<0.005	<0.5	7.51	<5	440	0.7	<2	4.21	<0.5	19	111	5	3.40	20
D1185693		1.84	<0.005	<0.5	7.60	<5	480	0.7	4	3.93	<0.5	18	116	1	3.47	20
D1185694		1.85	<0.005	<0.5	7.59	<5	570	0.7	<2	4.64	<0.5	17	110	2	3.33	20
D1185695		1.89	<0.005	<0.5	7.53	<5	440	0.7	<2	3.74	<0.5	18	115	2	3.44	20
D1185696		1.77	<0.005	<0.5	7.82	<5	430	0.7	<2	3.84	<0.5	18	115	1	3.43	20
D1185697		1.82	<0.005	<0.5	8.09	<5	450	0.7	<2	4.03	<0.5	19	120	2	3.59	20
D1185698		1.77	<0.005	<0.5	7.51	<5	450	0.7	<2	4.11	<0.5	17	111	1	3.34	20
D1185699		1.73	<0.005	<0.5	7.84	<5	500	0.7	<2	4.18	<0.5	18	112	<1	3.51	20
D1185700		0.30	<0.005	<0.5	3.50	<5	350	0.6	<2	19.9	<0.5	6	26	11	1.64	10
D1185701		1.99	<0.005	<0.5	7.99	<5	460	0.7	<2	3.98	<0.5	20	132	2	3.66	20
D1185702		1.76	<0.005	<0.5	8.06	<5	440	0.7	2	4.23	<0.5	19	120	4	3.63	20
D1185703		1.81	<0.005	<0.5	7.84	<5	550	0.7	2	4.37	<0.5	18	111	1	3.44	20
D1185704		1.91	0.006	<0.5	7.95	<5	550	0.7	<2	4.48	<0.5	19	112	2	3.49	20
D1185705		1.69	<0.005	<0.5	7.65	<5	620	0.7	<2	4.53	<0.5	19	110	2	3.41	20
D1185706		1.81	<0.005	<0.5	7.57	<5	460	0.7	<2	4.62	<0.5	20	134	1	3.56	20
D1185707		1.88	<0.005	<0.5	8.03	<5	490	0.7	2	4.63	<0.5	20	113	2	3.58	20
D1185708		1.79	0.005	<0.5	7.67	<5	420	0.7	<2	4.22	<0.5	18	111	2	3.35	20
D1185709		1.75	<0.005	<0.5	7.71	<5	500	0.7	<2	4.34	<0.5	19	120	1	3.43	20
D1185710		0.05	1.255	<0.5	6.83	772	440	1.0	<2	5.37	<0.5	38	172	98	9.77	20
D1185711		1.88	<0.005	<0.5	7.69	<5	370	0.6	<2	4.52	<0.5	19	117	2	3.58	20
D1185712		1.74	<0.005	<0.5	7.71	<5	440	0.7	<2	4.01	<0.5	18	114	<1	3.35	20
D1185713		1.72	<0.005	<0.5	7.64	<5	480	0.7	3	4.30	<0.5	19	113	1	3.47	20
D1185714		1.87	<0.005	<0.5	7.79	<5	570	0.7	<2	3.97	<0.5	19	112	2	3.46	20
D1185715		1.71	<0.005	<0.5	7.70	<5	460	0.7	<2	4.11	<0.5	18	110	<1	3.34	20
D1185716		1.89	<0.005	<0.5	7.56	<5	480	0.7	<2	4.27	<0.5	19	111	2	3.47	20
D1185717		1.82	<0.005	<0.5	7.84	<5	410	0.7	<2	4.38	<0.5	19	121	2	3.61	20
D1185718		1.78	<0.005	<0.5	7.67	<5	410	0.6	<2	4.25	<0.5	18	108	<1	3.41	20
D1185719		1.52	<0.005	<0.5	7.90	<5	360	0.6	<2	4.41	<0.5	20	203	2	3.72	20
D1185720		0.29	<0.005	<0.5	2.81	<5	350	0.5	<2	21.9	<0.5	6	20	7	1.74	10

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1185681		0.46	10	2.16	477	<1	3.71	65	590	2	0.16	<5	9	545	<20	0.24
D1185682		0.51	10	2.28	531	<1	3.38	79	550	5	0.21	6	9	513	<20	0.24
D1185683		0.51	10	2.11	524	<1	3.40	67	550	7	0.26	<5	9	546	<20	0.22
D1185684		0.40	10	2.08	475	<1	3.38	62	540	6	0.17	<5	8	499	<20	0.22
D1185685		0.50	10	2.17	521	<1	3.57	65	570	8	0.28	<5	8	521	<20	0.23
D1185686		0.58	10	2.06	564	<1	3.78	61	560	6	0.41	6	9	477	<20	0.21
D1185687		0.78	10	2.16	550	<1	3.87	62	550	6	0.84	5	9	412	<20	0.16
D1185688		0.60	10	2.17	583	<1	3.87	64	560	6	0.70	8	10	419	<20	0.16
D1185689		0.55	10	2.15	511	<1	3.57	64	560	7	0.15	<5	8	569	<20	0.22
D1185690		0.62	20	3.50	2530	3	1.78	147	1990	13	2.28	7	16	363	<20	0.84
D1185691		0.46	10	2.00	543	<1	3.30	59	520	3	0.23	<5	8	553	<20	0.21
D1185692		0.54	10	2.16	514	1	3.56	66	570	4	0.25	<5	9	539	<20	0.23
D1185693		0.62	10	2.22	488	1	3.63	66	580	3	0.17	<5	10	549	<20	0.25
D1185694		0.71	10	2.14	546	<1	3.53	62	550	4	0.25	5	9	792	<20	0.21
D1185695		0.56	10	2.23	468	<1	3.66	65	580	3	0.31	5	9	717	<20	0.23
D1185696		0.61	10	2.28	483	<1	3.92	68	580	4	0.47	<5	10	606	<20	0.23
D1185697		0.64	10	2.32	519	<1	3.93	66	580	3	0.39	5	10	591	<20	0.25
D1185698		0.63	10	2.13	482	<1	3.38	63	550	4	0.26	<5	9	607	<20	0.23
D1185699		0.69	10	2.21	471	1	3.44	63	550	3	0.25	<5	10	624	<20	0.23
D1185700		1.91	30	0.76	996	1	0.66	18	3190	13	0.33	5	6	446	<20	0.19
D1185701		0.66	10	2.35	467	<1	3.56	68	580	5	0.33	<5	10	615	<20	0.24
D1185702		0.55	10	2.35	466	<1	3.51	75	580	5	0.44	6	10	677	<20	0.24
D1185703		0.62	10	2.23	531	<1	3.60	64	600	3	0.23	5	9	544	<20	0.23
D1185704		0.62	10	2.29	566	<1	3.70	66	560	<2	0.30	6	10	523	<20	0.24
D1185705		0.79	10	2.16	519	<1	3.22	64	560	4	0.21	7	9	646	<20	0.23
D1185706		0.71	10	2.43	580	1	3.36	70	580	3	0.26	<5	10	561	<20	0.24
D1185707		0.76	10	2.29	560	<1	3.59	65	590	4	0.24	<5	10	595	<20	0.24
D1185708		0.57	10	2.19	530	<1	3.63	62	560	6	0.23	<5	9	529	<20	0.23
D1185709		0.71	10	2.26	528	1	3.64	65	560	3	0.31	5	10	514	<20	0.23
D1185710		0.71	20	3.73	2630	3	1.94	142	1960	7	0.99	8	18	387	<20	0.90
D1185711		0.48	10	2.26	561	<1	3.64	69	550	<2	0.26	5	10	502	<20	0.24
D1185712		0.53	10	2.24	475	<1	3.82	64	580	<2	0.37	8	10	535	<20	0.23
D1185713		0.64	10	2.25	504	1	3.59	66	570	3	0.36	<5	9	573	<20	0.24
D1185714		0.78	10	2.23	466	<1	3.43	64	580	3	0.32	<5	9	584	<20	0.23
D1185715		0.64	10	2.17	487	1	3.60	63	560	2	0.28	<5	9	544	<20	0.23
D1185716		0.65	10	2.24	524	<1	3.60	66	570	<2	0.26	<5	9	524	<20	0.23
D1185717		0.55	10	2.33	550	<1	3.58	71	570	3	0.27	6	9	549	<20	0.24
D1185718		0.54	10	2.21	498	<1	3.48	65	580	3	0.27	<5	10	538	<20	0.24
D1185719		0.53	10	2.70	589	<1	3.57	85	550	5	0.25	<5	10	495	<20	0.23
D1185720		1.57	20	1.25	969	1	0.51	14	2490	12	0.18	7	5	527	<20	0.14

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1185681		<10	<10	74	<10	38	
D1185682		<10	<10	71	<10	39	
D1185683		<10	<10	67	<10	37	
D1185684		<10	<10	67	<10	35	
D1185685		<10	<10	70	<10	37	
D1185686		<10	<10	68	170	37	
D1185687		<10	<10	69	10	38	
D1185688		<10	<10	72	10	36	
D1185689		<10	<10	69	<10	37	
D1185690		<10	<10	148	<10	127	
D1185691		<10	<10	65	<10	34	
D1185692		<10	<10	67	280	40	
D1185693		<10	<10	74	<10	38	
D1185694		<10	<10	66	<10	51	
D1185695		<10	<10	71	<10	51	
D1185696		<10	<10	72	<10	42	
D1185697		<10	<10	74	<10	41	
D1185698		<10	<10	69	<10	37	
D1185699		<10	<10	73	<10	39	
D1185700		<10	<10	25	<10	17	
D1185701		<10	<10	74	<10	41	
D1185702		<10	<10	73	<10	41	
D1185703		<10	<10	68	20	39	
D1185704		<10	<10	70	<10	40	
D1185705		<10	<10	69	<10	38	
D1185706		<10	<10	75	<10	42	
D1185707		<10	10	71	<10	39	
D1185708		<10	<10	69	<10	38	
D1185709		<10	<10	71	<10	39	
D1185710		<10	<10	156	<10	127	
D1185711		<10	<10	72	<10	38	
D1185712		<10	<10	71	<10	38	
D1185713		<10	<10	72	<10	40	
D1185714		<10	<10	71	<10	38	
D1185715		<10	<10	69	<10	35	
D1185716		<10	<10	70	<10	37	
D1185717		<10	<10	72	<10	37	
D1185718		<10	<10	71	<10	35	
D1185719		<10	<10	71	<10	40	
D1185720		<10	<10	21	<10	30	

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1185721		1.84	<0.005	<0.5	7.52	<5	390	0.6	<2	4.25	<0.5	18	106	2	3.45	20
D1185722		1.90	<0.005	<0.5	7.33	<5	440	0.7	<2	4.05	<0.5	18	107	<1	3.38	20
D1185723		1.87	<0.005	<0.5	7.68	<5	380	0.6	<2	4.48	<0.5	18	111	2	3.43	20
D1185724		2.14	<0.005	<0.5	7.63	<5	380	0.6	<2	4.18	<0.5	18	110	2	3.45	20
D1185725		1.88	<0.005	<0.5	7.70	<5	360	0.6	<2	4.18	<0.5	18	115	<1	3.23	20
D1185726		1.84	<0.005	<0.5	7.71	<5	490	0.7	3	3.90	<0.5	19	114	1	3.37	20
D1185727		2.00	<0.005	<0.5	7.44	<5	470	0.6	2	3.87	<0.5	19	114	1	3.46	20
D1185728		1.98	<0.005	<0.5	7.24	<5	520	0.7	<2	4.32	<0.5	17	123	1	3.25	20
D1185729		1.80	<0.005	<0.5	7.51	<5	420	0.6	<2	5.30	<0.5	19	106	2	3.35	20
D1185730		0.05	0.337	<0.5	7.21	185	340	1.1	4	5.55	<0.5	40	192	113	7.85	20
D1185731		1.85	<0.005	<0.5	7.28	<5	410	0.6	5	4.66	<0.5	18	123	2	3.31	20
D1185732		1.85	<0.005	<0.5	7.27	<5	370	0.6	4	4.14	<0.5	17	116	1	3.28	20
D1185733		1.98	<0.005	<0.5	7.46	<5	370	0.7	2	4.21	<0.5	18	125	2	3.25	20
D1185734		1.75	<0.005	<0.5	7.36	<5	430	0.6	2	4.40	<0.5	17	116	1	3.26	20
D1185735		2.03	<0.005	<0.5	7.62	<5	380	0.7	<2	4.26	<0.5	18	118	1	3.34	20
D1185736		1.68	<0.005	<0.5	7.49	<5	470	0.7	<2	3.76	<0.5	18	123	2	3.36	20
D1185737		1.90	<0.005	<0.5	7.36	<5	460	0.7	3	4.92	<0.5	18	122	1	3.37	20
D1185738		1.60	<0.005	<0.5	6.64	<5	460	0.8	2	4.01	<0.5	18	118	1	3.11	20
D1185739		1.73	<0.005	<0.5	7.33	<5	440	0.7	<2	4.72	<0.5	20	124	2	3.69	20
D1185740		0.29	<0.005	<0.5	3.26	<5	360	0.6	<2	19.1	<0.5	5	25	8	1.43	10
D1185741		2.48	<0.005	<0.5	6.58	<5	190	0.8	2	5.57	<0.5	45	442	26	6.55	20
D1185742		1.90	<0.005	<0.5	6.89	<5	130	<0.5	<2	5.74	<0.5	53	227	107	8.96	20
D1185743		2.11	<0.005	<0.5	7.16	<5	260	<0.5	<2	5.76	<0.5	50	209	108	9.05	20
D1185744		1.01	<0.005	<0.5	6.46	<5	290	<0.5	<2	5.20	<0.5	50	215	102	9.01	20
D1185745		1.19	<0.005	<0.5	6.84	<5	470	<0.5	<2	6.00	<0.5	47	202	96	8.51	20
D1185746		2.23	<0.005	<0.5	6.62	<5	200	<0.5	<2	6.64	<0.5	49	216	69	8.42	20
D1185747		1.32	<0.005	<0.5	7.17	<5	360	<0.5	4	6.44	<0.5	47	211	97	8.37	20
D1185748		1.75	<0.005	<0.5	7.22	<5	820	0.9	<2	3.33	<0.5	15	99	19	2.95	20
D1185749		1.59	<0.005	<0.5	7.35	<5	970	0.9	<2	2.84	<0.5	14	102	25	3.11	20
D1185750		0.05	1.250	<0.5	6.68	778	440	1.0	5	5.28	<0.5	38	174	95	9.64	20
D1185751		1.81	<0.005	<0.5	6.79	<5	380	0.5	3	6.43	<0.5	37	99	170	10.60	20
D1185752		1.86	<0.005	<0.5	7.19	<5	220	0.5	<2	6.72	<0.5	41	95	62	10.70	20
D1185753		1.93	<0.005	<0.5	6.95	<5	190	<0.5	3	6.37	<0.5	36	99	67	9.52	20
D1185754		2.19	<0.005	<0.5	7.00	<5	140	0.5	4	6.80	<0.5	39	96	53	9.02	20
D1185755		2.25	<0.005	<0.5	6.77	<5	150	<0.5	2	5.42	<0.5	38	93	73	8.53	20
D1185756		1.82	<0.005	<0.5	7.18	<5	140	0.5	<2	5.76	<0.5	41	99	72	7.64	20
D1185757		1.94	<0.005	0.7	7.01	<5	120	<0.5	<2	5.44	<0.5	40	102	63	8.69	20
D1185758		2.22	<0.005	<0.5	7.05	<5	190	<0.5	<2	4.78	<0.5	37	97	79	7.51	20
D1185759		1.71	<0.005	<0.5	7.45	<5	190	0.5	<2	5.26	<0.5	44	100	78	7.94	20
D1185760		0.27	<0.005	<0.5	3.43	<5	710	0.6	<2	19.3	<0.5	6	25	11	1.79	10

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1185721		0.56	10	2.17	512	<1	3.59	65	570	4	0.24	<5	9	501	<20	0.23
D1185722		0.61	10	2.21	514	<1	3.48	64	550	2	0.25	<5	9	507	<20	0.24
D1185723		0.54	10	2.22	540	<1	3.66	64	560	4	0.27	<5	10	500	<20	0.24
D1185724		0.53	10	2.23	492	<1	3.64	66	580	3	0.29	5	9	531	<20	0.24
D1185725		0.52	10	2.12	480	1	3.72	62	550	6	0.30	6	10	528	<20	0.23
D1185726		0.65	10	2.26	494	<1	3.71	67	580	3	0.23	<5	9	530	<20	0.24
D1185727		0.64	10	2.23	485	<1	3.46	64	550	3	0.22	<5	10	548	<20	0.25
D1185728		0.72	10	2.12	515	1	3.53	64	540	3	0.23	<5	9	558	<20	0.23
D1185729		0.56	10	2.24	611	<1	3.47	66	520	<2	0.33	6	9	544	<20	0.22
D1185730		0.80	20	3.67	1390	5	2.19	139	1590	3	0.25	<5	18	422	<20	0.98
D1185731		0.54	10	2.11	557	<1	3.45	64	530	5	0.19	7	9	499	<20	0.22
D1185732		0.51	10	2.12	486	<1	3.47	63	550	4	0.29	<5	8	510	<20	0.22
D1185733		0.50	10	2.13	499	1	3.67	65	540	4	0.31	<5	9	499	<20	0.22
D1185734		0.56	10	2.07	542	<1	3.60	59	530	2	0.31	<5	9	493	<20	0.22
D1185735		0.51	10	2.19	487	<1	3.69	63	580	7	0.36	<5	9	528	<20	0.24
D1185736		0.64	10	2.17	474	<1	3.76	64	570	<2	0.26	<5	10	493	<20	0.24
D1185737		0.58	10	2.15	609	1	3.72	63	570	3	0.26	<5	8	512	<20	0.23
D1185738		0.60	10	2.15	494	1	3.49	64	530	4	0.42	<5	8	455	<20	0.20
D1185739		0.58	10	2.31	559	<1	3.30	71	550	2	0.25	<5	10	584	<20	0.25
D1185740		1.82	30	0.71	903	1	0.64	14	3590	12	0.22	5	5	463	<20	0.19
D1185741		0.75	10	5.94	1180	1	1.84	344	1080	<2	0.03	6	20	201	<20	0.47
D1185742		0.43	<10	4.83	1430	1	1.90	179	310	2	0.25	<5	25	207	<20	0.57
D1185743		0.58	<10	4.80	1405	<1	1.84	163	330	<2	0.12	5	31	181	<20	0.58
D1185744		0.57	<10	4.78	1405	<1	1.49	157	320	<2	0.03	<5	23	147	<20	0.57
D1185745		0.80	<10	4.46	1350	<1	1.28	148	320	<2	0.13	<5	30	164	<20	0.58
D1185746		0.50	<10	4.52	1240	<1	1.07	165	310	<2	0.11	6	24	147	<20	0.54
D1185747		0.83	10	4.11	1385	1	1.56	159	350	<2	0.32	6	34	232	<20	0.56
D1185748		1.64	10	1.63	523	<1	3.32	50	710	<2	0.05	<5	8	340	<20	0.23
D1185749		1.93	10	1.70	520	1	3.52	62	760	3	0.27	<5	6	286	<20	0.23
D1185750		0.70	20	3.66	2570	3	1.90	138	1930	6	0.96	5	17	381	<20	0.89
D1185751		0.62	10	2.53	2650	2	1.88	111	750	4	1.89	<5	25	237	<20	0.61
D1185752		0.51	10	2.35	3010	<1	1.39	102	750	<2	0.31	6	26	306	<20	0.63
D1185753		0.46	10	2.40	2550	1	1.36	94	690	2	0.25	8	26	259	<20	0.61
D1185754		0.36	10	2.33	2380	1	1.52	106	720	4	0.13	<5	26	213	<20	0.61
D1185755		0.40	10	2.47	1980	1	1.56	104	680	<2	0.15	5	25	164	<20	0.61
D1185756		0.37	10	2.44	1800	<1	2.02	108	750	<2	0.11	7	27	141	<20	0.65
D1185757		0.38	10	2.88	1820	1	1.35	107	790	2	0.12	7	26	206	<20	0.67
D1185758		0.54	10	2.71	1545	1	1.45	96	700	3	0.21	<5	24	183	<20	0.61
D1185759		0.47	10	2.95	1710	<1	1.71	115	860	2	0.29	<5	28	203	<20	0.67
D1185760		1.90	30	0.76	939	1	0.67	16	3220	12	0.34	7	6	463	<20	0.23

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method Analyte Units LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1185721		<10	<10	70	<10	35	
D1185722		<10	<10	72	<10	36	
D1185723		<10	<10	70	<10	35	
D1185724		<10	<10	70	<10	35	
D1185725		<10	<10	67	<10	33	
D1185726		<10	<10	72	<10	38	
D1185727		<10	<10	71	<10	37	
D1185728		<10	<10	69	<10	35	
D1185729		<10	<10	66	<10	36	
D1185730		<10	<10	150	<10	109	
D1185731		<10	<10	70	<10	35	
D1185732		<10	<10	68	<10	34	
D1185733		<10	<10	67	<10	34	
D1185734		<10	<10	67	<10	34	
D1185735		<10	<10	70	<10	36	
D1185736		<10	<10	75	<10	37	
D1185737		<10	<10	71	10	37	
D1185738		<10	<10	66	<10	36	
D1185739		<10	<10	81	<10	38	
D1185740		<10	<10	22	<10	22	
D1185741		<10	<10	158	<10	85	
D1185742		<10	<10	268	<10	81	
D1185743		<10	<10	263	<10	83	
D1185744		<10	<10	269	<10	90	
D1185745		<10	<10	257	<10	83	
D1185746		<10	<10	234	<10	87	
D1185747		<10	<10	251	<10	86	
D1185748		<10	<10	68	<10	46	
D1185749		<10	<10	61	<10	76	
D1185750		<10	<10	154	<10	125	
D1185751		<10	10	212	<10	97	
D1185752		<10	<10	216	<10	93	
D1185753		<10	<10	207	<10	97	
D1185754		<10	<10	217	<10	93	
D1185755		<10	<10	201	<10	96	
D1185756		<10	<10	232	<10	92	
D1185757		<10	<10	225	<10	100	
D1185758		<10	<10	197	<10	92	
D1185759		<10	<10	224	<10	100	
D1185760		<10	<10	24	<10	40	

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1185761		2.33	<0.005	<0.5	7.99	<5	220	0.5	<2	4.63	<0.5	46	119	69	9.16	20
D1185762		1.05	<0.005	<0.5	7.89	<5	240	0.5	<2	5.03	<0.5	43	109	78	9.10	20
D1185763		1.75	<0.005	<0.5	7.79	<5	230	0.5	3	5.56	<0.5	43	107	73	9.33	20
D1185764		1.87	<0.005	<0.5	7.54	<5	110	<0.5	2	4.89	<0.5	42	93	80	8.29	20
D1185765		1.97	<0.005	<0.5	7.66	<5	160	<0.5	3	5.16	<0.5	41	98	79	8.59	20
D1185766		1.71	<0.005	<0.5	7.55	<5	190	0.5	<2	5.21	<0.5	42	98	72	7.94	20
D1185767		2.09	<0.005	<0.5	7.58	<5	330	<0.5	2	5.03	<0.5	44	99	94	8.33	20
D1185768		1.85	<0.005	<0.5	7.52	<5	270	<0.5	<2	4.68	<0.5	45	107	68	8.27	20
D1185769		1.73	<0.005	0.5	7.55	<5	420	<0.5	<2	5.80	<0.5	44	110	72	8.44	20
D1185770		0.04	0.342	<0.5	7.25	192	340	1.1	<2	5.57	<0.5	41	176	114	7.83	20
D1185771		1.96	<0.005	<0.5	7.45	<5	120	<0.5	3	5.11	<0.5	46	114	79	8.60	20
D1185772		2.11	<0.005	<0.5	7.87	<5	220	<0.5	<2	5.52	<0.5	49	120	81	9.06	20
D1185773		1.85	<0.005	<0.5	7.16	<5	190	<0.5	2	5.28	<0.5	43	105	54	7.94	20
D1185774		1.79	<0.005	<0.5	7.35	<5	130	<0.5	2	5.11	<0.5	46	107	65	8.60	20
D1185775		1.95	<0.005	<0.5	8.09	<5	150	<0.5	<2	5.79	<0.5	48	114	85	8.92	20
D1185776		1.86	<0.005	<0.5	7.43	<5	270	<0.5	2	4.49	<0.5	44	107	61	7.37	20
D1185777		1.70	<0.005	<0.5	7.46	<5	180	<0.5	<2	4.65	<0.5	44	109	67	8.01	20
D1185778		1.75	<0.005	<0.5	7.44	<5	190	<0.5	4	4.99	<0.5	42	103	63	7.02	20
D1185779		1.83	<0.005	<0.5	7.40	<5	160	0.5	<2	5.38	<0.5	45	101	66	8.03	20
D1185780		0.28	<0.005	<0.5	3.28	<5	330	0.6	<2	20.4	<0.5	5	25	8	1.52	10
D1185781		1.96	<0.005	<0.5	7.17	<5	130	<0.5	<2	4.10	<0.5	41	108	50	7.95	20
D1185782		1.73	<0.005	<0.5	7.21	<5	130	<0.5	<2	4.09	<0.5	42	108	48	7.97	20
D1185783		1.68	0.008	<0.5	7.48	<5	80	<0.5	<2	5.98	<0.5	43	103	77	8.69	20
D1185784		2.01	<0.005	<0.5	7.07	<5	150	<0.5	<2	7.34	<0.5	42	98	69	9.63	20
D1185785		2.06	<0.005	<0.5	6.73	<5	100	<0.5	<2	8.11	<0.5	40	88	66	9.13	20
D1185786		1.79	<0.005	<0.5	7.85	<5	160	0.5	<2	10.55	<0.5	36	100	9	11.50	20
D1185787		1.92	<0.005	<0.5	6.71	<5	60	<0.5	<2	8.16	<0.5	40	99	44	11.60	20
D1185788		2.00	<0.005	<0.5	6.48	<5	80	<0.5	<2	7.89	<0.5	33	97	35	9.69	20
D1185789		1.97	0.050	<0.5	6.52	<5	200	<0.5	<2	8.79	<0.5	35	96	50	10.35	20
D1185790		0.05	3.41	0.6	6.26	1390	440	0.9	<2	5.14	<0.5	39	160	124	10.90	20
D1185791		1.72	<0.005	<0.5	6.49	<5	110	<0.5	<2	8.80	<0.5	34	96	66	10.55	20
D1185792		1.98	<0.005	<0.5	6.83	<5	70	<0.5	3	7.52	<0.5	34	99	42	10.15	20
D1185793		1.86	<0.005	<0.5	5.72	<5	30	<0.5	<2	8.75	<0.5	33	85	106	13.00	10
D1185794		1.85	<0.005	<0.5	6.13	<5	120	<0.5	<2	8.82	<0.5	33	85	40	11.45	20
D1185795		2.07	<0.005	<0.5	6.29	<5	240	<0.5	<2	7.04	<0.5	37	95	57	10.60	20
D1185796		1.97	<0.005	<0.5	6.58	<5	90	0.5	4	8.85	<0.5	36	98	49	11.60	20
D1185797		1.79	<0.005	<0.5	6.64	<5	80	<0.5	<2	8.76	<0.5	39	99	80	13.30	20
D1185798		1.95	<0.005	<0.5	6.64	<5	70	<0.5	<2	8.76	<0.5	33	92	49	9.77	20
D1185799		1.86	<0.005	<0.5	6.12	<5	190	<0.5	<2	8.78	<0.5	35	98	73	10.30	10
D1185800		0.28	<0.005	<0.5	3.92	<5	420	0.7	<2	17.5	<0.5	6	25	9	1.79	10

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01
D1185761		0.82	10	3.74	1900	<1	1.70	124	790	4	0.21	<5	29	166	<20	0.72
D1185762		0.60	10	3.36	2010	1	1.93	118	830	3	0.34	5	29	201	<20	0.71
D1185763		0.61	10	3.25	2200	1	1.48	115	830	6	0.20	6	29	192	<20	0.71
D1185764		0.36	10	3.36	1690	1	1.12	110	800	6	0.18	<5	27	199	<20	0.66
D1185765		0.44	10	3.47	1720	1	1.17	109	840	<2	0.19	6	28	195	<20	0.68
D1185766		0.53	10	3.13	1510	<1	1.22	113	780	3	0.16	<5	27	201	<20	0.66
D1185767		0.91	10	3.41	1575	1	1.03	115	750	<2	0.08	6	28	178	<20	0.66
D1185768		0.77	10	3.43	1600	1	1.33	120	780	<2	0.13	<5	28	191	<20	0.69
D1185769		1.22	10	3.19	1455	<1	1.21	113	750	<2	0.09	<5	28	165	<20	0.69
D1185770		0.78	20	3.70	1375	6	2.20	141	1600	7	0.26	7	19	428	<20	0.97
D1185771		0.43	10	3.36	1560	1	1.11	114	720	<2	0.07	<5	29	161	<20	0.71
D1185772		0.46	10	3.66	1770	<1	1.13	121	770	3	0.07	8	30	200	<20	0.75
D1185773		0.44	10	3.47	1685	1	1.37	115	730	2	0.07	<5	28	205	<20	0.67
D1185774		0.31	10	3.67	1815	1	1.07	126	710	2	0.04	7	29	180	<20	0.70
D1185775		0.37	10	3.68	1720	<1	1.44	125	780	<2	0.12	<5	31	211	<20	0.75
D1185776		0.68	10	3.32	1555	<1	2.04	113	790	2	0.09	<5	27	221	<20	0.68
D1185777		0.49	10	3.42	1705	1	1.94	117	780	3	0.10	5	29	216	<20	0.71
D1185778		0.48	10	2.98	1685	1	2.25	119	760	<2	0.06	<5	28	230	<20	0.67
D1185779		0.52	10	3.38	1825	1	1.69	128	740	<2	0.06	6	29	200	<20	0.69
D1185780		1.80	30	0.78	996	1	0.58	14	2510	11	0.19	5	5	469	<20	0.18
D1185781		0.46	10	3.06	1895	1	1.70	115	750	2	0.04	<5	28	171	<20	0.67
D1185782		0.47	10	3.05	1985	1	1.69	113	750	<2	0.05	<5	28	169	<20	0.67
D1185783		0.30	10	3.12	2080	<1	1.33	113	740	<2	0.04	<5	29	175	<20	0.67
D1185784		0.39	10	2.75	2600	<1	1.00	108	690	5	0.15	6	27	187	<20	0.64
D1185785		0.33	10	2.36	2820	<1	1.05	102	660	5	0.08	7	26	160	<20	0.62
D1185786		0.43	10	2.28	4220	<1	1.14	104	740	3	0.04	5	28	197	<20	0.72
D1185787		0.31	10	1.69	4730	1	0.78	106	680	5	0.14	6	25	125	<20	0.60
D1185788		0.32	10	1.49	4470	1	0.94	94	710	3	0.11	6	25	147	<20	0.60
D1185789		0.41	10	1.50	5220	1	0.93	92	670	<2	0.19	<5	25	162	<20	0.60
D1185790		0.62	20	3.57	2570	5	1.81	149	2000	10	2.28	5	16	365	<20	0.83
D1185791		0.34	10	1.52	4720	<1	0.84	92	650	11	0.21	<5	24	160	<20	0.58
D1185792		0.33	10	1.64	4540	<1	0.98	90	630	3	0.12	<5	24	182	<20	0.57
D1185793		0.29	10	1.54	5600	<1	0.56	78	570	5	0.78	<5	20	82	<20	0.49
D1185794		0.31	10	1.61	4970	1	0.83	82	620	<2	0.32	<5	25	135	<20	0.58
D1185795		0.40	10	1.72	3940	1	0.88	90	590	2	0.25	<5	24	123	<20	0.57
D1185796		0.35	10	1.45	5130	<1	0.90	93	700	5	0.19	6	25	114	<20	0.60
D1185797		0.30	10	1.78	5680	<1	0.56	98	620	<2	0.34	10	25	93	<20	0.59
D1185798		0.30	10	1.56	4200	<1	0.98	89	620	<2	0.43	<5	22	147	<20	0.54
D1185799		0.48	10	1.51	4080	<1	0.90	89	630	<2	0.66	<5	22	146	<20	0.53
D1185800		2.15	30	0.79	857	<1	0.76	15	3170	12	0.30	<5	6	386	<20	0.22

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1185761		<10	<10	255	<10	119	
D1185762		<10	<10	233	<10	103	
D1185763		<10	<10	242	<10	114	
D1185764		<10	<10	213	<10	104	
D1185765		<10	<10	223	<10	102	
D1185766		<10	<10	225	<10	96	
D1185767		<10	<10	229	<10	96	
D1185768		<10	<10	236	<10	94	
D1185769		<10	<10	247	<10	103	
D1185770		<10	<10	152	<10	111	
D1185771		<10	<10	255	<10	105	
D1185772		<10	<10	266	<10	113	
D1185773		<10	<10	232	<10	103	
D1185774		<10	<10	246	<10	107	
D1185775		<10	<10	264	<10	107	
D1185776		<10	<10	234	<10	89	
D1185777		<10	<10	243	<10	89	
D1185778		<10	<10	231	<10	82	
D1185779		10	<10	238	<10	92	
D1185780		<10	<10	24	<10	17	
D1185781		<10	<10	226	<10	86	
D1185782		<10	<10	225	<10	86	
D1185783		<10	<10	241	<10	94	
D1185784		<10	<10	228	<10	115	
D1185785		<10	<10	214	<10	92	
D1185786		10	<10	198	<10	130	
D1185787		<10	<10	206	<10	99	
D1185788		<10	<10	196	<10	80	
D1185789		<10	<10	205	<10	90	
D1185790		<10	<10	148	<10	126	
D1185791		<10	<10	199	<10	131	
D1185792		<10	<10	191	<10	104	
D1185793		<10	<10	163	<10	101	
D1185794		<10	<10	196	<10	98	
D1185795		<10	<10	199	<10	101	
D1185796		<10	<10	202	<10	95	
D1185797		<10	<10	203	<10	103	
D1185798		<10	<10	187	<10	89	
D1185799		<10	<10	180	<10	87	
D1185800		<10	<10	26	<10	17	

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1185801		1.87	<0.005	<0.5	6.69	<5	80	0.5	<2	8.03	<0.5	37	112	56	11.25	20
D1185802		1.93	<0.005	<0.5	5.88	<5	90	0.6	<2	5.71	1.3	27	59	109	8.42	20
D1185803		1.77	<0.005	0.8	6.81	<5	280	0.6	<2	3.21	3.8	41	77	174	9.53	20
D1185804		1.88	<0.005	0.8	5.69	15	330	0.7	<2	2.60	1.7	13	17	88	5.63	10
D1185805		1.71	<0.005	0.8	6.79	16	440	0.5	<2	2.59	0.9	20	45	40	7.51	20
D1185806		1.49	<0.005	1.3	5.81	12	240	0.5	<2	0.73	3.6	15	10	112	6.91	20
D1185807		1.79	<0.005	0.9	6.41	17	180	<0.5	<2	3.23	2.8	36	44	208	9.08	20
D1185808		1.71	<0.005	<0.5	6.80	12	170	0.5	<2	6.88	<0.5	39	93	46	6.82	20
D1185809		1.90	<0.005	<0.5	7.77	<5	160	0.5	<2	6.02	<0.5	46	108	80	8.41	20
D1185810		0.04	5.97	1.1	6.01	4530	550	0.8	<2	5.88	<0.5	33	137	193	12.45	20
D1185811		1.64	<0.005	<0.5	7.54	5	80	0.5	<2	6.04	<0.5	41	113	65	7.97	20
D1185812		1.76	<0.005	0.6	7.96	<5	110	0.6	2	6.26	0.6	47	124	85	8.74	20
D1185813		1.78	<0.005	0.6	8.31	<5	50	0.5	2	6.24	0.7	49	131	90	10.05	20
D1185814		1.82	<0.005	<0.5	7.44	<5	60	0.6	2	5.60	0.7	42	112	85	8.71	20
D1185815		1.90	<0.005	<0.5	7.20	<5	70	0.6	<2	6.05	<0.5	35	100	61	7.98	20
D1185816		2.05	<0.005	<0.5	6.65	<5	50	0.5	<2	5.11	<0.5	31	88	78	9.14	20
D1185817		1.87	<0.005	<0.5	6.81	<5	200	<0.5	<2	8.72	0.5	38	104	67	11.55	20
D1185818		2.04	<0.005	<0.5	6.66	<5	140	0.5	<2	7.95	<0.5	36	109	56	10.40	20
D1185819		1.89	<0.005	<0.5	6.81	<5	210	0.7	<2	8.81	0.5	34	96	40	10.45	20
D1185820		0.27	<0.005	<0.5	3.21	<5	320	0.5	<2	22.4	<0.5	5	19	9	1.51	10
D1185821		1.81	<0.005	<0.5	4.33	<5	10	<0.5	<2	11.45	<0.5	6	5	12	12.50	10
D1185822		2.05	0.310	<0.5	4.92	<5	10	<0.5	<2	10.20	<0.5	9	13	22	13.80	10
D1185823		2.20	<0.005	<0.5	5.27	<5	10	<0.5	<2	7.93	<0.5	7	12	7	14.60	20
D1185824		1.98	<0.005	<0.5	5.38	<5	10	<0.5	<2	8.39	0.5	8	10	13	14.65	20
D1185825		1.85	<0.005	<0.5	5.12	<5	10	<0.5	<2	8.01	<0.5	9	11	23	15.15	20
D1185826		2.24	<0.005	<0.5	5.67	<5	20	0.6	<2	9.29	1.1	13	25	49	14.00	20
D1185827		1.91	<0.005	<0.5	7.84	<5	70	0.9	<2	3.17	<0.5	14	18	33	12.65	20
D1185828		2.01	<0.005	<0.5	6.37	<5	200	<0.5	<2	4.57	<0.5	32	77	43	6.76	10
D1185829		1.74	<0.005	<0.5	7.61	<5	70	<0.5	<2	7.84	<0.5	41	95	30	7.91	20
D1185830		0.05	1.230	<0.5	6.55	770	410	1.0	<2	5.33	<0.5	37	180	90	9.53	20
D1185831		1.83	<0.005	<0.5	8.12	<5	40	<0.5	2	7.68	<0.5	43	98	70	7.82	20
D1185832		2.12	<0.005	<0.5	8.43	<5	50	<0.5	<2	5.54	<0.5	51	114	72	8.44	20
D1185833		1.95	<0.005	<0.5	8.25	<5	40	<0.5	2	6.88	<0.5	47	106	82	8.78	20
D1185834		1.65	<0.005	<0.5	7.81	<5	40	<0.5	<2	6.35	<0.5	42	101	80	7.74	20
D1185835		2.04	<0.005	<0.5	7.90	<5	40	<0.5	<2	7.16	<0.5	45	103	60	8.09	20
D1185836		1.97	<0.005	<0.5	7.98	<5	60	<0.5	<2	6.37	<0.5	47	106	84	7.88	20
D1185837		2.00	<0.005	<0.5	7.98	<5	50	<0.5	<2	6.41	<0.5	46	106	68	8.36	20
D1185838		2.07	<0.005	<0.5	8.02	<5	40	<0.5	<2	6.65	<0.5	46	106	73	8.62	20
D1185839		1.81	<0.005	<0.5	7.96	<5	70	<0.5	<2	5.50	<0.5	46	114	76	7.60	20
D1185840		0.28	<0.005	<0.5	3.37	<5	310	0.7	<2	21.1	<0.5	6	24	8	1.50	10

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1185801		0.37	10	1.68	3770	<1	0.84	94	640	8	0.61	<5	25	145	<20	0.61
D1185802		0.32	10	1.53	2060	<1	1.18	59	570	5	1.09	<5	16	160	<20	0.42
D1185803		0.78	10	2.29	2100	<1	1.74	78	680	98	1.60	<5	21	122	<20	0.53
D1185804		1.62	10	1.46	1035	1	1.51	28	410	127	0.24	<5	12	52	<20	0.26
D1185805		1.45	20	2.06	1665	<1	1.86	40	690	139	0.13	<5	16	89	<20	0.42
D1185806		0.83	10	1.76	1320	1	1.77	24	530	210	0.28	<5	10	70	<20	0.26
D1185807		0.87	10	2.18	1545	1	1.60	56	580	12	1.19	<5	16	84	<20	0.40
D1185808		0.98	10	2.45	1735	<1	1.74	98	790	7	0.07	<5	26	118	<20	0.63
D1185809		0.87	10	2.92	1980	1	1.74	115	730	10	0.07	<5	29	121	<20	0.73
D1185810		0.58	20	3.13	4180	5	1.27	110	2340	16	3.61	15	20	249	<20	0.59
D1185811		0.52	10	2.57	1620	<1	1.88	105	770	6	0.11	<5	28	106	<20	0.71
D1185812		0.55	10	2.47	1925	<1	2.04	122	750	37	0.52	<5	30	140	<20	0.74
D1185813		0.28	10	2.87	2140	<1	1.70	123	750	43	0.57	<5	32	119	<20	0.77
D1185814		0.43	10	2.59	1900	<1	1.64	112	760	48	0.84	<5	27	114	<20	0.66
D1185815		0.34	10	1.94	1720	1	1.64	92	630	16	0.67	<5	24	148	<20	0.59
D1185816		0.25	10	1.91	1650	1	1.28	79	680	8	1.09	<5	22	148	<20	0.53
D1185817		0.42	10	1.87	3880	<1	0.75	91	620	8	0.59	<5	24	122	<20	0.61
D1185818		0.49	10	2.45	5110	<1	0.72	84	650	6	0.34	<5	24	84	<20	0.60
D1185819		0.41	10	1.74	6550	1	0.78	91	680	9	0.25	<5	24	86	<20	0.59
D1185820		1.70	20	0.70	1015	<1	0.66	11	2760	11	0.16	<5	5	456	<20	0.17
D1185821		0.06	10	0.79	6660	1	0.09	11	660	7	0.11	<5	10	35	<20	0.30
D1185822		0.08	10	0.79	7160	1	0.12	14	840	6	0.13	<5	12	31	<20	0.35
D1185823		0.07	10	0.89	5630	2	0.11	11	820	7	0.02	<5	13	24	<20	0.37
D1185824		0.06	10	1.05	4830	1	0.09	10	920	6	0.06	<5	13	29	<20	0.39
D1185825		0.10	10	0.86	5110	1	0.16	12	880	9	0.26	<5	12	22	<20	0.36
D1185826		0.16	20	1.04	4810	<1	0.35	23	870	35	0.61	6	15	43	<20	0.41
D1185827		0.29	20	1.91	3620	1	0.94	27	1060	6	0.19	<5	18	120	<20	0.49
D1185828		0.52	10	2.09	2380	<1	1.61	85	830	5	0.05	<5	23	148	<20	0.63
D1185829		0.27	10	2.54	2130	<1	2.05	118	1040	5	0.01	<5	29	225	<20	0.78
D1185830		0.68	20	3.66	2540	3	1.88	135	1920	11	0.97	<5	17	373	<20	0.89
D1185831		0.16	10	3.08	1635	<1	2.49	127	1060	4	0.01	<5	30	202	<20	0.81
D1185832		0.15	10	3.36	1585	<1	2.79	148	1100	6	0.01	<5	32	218	<20	0.90
D1185833		0.15	10	3.41	1560	<1	2.61	138	1090	7	0.01	5	31	362	<20	0.84
D1185834		0.25	10	2.75	1215	<1	2.66	125	1020	4	0.06	5	30	248	<20	0.79
D1185835		0.23	10	2.98	1400	<1	2.55	131	1070	6	0.03	<5	31	274	<20	0.82
D1185836		0.24	10	2.71	1380	1	2.65	138	1120	11	0.06	<5	31	348	<20	0.84
D1185837		0.19	10	2.96	1505	<1	2.59	133	1060	6	0.06	<5	31	289	<20	0.84
D1185838		0.16	10	2.98	1510	<1	2.54	132	1110	7	0.05	<5	31	344	<20	0.84
D1185839		0.20	10	2.75	1545	1	3.13	135	1030	5	0.06	<5	31	214	<20	0.85
D1185840		1.85	30	0.76	1040	<1	0.61	14	2770	15	0.31	<5	6	499	<20	0.18

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1185801		<10	<10	201	<10	94	
D1185802		<10	<10	112	<10	355	
D1185803		<10	<10	166	<10	1210	
D1185804		<10	<10	62	<10	483	
D1185805		<10	<10	112	<10	353	
D1185806		<10	<10	45	<10	853	
D1185807		<10	<10	103	<10	867	
D1185808		<10	<10	201	<10	130	
D1185809		<10	<10	243	<10	142	
D1185810		<10	<10	180	<10	126	NSS
D1185811		<10	<10	224	<10	133	
D1185812		<10	<10	248	<10	200	
D1185813		<10	<10	261	<10	223	
D1185814		<10	<10	220	<10	230	
D1185815		<10	<10	205	<10	146	
D1185816		<10	<10	160	<10	181	
D1185817		<10	<10	196	<10	130	
D1185818		<10	<10	198	<10	106	
D1185819		<10	<10	189	<10	96	
D1185820		<10	<10	22	<10	19	
D1185821		<10	<10	14	<10	84	
D1185822		<10	<10	29	<10	96	
D1185823		<10	<10	26	<10	90	
D1185824		<10	<10	23	<10	93	
D1185825		<10	<10	27	<10	97	
D1185826		<10	<10	55	<10	201	
D1185827		<10	<10	61	<10	122	
D1185828		<10	<10	160	<10	88	
D1185829		<10	<10	206	<10	100	
D1185830		<10	<10	150	<10	124	
D1185831		<10	<10	228	<10	105	
D1185832		<10	<10	241	<10	129	
D1185833		<10	<10	231	<10	116	
D1185834		<10	<10	218	<10	126	
D1185835		<10	<10	219	<10	99	
D1185836		<10	<10	235	<10	110	
D1185837		<10	<10	232	<10	120	
D1185838		<10	<10	224	<10	115	
D1185839		<10	<10	233	<10	103	
D1185840		<10	<10	24	<10	19	

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1185841		2.01	<0.005	<0.5	8.31	<5	110	0.5	<2	6.45	<0.5	46	112	76	7.18	20
D1185842		1.89	<0.005	<0.5	7.80	<5	50	<0.5	<2	8.00	<0.5	46	100	63	7.40	20
D1185843		2.17	<0.005	<0.5	6.75	<5	70	<0.5	<2	5.47	<0.5	37	101	49	7.14	20
D1185844		1.66	<0.005	<0.5	5.12	<5	140	<0.5	<2	4.94	<0.5	29	76	45	5.32	10
D1185845		1.95	<0.005	<0.5	7.16	<5	160	<0.5	<2	5.77	<0.5	42	95	58	7.30	20
D1185846		2.04	<0.005	<0.5	8.13	<5	330	0.5	<2	5.78	<0.5	36	45	64	6.77	20
D1185847		1.68	<0.005	<0.5	7.72	<5	140	<0.5	<2	6.93	<0.5	44	96	75	8.31	20
D1185848		2.06	<0.005	<0.5	7.94	<5	60	<0.5	<2	7.02	<0.5	46	100	82	8.55	20
D1185849		2.00	<0.005	<0.5	7.08	<5	40	<0.5	<2	8.77	<0.5	41	89	67	7.05	20
D1185850		0.06	0.339	<0.5	7.64	199	350	1.1	<2	5.96	<0.5	42	209	115	8.30	20
D1185851		1.83	<0.005	<0.5	7.83	<5	50	<0.5	3	7.49	<0.5	46	107	88	8.00	20
D1185852		2.03	<0.005	<0.5	7.52	<5	20	<0.5	<2	7.28	<0.5	43	97	73	8.39	20
D1185853		1.92	<0.005	<0.5	7.46	<5	20	<0.5	<2	6.48	<0.5	41	94	69	8.53	20
D1185854		1.99	<0.005	<0.5	7.38	<5	20	<0.5	<2	6.49	<0.5	42	95	73	8.48	20
D1185855		1.89	<0.005	<0.5	7.69	<5	60	0.5	<2	6.40	<0.5	44	99	71	8.12	20
D1185856		1.80	<0.005	<0.5	6.77	<5	160	0.6	<2	5.49	<0.5	30	67	61	7.59	20
D1185857		1.91	<0.005	<0.5	7.42	<5	190	<0.5	<2	5.72	<0.5	43	96	59	8.08	20
D1185858		1.87	<0.005	<0.5	7.52	<5	410	<0.5	<2	4.35	<0.5	43	101	53	7.41	20
D1185859		1.56	<0.005	<0.5	7.70	<5	350	0.8	<2	3.80	<0.5	17	73	28	3.70	20
D1185860		0.26	<0.005	<0.5	2.93	<5	340	0.5	<2	23.9	<0.5	2	19	8	1.25	10
D1185861		1.28	<0.005	<0.5	7.74	<5	330	<0.5	<2	4.96	<0.5	48	107	51	9.13	20
D1185862		1.45	<0.005	<0.5	7.77	<5	290	<0.5	<2	5.35	<0.5	42	103	66	7.72	20
D1185863		2.17	<0.005	<0.5	7.83	<5	70	<0.5	2	7.09	<0.5	43	104	60	8.08	20
D1185864		1.93	<0.005	<0.5	7.85	<5	40	<0.5	<2	8.69	<0.5	42	106	84	7.26	20
D1185865		2.05	<0.005	<0.5	6.45	<5	30	<0.5	<2	5.13	<0.5	12	23	23	7.36	20
D1185866		2.20	<0.005	<0.5	7.18	<5	120	<0.5	<2	6.49	<0.5	37	114	98	9.87	20
D1185867		2.14	<0.005	<0.5	7.19	<5	200	<0.5	<2	7.36	1.5	38	131	64	9.37	20
D1185868		1.70	<0.005	<0.5	7.29	<5	140	<0.5	<2	8.49	<0.5	42	142	68	9.72	20
D1185869		2.22	<0.005	<0.5	7.07	<5	170	<0.5	<2	8.12	<0.5	40	132	83	10.05	20
D1185870		0.05	3.42	0.6	6.62	1430	440	0.9	<2	5.45	0.6	41	177	126	11.45	20
D1185871		1.98	0.005	<0.5	7.46	<5	180	0.5	<2	6.69	<0.5	45	152	163	11.10	20
D1185872		2.34	<0.005	<0.5	7.77	<5	30	0.5	<2	8.29	<0.5	44	150	99	9.98	20
D1185873		2.12	<0.005	<0.5	6.94	<5	30	<0.5	<2	7.15	<0.5	27	144	33	7.61	20
D1185874		2.06	<0.005	<0.5	7.67	<5	40	<0.5	<2	8.01	<0.5	48	146	34	6.46	20
D1185875		2.15	<0.005	<0.5	8.02	<5	170	<0.5	<2	5.21	<0.5	45	166	68	7.07	20
D1185876		2.03	<0.005	<0.5	7.35	<5	140	<0.5	<2	6.31	<0.5	43	154	77	6.48	20
D1185877		2.16	<0.005	<0.5	7.78	<5	90	<0.5	<2	4.99	<0.5	54	159	187	11.70	20
D1185878		2.23	<0.005	<0.5	8.09	<5	140	<0.5	<2	5.45	<0.5	43	172	86	8.65	20
D1185879		2.10	<0.005	<0.5	7.64	<5	190	<0.5	<2	5.28	<0.5	43	169	88	7.59	20
D1185880		0.28	<0.005	<0.5	3.24	<5	450	0.5	<2	21.9	<0.5	4	25	9	1.61	10

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1185841		0.20	10	2.62	1700	<1	3.26	137	1170	3	0.06	<5	33	249	<20	0.87
D1185842		0.18	10	2.51	1685	1	2.59	130	1090	2	0.04	<5	31	277	<20	0.82
D1185843		0.31	10	2.48	1295	<1	2.08	108	900	3	0.04	<5	26	241	<20	0.70
D1185844		0.42	10	1.89	1155	1	1.52	83	640	4	0.06	<5	20	179	<20	0.52
D1185845		0.52	10	2.94	1660	<1	2.02	119	980	3	0.04	<5	27	256	<20	0.75
D1185846		0.85	10	2.72	1290	<1	2.74	57	850	4	0.20	<5	22	273	<20	0.59
D1185847		0.46	10	3.11	1535	1	1.98	125	1040	9	0.18	<5	30	301	<20	0.80
D1185848		0.29	10	3.16	1465	<1	2.33	127	1060	4	0.11	<5	31	348	<20	0.82
D1185849		0.14	10	2.51	1630	<1	2.18	117	960	5	0.04	5	28	340	<20	0.73
D1185850		0.84	20	3.94	1460	5	2.33	152	1680	5	0.28	<5	20	449	<20	1.07
D1185851		0.23	10	2.64	1530	<1	2.30	127	1090	<2	0.11	<5	31	320	<20	0.83
D1185852		0.12	10	3.24	1365	<1	1.86	122	1040	4	0.02	<5	29	421	<20	0.79
D1185853		0.11	10	3.46	1280	<1	1.69	112	1060	2	0.01	<5	30	379	<20	0.80
D1185854		0.11	10	3.46	1270	<1	1.70	114	1050	2	0.01	<5	28	350	<20	0.79
D1185855		0.19	10	2.77	1490	<1	2.04	119	1040	6	0.06	<5	30	300	<20	0.79
D1185856		0.46	10	1.56	1475	1	1.87	74	840	3	0.23	<5	23	199	<20	0.60
D1185857		0.40	10	3.35	1600	<1	2.16	114	1020	7	0.04	<5	28	238	<20	0.78
D1185858		0.77	10	3.28	1300	<1	2.17	130	1090	2	0.05	<5	28	268	<20	0.79
D1185859		0.72	10	1.76	658	<1	3.68	42	640	9	0.06	<5	9	438	<20	0.32
D1185860		1.59	20	0.71	1105	<1	0.62	10	2640	11	0.13	<5	5	496	<20	0.16
D1185861		0.55	10	4.00	1590	<1	2.23	145	1070	3	0.03	<5	28	266	<20	0.85
D1185862		0.51	10	3.03	1555	1	2.50	122	1070	4	0.09	<5	29	252	<20	0.80
D1185863		0.17	10	2.78	1850	<1	2.09	125	1070	5	0.02	<5	30	149	<20	0.82
D1185864		0.11	10	2.36	1950	<1	2.03	125	1100	7	0.01	<5	31	135	<20	0.83
D1185865		0.12	20	1.27	1410	1	0.81	26	590	7	0.05	<5	15	198	<20	0.37
D1185866		0.25	10	1.57	2700	<1	1.75	97	690	7	0.89	<5	27	188	<20	0.61
D1185867		0.34	10	1.61	3250	<1	1.86	93	560	72	0.35	<5	30	207	<20	0.61
D1185868		0.23	10	1.42	3430	<1	1.74	102	520	5	0.52	<5	31	241	<20	0.60
D1185869		0.27	10	1.29	3580	<1	1.62	95	510	5	0.65	<5	29	209	<20	0.57
D1185870		0.66	20	3.79	2700	5	1.90	152	2130	14	2.44	<5	17	386	<20	0.90
D1185871		0.29	10	1.41	2920	<1	1.72	103	570	2	1.44	<5	30	169	<20	0.62
D1185872		0.09	10	1.46	2450	<1	1.24	100	610	7	1.14	<5	31	119	<20	0.63
D1185873		0.07	<10	1.62	1870	<1	1.39	88	470	3	0.31	<5	30	98	<20	0.57
D1185874		0.17	10	1.59	1335	<1	1.67	106	550	2	0.40	<5	32	121	<20	0.64
D1185875		0.34	10	2.32	1170	<1	2.36	112	590	2	0.29	<5	33	148	<20	0.69
D1185876		0.30	10	1.78	1255	<1	2.49	100	530	2	0.94	<5	30	166	<20	0.60
D1185877		0.28	10	2.11	1620	<1	2.48	108	520	<2	3.56	<5	32	132	<20	0.64
D1185878		0.35	10	2.19	1355	<1	2.56	111	610	2	1.51	5	35	170	<20	0.70
D1185879		0.50	10	1.89	1110	<1	2.43	96	560	<2	1.70	<5	32	186	<20	0.64
D1185880		1.75	20	0.71	912	<1	0.66	14	2860	10	0.19	<5	5	424	<20	0.20

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1185841		<10	<10	232	<10	118	
D1185842		<10	<10	221	<10	105	
D1185843		<10	<10	190	<10	97	
D1185844		<10	<10	148	<10	73	
D1185845		<10	<10	201	<10	99	
D1185846		<10	<10	182	<10	102	
D1185847		<10	<10	216	<10	107	
D1185848		<10	<10	223	<10	111	
D1185849		<10	<10	195	<10	97	
D1185850		<10	<10	159	<10	117	
D1185851		<10	<10	224	<10	114	
D1185852		<10	<10	217	<10	105	
D1185853		<10	<10	222	<10	106	
D1185854		<10	<10	218	<10	105	
D1185855		<10	<10	215	<10	109	
D1185856		<10	<10	155	<10	96	
D1185857		<10	<10	213	<10	104	
D1185858		<10	<10	212	<10	100	
D1185859		<10	<10	76	<10	69	
D1185860		<10	<10	19	<10	19	
D1185861		<10	<10	228	<10	122	
D1185862		<10	<10	211	<10	114	
D1185863		<10	<10	221	<10	113	
D1185864		<10	<10	228	<10	107	
D1185865		<10	<10	69	<10	101	
D1185866		<10	<10	188	<10	100	
D1185867		<10	<10	218	<10	308	
D1185868		<10	<10	207	<10	90	
D1185869		<10	<10	206	<10	94	
D1185870		<10	<10	154	<10	134	
D1185871		<10	<10	215	<10	119	
D1185872		<10	<10	226	<10	129	
D1185873		<10	<10	215	<10	116	
D1185874		<10	<10	232	<10	94	
D1185875		<10	<10	253	<10	120	
D1185876		<10	<10	221	<10	99	
D1185877		<10	10	226	<10	132	
D1185878		<10	<10	244	<10	131	
D1185879		<10	<10	234	<10	105	
D1185880		<10	<10	23	<10	17	

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1185881		1.84	<0.005	<0.5	8.92	<5	560	0.5	<2	4.82	<0.5	40	187	50	8.08	20
D1185882		2.15	<0.005	<0.5	8.75	<5	870	1.0	<2	5.11	<0.5	14	99	6	4.55	20
D1185883		2.13	<0.005	<0.5	8.31	<5	600	<0.5	<2	4.86	<0.5	52	173	102	7.97	20
D1185884		2.14	<0.005	<0.5	7.61	<5	460	<0.5	<2	5.86	<0.5	45	141	133	8.78	20
D1185885		1.95	0.008	<0.5	7.10	<5	360	<0.5	<2	5.81	<0.5	36	103	351	8.96	20
D1185886		2.05	<0.005	<0.5	6.67	<5	350	0.6	<2	4.55	<0.5	22	32	51	8.37	20
D1185887		2.05	<0.005	<0.5	6.84	<5	440	0.5	<2	5.22	<0.5	23	50	54	7.03	20
D1185888		1.98	<0.005	<0.5	7.38	<5	500	0.6	<2	5.23	<0.5	32	69	35	6.85	20
D1185889		1.97	<0.005	<0.5	7.21	<5	560	0.6	<2	5.10	<0.5	35	69	27	6.83	20
D1185890		0.05	1.220	<0.5	6.75	767	440	1.0	<2	5.44	<0.5	39	186	90	9.83	20
D1185891		2.08	<0.005	<0.5	6.27	<5	410	0.5	4	4.40	<0.5	22	37	45	7.71	20
D1185892		2.00	<0.005	<0.5	6.99	<5	380	0.6	<2	5.38	<0.5	31	59	40	8.21	20
D1185893		2.02	<0.005	<0.5	8.42	<5	700	<0.5	<2	4.26	<0.5	46	172	50	7.29	20
D1185894		1.93	<0.005	<0.5	8.21	<5	470	<0.5	<2	6.09	<0.5	45	170	79	9.04	20
D1185895		2.01	<0.005	<0.5	7.66	<5	240	0.5	<2	8.96	<0.5	35	85	29	6.50	20
D1185896		1.97	<0.005	<0.5	7.61	<5	570	<0.5	<2	5.97	<0.5	54	147	126	8.49	20
D1185897		1.97	<0.005	<0.5	8.77	<5	460	<0.5	<2	6.40	<0.5	52	169	63	7.20	20
D1185898		1.92	<0.005	<0.5	7.83	<5	460	<0.5	<2	3.71	<0.5	47	161	65	6.41	20
D1185899		2.12	<0.005	<0.5	8.10	<5	310	0.5	<2	4.01	<0.5	41	167	49	6.86	20
D1185900		0.30	<0.005	<0.5	3.33	<5	340	0.6	<2	20.4	<0.5	5	23	20	1.71	10

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1185881		0.98	<10	2.49	1375	<1	3.03	114	650	2	0.47	<5	34	272	<20	0.77
D1185882		1.43	10	1.36	673	<1	3.75	38	840	4	0.11	<5	11	590	<20	0.29
D1185883		1.11	10	2.66	1205	<1	2.60	120	550	<2	0.57	<5	35	217	<20	0.73
D1185884		0.87	10	2.08	1330	<1	2.27	111	560	<2	1.84	<5	29	205	<20	0.59
D1185885		0.85	10	2.34	1705	<1	1.96	73	880	2	1.10	<5	30	130	<20	0.76
D1185886		0.84	10	1.71	1435	<1	1.43	23	1470	3	0.30	<5	22	133	<20	0.67
D1185887		1.05	10	1.59	1350	<1	2.07	39	1290	3	0.26	<5	26	119	<20	0.78
D1185888		1.14	10	2.00	1485	<1	2.10	57	1080	<2	0.16	<5	27	185	<20	0.79
D1185889		1.40	10	1.85	1560	<1	2.19	57	1170	3	0.07	<5	30	135	<20	0.86
D1185890		0.70	20	3.74	2570	2	1.95	140	1950	6	1.00	<5	18	382	<20	0.91
D1185891		0.85	10	1.58	1505	1	1.54	28	1410	3	0.37	<5	24	138	<20	0.71
D1185892		0.69	10	2.10	1790	<1	1.87	46	1300	2	0.32	<5	27	143	<20	0.78
D1185893		1.18	10	2.68	1215	<1	2.57	109	590	<2	0.37	<5	34	196	<20	0.72
D1185894		0.95	10	2.45	1485	<1	1.87	102	530	3	1.16	<5	34	199	<20	0.69
D1185895		0.49	10	1.59	1865	<1	1.89	70	990	<2	0.07	<5	30	200	<20	0.81
D1185896		0.67	10	1.98	1345	<1	2.32	101	580	3	1.27	<5	31	209	<20	0.65
D1185897		0.58	10	2.46	1485	<1	2.63	111	640	<2	0.36	<5	36	241	<20	0.76
D1185898		0.70	<10	2.96	1200	<1	2.47	103	590	4	0.15	<5	32	180	<20	0.68
D1185899		0.69	10	2.95	1080	<1	2.31	110	590	<2	0.26	<5	33	227	<20	0.69
D1185900		1.81	30	0.90	998	<1	0.67	13	2850	14	0.25	<5	6	464	<20	0.18

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1185881		<10	<10	257	<10	144	
D1185882		<10	<10	210	<10	76	
D1185883		<10	<10	272	<10	127	
D1185884		<10	<10	216	<10	111	
D1185885		<10	<10	223	<10	137	
D1185886		<10	<10	106	<10	119	
D1185887		<10	<10	168	<10	119	
D1185888		<10	<10	207	<10	128	
D1185889		<10	<10	219	<10	127	
D1185890		<10	<10	153	<10	128	
D1185891		<10	<10	122	<10	126	
D1185892		<10	<10	176	<10	130	
D1185893		<10	<10	257	<10	123	
D1185894		<10	<10	255	<10	125	
D1185895		<10	<10	237	<10	91	
D1185896		<10	<10	234	<10	118	
D1185897		<10	<10	285	<10	119	
D1185898		<10	<10	248	<10	116	
D1185899		<10	<10	250	<10	118	
D1185900		<10	<10	24	<10	225	

Comments: Additional Au-GRA22 check assay for sample D1185607
are 7.53 g/t and 6.67 g/t.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 25-FEB-2015
Account: DETGLD

Project: DGEX-236

CERTIFICATE OF ANALYSIS SD15016807

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

NSS is non-sufficient sample.
Applies to Method: ALL METHODS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:			
CRU-31	CRU-QC	LOG-22	LOG-24
PUL-32	PUL-QC	SPL-22Y	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:		
Au-AA24	Au-GRA22	ME-ICP61