ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **AURICO GOLD INC. - YOUNG-DAVIDSON**
PO BOX 187
MATACHEWAN ON P0K 1M0

Finalized Date: 14-JUN-2012
This copy reported on
3-AUG-2012
Account: NORTEX

CERTIFICATE SD12124832

Project: 1916

P.O. No.: 12-009

This report is for 73 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 6-JUN-2012.

The following have access to data associated with this certificate:

CARL EDMUNDS YOUNG DAVIDSON WEBTRIEVE	JIM JANZEN	RON KONST

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **AURICO GOLD INC. - YOUNG-DAVIDSON**
ATTN: JIM JANZEN
PO BOX 187
MATACHEWAN ON P0K 1M0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

Comments: **Corrected copy for Au-AA26 on samples Y21416 to Y21426**

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **AURICO GOLD INC. - YOUNG-DAVIDSON**
PO BOX 187
MATACHEWAN ON P0K 1M0

Finalized Date: 14-JUN-2012
Account: NORTEX

Project: 1916

CERTIFICATE OF ANALYSIS SD12124832

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	PUL-QC Pass75um % 0.01	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
Y21367		2.39	<0.01	58.5	<0.5	6.78	12	1130	2.9	<2	3.62	<0.5	43	35	141	10.25
Y21368		2.65	<0.01		<0.5	6.58	11	1000	2.0	<2	3.91	<0.5	37	32	158	9.80
Y21369		3.07	0.08		<0.5	7.40	12	1310	1.9	<2	3.66	<0.5	18	37	108	4.87
Y21370		2.00	0.19		<0.5	7.24	<5	1570	1.5	<2	3.97	<0.5	23	35	80	5.10
Y21371		1.66	0.01	83.0	<0.5	6.53	13	960	2.8	<2	4.30	<0.5	38	31	160	9.89
Y21372		3.31	0.06		<0.5	7.12	9	1180	3.9	<2	2.78	<0.5	34	38	116	9.64
Y21373		2.95	0.47	92.1	<0.5	6.29	19	900	1.5	<2	5.14	<0.5	34	28	103	5.91
Y21374		2.74	0.01		<0.5	6.73	<5	810	2.8	<2	3.60	<0.5	39	36	153	10.30
Y21375		2.65	0.01		<0.5	6.76	14	860	3.2	<2	3.64	<0.5	41	36	170	10.40
Y21376		2.37	0.10		<0.5	6.94	5	1250	1.9	<2	5.37	<0.5	17	32	82	4.78
Y21377		1.94	0.09		0.5	7.52	26	1070	1.6	<2	4.60	<0.5	21	30	175	4.52
Y21378		1.39	0.07		<0.5	7.09	<5	1150	1.4	<2	3.80	<0.5	15	24	144	4.05
Y21379		2.49	0.39		<0.5	7.40	<5	1210	1.7	<2	5.06	<0.5	19	31	69	4.66
Y21380		3.47	1.11		1.3	6.67	<5	1080	1.0	<2	3.55	1.0	11	15	81	3.04
Y21381		0.48	<0.01		<0.5	2.68	<5	80	0.6	<2	39.9	<0.5	7	28	82	1.52
Y21382		3.05	1.41		2.4	6.52	9	1480	0.9	3	3.91	<0.5	7	15	62	2.23
Y21383		3.08	3.07		3.9	6.43	<5	1270	1.5	<2	6.43	<0.5	15	109	219	3.33
Y21384		3.39	1.64		1.6	6.45	<5	1340	1.6	<2	5.72	<0.5	14	67	74	3.91
Y21385		3.25	1.65		1.7	7.03	<5	1630	4.1	<2	5.82	<0.5	19	118	65	4.45
Y21386		2.41	0.97		0.7	7.57	<5	1190	1.7	<2	2.59	<0.5	13	22	88	3.98
Y21387		3.48	0.04		<0.5	6.82	<5	260	2.2	<2	3.09	<0.5	39	36	151	10.70
Y21388		3.47	0.90		0.8	6.84	6	330	1.7	<2	3.72	<0.5	28	27	117	7.72
Y21389		2.72	0.60		0.9	7.30	8	320	2.6	<2	3.68	<0.5	26	30	21	7.66
Y21390		1.80	1.38		1.1	5.84	<5	870	1.2	<2	2.56	<0.5	7	16	49	2.47
Y21391		2.41	0.05		<0.5	6.86	7	180	2.6	<2	3.26	<0.5	35	37	95	10.25
Y21392		2.76	1.27		1.7	6.91	<5	1130	1.5	<2	2.85	<0.5	8	15	81	2.62
Y21393		3.04	1.69		3.4	5.03	9	920	1.0	3	3.53	<0.5	10	18	172	2.44
Y21394		3.22	2.94		5.2	6.29	<5	1150	1.3	<2	2.98	<0.5	8	14	65	2.44
Y21395		3.01	5.20		6.7	6.83	<5	1750	2.1	<2	2.41	<0.5	7	18	60	2.39
Y21396		3.24	2.38		2.7	6.97	10	2050	3.2	<2	2.70	<0.5	8	18	90	2.21
Y21397		2.84	1.96		2.6	5.47	10	1670	2.9	<2	3.44	<0.5	7	17	26	2.20
Y21398		3.03	4.57		5.3	6.26	<5	1120	2.2	<2	4.00	<0.5	7	49	48	2.20
Y21399		3.06	2.14		1.4	6.48	<5	1840	1.4	<2	3.94	<0.5	13	58	58	2.82
Y21400		3.13	0.18		<0.5	6.24	7	2120	2.9	<2	4.93	<0.5	27	252	180	5.17
Y21401		0.13	6.11		1.3	8.41	107	180	4.5	<2	2.64	<0.5	19	72	89	6.28
Y21402		1.48	0.08		<0.5	6.19	<5	8210	2.6	<2	8.73	<0.5	23	309	87	6.27
Y21403		3.68	0.73		3.9	6.78	<5	2100	2.8	2	4.88	<0.5	13	117	68	2.98
Y21404		3.31	1.15		1.0	5.34	24	1100	1.5	3	5.01	<0.5	14	24	93	2.28
Y21405		2.84	1.14		<0.5	5.55	<5	340	4.6	3	2.82	<0.5	13	16	22	2.07
Y21406		2.87	1.39	96.7	1.0	5.59	<5	1180	1.1	2	2.86	<0.5	9	15	21	2.11

Comments: **Corrected copy for Au-AA26 on samples Y21416 to Y21426**

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **AURICO GOLD INC. - YOUNG-DAVIDSON**
PO BOX 187
MATACHEWAN ON P0K 1M0

Finalized Date: 14-JUN-2012
Account: NORTEX

Project: 1916

CERTIFICATE OF ANALYSIS SD12124832

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Te
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	10
Y21367		20	2.27	20	2.69	1095	3	1.18	35	890	21	0.14	<5	34	295	<10
Y21368		20	1.94	20	2.58	1180	2	1.38	30	980	27	0.12	<5	31	337	<10
Y21369		20	4.07	90	1.86	842	3	2.08	21	2460	31	0.76	<5	10	535	<10
Y21370		20	4.09	80	1.90	860	7	2.43	24	2740	33	1.15	<5	12	478	<10
Y21371		20	2.29	20	2.52	1085	2	1.18	29	960	22	0.16	<5	31	238	<10
Y21372		20	3.04	30	2.41	666	2	1.25	30	1240	22	0.35	<5	31	190	<10
Y21373		20	3.23	70	1.65	857	<1	1.76	21	1670	24	2.81	<5	14	357	<10
Y21374		20	2.13	20	2.72	988	2	1.16	32	910	21	0.20	<5	33	193	<10
Y21375		20	2.16	20	2.93	1020	1	0.93	34	920	22	0.15	<5	34	185	10
Y21376		20	2.92	200	1.53	935	3	2.54	13	1750	36	1.33	<5	11	582	<10
Y21377		20	3.69	210	2.02	1000	20	2.61	15	2130	50	1.37	<5	10	627	<10
Y21378		20	4.46	70	1.43	895	7	2.62	13	1780	75	0.49	<5	8	619	<10
Y21379		20	4.27	120	1.41	896	1	2.70	20	2430	38	1.29	<5	9	576	10
Y21380		20	4.78	40	0.78	648	15	2.46	12	920	123	1.85	<5	5	408	<10
Y21381		10	0.71	170	1.30	300	3	0.18	53	950	9	1.48	5	4	1970	<10
Y21382		20	5.37	40	0.60	593	33	2.24	11	800	197	1.53	<5	4	440	<10
Y21383		20	4.30	40	1.09	842	1	2.01	29	1280	41	1.81	<5	10	471	10
Y21384		20	3.84	80	1.67	1025	31	1.99	35	1330	62	2.55	<5	11	699	<10
Y21385		20	4.41	80	1.79	976	10	2.19	54	2070	42	2.05	<5	11	722	<10
Y21386		20	4.85	40	1.26	564	3	2.66	15	810	29	1.53	<5	10	352	<10
Y21387		20	1.04	20	2.81	1030	2	2.34	33	920	29	0.17	6	34	175	<10
Y21388		20	1.81	30	2.28	904	5	2.56	25	820	38	0.61	<5	25	241	<10
Y21389		20	1.90	30	2.78	839	2	2.30	27	900	30	0.63	5	27	213	<10
Y21390		20	3.87	30	0.64	480	2	1.97	7	670	17	1.19	<5	5	339	<10
Y21391		20	0.97	20	2.88	824	2	2.47	35	910	37	0.24	<5	34	164	<10
Y21392		20	5.31	30	0.59	482	2	2.57	10	1070	24	1.77	<5	4	413	<10
Y21393		10	3.93	80	0.50	518	52	1.37	12	1690	33	1.87	<5	4	337	<10
Y21394		20	4.65	30	0.34	484	5	2.30	8	1130	41	2.05	<5	3	359	<10
Y21395		20	4.79	40	0.35	389	<1	2.47	9	840	103	2.03	<5	3	474	10
Y21396		20	5.25	40	0.54	421	5	2.42	8	870	27	1.34	<5	3	494	<10
Y21397		20	4.51	70	0.33	366	3	1.98	11	5250	39	1.75	<5	3	415	<10
Y21398		20	4.67	30	0.33	490	2	2.02	13	1320	66	1.98	<5	5	821	10
Y21399		20	4.66	40	0.85	590	10	2.00	24	1160	23	1.99	<5	7	821	<10
Y21400		20	3.97	50	2.43	1125	9	2.22	117	940	28	0.52	<5	18	603	10
Y21401		30	3.75	10	1.91	487	2	3.39	75	1040	68	3.33	<5	6	350	<10
Y21402		20	2.06	50	3.58	1315	12	1.62	129	1330	12	0.54	<5	25	682	<10
Y21403		20	5.15	50	0.98	575	1	1.98	47	1490	36	0.94	<5	8	952	<10
Y21404		10	4.96	10	0.18	422	3	1.09	13	740	23	1.98	<5	4	1455	<10
Y21405		20	4.94	20	0.12	271	1	1.54	8	680	15	1.81	<5	3	739	<10
Y21406		20	4.61	40	0.23	305	1	2.07	9	690	14	1.50	<5	3	379	<10

Comments: **Corrected copy for Au-AA26 on samples Y21416 to Y21426**

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **AURICO GOLD INC. - YOUNG-DAVIDSON**
PO BOX 187
MATACHEWAN ON P0K 1M0

Finalized Date: 14-JUN-2012
Account: NORTEX

Project: 1916

CERTIFICATE OF ANALYSIS SD12124832

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
Y21367		0.89	<10	<10	336	<10	165
Y21368		0.83	<10	<10	312	<10	156
Y21369		0.19	<10	<10	128	10	125
Y21370		0.24	<10	<10	140	<10	118
Y21371		0.82	<10	<10	310	<10	127
Y21372		0.78	<10	<10	310	10	121
Y21373		0.28	<10	<10	130	10	94
Y21374		0.87	<10	<10	330	<10	133
Y21375		0.90	<10	<10	339	<10	149
Y21376		0.18	<10	<10	127	10	82
Y21377		0.18	<10	<10	127	10	105
Y21378		0.18	<10	<10	108	<10	89
Y21379		0.18	<10	<10	125	10	89
Y21380		0.13	<10	<10	48	10	105
Y21381		0.14	<10	20	97	<10	348
Y21382		0.09	<10	<10	30	10	61
Y21383		0.14	<10	<10	78	10	66
Y21384		0.18	<10	<10	75	10	88
Y21385		0.19	<10	<10	121	10	80
Y21386		0.30	<10	<10	110	10	70
Y21387		0.90	<10	<10	337	10	188
Y21388		0.66	<10	<10	246	10	195
Y21389		0.70	<10	<10	264	20	213
Y21390		0.11	<10	<10	48	10	58
Y21391		0.90	<10	<10	339	10	213
Y21392		0.09	<10	<10	37	10	54
Y21393		0.06	<10	<10	28	10	33
Y21394		0.08	<10	<10	25	10	33
Y21395		0.09	<10	<10	26	10	30
Y21396		0.10	<10	<10	45	10	45
Y21397		0.07	<10	<10	30	10	32
Y21398		0.10	<10	<10	40	20	35
Y21399		0.11	<10	<10	52	10	48
Y21400		0.24	<10	<10	160	10	101
Y21401		0.57	<10	<10	75	<10	108
Y21402		0.31	<10	<10	218	10	124
Y21403		0.16	<10	<10	82	10	48
Y21404		0.10	<10	<10	35	10	10
Y21405		0.09	<10	<10	28	10	11
Y21406		0.07	<10	<10	32	10	16

Comments: **Corrected copy for Au-AA26 on samples Y21416 to Y21426**

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **AURICO GOLD INC. - YOUNG-DAVIDSON**
PO BOX 187
MATACHEWAN ON P0K 1M0

Finalized Date: 14-JUN-2012
Account: NORTEX

Project: 1916

CERTIFICATE OF ANALYSIS SD12124832

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	PUL-QC Pass75um % 0.01	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
Y21407		2.92	3.08		3.0	6.73	11	1500	2.3	2	2.64	<0.5	9	16	55	2.42
Y21408		3.03	3.78		4.6	5.88	11	1460	1.2	2	3.03	<0.5	7	19	79	2.17
Y21409		3.16	1.86		2.5	6.00	18	1330	1.5	<2	4.09	<0.5	7	16	30	1.88
Y21410		3.26	0.08		<0.5	6.76	28	4510	3.6	<2	4.91	<0.5	9	18	89	1.98
Y21411		3.27	1.00		0.8	6.24	17	1230	2.2	<2	3.98	<0.5	8	17	62	2.19
Y21412		3.03	3.16		3.6	5.84	13	2170	1.9	5	3.88	<0.5	8	16	73	1.92
Y21413		2.87	3.09		4.0	5.82	13	1460	1.3	<2	3.85	<0.5	6	16	99	1.96
Y21414		2.99	2.46		3.3	6.01	8	1580	1.7	<2	4.16	<0.5	7	17	87	2.07
Y21415		2.92	2.33		2.5	5.62	8	1310	2.1	<2	3.16	<0.5	7	19	54	1.97
Y21416		2.77	2.81		3.6	6.29	8	1490	1.3	<2	2.60	<0.5	7	17	67	2.19
Y21417		2.63	2.26		2.6	6.47	6	660	1.6	3	2.69	<0.5	7	18	63	2.12
Y21418		2.57	3.48		4.4	7.08	<5	2080	2.5	2	2.58	<0.5	5	19	129	2.31
Y21419		3.01	2.67		3.7	6.14	5	1570	2.3	2	2.07	<0.5	5	19	91	2.08
Y21420		3.07	2.94		3.8	6.89	<5	1700	1.9	<2	2.63	<0.5	7	19	131	2.38
Y21421		0.52	0.01		<0.5	2.69	10	90	0.6	<2	40.7	<0.5	7	31	86	1.54
Y21422		2.97	1.87		2.3	6.14	8	750	1.1	<2	3.36	<0.5	7	17	79	2.22
Y21423		3.10	1.86		2.4	6.39	10	1700	1.1	<2	2.93	<0.5	5	17	66	2.21
Y21424		2.98	1.41		1.9	4.85	8	1610	0.7	4	1.72	<0.5	4	20	43	1.68
Y21425		2.90	1.56		1.6	6.18	7	1310	0.9	3	2.38	<0.5	7	18	34	2.27
Y21426		3.16	1.43	95.5	1.5	6.92	<5	1380	1.4	<2	2.53	<0.5	7	16	92	2.22
Y21427		2.94	0.99		1.1	7.03	<5	1260	1.6	<2	2.37	<0.5	6	17	79	2.26
Y21428		3.27	1.29		1.4	7.08	9	2130	2.2	<2	2.79	<0.5	7	17	48	2.15
Y21429		1.23	1.49		1.5	6.58	5	1450	1.6	<2	2.76	<0.5	5	17	42	2.16
Y21430		2.11	0.56		0.5	6.60	<5	1880	2.2	<2	3.23	<0.5	7	30	30	1.99
Y21431		1.79	0.43		<0.5	5.84	25	220	3.4	<2	8.68	<0.5	50	624	494	7.29
Y21432		1.90	<0.01		<0.5	6.96	23	1200	1.8	<2	5.49	<0.5	14	83	38	2.61
Y21433		3.63	0.06		<0.5	5.17	5	340	1.7	2	9.78	<0.5	29	375	57	5.41
Y21434		3.92	0.05		<0.5	4.74	11	290	1.9	<2	10.95	<0.5	27	328	122	4.74
Y21435		3.82	2.85		<0.5	5.23	18	680	3.6	<2	8.03	<0.5	37	232	558	5.85
Y21436		3.71	0.44		0.7	5.89	<5	1110	2.8	<2	5.85	<0.5	31	259	673	6.86
Y21437		3.83	0.27		<0.5	6.40	<5	2630	3.4	<2	4.56	<0.5	41	299	461	6.32
Y21438		4.14	0.29		<0.5	5.82	9	1090	2.5	<2	5.51	<0.5	42	421	388	6.41
Y21439		3.85	0.19		<0.5	5.64	8	1180	2.1	<2	5.56	<0.5	34	472	218	6.54

Comments: **Corrected copy for Au-AA26 on samples Y21416 to Y21426**

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **AURICO GOLD INC. - YOUNG-DAVIDSON**
PO BOX 187
MATACHEWAN ON P0K 1M0

Finalized Date: 14-JUN-2012
Account: NORTEX

Project: 1916

CERTIFICATE OF ANALYSIS SD12124832

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Te ppm 10
Y21407		20	5.05	30	0.24	267	2	2.20	8	800	20	1.94	<5	3	292	<10
Y21408		20	4.96	30	0.14	292	2	2.10	7	720	30	1.52	<5	3	305	<10
Y21409		20	5.26	40	0.16	395	10	2.06	8	710	27	1.28	<5	3	310	<10
Y21410		20	4.82	40	0.47	477	10	2.03	10	840	17	0.71	<5	4	475	<10
Y21411		20	4.93	30	0.25	392	10	2.40	8	730	16	1.19	<5	3	608	<10
Y21412		20	4.74	40	0.20	423	1	2.54	6	700	17	1.41	<5	3	416	<10
Y21413		20	5.27	20	0.25	402	11	2.21	5	740	22	1.48	<5	3	332	<10
Y21414		20	5.56	30	0.14	394	5	1.68	8	770	26	1.51	<5	3	357	<10
Y21415		20	4.86	20	0.11	344	5	1.92	6	780	19	1.53	<5	2	436	<10
Y21416		20	4.96	30	0.11	280	2	2.85	6	790	15	1.81	<5	2	517	<10
Y21417		20	4.95	20	0.12	281	6	2.71	7	810	22	1.69	<5	3	655	<10
Y21418		20	5.04	40	0.22	276	5	2.89	8	880	19	1.29	<5	3	543	<10
Y21419		20	5.14	40	0.14	242	3	2.05	6	640	20	1.49	<5	2	449	<10
Y21420		20	5.20	30	0.25	289	2	2.67	6	800	18	1.39	<5	3	482	<10
Y21421		10	0.71	180	1.31	306	4	0.18	54	1000	10	1.49	8	4	2030	<10
Y21422		20	4.99	30	0.23	360	17	2.52	6	820	20	1.61	<5	3	667	<10
Y21423		20	4.72	30	0.22	338	7	2.49	6	740	16	1.69	<5	3	566	<10
Y21424		10	3.90	30	0.11	196	3	1.55	4	520	17	1.32	<5	2	367	<10
Y21425		20	4.90	30	0.10	265	14	2.56	7	670	20	1.93	<5	2	431	<10
Y21426		20	4.50	30	0.18	299	6	2.54	7	800	17	1.77	<5	3	489	<10
Y21427		20	4.57	40	0.29	340	6	1.99	8	740	39	1.75	<5	3	414	<10
Y21428		20	4.79	40	0.30	356	4	2.92	5	790	25	1.52	<5	3	539	<10
Y21429		20	4.38	30	0.23	341	3	2.68	8	740	24	1.44	<5	3	646	<10
Y21430		20	4.21	30	0.40	394	3	3.44	11	700	29	1.33	<5	3	511	<10
Y21431		20	2.75	50	3.79	1155	5	1.35	262	1250	15	1.17	<5	29	264	<10
Y21432		20	1.90	40	0.86	635	4	4.56	35	690	27	1.66	<5	6	416	<10
Y21433		10	0.82	40	2.74	1125	6	1.89	164	1030	8	0.30	<5	20	236	<10
Y21434		10	0.85	50	2.01	1025	5	1.56	138	1260	10	0.61	<5	18	267	<10
Y21435		10	2.94	70	3.06	1145	5	0.11	94	1400	13	1.03	<5	22	343	<10
Y21436		10	2.59	80	3.54	1400	7	1.61	113	1630	15	0.20	<5	22	525	<10
Y21437		20	3.38	100	3.56	1375	9	1.61	115	2330	19	0.24	<5	24	840	<10
Y21438		10	2.32	50	4.18	1535	6	2.18	218	1190	14	0.25	<5	22	596	<10
Y21439		10	2.12	50	4.30	1655	5	2.66	241	1040	19	0.19	<5	24	694	<10

Comments: **Corrected copy for Au-AA26 on samples Y21416 to Y21426**

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **AURICO GOLD INC. - YOUNG-DAVIDSON**
PO BOX 187
MATACHEWAN ON P0K 1M0

Finalized Date: 14-JUN-2012
Account: NORTEX

Project: 1916

CERTIFICATE OF ANALYSIS SD12124832

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
Y21407		0.08	<10	<10	29	40	16
Y21408		0.08	<10	<10	50	10	11
Y21409		0.09	<10	<10	44	10	10
Y21410		0.09	<10	<10	77	20	24
Y21411		0.09	<10	<10	64	20	13
Y21412		0.08	<10	<10	38	70	16
Y21413		0.08	<10	<10	47	40	15
Y21414		0.10	<10	<10	51	3440	13
Y21415		0.08	<10	<10	40	180	11
Y21416		0.09	<10	<10	36	60	10
Y21417		0.08	<10	<10	39	450	11
Y21418		0.10	<10	<10	56	60	17
Y21419		0.08	<10	<10	31	460	12
Y21420		0.09	<10	<10	48	190	17
Y21421		0.15	<10	10	99	<10	353
Y21422		0.08	<10	<10	39	450	14
Y21423		0.07	<10	<10	32	60	16
Y21424		0.05	<10	<10	16	870	9
Y21425		0.07	<10	<10	23	30	7
Y21426		0.08	<10	<10	31	10	11
Y21427		0.07	<10	<10	44	10	16
Y21428		0.09	<10	<10	43	10	17
Y21429		0.08	<10	<10	40	10	16
Y21430		0.09	<10	<10	51	10	21
Y21431		0.36	<10	<10	219	10	134
Y21432		0.09	<10	<10	50	10	28
Y21433		0.25	<10	<10	155	10	90
Y21434		0.24	<10	<10	140	10	73
Y21435		0.31	<10	<10	176	10	148
Y21436		0.29	<10	<10	185	10	195
Y21437		0.30	<10	<10	193	10	188
Y21438		0.32	<10	<10	181	10	195
Y21439		0.29	10	<10	181	<10	181

Comments: **Corrected copy for Au-AA26 on samples Y21416 to Y21426**