ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **LAKE SHORE GOLD - EXPLORATION**
1515 GOVERNMENT ROAD S.
P.O. BOX 1067
TIMMINS ON P4R 1N4

Finalized Date: 6-JUL-2010
Account: LSGEXPV

CERTIFICATE TM10084802

Project: 30700
P.O. No.:
This report is for 69 Drill Core samples submitted to our lab in Timmins, ON, Canada on 25-JUN-2010.

The following have access to data associated with this certificate:

ANTHONY CAMUTI TOM SAVAGE	JUAN FIGUEROA .AKE SHORE GOLD WEBTRIEVI	ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-21d	Sample logging - ClientBarCode Dup
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **LAKE SHORE GOLD - EXPLORATION**
ATTN: JUAN FIGUEROA
1515 GOVERNMENT ROAD S.
P.O. BOX 1067
TIMMINS ON P4R 1N4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **LAKE SHORE GOLD - EXPLORATION**
1515 GOVERNMENT ROAD S.
P.O. BOX 1067
TIMMINS ON P4R 1N4

Finalized Date: 6-JUL-2010
Account: LSGEXPV

Project: 30700

CERTIFICATE OF ANALYSIS TM10084802

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 WT. SAMP g 0.01	Au-GRA21 Au ppm 0.05	Au-GRA21 WT. SAMP g 0.01
I164004		2.43	0.156		30.79		
I164005		1.21	<0.005		29.21		
I164006		2.20	0.053		29.79		
I164007		5.26	0.090		30.01		
I164008		4.97	0.007		29.44		
I164009		4.72	0.012		29.70		
I164010		5.23	0.026		30.15		
I164011		5.20	0.007		29.39		
I164012		4.39	<0.005		29.94		
I164013		4.67	0.005		29.31		
I164014		<0.02	<0.005		30.00		
I164015		4.74	0.042		29.66		
I164016		4.68	<0.005		30.67		
I164017		4.89	<0.005		30.52		
I164018		0.07	2.83		30.30		
I164019		4.96	0.006		29.14		
I164020		4.24	<0.005		30.21		
I164021		3.70	0.014		29.85		
I164022		2.57	0.292		30.59		
I164023		2.51	1.020		30.13		
I164024		2.99	>10.0		30.38	13.05	29.50
I164025		4.57	0.083		30.59		
I164026		2.86	0.890		30.47		
I164027		3.15	1.260		30.19		
I164028		3.19	>10.0		29.60	119.0	28.95
I164029		1.03	0.049		30.39		
I164030		2.46	1.015		30.52		
I164031		2.83	0.081		30.60		
I164032		4.81	1.680		29.44		
I164033		4.23	0.257		29.60		
I164034		4.19	0.018		30.02		
I164035		2.53	0.018		30.41		
I164036		<0.02	0.024		29.54		
I164037		1.53	0.221		30.08		
I164038		0.07	3.78		5.04	4.19	5.25
I164039		2.76	0.011		30.36		
I164040		3.67	0.013		30.63		
I164041		5.00	3.77	>10.0	30.17	3.64	28.33
I164042		2.57	0.028	0.038	30.36		
I164043		2.79	0.596	0.569	30.86		

Comments: Additional Au-GRA21 check results for sample I164052 and I164055 are 1.15ppm and 2.84ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **LAKE SHORE GOLD - EXPLORATION**
1515 GOVERNMENT ROAD S.
P.O. BOX 1067
TIMMINS ON P4R 1N4

Finalized Date: 6-JUL-2010
Account: LSGEXPV

Project: 30700

CERTIFICATE OF ANALYSIS TM10084802

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 WT. SAMP g 0.01	Au-GRA21 Au ppm 0.05	Au-GRA21 WT. SAMP g 0.01
I164044		1.80	2.60		30.08		
I164045		3.20	0.099		30.09		
I164046		4.40	0.038		30.35		
I164047		2.98	5.37		30.16	5.11	29.94
I164048		0.90	0.017		30.05		
I164049		3.15	0.022		30.39		
I164050		3.19	0.043		30.72		
I164051		2.62	0.116		30.17		
I164052		2.77	3.35		30.02	0.50	27.88
I164053		3.19	0.087		29.62		
I164054		<0.02	0.109		29.88		
I164055		1.35	3.40		30.45	8.86	30.69
I164056		3.12	0.024		30.22		
I164057		0.06	7.19		30.04	NSS	NSS
I164058		3.47	0.024		30.29		
I164059		3.94	0.007		30.41		
I164060		3.94	0.005		30.43		
I164061		3.84	0.009		29.93		
I164062		4.02	<0.005		29.62		
I164063		3.78	0.010		30.01		
I164064		3.50	<0.005		30.68		
I164065		4.78	<0.005		30.31		
I164066		4.81	0.014		30.38		
I164067		1.02	<0.005		30.68		
I164068		4.71	0.022		30.02		
I164069		4.99	<0.005		30.07		
I164070		4.99	<0.005		30.66		
I164071		5.11	<0.005		30.62		
I164072		5.24	0.039		30.70		

Comments: Additional Au-GRA21 check results for sample I164052 and I164055 are 1.15ppm and 2.84ppm

***** See Appendix Page for comments regarding this certificate *****

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **LAKE SHORE GOLD - EXPLORATION**
1515 GOVERNMENT ROAD S.
P.O. BOX 1067
TIMMINS ON P4R 1N4

Finalized Date: 6-JUL-2010
Account: LSGEXPV

Project: 30700

CERTIFICATE OF ANALYSIS TM10084802

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non-sufficient sample.