ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 15, 2014

Final Certificate

Detour Gold Corporation
Suite 2200, 200 Bay St., Box 23
Toronto, ON, CAN
M5J2J1
Ph#: (416) 304-0581
Fax#: (416) 304-0184
Email: lthon@telus.net, pdonovan@detourgold.com

Date Received: 08/24/2012
Date Completed: 09/14/2012
Job #: 201261399
Reference: DGC
Sample #: 58

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73259	D5006814	0.006	<1	6.14	14	205	2	<1	5.83	5	47	255	99	7.44	0.79	33	3.20	1336	<1	101	565	12	<5	6	29	105	5119	<2	251	11	31	226
73260	D5006815	<0.005	<1	3.79	7	182	<2	11	3.28	<4	30	257	14	4.70	1.02	12	1.98	784	12	200	360	<1	<5	<5	22	83	3816	<2	177	<10	21	52
73261	D5006816	<0.005	<1	6.16	4	355	<2	54	6.16	5	45	253	30	7.90	1.19	19	3.56	1301	<1	118	567	4	7	<5	24	127	4287	<2	240	<10	30	221
73262	D5006817	<0.005	<1	4.99	5	809	<2	20	5.61	4	42	251	40	7.22	1.15	11	3.54	1198	<1	105	582	2	<5	6	20	109	3007	4	234	<10	31	162
73263	D5006818	0.009	<1	6.16	2	843	<2	43	4.52	4	48	225	80	6.77	1.15	28	2.91	1075	<1	112	638	4	<5	<5	26	133	4796	<2	224	12	28	804
73264	D5006819	0.009	<1	6.03	4	131	<2	10	4.14	<4	32	261	41	3.82	1.08	9	1.58	670	<1	95	556	1	<5	15	22	113	5449	<2	242	<10	28	45
73265	D5006820	<0.005	<1	4.81	3	108	<2	<1	3.79	<4	31	240	39	3.55	1.01	5	1.50	612	<1	69	526	2	<5	13	24	97	4872	<2	231	<10	26	42
73266	D5006821	0.009	<1	7.21	10	26	<2	17	7.38	4	52	455	38	7.27	1.24	16	3.49	1493	<1	118	193	<1	<5	6	27	181	3360	<2	231	<10	16	81
73267	D5006822	<0.005	<1	5.62	3	53	<2	20	5.04	<4	39	43	79	6.60	0.89	23	2.66	1182	<1	52	284	6	<5	6	28	84	3370	<2	205	<10	20	70
73268	D5006823	0.006	<1	6.93	<2	167	<2	30	7.27	5	44	93	114	8.21	1.10	14	2.89	1547	<1	66	294	9	<5	13	24	166	3799	<2	230	<10	20	77
73269D	D5006823	<0.005	<1	6.56	12	165	<2	15	7.12	4	42	94	117	8.17	1.05	11	2.85	1542	<1	66	286	3	6	7	23	163	3745	<2	230	<10	20	76
73270	D5006824	0.005	<1	7.69	2	237	<2	35	3.22	<4	23	35	58	4.69	1.32	21	1.50	779	<1	59	1007	3	<5	12	23	190	4081	<2	108	<10	16	53
73271	D5006825	0.012	<1	6.33	2	22	<2	<1	6.83	<4	48	423	37	6.82	1.60	11	3.24	1377	<1	111	182	5	<5	10	21	168	2846	<2	216	<10	15	64
73272	D5006826	0.007	<1	5.08	7	46	<2	4	4.81	<4	38	40	79	6.37	0.95	20	2.55	1131	<1	52	268	<1	<5	<5	25	76	3025	<2	196	<10	19	62
73273	D5006827	0.008	<1	5.26	4	47	<2	11	4.94	<4	38	37	82	6.59	1.20	21	2.63	1165	<1	52	282	4	<5	<5	25	77	3087	<2	201	<10	20	67
73274	D5006828	0.014	<1	5.32	8	<1	<2	29	5.60	4	41	234	101	7.70	1.09	8	3.82	1177	<1	94	567	2	<5	9	23	104	3193	<2	224	<10	28	98
73275	D5006829	0.013	<1	5.75	<2	<1	<2	17	5.63	4	41	236	100	7.66	1.34	7	3.83	1164	<1	99	576	5	6	16	24	108	2875	4	223	<10	28	97
73276	D5006830	0.005	<1	6.13	3	52	<2	29	2.29	<4	27	62	28	5.89	1.30	64	2.25	842	<1	76	676	<1	<5	15	23	94	308	<2	133	<10	7	116
73277	D5006831	0.007	<1	5.60	4	5	<2	12	5.50	4	42	189	40	8.34	1.36	20	3.30	1215	<1	86	275	9	<5	<5	19	127	3203	<2	292	10	22	72
73278	D5006832	0.010	<1	6.18	3	87	<2	44	5.10	4	43	30	110	7.93	0.87	13	2.69	1503	<1	56	648	4	<5	<5	33	138	4939	<2	259	<10	32	84

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By: Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0081-07/15/2014 8:28 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 15, 2014

Final Certificate

Detour Gold Corporation
Suite 2200, 200 Bay St., Box 23
Toronto, ON, CAN
M5J2J1
Ph#: (416) 304-0581
Fax#: (416) 304-0184
Email: lthon@telus.net, pdonovan@detourgold.com

Date Received: 08/24/2012
Date Completed: 09/14/2012
Job #: 201261399
Reference: DGC
Sample #: 58

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73279	D5006833	0.009	<1	5.67	<2	91	<2	49	5.29	5	45	30	119	8.38	1.02	11	2.80	1575	<1	59	680	<1	<5	<5	25	137	5064	<2	276	<10	34	90
73280D	D5006833	0.010	<1	5.65	5	88	<2	10	5.13	5	46	30	114	8.12	1.24	12	2.72	1548	<1	59	660	2	<5	<5	22	134	5074	<2	267	<10	33	87
73281	D5006834	0.007	<1	5.87	4	24	<2	55	6.79	4	47	262	35	8.31	1.08	3	3.31	1490	<1	101	568	7	<5	<5	34	122	5193	<2	249	<10	30	90
73282	D5006835	0.007	<1	5.28	<2	60	<2	49	6.04	4	42	252	34	8.03	1.06	13	3.08	1454	<1	88	540	12	<5	<5	34	105	4513	<2	243	<10	30	87
73283	D5006837	0.007	<1	6.14	5	2	<2	16	6.67	4	46	252	30	8.01	1.26	6	3.10	1681	<1	111	565	3	<5	<5	23	112	5602	<2	237	<10	29	78
73284	D5006838	0.006	<1	5.99	2	21	<2	20	6.37	4	46	260	101	7.83	1.18	9	2.90	1300	<1	94	585	5	7	<5	23	130	4868	<2	255	<10	31	93
73285	D5006839	0.005	<1	3.91	7	<1	<2	17	5.85	4	40	249	34	8.11	0.60	15	3.30	1416	<1	94	561	8	<5	<5	23	47	2726	<2	232	<10	28	100
73286	D5006840	0.006	<1	5.10	2	<1	<2	4	5.47	4	40	230	98	7.48	1.03	6	3.74	1148	<1	94	560	4	9	<5	25	102	2989	<2	218	<10	27	90
73287	D5006842	<0.005	<1	6.24	8	57	<2	2	2.48	<4	30	67	30	6.43	1.21	70	2.43	919	<1	81	720	6	<5	10	20	95	308	<2	144	<10	7	127
73288	D5006730	<0.005	<1	5.77	6	6	<2	27	5.60	4	43	192	39	8.44	1.10	21	3.35	1238	<1	84	285	8	8	<5	24	131	3264	<2	296	<10	23	78
73289	D5006731	<0.005	<1	5.56	4	81	<2	16	5.00	4	43	28	113	7.88	0.83	12	2.68	1477	<1	55	654	6	<5	<5	22	129	4552	<2	258	<10	32	80
73290	D5006732	<0.005	<1	4.63	4	31	<2	14	4.72	4	39	29	67	7.90	1.23	17	2.76	1464	<1	56	673	11	<5	<5	28	113	3798	<2	257	<10	33	111
73291D	D5006732	<0.005	<1	5.37	8	36	<2	71	5.12	5	43	32	73	8.52	1.49	19	2.94	1566	<1	60	716	6	8	<5	28	122	3955	<2	277	<10	36	117
73292	D5006733	0.008	<1	5.06	6	<1	2	32	5.84	6	55	25	457	10.55	1.00	17	3.17	1541	<1	60	499	5	<5	<5	23	254	5533	<2	320	<10	31	136
73293	D5006734	0.009	<1	5.51	6	50	<2	7	4.83	4	44	19	69	8.53	1.06	18	3.07	1475	<1	48	367	2	<5	<5	23	98	3300	<2	272	<10	25	97
73294	D5006735	0.006	<1	2.74	5	12	<2	15	2.26	<4	23	26	17	4.29	1.18	6	1.52	698	<1	59	139	6	5	<5	22	90	2146	<2	135	<10	13	38
73295	D5006736	0.009	<1	4.84	3	199	<2	5	5.88	4	36	11	151	6.87	1.18	7	2.35	1289	<1	42	324	9	<5	15	23	220	3946	<2	237	<10	19	71
73296	D5006737	0.007	<1	6.36	3	48	<2	24	5.41	<4	32	155	52	5.78	1.27	9	2.34	1118	<1	74	925	16	5	<5	23	279	4283	<2	169	<10	20	61
73297	D5006738	0.006	<1	6.58	5	18	<2	17	6.95	<4	47	362	71	6.21	1.37	10	2.69	1355	<1	126	199	11	9	9	31	123	4136	<2	251	<10	17	50
73298	D5006739	0.008	<1	6.83	12	9	<2	17	7.06	<4	49	374	40	6.32	1.26	12	2.64	1437	<1	136	180	<1	6	9	27	143	3818	<2	243	<10	16	72

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By: Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0081-07/15/2014 8:28 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 15, 2014

Final Certificate

Detour Gold Corporation
Suite 2200, 200 Bay St., Box 23
Toronto, ON, CAN
M5J2J1
Ph#: (416) 304-0581
Fax#: (416) 304-0184
Email: lthon@telus.net, pdonovan@detourgold.com

Date Received: 08/24/2012
Date Completed: 09/14/2012
Job #: 201261399
Reference: DGC
Sample #: 58

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73299	D5006740	0.017	<1	7.41	12	85	<2	5	6.44	<4	43	117	80	5.99	1.05	24	3.92	984	2	192	174	<1	6	7	19	147	2286	<2	139	<10	12	53
73300	D5006741	<0.005	<1	5.77	<2	<1	<2	12	4.72	6	56	5	30	11.64	1.37	11	2.48	1674	<1	24	345	15	<5	<5	26	88	5593	<2	570	<10	26	131
73301	D5006742	0.008	<1	6.50	8	171	<2	9	2.73	<4	14	50	135	5.60	0.99	20	1.42	655	2	61	161	14	8	15	21	87	1775	<2	76	<10	18	83
73302D	D5006742	0.017	<1	5.95	<2	171	<2	15	2.66	<4	12	47	137	5.59	0.90	20	1.39	641	2	63	161	6	8	14	25	82	1702	<2	71	<10	18	83
73303	D5006743	0.006	<1	2.72	10	<1	<2	5	1.30	5	102	974	15	10.24	1.40	6	>10.00	1291	<1	763	154	2	5	<5	25	44	1772	<2	97	<10	8	107
73304	D5006745	0.006	<1	6.84	6	189	<2	37	0.86	<4	32	144	39	6.76	1.28	78	2.02	1015	<1	79	393	4	<5	7	34	116	2610	<2	152	<10	8	84
73305	D5006746	0.011	<1	7.29	7	102	<2	39	1.82	4	41	201	76	8.29	1.33	95	2.43	1343	<1	105	595	12	<5	7	26	141	2747	<2	225	<10	12	118
73306	D5006747	0.007	<1	6.39	<2	142	<2	32	3.50	5	47	148	55	8.82	1.19	32	3.52	1367	<1	86	332	6	<5	6	30	96	6077	<2	284	<10	22	114
73307	D5006748	0.006	<1	6.43	7	359	<2	6	1.22	<4	12	42	15	2.65	1.44	19	0.93	381	<1	74	485	5	6	15	25	158	3005	<2	43	<10	23	60
73308	D5006754	0.010	<1	9.04	7	65	<2	40	6.80	<4	44	148	51	6.89	0.80	29	3.79	1096	<1	124	182	<1	<5	10	28	187	3188	<2	211	<10	16	66
73309	D5006773	0.023	<1	8.38	13	59	<2	24	6.53	<4	43	143	49	6.61	0.84	25	3.67	1058	<1	119	166	2	<5	29	31	180	3147	<2	203	<10	15	64
73310	D5006774	0.005	<1	5.55	<2	5	<2	43	0.31	<4	2	42	4	0.69	1.09	32	0.30	111	1	85	<100	55	<5	29	35	56	290	<2	12	<10	11	<1
73311	D5006775	0.005	<1	4.36	3	<1	3	21	0.55	<4	1	49	3	0.72	1.47	39	0.17	309	4	98	<100	23	<5	18	22	44	300	<2	5	<10	51	<1
73312	D5006776	0.007	<1	4.59	2	89	2	<1	0.39	<4	1	68	3	0.72	1.39	31	0.19	153	8	132	<100	30	9	11	25	72	277	<2	8	<10	10	3
73313D	D5006776	0.010	<1	4.51	<2	88	2	11	0.38	<4	3	65	2	0.69	1.46	31	0.18	147	7	130	<100	32	8	23	24	71	268	<2	7	<10	9	15
73314	D5006777	0.015	<1	5.91	6	23	<2	41	3.79	5	44	61	37	9.85	1.42	16	1.18	2070	<1	89	503	10	<5	<5	24	87	4526	<2	344	<10	30	129
73315	D5006778	0.008	<1	6.12	<2	41	<2	32	5.02	7	35	124	63	14.52	1.25	19	2.95	4365	<1	108	289	20	<5	<5	33	96	3123	<2	217	<10	22	128
73316	D5006779	0.009	<1	8.11	9	186	<2	51	3.94	7	45	202	123	12.98	1.59	75	2.03	2070	<1	127	254	27	<5	<5	26	175	5652	<2	310	<10	26	167
73317	D5006781	0.019	<1	6.94	11	181	<2	29	3.60	7	41	197	122	12.55	1.42	74	1.96	1760	<1	128	241	25	<5	<5	27	156	3264	<2	295	<10	23	164
73318	D5006782	0.009	<1	7.52	8	36	<2	29	6.29	5	51	174	141	8.61	1.10	55	1.98	1033	<1	142	299	7	<5	6	30	160	3204	<2	293	<10	20	253

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By: Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0081-07/15/2014 8:28 AM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, July 15, 2014

Final Certificate

Detour Gold Corporation
Suite 2200, 200 Bay St., Box 23
Toronto, ON, CAN
M5J2J1
Ph#: (416) 304-0581
Fax#: (416) 304-0184
Email: lthon@telus.net, pdonovan@detourgold.com

Date Received: 08/24/2012
Date Completed: 09/14/2012
Job #: 201261399
Reference: DGC
Sample #: 58

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
73319	D5006783	0.010	<1	8.70	7	41	<2	19	6.69	4	53	183	147	8.88	1.15	60	2.06	1080	<1	154	308	13	<5	<5	29	178	4024	<2	304	11	22	249
73320	D5006813	0.007	<1	8.09	2	39	<2	35	6.66	4	54	184	146	8.94	1.35	57	2.05	1082	<1	149	301	12	5	10	31	173	3984	<2	306	<10	21	260
73639	D5006749	<0.005	<1	7.66	2	303	<2	5	1.44	<4	10	66	9	2.14	1.59	25	0.83	308	1	79	442	3	<5	28	28	196	2464	<2	35	<10	22	44

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By: Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.