ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, September 4, 2012

Final Certificate

Detour Gold Corporation
Suite 2200, 200 Bay St., Box 23
Toronto, ON, CAN
M5J2J1
Ph#: (416) 304-0581
Fax#: (416) 304-0184
Email: raubertin@detourgold.com, jwalmsley@detourgold.com

Date Received: 08/03/2012
Date Completed: 08/21/2012
Job #: 201261317
Reference: DGC
Sample #: 58

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
65477	5006701	0.011	<1	6.70	4	54	2	18	7.84	7	36	61	344	12.31	0.09	8	1.66	2278	<1	45	582	14	7	<5	<10	86	9880	<2	363	10	36	130
65478	5006702	<0.005	<1	6.82	5	51	<2	18	6.84	6	42	84	70	11.06	0.07	6	1.07	1957	<1	51	644	8	7	<5	<10	98	10542	6	384	<10	38	118
65479	5006703	0.032	<1	7.54	8	68	2	5	7.10	8	54	60	812	14.87	<0.01	8	1.36	2518	14	36	618	12	9	<5	<10	88	10708	6	420	<10	37	154
65480	5006704	0.062	<1	8.33	10	70	2	19	8.20	10	50	61	228	16.87	<0.01	11	1.56	2924	4	52	659	18	9	<5	<10	103	10734	3	440	<10	41	182
65481	5006705	0.010	<1	5.80	<2	79	<2	12	2.92	<4	26	33	57	5.41	<0.01	15	1.37	952	<1	46	607	15	5	<5	<10	90	5061	4	188	11	25	41
65482	5006706	<0.005	<1	8.15	8	162	<2	<1	8.99	4	41	124	83	7.37	<0.01	29	2.46	1800	<1	99	498	12	5	<5	<10	139	4069	4	174	<10	22	75
65483	5006707	<0.005	<1	7.64	4	55	<2	18	5.94	6	52	90	49	10.77	<0.01	27	3.28	1291	<1	62	523	11	6	<5	<10	221	5873	5	327	<10	36	123
65484	5006708	0.047	<1	8.64	10	700	2	9	0.71	<4	14	146	28	4.83	<0.01	41	1.85	479	<1	46	636	20	5	<5	<10	309	2870	7	127	<10	15	66
65485	5006709	<0.005	<1	2.73	11	66	<2	6	0.50	<4	5	62	4	1.16	0.06	11	0.51	151	5	77	<100	11	<5	<5	<10	52	1138	<2	30	<10	8	7
65486	5006710	<0.005	<1	3.03	7	35	<2	15	1.43	7	122	1302	18	11.87	0.07	6	>10.00	1787	<1	862	283	18	11	<5	<10	35	2313	<2	102	<10	12	95
65487D	5006710	<0.005	<1	3.69	7	44	<2	30	1.49	7	121	1317	18	11.86	0.07	8	>10.00	1799	<1	864	278	20	13	<5	<10	39	2445	2	102	<10	13	97
65488	5006711	<0.005	<1	2.88	4	60	<2	8	0.36	<4	6	76	8	1.23	0.06	12	0.97	172	<1	69	<100	8	6	<5	<10	44	543	<2	21	<10	7	13
65489	5006712	0.008	<1	7.37	10	68	2	3	4.18	6	49	54	109	10.78	0.11	23	2.79	1833	<1	49	582	13	7	<5	<10	86	6422	4	382	<10	38	191
65490	5006713	<0.005	<1	7.10	<2	72	2	15	4.24	7	45	47	60	11.37	0.05	29	2.33	2228	<1	39	496	14	<5	<5	<10	99	6476	<2	339	<10	28	127
65491	5006714	0.006	<1	5.44	2	45	<2	20	2.15	4	34	120	122	7.39	0.03	20	2.04	1039	<1	86	223	9	7	<5	<10	67	2940	6	143	<10	14	85
65492	5006715	0.008	<1	7.96	<2	57	2	19	4.60	6	47	48	80	10.50	<0.01	34	2.62	1406	<1	44	561	15	6	<5	<10	139	6939	<2	373	<10	38	118
65493	5006717	<0.005	<1	9.05	3	153	<2	18	6.34	6	55	65	97	11.15	<0.01	20	2.74	1686	<1	46	582	13	10	<5	<10	195	8601	6	383	<10	40	130
65494	5006718	0.019	<1	>10.00	11	81	2	6	2.99	8	60	38	43	15.09	<0.01	33	3.09	2251	<1	46	312	18	8	<5	<10	114	4724	6	365	<10	27	218
65495	5006719	0.007	<1	7.53	5	105	<2	11	7.09	5	38	171	63	8.59	<0.01	20	2.92	1459	<1	89	276	20	<5	<5	<10	132	4897	5	257	<10	28	72
65496	5006720	<0.005	<1	7.89	4	150	<2	9	6.80	4	30	110	69	6.38	<0.01	25	2.65	1142	<1	71	899	19	8	<5	<10	174	4262	5	157	<10	24	70

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By: Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

-0081-09/04/2012 4:14 PM

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, September 4, 2012

Final Certificate

Detour Gold Corporation
Suite 2200, 200 Bay St., Box 23
Toronto, ON, CAN
M5J2J1
Ph#: (416) 304-0581
Fax#: (416) 304-0184
Email: raubertin@detourgold.com, jwalmsley@detourgold.com

Date Received: 08/03/2012
Date Completed: 08/21/2012
Job #: 201261317
Reference: DGC
Sample #: 58

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
65497	5006721	0.006	<1	7.45	8	36	<2	6	7.23	5	48	227	43	8.93	0.15	15	3.31	1441	<1	107	349	12	8	5	<10	139	5426	6	327	<10	29	90
65498D	5006721	0.005	<1	6.80	5	31	<2	5	6.75	5	46	213	42	8.33	0.06	13	3.11	1350	<1	103	323	12	7	<5	<10	130	4964	11	305	<10	27	79
65499	5006722	<0.005	<1	6.15	<2	177	<2	4	4.16	5	43	32	59	9.42	0.08	22	2.22	1389	<1	42	494	11	8	<5	<10	178	7014	6	377	<10	32	83
65500	5006723	<0.005	<1	6.96	<2	73	<2	9	5.73	4	46	201	31	8.17	0.09	36	4.07	1138	<1	109	355	13	6	<5	<10	90	5117	8	297	<10	27	64
65501	5006725	<0.005	<1	4.50	3	270	<2	<1	2.22	<4	9	26	2	2.66	0.05	13	1.44	585	3	41	255	7	<5	<5	<10	74	1942	5	28	14	16	32
65502	5006726	<0.005	<1	8.21	8	93	<2	<1	6.51	5	49	408	38	8.57	0.04	24	4.44	1453	<1	141	521	10	6	<5	<10	211	5422	10	282	<10	26	81
65503	5006727	<0.005	<1	6.66	4	53	<2	14	5.98	5	55	230	4	8.99	0.02	29	5.49	1432	<1	222	129	14	8	<5	<10	89	2960	2	196	<10	15	69
65504	5006728	0.006	<1	6.72	4	53	<2	14	5.98	5	55	226	4	8.99	0.02	29	5.49	1392	<1	216	120	14	7	<5	<10	88	2928	4	197	<10	14	93
65505	5006729	<0.005	<1	1.97	<2	16	<2	8	1.23	<4	18	37	36	1.69	0.15	13	1.34	168	1	119	171	1	<5	<5	<10	32	662	<2	31	<10	2	43
65506	5006751																NS															
65507	5006752	0.016	<1	7.21	4	153	2	2	4.05	6	28	18	76	10.38	<0.01	13	1.13	1579	<1	26	1081	8	7	<5	<10	107	9243	2	36	31	70	66
65508	5006753	0.009	<1	8.55	10	60	<2	8	7.97	4	49	151	158	8.36	<0.01	20	3.00	1443	<1	103	384	10	9	6	<10	159	5904	4	271	11	27	128
65509D	5006753	0.007	<1	9.55	5	71	2	11	8.28	5	50	156	158	8.58	<0.01	23	3.15	1483	<1	104	389	13	7	<5	<10	166	5983	<2	283	12	28	132
65510	5006754																NS															
65511	5006755																NS															
65512	5006756	0.006	<1	6.50	<2	53	<2	11	5.80	7	34	163	49	12.10	0.02	33	2.83	3569	<1	97	629	13	9	<5	<10	110	3140	<2	153	<10	25	92
65513	5006757	0.006	<1	7.05	4	60	2	13	5.57	6	25	192	49	11.08	0.09	35	3.42	3569	<1	103	625	11	10	<5	<10	116	3214	7	166	<10	24	94
65514	5006758	0.007	<1	8.10	<2	70	<2	18	5.42	8	36	170	57	13.18	0.12	53	3.42	3832	<1	102	823	16	7	<5	<10	122	3186	5	180	<10	27	99
65515	5006759	0.008	<1	7.67	6	74	<2	5	3.13	4	33	155	80	7.94	0.04	30	2.87	1634	<1	87	693	11	6	<5	<10	160	3752	3	175	<10	21	88
65516	5006760	<0.005	<1	8.61	4	191	<2	3	3.57	<4	34	153	50	6.83	0.02	39	2.83	1692	<1	84	755	9	<5	<5	<10	159	4398	10	184	<10	25	80

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By: Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, September 4, 2012

Final Certificate

Detour Gold Corporation
Suite 2200, 200 Bay St., Box 23
Toronto, ON, CAN
M5J2J1
Ph#: (416) 304-0581
Fax#: (416) 304-0184
Email: raubertin@detourgold.com, jwalmsley@detourgold.com

Date Received: 08/03/2012
Date Completed: 08/21/2012
Job #: 201261317
Reference: DGC
Sample #: 58

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
65517	5006761	0.006	<1	8.15	<2	304	<2	13	5.72	4	39	147	80	6.44	<0.01	48	2.82	1085	<1	95	677	16	9	<5	<10	147	3790	7	177	<10	24	71
65518	5006762	0.005	<1	3.92	3	84	<2	7	3.45	<4	21	114	17	5.98	<0.01	26	2.37	1534	<1	69	494	8	6	<5	<10	91	2684	6	111	<10	17	57
65519	5006763	0.006	<1	7.71	6	164	<2	16	6.06	4	35	146	16	6.36	<0.01	33	2.67	1232	<1	87	687	12	6	<5	<10	149	3625	3	179	<10	24	77
65520D	5006763	<0.005	<1	7.33	<2	158	<2	<1	5.83	4	34	140	15	6.09	<0.01	32	2.55	1172	<1	81	664	14	5	<5	<10	145	3574	10	174	<10	23	73
65521	5006764	0.010	<1	7.36	3	84	<2	16	5.34	7	29	196	43	12.09	<0.01	53	3.18	4056	<1	96	1078	11	6	<5	<10	105	3268	5	168	<10	28	95
65522	5006765	0.007	<1	5.27	<2	73	<2	9	4.32	5	23	154	58	8.23	0.01	29	2.76	2350	<1	76	664	9	7	<5	<10	140	2597	6	140	<10	23	72
65523	5006766	0.007	<1	6.47	6	160	<2	5	4.27	5	30	173	49	8.51	0.06	48	2.59	2293	<1	85	883	14	6	<5	<10	171	3241	5	154	<10	25	80
65524	5006767	0.009	<1	5.80	<2	68	<2	9	5.67	6	32	169	56	8.66	0.07	21	2.61	2879	<1	92	747	12	5	<5	<10	126	3150	7	153	<10	24	81
65525	5006768	<0.005	<1	6.72	7	99	<2	15	5.16	7	34	177	52	11.83	<0.01	41	3.42	3255	<1	97	784	14	5	5	<10	127	3801	8	188	<10	28	115
65526	5006769	0.006	<1	7.02	5	53	<2	18	5.88	8	31	124	29	12.96	<0.01	35	2.54	3584	<1	67	595	11	7	<5	<10	82	3495	4	171	<10	24	93
65527	5006771																NS															
65528	5006772	<0.005	<1	4.24	8	15	<2	10	5.25	5	45	46	114	9.74	0.29	13	2.29	1294	<1	40	571	13	<5	<5	<10	118	3773	<2	354	<10	35	145
65529	5006801	<0.005	<1	4.83	3	38	2	7	5.21	6	49	26	4	11.07	<0.01	12	1.86	1961	<1	55	1041	9	5	<5	<10	86	6352	8	401	<10	46	123
65530	5006802	<0.005	<1	4.40	<2	32	<2	8	3.63	7	34	16	15	11.40	<0.01	14	1.42	1602	<1	34	1104	11	7	<5	<10	91	5182	<2	43	<10	49	86
65531D	5006802	0.005	<1	4.37	4	36	<2	8	3.44	6	32	15	16	11.14	<0.01	15	1.38	1540	<1	34	1121	11	7	<5	<10	85	5072	<2	30	<10	48	81
65532	5006803	0.006	<1	9.52	5	58	2	21	8.20	10	62	22	12	16.80	0.33	26	3.67	2203	<1	41	837	25	12	5	<10	159	11259	7	602	<10	48	148
65533	5006804	<0.005	<1	4.71	5	23	2	18	5.32	7	39	13	8	11.21	0.06	12	2.52	1475	<1	27	577	15	6	<5	<10	99	6296	6	415	<10	32	104
65534	5006805	0.008	<1	0.78	5	108	<2	3	0.24	<4	3	49	4	1.03	<0.01	3	0.45	158	<1	46	114	8	<5	<5	<10	89	703	<2	31	<10	5	10
65535	5006806	<0.005	<1	6.41	14	572	2	9	1.16	<4	20	177	41	3.57	0.03	27	1.50	494	<1	86	677	19	6	<5	<10	482	2663	<2	90	<10	13	59
65536	5006807	<0.005	<1	6.98	11	798	2	6	1.29	<4	19	191	35	3.55	<0.01	28	1.93	502	<1	85	692	24	<5	<5	<10	452	2885	7	89	<10	13	50

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By: Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.

ACCURASSAY LABORATORIES
1046 Gorham Street
Thunder Bay, ON
Canada P7B 5X5
Tel: (807) 626-1630
Fax: (807) 622-7571
www.accurassay.com
assay@accurassay.com

Tuesday, September 4, 2012

Final Certificate

Detour Gold Corporation
Suite 2200, 200 Bay St., Box 23
Toronto, ON, CAN
M5J2J1
Ph#: (416) 304-0581
Fax#: (416) 304-0184
Email: raubertin@detourgold.com, jwalmsley@detourgold.com

Date Received: 08/03/2012
Date Completed: 08/21/2012
Job #: 201261317
Reference: DGC
Sample #: 58

Acc #	Client ID	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Li ppm	Mg %	Mn ppm	Mo ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sn ppm	Sr ppm	Ti ppm	Tl ppm	V ppm	W ppm	Y ppm	Zn ppm
65537	5006808	0.005	<1	6.54	<2	85	2	7	7.49	5	48	266	18	9.07	<0.01	17	3.45	1640	<1	91	495	13	5	<5	<10	178	7286	4	277	<10	35	98
65538	5006811	<0.005	<1	1.67	3	46	<2	7	0.44	<4	2	52	9	0.78	<0.01	7	0.42	110	1	57	<100	10	<5	<5	<10	42	670	<2	18	<10	7	<1
65539	5006812	<0.005	<1	6.89	<2	82	<2	15	6.39	5	45	296	46	8.27	<0.01	20	3.74	1341	<1	116	520	18	6	<5	<10	100	5810	6	241	<10	31	133

PROCEDURE CODES: ALP1, ALFA1, ALMA1

Certified By: Dr. David Brown, VP Quality

The results included on this report relate only to the items tested.
The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory.