ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-FEB-2016
Account: DETGLD

CERTIFICATE SD16019838

Project: DGEX-423

P.O. No.: DGC 4800002804

This report is for 159 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 11-FEB-2016.

The following have access to data associated with this certificate:

APRIL COOMBS	ADREE DELAZZER	GUY MAC GILLIVRAY
KELLY MALCOLM	JEAN FRANCOIS METAIL	LARRY THON
JAMES TOLHURST	DETOUR GOLD WEBTRIEVE	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM

To: **DETOUR GOLD CORPORATION**
ATTN: LARRY THON
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: During sample preparation, 1.64kg lost from sample D1214990

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-FEB-2016
Account: DETGLD

Project: DGEX-423

CERTIFICATE OF ANALYSIS SD16019838

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1214846		6.98	<0.005	<0.5	6.48	<5	60	<0.5	5	6.90	1.1	44	49	112	11.65	20
D1214847		6.07	<0.005	<0.5	6.76	<5	60	<0.5	5	6.84	1.0	46	40	101	12.10	20
D1214848		6.01	<0.005	<0.5	6.73	<5	60	<0.5	4	7.20	1.0	47	38	123	11.90	20
D1214849		6.06	<0.005	<0.5	7.00	<5	60	<0.5	6	7.28	1.0	47	41	106	12.30	20
D1214850		5.12	<0.005	<0.5	6.89	<5	60	<0.5	5	7.04	0.9	48	39	108	12.30	20
D1214851		6.63	<0.005	<0.5	6.73	<5	80	0.5	7	7.06	0.9	46	36	97	11.90	20
D1214852		6.52	<0.005	<0.5	6.67	<5	110	<0.5	4	8.27	0.5	48	35	110	11.40	20
D1214853		4.42	<0.005	<0.5	6.75	<5	60	<0.5	4	6.91	0.9	44	36	103	11.25	20
D1214854		5.54	<0.005	<0.5	6.66	<5	70	<0.5	7	8.12	0.8	46	38	115	11.15	20
D1214855		0.07	0.339	<0.5	7.17	188	340	1.0	3	5.83	0.9	39	183	116	8.16	20
D1214856		2.69	0.033	<0.5	6.58	<5	440	0.8	<2	3.37	<0.5	8	69	16	2.66	20
D1214857		4.50	0.010	<0.5	7.44	<5	490	0.9	<2	3.45	<0.5	11	74	11	3.03	20
D1214858		3.51	<0.005	<0.5	6.85	<5	80	<0.5	6	6.56	0.9	47	39	107	11.00	20
D1214859		4.09	<0.005	<0.5	6.75	<5	50	<0.5	6	6.79	1.1	46	38	102	11.25	20
D1214860		6.31	<0.005	<0.5	6.57	<5	40	<0.5	7	7.05	1.1	43	36	102	10.80	20
D1214861		6.11	<0.005	<0.5	6.94	<5	50	<0.5	6	6.52	1.0	47	40	108	11.50	20
D1214862		4.39	<0.005	<0.5	6.41	<5	40	<0.5	6	7.09	1.0	46	36	68	11.25	20
D1214863		4.12	<0.005	<0.5	3.41	<5	10	<0.5	<2	2.28	<0.5	25	38	4	6.37	10
D1214864		4.06	<0.005	<0.5	6.54	<5	30	<0.5	<2	5.64	0.8	49	35	85	12.35	20
D1214865		0.35	<0.005	<0.5	3.92	5	420	0.7	<2	18.1	<0.5	7	25	10	1.77	10
D1214866		6.64	<0.005	<0.5	6.24	<5	40	<0.5	<2	7.69	1.0	42	34	92	10.95	20
D1214867		6.26	<0.005	<0.5	7.25	<5	100	0.5	2	6.78	0.7	42	41	89	9.57	20
D1214868		6.50	<0.005	<0.5	6.41	<5	50	<0.5	3	6.35	1.1	46	36	107	11.45	20
D1214869		3.65	<0.005	<0.5	6.66	<5	50	<0.5	3	6.34	0.9	47	38	110	11.85	20
D1214870		5.41	<0.005	<0.5	6.89	<5	70	0.5	<2	6.06	0.8	49	38	96	11.55	20
D1214871		3.51	<0.005	<0.5	6.26	<5	70	<0.5	3	5.40	1.1	43	33	89	10.40	20
D1214872		6.10	<0.005	<0.5	5.92	<5	290	<0.5	2	7.23	0.9	41	33	89	9.76	20
D1214873		6.14	<0.005	<0.5	6.74	<5	70	<0.5	3	6.80	0.6	49	36	99	11.30	20
D1214874		6.21	<0.005	<0.5	6.93	<5	60	<0.5	<2	7.84	1.1	47	35	108	11.20	20
D1214875		0.07	6.63	1.4	5.90	4580	590	0.8	<2	5.75	0.7	33	125	197	12.60	20
D1214876		6.78	<0.005	<0.5	5.79	10	40	0.5	3	6.27	1.1	38	34	88	10.30	20
D1214877		6.27	<0.005	<0.5	6.85	<5	50	<0.5	<2	6.77	1.0	48	36	111	11.65	20
D1214878		6.50	<0.005	<0.5	6.94	<5	50	0.5	<2	6.47	0.9	48	39	114	11.80	20
D1214879		6.56	<0.005	<0.5	6.66	<5	180	0.5	2	5.72	0.6	43	40	100	9.85	20
D1214880		6.51	<0.005	0.5	6.65	<5	260	0.5	<2	6.47	0.6	40	39	93	9.93	20
D1214881		6.32	<0.005	<0.5	6.54	<5	90	0.5	<2	6.19	0.9	46	38	107	10.95	20
D1214882		6.52	0.144	<0.5	6.99	<5	40	<0.5	4	5.85	1.0	47	40	100	12.35	20
D1214883		6.09	<0.005	<0.5	6.34	<5	30	0.5	3	5.92	0.7	42	35	94	10.95	20
D1214884		2.29	<0.005	<0.5	6.20	<5	60	<0.5	2	6.30	0.6	39	35	83	9.20	20
D1214885		0.35	<0.005	<0.5	4.01	<5	260	0.8	<2	17.6	<0.5	12	30	16	2.44	10

Comments: During sample preparation, 1.64kg lost from sample D1214990

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-FEB-2016
Account: DETGLD

Project: DGEX-423

CERTIFICATE OF ANALYSIS SD16019838

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1214846		0.13	10	1.71	2110	2	1.66	40	560	6	0.13	<5	40	114	<20	0.97
D1214847		0.13	10	1.75	2360	1	1.66	37	570	6	0.14	<5	42	130	<20	1.01
D1214848		0.11	10	1.71	2350	1	2.07	38	580	3	0.20	5	42	112	<20	1.00
D1214849		0.15	10	1.76	2480	1	1.91	39	610	5	0.18	<5	43	138	<20	1.05
D1214850		0.13	10	1.76	2610	2	1.79	38	590	<2	0.12	6	44	144	<20	1.04
D1214851		0.10	10	1.66	2390	<1	1.72	38	580	<2	0.14	<5	42	123	<20	1.01
D1214852		0.10	10	1.40	2290	1	1.95	38	560	4	0.38	5	41	145	<20	0.99
D1214853		0.10	10	1.59	2360	<1	2.19	37	580	3	0.17	<5	42	82	<20	1.00
D1214854		0.13	10	1.55	2560	1	2.00	37	590	5	0.19	5	41	121	<20	0.99
D1214855		0.82	20	3.88	1410	6	2.30	139	1590	5	0.26	5	18	419	<20	1.00
D1214856		0.92	10	1.30	647	1	3.85	29	480	<2	0.12	<5	6	388	<20	0.20
D1214857		1.03	10	1.54	747	1	4.11	30	550	2	0.09	5	7	431	<20	0.23
D1214858		0.09	10	1.39	2340	1	2.53	40	590	8	0.19	<5	43	156	<20	1.02
D1214859		0.09	10	1.52	2230	1	2.05	38	580	4	0.16	<5	43	172	<20	1.04
D1214860		0.12	<10	1.50	2200	1	1.98	36	570	2	0.18	<5	40	156	<20	0.97
D1214861		0.15	10	1.83	2160	2	1.90	38	590	3	0.16	<5	41	141	<20	1.00
D1214862		0.14	<10	2.08	1975	1	1.57	41	540	4	0.11	<5	40	150	<20	0.93
D1214863		0.05	<10	1.67	920	2	0.59	25	280	<2	0.01	<5	20	42	<20	0.51
D1214864		0.12	<10	3.29	1890	<1	1.24	44	600	<2	0.02	<5	41	91	<20	0.99
D1214865		2.21	20	0.85	1030	1	0.78	17	3110	11	0.24	<5	6	419	<20	0.25
D1214866		0.09	<10	2.04	2160	<1	1.39	36	580	<2	0.16	<5	40	117	<20	0.97
D1214867		0.14	<10	1.77	1960	1	2.39	39	600	3	0.19	<5	36	204	<20	0.86
D1214868		0.15	<10	1.92	2300	1	1.49	38	570	<2	0.20	<5	41	107	<20	0.99
D1214869		0.15	<10	1.91	2250	1	1.81	39	610	2	0.17	<5	43	128	<20	1.02
D1214870		0.12	<10	1.90	2210	1	2.00	41	610	<2	0.15	<5	43	140	<20	1.02
D1214871		0.09	<10	1.70	1860	1	1.81	35	550	<2	0.15	<5	39	97	<20	0.94
D1214872		0.28	<10	1.44	2050	<1	1.46	35	530	5	0.19	<5	37	105	<20	0.88
D1214873		0.07	<10	1.68	2260	<1	1.85	40	580	<2	0.17	<5	42	75	<20	1.00
D1214874		0.13	<10	1.98	2300	<1	1.91	40	630	2	0.18	<5	43	89	<20	1.02
D1214875		0.58	10	3.10	4130	4	1.26	109	2380	10	3.72	7	20	250	<20	0.57
D1214876		0.15	<10	1.48	2290	1	1.35	33	500	3	0.16	<5	37	71	<20	0.87
D1214877		0.10	<10	1.59	2640	<1	1.85	37	600	2	0.20	<5	43	89	<20	1.04
D1214878		0.12	<10	1.63	2550	<1	1.87	38	590	<2	0.21	<5	44	105	<20	1.05
D1214879		0.24	<10	1.40	2050	1	2.17	35	560	4	0.27	<5	38	151	<20	0.92
D1214880		0.70	<10	1.32	2190	1	2.27	35	580	3	0.35	<5	39	160	<20	0.94
D1214881		0.12	<10	1.98	2290	1	1.86	37	600	2	0.21	<5	42	84	<20	1.00
D1214882		0.04	<10	2.28	2480	<1	2.03	38	640	4	0.29	<5	45	87	<20	1.08
D1214883		0.05	<10	1.80	2350	<1	1.73	33	600	<2	0.17	<5	41	83	<20	0.97
D1214884		0.05	<10	1.48	1920	1	2.12	34	560	7	0.16	<5	35	155	<20	0.84
D1214885		2.23	20	1.23	1465	1	0.54	25	2860	8	0.45	<5	7	458	<20	0.22

Comments: During sample preparation, 1.64kg lost from sample D1214990

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-FEB-2016
Account: DETGLD

Project: DGEX-423

CERTIFICATE OF ANALYSIS SD16019838

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1214846		<10	<10	353	<10	139	
D1214847		<10	<10	373	<10	150	
D1214848		<10	<10	373	<10	146	
D1214849		<10	<10	379	<10	144	
D1214850		<10	<10	386	<10	155	
D1214851		<10	<10	374	<10	145	
D1214852		10	<10	370	<10	146	
D1214853		<10	<10	372	<10	142	
D1214854		<10	<10	360	<10	143	
D1214855		<10	<10	149	<10	116	
D1214856		<10	<10	49	10	47	
D1214857		<10	<10	58	<10	53	
D1214858		<10	<10	375	<10	140	
D1214859		<10	<10	379	<10	147	
D1214860		<10	<10	364	<10	139	
D1214861		<10	<10	367	<10	146	
D1214862		<10	<10	352	<10	134	
D1214863		10	<10	202	<10	84	
D1214864		<10	<10	366	<10	147	
D1214865		10	<10	29	<10	20	
D1214866		<10	<10	359	<10	141	
D1214867		<10	<10	304	<10	126	
D1214868		<10	<10	359	<10	144	
D1214869		<10	<10	374	<10	143	
D1214870		<10	<10	380	<10	148	
D1214871		<10	<10	347	<10	136	
D1214872		<10	<10	326	<10	133	
D1214873		10	<10	371	<10	149	
D1214874		10	<10	379	<10	140	
D1214875		<10	<10	177	10	125	6.77
D1214876		<10	<10	357	<10	126	
D1214877		<10	<10	382	<10	160	
D1214878		<10	<10	386	<10	153	
D1214879		<10	<10	336	<10	137	
D1214880		<10	<10	339	<10	135	
D1214881		<10	<10	373	<10	155	
D1214882		<10	<10	411	<10	169	
D1214883		<10	<10	364	<10	140	
D1214884		<10	<10	314	<10	127	
D1214885		<10	<10	40	<10	33	

Comments: During sample preparation, 1.64kg lost from sample D1214990

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-FEB-2016
Account: DETGLD

Project: DGEX-423

CERTIFICATE OF ANALYSIS SD16019838

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1214886		1.74	<0.005	<0.5	8.45	<5	620	1.0	<2	3.62	<0.5	8	55	10	2.28	20
D1214887		4.13	0.005	<0.5	7.16	<5	60	<0.5	4	6.84	<0.5	46	39	116	11.10	20
D1214888		4.07	<0.005	<0.5	6.35	<5	30	<0.5	<2	6.66	<0.5	47	40	150	11.60	20
D1214889		6.70	<0.005	<0.5	7.05	<5	30	<0.5	2	6.26	<0.5	48	39	128	12.10	20
D1214890		6.68	<0.005	<0.5	7.23	<5	30	<0.5	2	5.96	<0.5	46	40	90	12.25	20
D1214891		6.15	<0.005	<0.5	7.07	<5	30	<0.5	5	5.65	<0.5	50	36	115	12.05	20
D1214892		6.95	<0.005	<0.5	6.93	<5	30	<0.5	2	5.70	<0.5	45	37	115	11.85	20
D1214893		4.20	<0.005	<0.5	7.30	<5	40	<0.5	3	5.74	<0.5	49	37	109	12.25	20
D1214894		3.67	0.029	<0.5	6.91	<5	50	<0.5	<2	5.42	<0.5	43	35	95	11.25	20
D1214895		0.07	4.47	5.3	4.48	15	280	0.9	<2	5.05	<0.5	9	25	61	2.58	10
D1214896		4.26	0.007	<0.5	7.87	<5	570	0.9	2	3.56	<0.5	11	67	14	2.61	20
D1214897		4.02	0.101	<0.5	7.86	<5	700	1.0	2	3.31	<0.5	11	64	7	2.44	20
D1214898		3.93	0.058	<0.5	8.05	<5	650	1.0	<2	3.40	<0.5	13	66	11	2.53	20
D1214899		4.05	0.039	<0.5	8.02	<5	620	1.0	2	3.30	<0.5	10	63	8	2.43	20
D1214900		2.26	0.005	<0.5	7.89	<5	580	0.9	<2	3.35	<0.5	13	60	13	2.40	20
D1214901		3.75	0.097	<0.5	7.76	<5	670	0.9	<2	3.32	<0.5	12	65	15	2.73	20
D1214902		4.10	0.007	<0.5	6.85	<5	60	<0.5	2	4.88	<0.5	44	39	111	11.10	20
D1214903		3.89	<0.005	<0.5	6.89	<5	40	<0.5	3	5.97	<0.5	52	37	127	12.00	20
D1214904		5.70	<0.005	<0.5	7.06	<5	40	<0.5	3	5.51	<0.5	44	36	100	11.85	20
D1214905		0.39	<0.005	<0.5	3.98	<5	290	0.8	<2	18.3	<0.5	15	30	24	3.29	10
D1214906		5.59	<0.005	<0.5	6.67	<5	40	<0.5	<2	8.45	<0.5	42	33	105	10.70	20
D1214907		6.51	<0.005	<0.5	6.77	<5	150	<0.5	4	8.49	<0.5	47	35	117	11.35	20
D1214908		6.61	<0.005	<0.5	6.51	<5	50	<0.5	7	7.24	<0.5	42	34	97	10.80	20
D1214909		5.97	<0.005	<0.5	6.84	<5	30	<0.5	2	6.68	0.5	46	34	105	11.95	20
D1214910		6.34	<0.005	<0.5	7.04	<5	40	<0.5	2	7.48	<0.5	47	35	104	11.95	20
D1214911		6.38	<0.005	<0.5	6.20	<5	30	<0.5	3	8.82	<0.5	44	34	133	11.05	20
D1214912		5.20	<0.005	<0.5	6.39	<5	30	<0.5	4	8.63	<0.5	49	34	130	12.10	20
D1214913		5.35	<0.005	<0.5	6.76	<5	30	<0.5	3	6.58	<0.5	48	36	112	12.00	20
D1214914		4.23	<0.005	<0.5	6.77	<5	20	0.5	2	5.30	<0.5	47	35	105	12.10	20
D1214915		0.07	1.255	<0.5	6.81	785	440	1.0	3	5.46	<0.5	38	173	94	9.79	20
D1214916		5.31	<0.005	<0.5	6.04	<5	120	<0.5	3	6.92	<0.5	41	31	94	10.80	20
D1214917		2.93	<0.005	<0.5	8.10	<5	560	1.0	<2	3.75	<0.5	12	30	107	2.85	20
D1214918		5.29	<0.005	<0.5	7.71	<5	600	1.0	<2	3.39	<0.5	10	31	38	2.34	20
D1214919		2.93	<0.005	<0.5	7.50	<5	190	<0.5	<2	7.70	<0.5	35	296	114	7.34	20
D1214920		6.20	0.007	<0.5	7.47	<5	80	<0.5	<2	7.84	<0.5	36	173	120	7.52	20
D1214921		6.13	0.005	<0.5	7.48	<5	80	<0.5	4	7.14	<0.5	41	149	144	8.44	20
D1214922		6.41	<0.005	<0.5	6.28	<5	150	0.6	2	2.69	0.6	39	47	119	9.92	20
D1214923		6.26	<0.005	<0.5	7.01	<5	80	<0.5	4	5.32	<0.5	45	34	96	10.70	20
D1214924		3.62	<0.005	<0.5	6.84	<5	90	<0.5	<2	6.11	<0.5	50	34	101	11.90	20
D1214925		0.35	<0.005	<0.5	4.62	<5	290	0.9	3	16.7	<0.5	11	40	16	2.68	10

Comments: During sample preparation, 1.64kg lost from sample D1214990

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-FEB-2016
Account: DETGLD

Project: DGEX-423

CERTIFICATE OF ANALYSIS SD16019838

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1214886		0.58	10	1.15	549	<1	5.15	27	580	<2	0.11	<5	6	577	<20	0.20
D1214887		0.07	10	1.62	2260	<1	2.37	34	620	3	0.31	<5	43	153	<20	1.01
D1214888		0.13	<10	1.74	2350	<1	1.60	27	590	3	0.36	<5	41	108	<20	0.99
D1214889		0.12	10	2.91	1925	<1	1.84	29	610	3	0.22	<5	44	91	<20	1.06
D1214890		0.16	10	3.07	1740	<1	1.82	28	640	<2	0.11	6	45	133	<20	1.08
D1214891		0.16	10	3.08	1810	<1	1.69	31	610	<2	0.16	6	44	167	<20	1.04
D1214892		0.16	10	3.02	1810	<1	1.65	27	620	2	0.16	8	45	186	<20	1.07
D1214893		0.15	10	3.09	1835	<1	1.78	29	630	4	0.21	9	44	191	<20	1.06
D1214894		0.12	10	3.00	1750	<1	1.68	29	600	3	0.21	<5	41	203	<20	0.97
D1214895		2.11	10	0.83	615	5	0.67	7	530	16	0.80	<5	10	251	<20	0.23
D1214896		0.88	10	1.35	481	<1	4.26	33	600	11	0.32	<5	7	586	<20	0.20
D1214897		1.39	10	1.30	453	<1	3.82	32	620	2	0.34	<5	6	600	<20	0.18
D1214898		1.43	10	1.31	512	<1	3.98	33	600	4	0.37	<5	7	602	<20	0.17
D1214899		1.36	10	1.20	437	<1	4.11	28	610	<2	0.36	<5	5	651	<20	0.17
D1214900		1.40	10	1.20	405	1	3.92	29	570	3	0.34	<5	5	670	<20	0.17
D1214901		1.18	10	1.28	465	1	3.82	30	580	3	0.36	5	6	600	<20	0.20
D1214902		0.07	10	3.02	1610	<1	1.69	27	600	<2	0.26	<5	38	213	<20	0.92
D1214903		0.08	<10	3.24	1780	<1	1.54	30	610	<2	0.37	<5	42	178	<20	1.01
D1214904		0.16	10	3.04	1750	<1	1.68	28	600	5	0.16	<5	43	174	<20	1.03
D1214905		1.99	30	1.52	1505	<1	0.67	18	3070	9	0.34	<5	9	671	<20	0.53
D1214906		0.12	<10	1.39	2030	<1	1.56	27	550	3	0.19	12	40	161	<20	0.95
D1214907		0.18	10	1.11	2250	<1	1.21	32	610	2	0.21	8	42	74	<20	1.01
D1214908		0.10	10	1.98	1955	<1	1.19	29	580	4	0.16	7	40	91	<20	0.93
D1214909		0.11	10	2.46	1710	<1	1.36	32	600	2	0.16	12	43	104	<20	1.03
D1214910		0.10	10	1.61	2140	<1	1.74	32	620	8	0.23	<5	43	117	<20	1.03
D1214911		0.10	<10	1.16	2410	<1	1.63	28	540	3	0.39	<5	39	124	<20	0.93
D1214912		0.09	10	1.11	2290	<1	1.73	30	570	3	0.31	6	41	149	<20	0.99
D1214913		0.13	10	2.28	1745	<1	1.63	32	600	<2	0.16	<5	43	149	<20	1.03
D1214914		0.15	10	3.12	1710	<1	1.49	34	580	4	0.14	7	42	93	<20	1.02
D1214915		0.73	20	3.74	2600	3	1.92	135	1970	7	0.99	<5	18	384	<20	0.91
D1214916		0.29	10	3.15	1810	<1	1.04	30	540	2	0.35	<5	39	114	<20	0.91
D1214917		1.04	10	0.97	405	2	3.83	15	590	3	0.58	<5	5	640	<20	0.22
D1214918		1.03	10	0.84	363	3	3.62	12	600	19	0.32	<5	4	539	<20	0.21
D1214919		0.55	<10	3.10	1225	<1	1.93	71	230	9	0.16	<5	39	188	<20	0.45
D1214920		0.29	<10	2.66	1340	<1	2.22	57	330	6	0.14	5	39	209	<20	0.51
D1214921		0.33	<10	3.18	1375	<1	2.03	56	340	6	0.15	<5	43	195	<20	0.57
D1214922		0.59	10	3.19	1285	1	1.37	51	430	14	1.71	5	26	112	<20	0.58
D1214923		0.22	10	3.41	1745	<1	1.40	41	570	5	0.15	8	36	167	<20	0.87
D1214924		0.25	<10	3.17	1765	<1	1.40	47	540	<2	0.16	6	40	172	<20	0.95
D1214925		2.53	30	1.34	1400	<1	0.53	23	2620	10	0.34	<5	8	433	<20	0.26

Comments: During sample preparation, 1.64kg lost from sample D1214990

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-FEB-2016
Account: DETGLD

Project: DGEX-423

CERTIFICATE OF ANALYSIS SD16019838

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1214886		<10	<10	49	<10	50	
D1214887		<10	<10	381	<10	145	
D1214888		<10	<10	368	<10	142	
D1214889		10	<10	386	<10	148	
D1214890		10	<10	397	<10	147	
D1214891		<10	<10	390	<10	149	
D1214892		<10	<10	400	<10	142	
D1214893		<10	<10	399	<10	150	
D1214894		<10	<10	362	<10	168	
D1214895		<10	<10	86	<10	54	4.55
D1214896		<10	<10	54	<10	65	
D1214897		<10	<10	52	10	44	
D1214898		<10	<10	56	<10	42	
D1214899		<10	<10	49	<10	41	
D1214900		<10	<10	48	<10	51	
D1214901		<10	<10	57	<10	46	
D1214902		<10	<10	341	<10	137	
D1214903		<10	<10	358	<10	140	
D1214904		<10	<10	384	<10	142	
D1214905		<10	<10	80	<10	41	
D1214906		<10	<10	364	<10	126	
D1214907		<10	<10	382	<10	152	
D1214908		<10	<10	352	<10	142	
D1214909		<10	<10	385	<10	151	
D1214910		10	<10	385	<10	154	
D1214911		<10	<10	344	<10	150	
D1214912		<10	<10	367	<10	155	
D1214913		<10	<10	382	<10	140	
D1214914		<10	<10	382	<10	140	
D1214915		<10	<10	155	<10	130	
D1214916		<10	<10	336	<10	140	
D1214917		<10	<10	53	<10	65	
D1214918		<10	<10	46	<10	72	
D1214919		<10	<10	225	<10	126	
D1214920		<10	<10	244	<10	112	
D1214921		<10	<10	269	<10	116	
D1214922		<10	<10	207	<10	315	
D1214923		10	<10	323	<10	148	
D1214924		10	<10	356	<10	159	
D1214925		<10	<10	47	<10	37	

Comments: During sample preparation, 1.64kg lost from sample D1214990

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-FEB-2016
Account: DETGLD

Project: DGEX-423

CERTIFICATE OF ANALYSIS SD16019838

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1214926		2.76	<0.005	<0.5	8.05	<5	260	0.9	<2	3.08	<0.5	9	29	54	2.48	20
D1214927		5.73	<0.005	<0.5	7.25	<5	30	<0.5	<2	6.73	<0.5	53	38	116	12.65	20
D1214928		4.33	<0.005	<0.5	7.21	<5	70	<0.5	4	7.00	<0.5	42	33	53	11.70	20
D1214929		4.21	<0.005	<0.5	6.86	<5	50	<0.5	5	9.21	<0.5	34	32	25	11.75	20
D1214930		4.45	<0.005	<0.5	6.82	<5	20	<0.5	3	5.24	<0.5	47	36	35	12.35	20
D1214931		6.65	<0.005	<0.5	6.88	<5	20	0.5	<2	10.30	<0.5	47	40	106	11.65	20
D1214932		6.32	<0.005	<0.5	6.41	<5	10	<0.5	<2	10.55	<0.5	43	34	92	11.00	20
D1214933		6.12	<0.005	<0.5	6.59	<5	40	<0.5	6	9.25	<0.5	48	35	92	11.60	20
D1214934		6.94	<0.005	<0.5	6.82	<5	50	<0.5	4	9.04	<0.5	46	37	98	11.65	20
D1214935		0.07	0.344	<0.5	7.44	197	350	1.0	2	5.73	<0.5	40	180	113	8.05	20
D1214936		6.79	<0.005	<0.5	5.92	<5	90	<0.5	<2	10.60	<0.5	36	35	95	10.05	20
D1214937		6.27	<0.005	<0.5	6.35	<5	100	<0.5	3	8.60	<0.5	41	32	90	10.65	20
D1214938		4.04	0.011	<0.5	6.33	<5	130	<0.5	<2	6.78	<0.5	40	33	78	9.91	20
D1214939		5.43	0.012	<0.5	8.02	<5	580	1.1	<2	3.18	<0.5	7	17	22	2.48	20
D1214940		4.17	0.039	<0.5	6.26	<5	220	<0.5	<2	7.04	<0.5	41	32	90	10.40	20
D1214941		6.25	<0.005	<0.5	6.29	<5	290	<0.5	<2	8.37	<0.5	38	32	82	10.55	20
D1214942		3.97	<0.005	<0.5	6.23	<5	180	<0.5	7	8.62	<0.5	41	33	123	10.55	20
D1214943		3.46	0.039	<0.5	6.44	<5	80	<0.5	4	7.83	<0.5	41	35	81	10.70	20
D1214944		4.69	0.009	<0.5	5.69	<5	40	<0.5	<2	7.74	<0.5	36	32	113	9.11	20
D1214945		0.38	0.006	<0.5	4.72	<5	500	0.8	<2	14.30	<0.5	6	33	11	1.94	10
D1214946		4.11	<0.005	<0.5	6.67	<5	40	<0.5	<2	7.49	<0.5	42	33	87	10.40	20
D1214947		5.59	<0.005	<0.5	6.38	<5	20	<0.5	6	5.24	<0.5	41	34	94	10.75	20
D1214948		6.08	<0.005	<0.5	6.39	<5	170	<0.5	2	3.90	<0.5	43	36	115	11.50	20
D1214949		6.16	<0.005	<0.5	6.41	<5	190	<0.5	<2	3.36	<0.5	44	34	100	11.20	20
D1214950		6.14	<0.005	<0.5	6.38	<5	40	<0.5	2	4.41	<0.5	43	34	94	11.80	20
D1214951		5.75	<0.005	<0.5	6.49	<5	30	<0.5	3	5.49	<0.5	42	35	98	11.25	20
D1214952		5.67	<0.005	<0.5	6.26	<5	40	<0.5	<2	7.29	<0.5	44	36	88	11.65	20
D1214953		6.54	<0.005	<0.5	6.41	<5	20	<0.5	5	7.97	<0.5	45	39	103	11.30	20
D1214954		5.44	<0.005	<0.5	6.11	<5	30	<0.5	2	7.23	<0.5	43	37	93	10.60	20
D1214955		0.07	6.54	1.2	5.87	4330	570	0.8	10	5.75	<0.5	34	136	189	12.10	20
D1214956		4.49	<0.005	<0.5	7.78	<5	250	0.8	<2	3.48	<0.5	16	72	7	2.78	20
D1214957		3.42	<0.005	<0.5	7.46	<5	170	0.8	<2	3.24	<0.5	13	68	16	2.62	20
D1214958		4.49	0.226	<0.5	6.03	<5	30	<0.5	<2	6.53	1.3	44	40	180	11.40	20
D1214959		6.70	0.005	<0.5	6.80	<5	20	<0.5	<2	5.86	1.2	45	38	122	12.55	20
D1214960		7.10	0.005	<0.5	7.23	<5	30	0.6	3	6.57	0.9	49	40	117	12.50	30
D1214961		6.63	<0.005	<0.5	7.34	<5	30	0.5	2	5.97	1.0	48	41	109	12.50	20
D1214962		6.30	<0.005	<0.5	6.91	<5	20	<0.5	<2	5.41	1.3	46	35	85	11.90	20
D1214963		6.43	<0.005	<0.5	7.14	<5	30	<0.5	<2	4.88	1.0	49	37	104	11.80	20
D1214964		6.27	<0.005	<0.5	6.99	<5	20	0.5	4	5.24	1.1	45	35	93	11.80	20
D1214965		0.35	<0.005	<0.5	4.18	<5	440	0.7	<2	16.6	<0.5	5	30	11	1.82	10

Comments: During sample preparation, 1.64kg lost from sample D1214990

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-FEB-2016
Account: DETGLD

Project: DGEX-423

CERTIFICATE OF ANALYSIS SD16019838

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1214926		0.50	10	0.88	432	2	4.00	11	620	7	0.26	<5	4	488	<20	0.22
D1214927		0.20	10	3.03	1810	<1	1.62	52	580	5	0.21	7	42	165	<20	1.01
D1214928		0.24	<10	3.07	1815	<1	1.67	42	510	2	0.12	<5	43	162	<20	0.97
D1214929		0.17	<10	3.44	2270	<1	1.06	35	460	4	0.08	<5	42	129	<20	0.94
D1214930		0.15	10	2.98	1635	<1	0.62	44	540	4	0.15	8	40	79	<20	0.95
D1214931		0.26	10	0.72	2140	<1	0.72	34	600	6	0.27	9	43	69	<20	0.99
D1214932		0.26	10	0.83	2300	<1	0.52	30	570	<2	0.18	<5	40	62	<20	0.95
D1214933		0.26	10	1.19	1970	<1	0.76	35	560	5	0.32	8	41	89	<20	0.95
D1214934		0.28	10	1.31	1710	<1	0.64	32	580	5	0.15	<5	41	81	<20	0.98
D1214935		0.83	20	3.78	1400	5	2.25	139	1640	6	0.27	<5	19	435	<20	1.03
D1214936		0.39	10	0.94	1745	<1	0.61	27	520	9	0.19	<5	37	85	<20	0.86
D1214937		0.44	10	1.38	1740	<1	0.71	31	540	5	0.16	5	38	92	<20	0.93
D1214938		0.61	10	2.03	1435	<1	0.94	26	520	2	0.16	7	35	152	<20	0.86
D1214939		0.93	10	0.53	451	<1	3.75	3	700	4	0.46	<5	3	600	<20	0.17
D1214940		0.75	<10	2.28	1545	<1	0.84	28	520	3	0.19	<5	37	109	<20	0.89
D1214941		0.67	10	1.18	1660	<1	0.76	26	550	2	0.15	<5	38	88	<20	0.90
D1214942		0.29	10	1.54	1810	<1	0.88	27	540	4	0.14	7	38	88	<20	0.92
D1214943		0.20	10	0.99	1780	<1	0.99	28	550	<2	0.12	9	38	90	<20	0.90
D1214944		0.12	<10	0.93	1685	1	1.49	25	470	2	0.16	<5	34	138	<20	0.80
D1214945		2.71	30	0.78	908	<1	0.93	16	3780	11	0.25	<5	7	384	<20	0.27
D1214946		0.12	10	2.19	1655	<1	1.91	30	540	4	0.21	<5	39	139	<20	0.93
D1214947		0.11	<10	3.38	1300	<1	1.12	29	530	10	0.23	5	38	58	<20	0.90
D1214948		0.43	<10	4.00	1130	<1	0.80	29	540	3	0.25	<5	39	47	<20	0.95
D1214949		0.51	<10	4.22	1155	<1	0.78	28	530	<2	0.17	<5	38	45	<20	0.91
D1214950		0.11	<10	4.24	1250	<1	0.66	30	530	2	0.17	5	38	44	<20	0.91
D1214951		0.07	<10	2.79	1525	<1	1.65	27	570	<2	0.09	<5	40	113	<20	0.95
D1214952		0.11	10	1.04	1740	<1	1.40	25	590	3	0.12	<5	42	199	<20	1.01
D1214953		0.12	<10	1.09	1675	<1	1.05	27	590	5	0.12	<5	42	150	<20	1.03
D1214954		0.10	10	1.81	1615	<1	1.32	27	550	4	0.16	<5	39	140	<20	0.93
D1214955		0.57	20	3.02	4010	3	1.23	102	2300	12	3.50	15	20	241	<20	0.57
D1214956		0.30	10	1.57	477	<1	4.05	37	560	<2	0.19	7	7	368	<20	0.22
D1214957		0.20	10	1.50	443	<1	3.95	34	530	3	0.11	6	6	367	<20	0.20
D1214958		0.13	<10	2.21	1485	2	1.13	32	580	3	0.33	10	42	120	<20	1.02
D1214959		0.14	<10	2.86	1645	1	1.13	33	620	4	0.14	7	44	109	<20	1.08
D1214960		0.18	10	2.77	1755	1	1.58	38	620	3	0.16	9	45	138	<20	1.09
D1214961		0.17	<10	3.19	1800	1	1.83	40	640	3	0.16	5	45	149	<20	1.09
D1214962		0.12	10	3.78	1735	<1	1.31	37	590	3	0.10	5	41	152	<20	1.02
D1214963		0.14	<10	3.75	1695	<1	1.65	38	600	2	0.17	<5	43	136	<20	1.05
D1214964		0.13	<10	3.67	1690	<1	1.48	38	590	2	0.09	6	42	131	<20	1.02
D1214965		2.26	30	0.78	843	1	0.81	16	3040	13	0.23	6	6	388	<20	0.26

Comments: During sample preparation, 1.64kg lost from sample D1214990

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-FEB-2016
Account: DETGLD

Project: DGEX-423

CERTIFICATE OF ANALYSIS SD16019838

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1214926		<10	<10	45	<10	98	
D1214927		<10	<10	385	<10	150	
D1214928		<10	<10	389	<10	152	
D1214929		<10	<10	367	<10	171	
D1214930		<10	<10	343	<10	199	
D1214931		<10	<10	375	<10	147	
D1214932		10	<10	351	<10	136	
D1214933		<10	<10	358	<10	149	
D1214934		<10	<10	358	<10	148	
D1214935		<10	<10	154	<10	116	
D1214936		10	<10	323	<10	113	
D1214937		<10	<10	347	<10	138	
D1214938		<10	<10	320	<10	123	
D1214939		10	<10	26	<10	28	
D1214940		<10	<10	333	<10	129	
D1214941		<10	<10	336	<10	125	
D1214942		10	<10	341	<10	131	
D1214943		<10	<10	341	<10	123	
D1214944		<10	<10	306	<10	107	
D1214945		<10	<10	32	<10	27	
D1214946		<10	<10	350	<10	136	
D1214947		<10	<10	336	<10	153	
D1214948		<10	<10	353	<10	132	
D1214949		<10	<10	343	<10	117	
D1214950		10	<10	346	<10	123	
D1214951		<10	<10	357	<10	116	
D1214952		<10	<10	374	<10	128	
D1214953		<10	<10	388	<10	134	
D1214954		<10	<10	355	<10	137	
D1214955		<10	<10	174	<10	124	6.56
D1214956		<10	<10	57	10	50	
D1214957		<10	<10	53	<10	55	
D1214958		<10	<10	381	<10	140	
D1214959		<10	<10	394	<10	164	
D1214960		<10	<10	407	<10	162	
D1214961		<10	<10	402	<10	160	
D1214962		<10	<10	370	<10	147	
D1214963		<10	<10	387	<10	136	
D1214964		<10	<10	381	<10	132	
D1214965		<10	<10	30	<10	24	

Comments: During sample preparation, 1.64kg lost from sample D1214990

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-FEB-2016
Account: DETGLD

Project: DGEX-423

CERTIFICATE OF ANALYSIS SD16019838

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au g/t 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
D1214966		6.14	<0.005	<0.5	6.91	<5	30	<0.5	<2	5.54	1.1	47	37	109	11.95	20
D1214967		6.23	<0.005	<0.5	7.15	<5	30	<0.5	2	5.91	1.3	48	37	131	12.15	20
D1214968		6.53	<0.005	<0.5	7.24	<5	30	0.5	3	8.89	1.1	45	40	94	11.65	20
D1214969		6.41	<0.005	<0.5	6.12	<5	20	<0.5	<2	7.53	1.0	41	42	84	10.70	20
D1214970		6.65	<0.005	<0.5	6.60	<5	20	<0.5	<2	7.84	0.8	46	41	89	11.70	20
D1214971		6.19	<0.005	<0.5	7.05	<5	20	<0.5	3	8.09	0.9	50	40	114	12.05	20
D1214972		6.54	<0.005	<0.5	6.29	<5	20	0.5	<2	11.90	1.0	39	33	88	10.20	20
D1214973		7.23	<0.005	<0.5	7.21	<5	20	0.5	<2	8.67	0.9	48	37	89	13.00	20
D1214974		6.70	<0.005	<0.5	7.37	<5	20	0.5	<2	9.07	1.0	50	43	89	12.30	20
D1214975		0.07	4.50	5.8	4.74	16	300	0.9	<2	5.31	0.5	9	28	65	2.75	10
D1214976		4.98	0.006	0.5	4.87	<5	20	<0.5	<2	6.26	2.3	57	87	403	14.45	20
D1214977		5.57	<0.005	<0.5	8.25	<5	30	<0.5	<2	11.05	1.0	46	213	63	8.96	20
D1214978		4.44	<0.005	<0.5	8.79	<5	40	<0.5	<2	9.38	0.7	53	247	105	9.52	20
D1214979		4.02	<0.005	<0.5	8.56	<5	40	<0.5	<2	7.99	<0.5	55	244	58	9.67	20
D1214980		6.46	<0.005	<0.5	8.06	<5	50	<0.5	<2	12.40	0.9	56	218	146	11.15	20
D1214981		4.75	0.008	<0.5	6.80	<5	100	<0.5	<2	11.00	0.7	41	170	108	9.73	20
D1214982		2.18	<0.005	0.5	6.55	<5	70	0.5	<2	3.93	<0.5	30	67	210	8.75	20
D1214983		6.42	<0.005	<0.5	6.95	<5	50	<0.5	<2	9.79	0.7	42	175	113	9.53	20
D1214984		6.48	<0.005	<0.5	7.60	<5	70	0.5	2	9.92	0.9	45	183	112	8.52	20
D1214985		0.39	<0.005	<0.5	3.91	<5	360	0.8	<2	17.7	<0.5	7	30	12	1.74	10
D1214986		6.08	<0.005	<0.5	7.75	<5	160	0.8	<2	4.05	<0.5	24	85	99	7.70	20
D1214987		6.33	<0.005	<0.5	8.00	<5	90	<0.5	<2	7.39	0.9	55	203	99	11.15	20
D1214988		6.47	<0.005	<0.5	7.64	<5	130	<0.5	<2	6.49	0.7	48	188	57	11.70	20
D1214989		6.40	<0.005	<0.5	7.93	<5	80	<0.5	<2	8.88	0.6	46	229	57	9.22	20
D1214990		3.10	<0.005	<0.5	8.29	<5	150	<0.5	<2	7.74	3.4	54	238	158	10.60	20
D1214991		3.49	<0.005	<0.5	7.42	<5	120	0.5	<2	6.11	1.1	34	156	126	8.77	20
D1214992		5.62	<0.005	0.6	5.61	<5	610	0.6	2	3.30	0.8	6	19	50	4.84	20
D1214993		4.00	<0.005	<0.5	6.76	<5	440	0.6	<2	5.51	<0.5	22	56	88	6.47	20
D1214994		4.50	<0.005	<0.5	6.97	<5	520	1.0	<2	2.24	<0.5	13	37	101	5.94	20
D1214995		0.07	1.235	<0.5	6.44	743	420	1.0	<2	5.17	0.7	36	177	91	9.25	20
D1214996		4.85	<0.005	0.5	7.20	<5	710	0.8	2	1.24	<0.5	11	35	73	7.16	20
D1214997		2.27	<0.005	<0.5	6.40	<5	350	0.7	2	1.02	<0.5	5	2	8	5.64	20
D1214998		4.09	<0.005	<0.5	5.33	<5	100	0.6	<2	0.71	<0.5	10	10	10	5.89	20
D1214999		3.67	<0.005	0.6	6.36	<5	560	0.9	<2	0.89	<0.5	7	5	17	5.31	20
D1215000		5.76	<0.005	0.6	6.30	<5	810	0.8	<2	0.61	<0.5	5	4	4	5.21	20
D1222501		5.74	<0.005	<0.5	6.41	<5	430	0.8	<2	1.38	<0.5	9	13	75	5.10	20
D1222502		3.10	<0.005	0.5	5.91	<5	350	0.8	<2	1.24	<0.5	3	17	109	2.57	10
D1222503		5.20	0.009	<0.5	7.54	<5	470	0.9	<2	2.80	<0.5	10	32	301	2.54	20
D1222504		2.37	0.006	0.6	7.31	<5	540	0.8	<2	3.30	0.5	17	36	323	3.17	20

Comments: During sample preparation, 1.64kg lost from sample D1214990

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-FEB-2016
Account: DETGLD

Project: DGEX-423

CERTIFICATE OF ANALYSIS SD16019838

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D1214966		0.15	<10	3.61	1770	<1	1.31	40	580	<2	0.23	5	42	115	<20	1.01
D1214967		0.16	<10	3.19	1715	<1	1.56	37	610	2	0.23	7	43	127	<20	1.05
D1214968		0.16	10	1.31	1595	1	2.41	39	630	5	0.18	6	43	228	<20	1.05
D1214969		0.19	10	0.94	1405	1	1.45	36	520	4	0.16	<5	37	191	<20	0.88
D1214970		0.18	<10	0.89	1420	2	1.23	44	570	11	0.14	7	40	187	<20	0.95
D1214971		0.15	<10	1.05	1535	<1	1.94	47	600	5	0.17	<5	41	158	<20	0.98
D1214972		0.16	10	0.74	1780	<1	1.50	41	560	5	0.13	6	38	144	<20	0.92
D1214973		0.19	<10	1.73	1745	<1	1.12	43	620	2	0.09	5	44	120	<20	1.07
D1214974		0.17	10	1.48	1875	1	1.37	48	620	<2	0.41	6	43	137	<20	1.04
D1214975		2.16	10	0.88	653	6	0.71	11	560	14	0.88	5	11	265	<20	0.25
D1214976		0.13	10	0.89	1550	2	0.99	77	270	5	5.10	10	20	90	<20	0.40
D1214977		0.17	10	0.61	1910	<1	2.06	131	370	3	0.24	6	40	141	<20	0.69
D1214978		0.15	<10	0.93	1855	<1	2.96	164	390	4	0.28	8	43	128	<20	0.74
D1214979		0.18	<10	0.89	1845	<1	2.83	157	370	6	0.37	7	41	111	<20	0.74
D1214980		0.18	<10	0.55	2310	9	2.06	145	360	7	0.58	14	39	142	<20	0.68
D1214981		0.22	10	0.63	2070	1	0.87	112	310	4	0.32	6	30	100	<20	0.52
D1214982		0.13	20	0.75	907	2	1.03	62	190	23	1.14	<5	15	115	<20	0.29
D1214983		0.18	10	0.96	1805	1	0.97	108	310	13	0.46	<5	31	106	<20	0.54
D1214984		0.22	10	1.19	1510	<1	1.35	124	380	4	0.31	8	34	115	<20	0.59
D1214985		2.13	30	0.77	876	1	0.69	15	2760	14	0.30	9	6	385	<20	0.24
D1214986		0.35	20	1.51	900	2	1.46	50	610	9	0.56	7	21	147	<20	0.45
D1214987		0.47	<10	2.52	1955	<1	1.10	141	380	5	0.28	<5	39	132	<20	0.67
D1214988		0.77	<10	2.89	2150	<1	0.92	130	370	7	0.12	10	36	110	<20	0.66
D1214989		0.77	<10	1.77	2120	<1	1.56	163	360	6	0.15	8	38	162	<20	0.66
D1214990		1.30	<10	2.78	1885	<1	1.12	159	380	3	0.61	9	40	179	<20	0.70
D1214991		1.10	10	2.65	1520	<1	1.20	100	390	11	1.06	10	27	152	<20	0.50
D1214992		1.36	20	0.93	733	2	1.19	6	560	7	0.64	<5	10	100	<20	0.27
D1214993		1.64	20	2.38	1235	3	0.96	36	780	5	0.80	5	18	83	<20	0.45
D1214994		1.82	20	2.07	650	2	1.54	18	810	5	0.46	5	16	80	<20	0.42
D1214995		0.68	20	3.54	2510	4	1.84	130	1900	7	0.95	5	17	349	<20	0.86
D1214996		1.45	20	2.78	725	2	0.95	15	520	<2	0.31	<5	17	49	<20	0.34
D1214997		0.78	30	2.72	596	2	0.94	1	450	4	0.05	<5	13	45	<20	0.25
D1214998		0.40	20	2.86	629	3	0.69	3	370	2	0.02	<5	10	37	<20	0.21
D1214999		1.12	20	2.42	506	2	1.01	1	470	2	0.06	<5	12	52	<20	0.25
D1215000		1.54	20	2.43	523	2	0.72	<1	460	4	0.01	<5	12	41	<20	0.24
D1222501		1.38	20	2.23	493	2	1.58	4	450	21	0.34	<5	10	127	<20	0.23
D1222502		0.63	20	1.54	246	7	2.42	4	410	10	0.17	<5	10	163	<20	0.17
D1222503		1.31	10	0.98	276	43	3.64	14	580	21	0.45	<5	4	537	<20	0.21
D1222504		1.31	10	1.51	358	3	3.22	18	570	60	0.46	<5	5	484	<20	0.23

Comments: During sample preparation, 1.64kg lost from sample D1214990

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-FEB-2016
Account: DETGLD

Project: DGEX-423

CERTIFICATE OF ANALYSIS SD16019838

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-GRA22 Au g/t 0.05
D1214966		<10	<10	370	<10	144	
D1214967		<10	<10	382	<10	152	
D1214968		<10	<10	391	<10	101	
D1214969		<10	<10	333	<10	99	
D1214970		<10	<10	352	<10	122	
D1214971		<10	<10	364	<10	135	
D1214972		<10	<10	337	<10	108	
D1214973		<10	<10	382	<10	176	
D1214974		<10	<10	380	<10	214	
D1214975		<10	<10	92	<10	57	4.55
D1214976		<10	<10	145	<10	479	
D1214977		10	<10	295	<10	177	
D1214978		<10	<10	313	<10	172	
D1214979		<10	<10	309	<10	211	
D1214980		<10	<10	287	<10	207	
D1214981		<10	<10	216	<10	211	
D1214982		<10	<10	86	<10	177	
D1214983		<10	<10	222	<10	174	
D1214984		<10	<10	235	<10	142	
D1214985		<10	<10	29	<10	26	
D1214986		10	<10	106	<10	207	
D1214987		<10	<10	283	<10	213	
D1214988		<10	<10	273	<10	225	
D1214989		<10	<10	282	<10	198	
D1214990		<10	<10	292	<10	847	
D1214991		<10	10	183	<10	601	
D1214992		<10	<10	23	<10	277	
D1214993		<10	<10	75	<10	199	
D1214994		<10	<10	44	<10	124	
D1214995		<10	<10	145	<10	125	
D1214996		<10	<10	33	<10	103	
D1214997		<10	<10	1	<10	66	
D1214998		<10	<10	5	<10	62	
D1214999		<10	<10	6	<10	49	
D1215000		<10	<10	1	<10	53	
D1222501		<10	<10	14	<10	71	
D1222502		<10	<10	7	<10	42	
D1222503		<10	<10	48	<10	123	
D1222504		<10	<10	50	<10	219	

Comments: During sample preparation, 1.64kg lost from sample D1214990

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 23-FEB-2016
Account: DETGLD

Project: DGEX-423

CERTIFICATE OF ANALYSIS SD16019838

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-24
	PUL-32	PUL-QC	SPL-22Y	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA24	Au-GRA22	ME-ICP61