ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 2-JUL-2016
Account: DETGLD

CERTIFICATE SD16102318

Project: DGEX-688

P.O. No.: DGC 4800002804

This report is for 234 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 27-JUN-2016.

The following have access to data associated with this certificate:

APRIL COOMBS	ADREE DELAZZER	GUY MAC GILLIVRAY
KELLY MALCOLM	JEAN FRANCOIS METAIL	LINDSAY RICHAN
LARRY THON	JAMES TOLHURST	ASHLEY WALKER
DETOUR GOLD WEBTRIEVE		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **DETOUR GOLD CORPORATION**
ATTN: LARRY THON
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 2-JUL-2016
Account: DETGLD

Project: DGEX-688

CERTIFICATE OF ANALYSIS SD16102318

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10
D1250741		<0.5	7.64	<5	50	<0.5	<2	6.48	<0.5	44	150	87	9.97	20	0.32	<10
D1250742		<0.5	7.24	<5	70	<0.5	<2	6.11	<0.5	45	139	97	10.65	20	0.43	<10
D1250743		<0.5	6.90	<5	60	<0.5	<2	6.20	<0.5	43	110	99	10.40	20	0.44	<10
D1250744		<0.5	6.80	<5	40	<0.5	<2	5.83	<0.5	44	90	110	10.80	20	0.29	<10
D1250745		<0.5	7.08	<5	40	<0.5	4	6.12	<0.5	44	90	91	11.15	20	0.25	<10
D1250746		<0.5	7.06	<5	50	<0.5	<2	5.77	<0.5	47	81	147	11.55	20	0.30	<10
D1250747		<0.5	6.78	<5	40	<0.5	4	5.86	<0.5	45	75	120	10.85	20	0.27	<10
D1250748		<0.5	7.02	<5	30	<0.5	<2	5.88	<0.5	46	67	76	11.50	20	0.25	<10
D1250749		<0.5	6.90	<5	40	<0.5	<2	5.63	<0.5	46	66	87	11.25	20	0.27	<10
D1250750		5.5	4.57	18	280	0.9	<2	5.00	<0.5	8	26	61	2.56	10	2.03	10
D1250751		<0.5	6.83	<5	30	<0.5	<2	5.48	<0.5	46	57	130	11.25	20	0.22	<10
D1250752		<0.5	7.00	<5	20	<0.5	<2	5.76	<0.5	46	56	109	11.55	20	0.17	<10
D1250753		<0.5	6.97	<5	30	<0.5	<2	5.50	<0.5	46	45	112	11.95	20	0.21	<10
D1250754		<0.5	6.95	<5	30	<0.5	2	5.41	<0.5	46	41	114	12.15	20	0.24	<10
D1250755		<0.5	6.59	<5	30	<0.5	<2	6.09	<0.5	46	35	162	12.05	20	0.25	<10
D1250756		<0.5	7.10	<5	30	<0.5	<2	6.11	<0.5	49	38	92	12.35	20	0.22	<10
D1250757		<0.5	6.67	<5	30	<0.5	<2	5.47	<0.5	46	31	108	11.80	20	0.18	<10
D1250758		<0.5	6.94	<5	30	<0.5	<2	5.97	<0.5	47	31	109	12.55	20	0.24	<10
D1250759		<0.5	6.92	<5	30	<0.5	<2	5.88	<0.5	49	31	119	12.05	20	0.26	<10
D1250760		<0.5	4.06	<5	460	0.6	<2	17.5	<0.5	4	29	12	1.78	10	2.15	30
D1250761		<0.5	6.82	<5	30	<0.5	2	5.63	<0.5	50	29	110	12.35	20	0.23	<10
D1250762		<0.5	6.75	<5	30	<0.5	<2	5.37	<0.5	47	24	92	12.00	20	0.20	<10
D1250763		<0.5	7.03	<5	30	<0.5	<2	5.52	<0.5	50	25	152	12.20	20	0.22	<10
D1250764		<0.5	6.79	<5	30	0.5	2	5.27	<0.5	48	14	114	12.75	20	0.19	<10
D1250765		<0.5	6.90	<5	20	0.5	<2	5.27	<0.5	49	13	112	13.45	20	0.19	<10
D1250766		<0.5	6.69	<5	30	0.5	3	5.29	<0.5	49	11	109	12.95	20	0.20	<10
D1250767		<0.5	6.44	<5	30	0.5	<2	5.08	<0.5	46	12	91	12.40	20	0.19	<10
D1250768		<0.5	6.60	<5	40	0.5	2	5.64	<0.5	46	9	92	12.85	20	0.21	<10
D1250769		<0.5	7.04	<5	30	0.5	<2	4.80	<0.5	37	43	69	9.72	20	0.17	10
D1250770		1.5	5.75	57	230	0.5	<2	4.51	<0.5	33	394	130	5.30	10	0.63	<10
D1250771		<0.5	6.46	<5	50	<0.5	2	5.39	<0.5	45	10	121	12.55	20	0.24	<10
D1250772		<0.5	5.74	<5	30	<0.5	<2	4.17	<0.5	40	33	79	10.30	20	0.19	<10
D1250773		<0.5	6.41	<5	40	<0.5	4	5.01	<0.5	48	9	122	12.50	20	0.25	<10
D1250774		<0.5	6.45	<5	40	0.5	5	5.22	<0.5	47	8	119	13.05	20	0.23	<10
D1250775		<0.5	6.27	<5	30	0.5	<2	4.85	<0.5	46	4	63	13.70	20	0.19	<10
D1250776		<0.5	6.14	<5	40	<0.5	2	5.03	<0.5	48	5	111	13.00	20	0.22	<10
D1250777		<0.5	6.30	<5	40	0.7	<2	4.39	<0.5	37	5	43	13.25	20	0.20	<10
D1250778		<0.5	6.41	<5	50	0.8	<2	4.22	<0.5	31	6	31	12.70	20	0.23	10
D1250779		<0.5	6.38	7	30	0.6	<2	4.17	<0.5	35	9	192	13.00	20	0.15	10
D1250780		<0.5	3.57	<5	330	0.6	<2	20.3	<0.5	3	29	11	1.60	10	1.91	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 2-JUL-2016
Account: DETGLD

Project: DGEX-688

CERTIFICATE OF ANALYSIS SD16102318

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10
D1250741		3.78	1385	1	2.46	63	390	4	0.11	<5	47	98	<20	0.71	<10	<10
D1250742		3.66	1510	<1	2.16	55	450	3	0.10	<5	47	122	<20	0.76	<10	<10
D1250743		3.40	1495	<1	2.12	45	450	5	0.23	<5	46	135	<20	0.77	<10	10
D1250744		3.55	1630	<1	2.46	43	440	4	0.12	<5	48	106	<20	0.82	<10	<10
D1250745		3.57	1515	<1	2.68	45	480	<2	0.11	<5	49	98	<20	0.84	<10	<10
D1250746		3.56	1610	<1	2.77	43	480	<2	0.29	<5	50	88	<20	0.91	<10	<10
D1250747		3.37	1555	<1	2.64	44	450	3	0.24	<5	46	79	<20	0.77	<10	<10
D1250748		3.45	1655	<1	2.78	41	530	<2	0.09	<5	49	91	<20	0.86	<10	<10
D1250749		3.32	1620	<1	2.65	39	530	4	0.16	<5	48	89	<20	0.83	10	<10
D1250750		0.82	605	5	0.68	9	550	17	0.80	<5	10	252	<20	0.23	<10	<10
D1250751		3.08	1620	<1	2.62	37	510	<2	0.30	<5	46	87	<20	0.82	10	<10
D1250752		3.21	1600	1	2.68	39	460	2	0.19	<5	48	61	<20	0.85	<10	<10
D1250753		3.24	1765	<1	2.97	35	500	5	0.37	<5	49	55	<20	0.88	<10	<10
D1250754		3.17	1825	<1	2.78	35	520	<2	0.21	<5	48	67	<20	0.89	10	<10
D1250755		2.88	1805	1	2.33	32	520	<2	0.74	<5	45	92	<20	0.85	<10	<10
D1250756		3.19	1845	<1	2.84	33	570	<2	0.12	<5	49	89	<20	0.95	<10	<10
D1250757		2.92	1735	1	2.45	30	540	<2	0.13	<5	46	100	<20	0.88	<10	<10
D1250758		3.05	1800	<1	2.36	33	570	5	0.27	<5	48	116	<20	0.93	<10	<10
D1250759		3.04	1805	<1	2.49	33	530	<2	0.10	<5	48	137	<20	0.94	<10	<10
D1250760		0.76	866	1	0.86	13	3060	11	0.28	<5	6	397	<20	0.25	<10	10
D1250761		3.00	1850	<1	2.75	31	530	4	0.08	<5	48	86	<20	0.96	<10	<10
D1250762		2.99	1650	<1	2.77	33	520	3	0.04	<5	48	78	<20	0.94	10	<10
D1250763		3.26	1695	<1	2.79	36	480	<2	0.07	<5	49	88	<20	0.94	<10	<10
D1250764		2.80	1860	1	2.97	27	640	<2	0.08	<5	47	70	<20	0.97	<10	<10
D1250765		2.91	2020	<1	3.04	26	630	<2	0.12	<5	49	72	<20	1.06	10	<10
D1250766		2.90	1945	<1	2.78	27	600	6	0.11	<5	47	95	<20	1.02	<10	<10
D1250767		2.80	1840	<1	2.61	25	550	3	0.08	<5	45	113	<20	0.97	<10	<10
D1250768		2.82	1885	<1	2.64	25	680	<2	0.20	<5	47	105	<20	1.02	<10	<10
D1250769		2.83	1515	<1	3.45	60	620	<2	0.21	<5	34	144	<20	0.75	<10	<10
D1250770		4.40	852	5	1.42	173	320	33	0.76	<5	24	96	<20	0.31	<10	<10
D1250771		2.77	1890	<1	2.63	26	540	2	0.21	<5	46	105	<20	1.02	10	<10
D1250772		2.38	1565	1	2.36	39	500	2	0.22	<5	36	112	<20	0.79	<10	<10
D1250773		2.82	1905	<1	2.67	25	550	2	0.19	<5	46	107	<20	1.02	<10	<10
D1250774		2.65	1895	<1	2.45	23	620	<2	0.04	<5	46	121	<20	1.03	<10	<10
D1250775		2.18	1945	<1	2.49	8	720	<2	0.10	<5	45	110	<20	1.12	<10	<10
D1250776		2.40	1890	<1	2.18	19	590	<2	0.03	<5	45	112	<20	1.07	<10	<10
D1250777		1.46	1990	<1	2.65	1	980	3	0.05	<5	37	113	<20	1.01	<10	<10
D1250778		1.15	1975	1	2.83	<1	1150	5	0.11	<5	32	114	<20	0.87	<10	<10
D1250779		1.41	1845	<1	2.89	2	1010	<2	1.05	<5	36	61	<20	0.95	<10	<10
D1250780		0.75	933	<1	0.71	12	2820	7	0.27	<5	6	422	<20	0.19	<10	<10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 2-JUL-2016
Account: DETGLD

Project: DGEX-688

CERTIFICATE OF ANALYSIS SD16102318

Sample Description	Method Analyte Units LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
D1250741		339	<10	59
D1250742		343	<10	74
D1250743		339	<10	76
D1250744		360	<10	80
D1250745		373	<10	80
D1250746		403	<10	91
D1250747		342	<10	78
D1250748		376	<10	81
D1250749		375	10	79
D1250750		86	<10	52
D1250751		350	10	81
D1250752		373	<10	87
D1250753		393	<10	112
D1250754		390	<10	122
D1250755		368	10	116
D1250756		393	10	122
D1250757		374	<10	112
D1250758		388	<10	124
D1250759		389	<10	108
D1250760		28	<10	17
D1250761		407	<10	94
D1250762		433	<10	86
D1250763		437	<10	97
D1250764		377	<10	127
D1250765		445	10	139
D1250766		428	<10	136
D1250767		404	<10	129
D1250768		419	<10	130
D1250769		313	<10	107
D1250770		166	10	81
D1250771		428	<10	127
D1250772		344	<10	119
D1250773		450	<10	139
D1250774		445	<10	145
D1250775		362	<10	157
D1250776		453	<10	147
D1250777		138	<10	169
D1250778		72	<10	167
D1250779		122	<10	152
D1250780		25	<10	23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 2-JUL-2016
Account: DETGLD

Project: DGEX-688

CERTIFICATE OF ANALYSIS SD16102318

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10
D1250781		<0.5	7.08	<5	70	<0.5	2	7.24	<0.5	42	47	133	11.95	30	0.34	<10
D1250782		<0.5	7.01	<5	180	0.5	<2	6.09	<0.5	45	219	210	10.80	20	0.53	<10
D1250783		<0.5	6.88	<5	40	<0.5	<2	5.87	<0.5	46	85	114	11.50	20	0.29	<10
D1250784		<0.5	6.87	<5	70	<0.5	2	5.70	<0.5	39	114	75	9.80	20	0.49	<10
D1250785		<0.5	6.47	<5	460	0.9	<2	1.40	<0.5	7	21	5	3.24	20	1.72	10
D1250786		<0.5	6.02	<5	430	0.9	<2	0.85	<0.5	12	13	29	4.65	20	2.35	20
D1250787		<0.5	6.95	<5	490	0.8	<2	3.48	<0.5	26	127	127	6.10	20	2.11	10
D1250788		<0.5	7.25	<5	230	<0.5	<2	4.96	<0.5	43	128	98	9.72	20	1.48	<10
D1250789		<0.5	6.80	<5	160	0.7	<2	3.43	0.5	27	80	99	7.90	20	1.19	10
D1250790		<0.5	6.73	773	430	1.0	<2	5.20	<0.5	35	167	91	9.59	20	0.67	20
D1250791		<0.5	5.14	<5	210	1.0	<2	1.89	0.7	16	168	84	5.12	20	1.62	20
D1250792		<0.5	5.95	<5	290	1.0	<2	1.14	0.6	13	18	104	4.79	20	1.85	30
D1250793		<0.5	6.44	<5	400	1.0	<2	1.50	<0.5	4	40	18	3.19	20	1.80	30
D1250794		<0.5	6.58	<5	250	1.1	<2	1.42	<0.5	2	8	11	3.61	20	1.59	30
D1250795		<0.5	6.60	<5	300	1.2	<2	1.16	<0.5	3	9	24	3.15	20	2.20	30
D1250796		<0.5	6.12	<5	310	0.9	<2	1.93	1.1	18	20	142	5.51	20	2.50	20
D1250797		<0.5	5.96	9	640	1.2	<2	1.06	0.8	12	12	90	4.72	20	4.27	20
D1250798		<0.5	7.46	<5	350	1.1	<2	4.14	<0.5	30	157	59	5.76	20	3.07	10
D1250799		<0.5	6.94	<5	540	0.8	<2	2.85	<0.5	24	133	62	6.46	20	3.40	20
D1250800		<0.5	3.15	<5	270	0.6	<2	22.9	<0.5	3	31	10	1.77	10	1.69	20
D1250801		<0.5	7.95	<5	400	0.6	<2	3.99	<0.5	37	177	84	7.99	20	2.09	10
D1250802		<0.5	6.74	<5	620	0.9	<2	1.23	<0.5	27	82	138	7.20	20	2.91	10
D1250803		<0.5	6.97	<5	560	0.9	<2	0.91	<0.5	31	132	37	6.79	20	3.72	10
D1250804		<0.5	6.89	<5	530	1.0	<2	0.76	2.3	14	15	162	5.41	20	2.21	30
D1250805		<0.5	6.53	<5	510	0.7	<2	0.95	<0.5	28	103	115	7.69	20	3.32	10
D1250806		<0.5	6.48	<5	380	0.6	<2	3.43	<0.5	34	60	143	8.13	20	1.97	10
D1250807		<0.5	6.79	<5	50	0.5	4	8.98	<0.5	42	39	160	13.95	20	0.58	<10
D1250808		<0.5	6.68	<5	40	0.5	5	7.90	<0.5	39	39	63	13.60	20	0.45	<10
D1250809		<0.5	7.45	<5	160	0.5	3	6.30	<0.5	47	44	191	11.20	20	0.96	<10
D1250810		<0.5	7.38	198	340	1.1	<2	5.55	<0.5	37	185	112	7.93	20	0.77	20
D1250811		<0.5	6.78	<5	60	0.5	<2	7.68	<0.5	42	42	76	13.15	20	0.36	<10
D1250812		<0.5	7.01	<5	250	0.5	<2	6.79	<0.5	41	38	76	13.60	20	0.61	<10
D1250813		<0.5	6.91	<5	130	0.5	<2	8.14	<0.5	43	49	108	11.20	20	0.65	<10
D1250814		<0.5	6.77	5	130	0.5	<2	8.19	0.5	43	47	102	13.10	20	0.45	<10
D1250815		<0.5	6.24	<5	150	0.5	<2	7.39	0.7	35	39	71	12.25	20	0.43	<10
D1250816		<0.5	7.13	<5	200	0.8	2	6.68	<0.5	46	82	138	9.58	20	0.58	10
D1250817		<0.5	6.14	<5	1160	3.2	<2	9.43	<0.5	33	150	12	6.15	20	3.26	70
D1250818		<0.5	6.87	<5	110	0.6	3	7.57	<0.5	43	41	68	10.95	20	0.46	<10
D1250819		<0.5	7.27	<5	80	0.5	3	6.50	<0.5	50	41	155	10.95	20	0.33	<10
D1250820		<0.5	2.58	<5	240	0.5	<2	24.7	<0.5	4	19	10	1.37	10	1.41	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 2-JUL-2016
Account: DETGLD

Project: DGEX-688

CERTIFICATE OF ANALYSIS SD16102318

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10
D1250781		2.58	1565	1	2.09	35	440	<2	0.43	<5	39	651	<20	0.76	<10	<10
D1250782		4.04	1605	1	2.00	75	580	2	0.41	<5	43	212	<20	0.75	10	<10
D1250783		3.95	1675	<1	1.64	42	500	<2	0.05	<5	47	80	<20	0.79	<10	<10
D1250784		3.98	1290	<1	1.96	53	410	3	0.04	<5	44	85	<20	0.70	<10	<10
D1250785		1.88	571	2	1.98	13	320	<2	0.01	<5	10	48	<20	0.20	<10	<10
D1250786		1.81	661	1	0.72	12	480	3	0.03	<5	11	49	<20	0.25	<10	<10
D1250787		2.39	897	1	1.52	64	490	10	0.63	<5	21	145	<20	0.37	<10	<10
D1250788		3.72	1425	1	1.45	86	420	4	0.55	<5	35	113	<20	0.58	<10	<10
D1250789		2.62	1060	4	1.51	51	340	4	0.64	<5	23	108	<20	0.39	<10	<10
D1250790		3.57	2510	3	1.89	132	1990	8	0.97	<5	17	373	<20	0.86	10	<10
D1250791		2.08	641	2	0.75	49	440	18	1.36	<5	11	67	<20	0.19	<10	<10
D1250792		1.05	326	2	1.23	20	260	76	1.93	<5	8	115	<20	0.17	<10	<10
D1250793		1.37	379	2	1.30	8	270	8	0.11	<5	8	142	<20	0.15	<10	<10
D1250794		1.27	438	1	1.59	2	340	7	0.09	<5	8	127	<20	0.19	<10	<10
D1250795		0.98	378	2	1.14	5	280	7	0.27	<5	8	84	<20	0.18	<10	<10
D1250796		0.71	1030	2	0.35	20	480	10	2.14	<5	11	77	<20	0.25	10	<10
D1250797		0.45	805	2	0.24	14	280	11	1.76	<5	7	56	<20	0.17	<10	<10
D1250798		1.72	1720	2	1.56	96	250	5	0.30	<5	22	110	<20	0.38	<10	<10
D1250799		2.08	1400	1	1.20	68	510	7	0.41	<5	20	124	<20	0.38	<10	<10
D1250800		0.85	1080	1	0.52	13	2250	9	0.24	<5	5	479	<20	0.21	<10	<10
D1250801		3.18	1715	<1	1.67	115	510	5	0.79	<5	27	233	<20	0.53	<10	<10
D1250802		2.68	964	2	0.97	49	430	5	1.21	<5	18	69	<20	0.35	<10	<10
D1250803		3.78	1120	1	1.09	85	410	5	0.42	<5	23	57	<20	0.44	<10	<10
D1250804		1.77	1095	1	2.44	17	700	26	1.21	<5	13	62	<20	0.32	<10	<10
D1250805		3.99	1385	2	0.60	64	320	76	1.18	<5	20	44	<20	0.37	<10	<10
D1250806		2.28	1560	1	0.87	38	440	13	1.28	<5	27	89	<20	0.58	<10	<10
D1250807		2.02	3390	<1	0.55	32	610	9	1.79	<5	42	76	<20	0.97	<10	<10
D1250808		2.31	3790	<1	0.58	29	630	2	0.73	<5	41	84	<20	0.97	<10	<10
D1250809		1.61	2530	<1	1.11	36	680	14	2.24	<5	45	94	<20	1.06	<10	<10
D1250810		3.66	1375	4	2.20	132	1640	5	0.26	<5	18	425	<20	0.98	<10	<10
D1250811		2.10	3760	<1	0.79	33	630	5	0.45	<5	41	106	<20	0.96	<10	<10
D1250812		2.03	3840	1	0.64	33	610	2	0.20	<5	43	95	<20	0.99	<10	<10
D1250813		1.95	3230	<1	0.84	39	620	16	0.31	<5	43	107	<20	1.00	<10	<10
D1250814		2.08	3710	1	0.75	35	600	9	0.31	<5	41	124	<20	0.98	<10	<10
D1250815		1.83	3660	1	0.93	31	540	19	0.25	<5	36	115	<20	0.84	<10	<10
D1250816		2.98	1885	<1	2.64	52	1170	15	0.31	<5	41	326	<20	0.99	<10	<10
D1250817		5.86	1200	<1	1.66	122	5410	8	0.12	<5	18	1090	<20	0.72	<10	<10
D1250818		1.99	2360	<1	1.59	34	660	6	0.17	<5	42	148	<20	0.99	<10	<10
D1250819		2.14	2190	<1	2.04	33	630	5	0.45	<5	44	131	<20	1.06	<10	<10
D1250820		0.76	997	<1	0.46	10	2670	10	0.22	<5	5	483	<20	0.16	<10	<10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 2-JUL-2016
Account: DETGLD

Project: DGEX-688

CERTIFICATE OF ANALYSIS SD16102318

Sample Description	Method Analyte Units LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
D1250781		377	<10	106
D1250782		329	<10	115
D1250783		351	<10	121
D1250784		324	<10	87
D1250785		32	<10	26
D1250786		26	<10	83
D1250787		121	<10	180
D1250788		250	<10	131
D1250789		162	<10	315
D1250790		148	<10	124
D1250791		44	<10	346
D1250792		16	<10	313
D1250793		19	<10	125
D1250794		9	<10	111
D1250795		10	<10	152
D1250796		43	<10	523
D1250797		22	<10	518
D1250798		154	<10	201
D1250799		118	<10	218
D1250800		26	<10	38
D1250801		211	<10	298
D1250802		102	<10	224
D1250803		163	<10	216
D1250804		35	<10	891
D1250805		135	<10	398
D1250806		202	<10	196
D1250807		368	<10	112
D1250808		364	<10	140
D1250809		403	10	255
D1250810		152	<10	112
D1250811		369	10	140
D1250812		380	<10	138
D1250813		378	<10	127
D1250814		374	<10	173
D1250815		317	<10	210
D1250816		362	<10	270
D1250817		145	<10	94
D1250818		376	<10	152
D1250819		401	<10	157
D1250820		22	<10	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 2-JUL-2016
Account: DETGLD

Project: DGEX-688

CERTIFICATE OF ANALYSIS SD16102318

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10
D1250821		<0.5	7.34	<5	80	0.5	<2	5.33	<0.5	51	44	294	12.30	20	0.30	<10
D1250822		<0.5	7.30	<5	70	0.5	2	5.15	<0.5	44	38	210	11.60	20	0.29	<10
D1250823		<0.5	7.11	<5	70	0.5	<2	4.87	<0.5	44	41	233	11.30	20	0.23	<10
D1250824		<0.5	7.24	<5	60	0.5	<2	7.45	<0.5	46	38	54	11.25	20	0.26	<10
D1250825		<0.5	7.09	<5	140	0.5	<2	7.85	<0.5	38	37	53	12.15	20	0.54	<10
D1250826		<0.5	7.02	<5	60	0.5	<2	7.87	<0.5	42	39	27	13.15	20	0.45	<10
D1250827		<0.5	6.63	<5	140	0.5	<2	9.14	<0.5	48	36	80	13.15	20	0.50	<10
D1250828		<0.5	7.03	<5	210	0.5	<2	7.67	<0.5	46	41	109	13.00	20	0.52	<10
D1250829		<0.5	6.84	<5	220	0.5	<2	6.84	<0.5	45	41	116	13.55	20	0.46	<10
D1250830		5.6	4.54	17	290	0.9	<2	5.12	<0.5	8	25	59	2.56	10	2.03	10
D1250831		<0.5	7.10	<5	260	0.6	<2	6.65	<0.5	45	46	165	13.75	20	0.65	<10
D1250832		<0.5	7.17	<5	170	0.5	<2	7.27	<0.5	47	38	94	13.50	20	0.39	<10
D1250833		<0.5	7.81	<5	450	0.8	<2	5.44	<0.5	24	37	28	6.18	20	0.86	10
D1250834		<0.5	7.29	<5	150	0.5	<2	6.84	<0.5	53	43	195	12.60	20	0.68	<10
D1250835		<0.5	6.82	<5	100	0.5	<2	7.77	<0.5	51	45	323	17.45	20	0.43	<10
D1250836		<0.5	6.98	<5	70	0.5	<2	7.69	<0.5	48	43	149	18.45	20	0.37	<10
D1250837		<0.5	8.27	<5	170	0.6	2	6.75	<0.5	53	46	119	9.41	30	0.87	<10
D1250838		<0.5	8.45	<5	160	0.5	<2	6.56	<0.5	55	43	124	9.81	30	1.05	<10
D1250839		<0.5	6.32	<5	180	0.6	<2	5.08	<0.5	38	36	84	7.69	20	1.36	10
D1250840		<0.5	3.68	<5	370	0.7	<2	20.0	<0.5	6	27	11	1.73	10	2.03	20
D1250841		<0.5	6.16	<5	50	0.5	3	6.35	<0.5	42	35	128	15.75	20	0.56	<10
D1250842		<0.5	6.57	<5	80	0.5	<2	7.39	<0.5	40	35	76	15.25	20	0.80	<10
D1250843		<0.5	7.24	<5	90	0.6	<2	7.40	<0.5	42	35	95	16.15	20	0.88	<10
D1250844		<0.5	7.36	<5	200	0.5	<2	6.61	<0.5	48	38	105	11.05	20	1.00	<10
D1250845		<0.5	7.28	<5	190	0.6	<2	6.53	<0.5	45	38	115	14.35	20	0.75	<10
D1250846		<0.5	7.15	<5	210	0.5	<2	6.98	<0.5	46	36	101	12.50	20	0.56	<10
D1250847		<0.5	7.24	<5	90	0.5	<2	7.01	<0.5	47	36	94	11.10	20	0.33	<10
D1250848		<0.5	7.27	<5	500	1.2	<2	2.88	<0.5	5	18	11	2.25	20	0.81	10
D1250849		<0.5	7.23	<5	60	0.5	<2	6.31	0.5	45	44	103	10.75	20	0.17	<10
D1250850		1.6	5.64	57	230	0.5	<2	4.64	0.5	32	404	125	5.19	10	0.62	<10
D1250851		<0.5	7.13	<5	40	<0.5	<2	5.60	<0.5	43	50	74	11.15	20	0.11	<10
D1250852		<0.5	7.39	<5	40	<0.5	<2	5.43	<0.5	45	52	102	11.75	20	0.10	<10
D1250853		<0.5	6.97	<5	40	<0.5	<2	5.81	<0.5	44	51	86	11.10	20	0.11	<10
D1250854		<0.5	7.36	<5	40	<0.5	<2	5.32	<0.5	48	53	115	11.65	20	0.10	<10
D1250855		<0.5	7.44	<5	40	<0.5	<2	5.10	<0.5	44	49	99	11.50	20	0.10	<10
D1250856		<0.5	7.27	<5	40	<0.5	<2	5.46	<0.5	44	49	107	11.50	20	0.10	<10
D1250857		<0.5	7.19	<5	30	<0.5	<2	6.62	<0.5	42	45	87	11.30	20	0.09	<10
D1250858		<0.5	7.45	<5	40	<0.5	<2	4.70	0.5	48	45	90	12.20	20	0.11	<10
D1250859		<0.5	7.43	<5	40	<0.5	<2	5.60	<0.5	51	44	107	12.30	20	0.11	<10
D1250860		<0.5	2.72	<5	380	<0.5	<2	23.8	<0.5	2	19	10	1.37	10	1.45	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 2-JUL-2016
Account: DETGLD

Project: DGEX-688

CERTIFICATE OF ANALYSIS SD16102318

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10
D1250821		2.72	2010	<1	2.80	33	630	8	0.91	<5	45	129	<20	1.08	<10	<10
D1250822		2.70	1870	<1	2.91	29	690	5	0.58	<5	45	125	<20	1.11	<10	<10
D1250823		2.53	1790	<1	2.97	30	600	5	0.71	<5	43	128	<20	1.04	<10	<10
D1250824		2.32	2180	<1	2.13	32	600	6	0.17	<5	44	123	<20	1.04	<10	<10
D1250825		1.72	3100	<1	1.09	32	600	5	0.15	<5	41	116	<20	1.00	<10	<10
D1250826		1.85	3540	<1	0.89	32	610	7	0.07	<5	44	82	<20	1.04	<10	<10
D1250827		1.84	3630	<1	1.04	37	540	2	0.32	<5	41	116	<20	0.97	10	<10
D1250828		1.74	3550	<1	1.40	34	590	7	0.26	<5	44	123	<20	1.02	<10	<10
D1250829		1.81	3710	<1	1.37	34	570	9	0.27	<5	42	120	<20	1.00	<10	<10
D1250830		0.83	621	5	0.68	9	520	15	0.80	5	10	251	<20	0.23	<10	<10
D1250831		1.99	3720	<1	1.32	37	660	6	0.33	<5	43	160	<20	1.05	<10	<10
D1250832		1.79	4000	1	1.34	37	590	7	0.18	<5	43	111	<20	1.02	<10	<10
D1250833		1.18	1580	1	2.67	28	670	5	0.02	<5	20	406	<20	0.57	<10	<10
D1250834		1.78	3720	1	1.66	42	630	8	0.52	<5	46	100	<20	1.07	<10	<10
D1250835		2.11	5800	<1	0.83	42	550	5	0.59	<5	46	82	<20	1.00	<10	<10
D1250836		2.28	6560	<1	0.66	38	570	4	0.48	<5	48	61	<20	0.99	<10	<10
D1250837		1.33	2760	<1	1.24	49	740	4	0.07	<5	54	106	<20	1.26	10	<10
D1250838		1.66	2270	<1	1.23	48	710	2	0.15	<5	50	88	<20	1.21	<10	<10
D1250839		1.24	2520	2	0.44	38	700	5	0.21	<5	33	82	<20	0.79	<10	<10
D1250840		0.81	987	1	0.63	16	3360	12	0.32	<5	6	471	<20	0.20	<10	<10
D1250841		2.12	5270	<1	0.34	35	620	7	0.31	<5	37	37	<20	0.86	<10	<10
D1250842		2.11	4630	<1	0.39	33	620	7	0.15	<5	43	52	<20	0.97	<10	<10
D1250843		2.17	5300	1	0.47	35	670	11	0.26	<5	44	38	<20	1.03	<10	<10
D1250844		1.77	2340	<1	1.22	35	630	<2	0.09	<5	46	113	<20	1.08	<10	<10
D1250845		2.04	4150	<1	1.16	39	610	6	0.25	5	45	82	<20	1.06	<10	<10
D1250846		1.85	3190	<1	1.28	38	610	4	0.16	<5	43	104	<20	1.02	10	<10
D1250847		2.33	1890	<1	2.40	45	570	3	0.13	<5	41	178	<20	0.97	<10	<10
D1250848		0.64	349	<1	4.37	9	510	7	0.09	<5	5	468	<20	0.22	<10	10
D1250849		2.10	1900	1	3.05	38	550	4	0.15	<5	41	127	<20	0.95	10	<10
D1250850		4.42	847	5	1.40	173	300	31	0.75	<5	24	94	<20	0.31	<10	<10
D1250851		2.62	1690	<1	2.68	36	550	<2	0.08	<5	40	160	<20	0.94	<10	<10
D1250852		2.96	1740	<1	2.89	39	560	<2	0.13	<5	42	202	<20	0.97	<10	10
D1250853		2.81	1655	<1	2.47	38	530	<2	0.14	<5	40	214	<20	0.91	10	<10
D1250854		2.97	1750	<1	2.81	41	560	<2	0.21	<5	42	190	<20	0.96	10	<10
D1250855		2.98	1710	<1	2.92	37	560	<2	0.17	<5	42	199	<20	0.95	<10	<10
D1250856		3.02	1715	<1	2.65	34	540	<2	0.20	<5	42	176	<20	0.95	<10	<10
D1250857		3.05	1640	<1	2.13	35	540	<2	0.14	<5	40	279	<20	0.92	<10	<10
D1250858		3.40	1800	<1	2.84	42	590	<2	0.10	<5	43	122	<20	1.01	<10	<10
D1250859		2.97	1880	<1	2.96	46	590	<2	0.22	<5	43	133	<20	1.00	<10	<10
D1250860		0.70	1080	<1	0.60	9	3220	9	0.20	<5	5	471	<20	0.16	<10	<10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 2-JUL-2016
Account: DETGLD

Project: DGEX-688

CERTIFICATE OF ANALYSIS SD16102318

Sample Description	Method Analyte Units LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
D1250821		412	<10	169
D1250822		414	<10	157
D1250823		389	<10	167
D1250824		395	<10	188
D1250825		368	<10	150
D1250826		384	<10	146
D1250827		370	<10	149
D1250828		388	<10	146
D1250829		379	<10	152
D1250830		87	<10	53
D1250831		393	<10	154
D1250832		390	<10	150
D1250833		184	<10	101
D1250834		415	<10	141
D1250835		401	<10	162
D1250836		394	10	146
D1250837		467	<10	133
D1250838		446	<10	142
D1250839		283	<10	194
D1250840		29	<10	17
D1250841		323	10	166
D1250842		366	<10	133
D1250843		395	<10	140
D1250844		409	<10	158
D1250845		395	<10	147
D1250846		377	<10	133
D1250847		368	<10	140
D1250848		51	<10	47
D1250849		360	<10	136
D1250850		169	10	82
D1250851		364	<10	143
D1250852		368	<10	141
D1250853		340	<10	133
D1250854		369	<10	140
D1250855		361	<10	139
D1250856		365	<10	139
D1250857		384	<10	127
D1250858		389	<10	153
D1250859		378	<10	143
D1250860		21	<10	17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 2-JUL-2016
Account: DETGLD

Project: DGEX-688

CERTIFICATE OF ANALYSIS SD16102318

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10
D1250861		<0.5	8.21	<5	50	0.5	<2	5.25	<0.5	56	46	112	10.80	20	0.12	<10
D1250862		<0.5	7.43	<5	50	<0.5	<2	5.16	0.5	54	42	104	11.65	20	0.13	<10
D1250863		<0.5	7.26	<5	160	0.5	<2	5.97	<0.5	48	42	87	11.30	20	0.34	<10
D1250864		<0.5	7.21	<5	270	0.5	<2	5.82	<0.5	49	39	112	13.35	20	0.48	<10
D1250865		<0.5	7.32	<5	160	0.5	<2	6.81	0.6	49	41	93	14.25	20	0.29	<10
D1250866		<0.5	6.91	<5	110	0.5	<2	6.43	0.6	45	40	113	14.35	20	0.26	<10
D1250867		<0.5	6.63	<5	140	0.5	<2	6.13	0.5	44	37	94	13.50	20	0.30	<10
D1250868		<0.5	6.51	<5	470	0.5	<2	6.49	<0.5	44	36	85	12.30	20	1.07	<10
D1250869		<0.5	8.16	<5	260	0.6	<2	8.46	0.6	51	43	124	15.30	30	0.64	<10
D1250870		<0.5	6.77	779	430	1.0	<2	5.41	<0.5	37	184	90	9.63	20	0.68	20
D1250871		<0.5	8.15	<5	390	0.7	<2	6.30	<0.5	45	46	77	12.75	30	0.64	<10
D1250872		<0.5	6.59	<5	270	0.5	<2	7.52	0.8	46	40	168	12.15	20	0.58	<10
D1250873		<0.5	7.28	<5	70	0.5	<2	7.75	0.5	48	47	115	13.15	30	0.19	<10
D1250874		<0.5	6.75	<5	140	<0.5	<2	6.45	0.5	46	59	110	11.25	20	0.43	<10
D1250875		<0.5	7.69	<5	300	<0.5	<2	6.91	<0.5	44	183	73	8.58	20	1.09	<10
D1250876		<0.5	7.03	<5	150	<0.5	<2	6.64	<0.5	42	69	119	10.25	20	0.38	<10
D1250877		<0.5	6.69	<5	120	0.5	<2	6.37	<0.5	38	47	115	12.10	20	0.28	<10
D1250878		<0.5	6.87	<5	150	<0.5	<2	6.91	<0.5	37	181	51	9.18	20	0.35	<10
D1250879		<0.5	6.44	<5	90	0.5	<2	6.81	<0.5	36	47	84	12.90	20	0.20	<10
D1250880		<0.5	2.78	<5	220	0.5	<2	23.7	<0.5	2	24	9	1.37	10	1.56	20
D1250881		<0.5	6.84	<5	170	0.5	<2	6.09	0.8	45	43	113	11.70	20	0.39	10
D1250882		<0.5	7.19	<5	90	0.5	2	7.27	0.5	50	48	130	12.70	20	0.20	10
D1250883		<0.5	7.24	<5	240	0.5	<2	6.24	<0.5	52	47	123	11.50	20	0.54	10
D1250884		<0.5	6.60	<5	120	<0.5	<2	7.64	0.9	44	42	134	16.35	20	0.18	10
D1250885		<0.5	7.12	<5	150	0.5	<2	6.97	0.8	50	42	126	13.15	20	0.37	10
D1250886		<0.5	6.78	<5	70	<0.5	<2	8.60	0.7	43	41	99	15.30	20	0.19	10
D1250887		<0.5	7.13	<5	130	0.6	<2	8.28	1.3	49	41	100	13.80	20	0.39	10
D1250888		<0.5	6.16	<5	130	<0.5	<2	7.33	1.4	48	39	117	12.65	20	0.31	<10
D1250889		<0.5	6.89	<5	150	0.5	<2	7.43	1.2	47	84	73	12.65	20	0.28	10
D1250890		<0.5	7.48	197	350	1.1	<2	5.79	<0.5	41	187	116	8.02	20	0.80	20
D1250891		<0.5	6.28	<5	80	<0.5	<2	6.58	4.1	52	43	121	13.35	20	0.18	<10
D1250892		<0.5	6.93	<5	160	0.5	<2	6.17	0.8	50	42	113	9.94	20	0.51	<10
D1250893		<0.5	7.33	<5	30	0.6	<2	8.16	<0.5	47	35	89	10.05	20	0.14	<10
D1250894		<0.5	7.33	<5	60	0.5	<2	5.31	<0.5	53	50	120	9.91	20	0.18	<10
D1250895		<0.5	7.04	<5	170	0.5	<2	5.42	<0.5	48	43	114	9.80	20	0.34	<10
D1250896		<0.5	7.30	<5	300	<0.5	<2	6.49	<0.5	51	112	104	10.25	20	0.74	<10
D1250897		<0.5	7.14	<5	360	0.8	<2	5.47	<0.5	7	32	12	2.21	20	2.35	<10
D1250898		<0.5	7.40	<5	170	<0.5	<2	7.86	0.6	43	129	97	10.55	20	0.42	<10
D1250899		<0.5	7.63	<5	60	<0.5	<2	7.51	<0.5	50	150	133	9.85	20	0.19	<10
D1250900		<0.5	2.21	<5	190	<0.5	<2	25.6	<0.5	2	20	8	1.23	<10	1.19	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 2-JUL-2016
Account: DETGLD

Project: DGEX-688

CERTIFICATE OF ANALYSIS SD16102318

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10
D1250861		2.73	1620	<1	3.74	58	650	<2	0.16	<5	48	135	<20	1.11	<10	<10
D1250862		2.86	1760	<1	3.13	49	600	<2	0.15	<5	43	94	<20	1.02	<10	<10
D1250863		2.19	2620	<1	2.04	38	600	<2	0.10	<5	46	121	<20	1.04	<10	<10
D1250864		2.03	3860	<1	1.58	44	590	<2	0.25	<5	49	118	<20	1.04	<10	<10
D1250865		2.09	4430	1	1.71	41	600	<2	0.13	<5	49	130	<20	1.05	<10	<10
D1250866		2.08	4480	<1	1.47	39	580	<2	0.35	<5	47	104	<20	0.99	10	<10
D1250867		2.19	4380	<1	1.26	35	580	2	0.08	<5	43	97	<20	0.96	<10	<10
D1250868		2.07	3570	<1	0.92	33	570	2	0.06	<5	38	106	<20	0.92	<10	<10
D1250869		2.50	4390	<1	1.17	40	690	4	0.27	<5	50	123	<20	1.20	<10	<10
D1250870		3.68	2590	3	1.91	134	1920	2	0.98	<5	17	377	<20	0.88	<10	<10
D1250871		1.85	3260	<1	1.51	36	730	<2	0.08	<5	52	128	<20	1.22	<10	<10
D1250872		1.92	3100	<1	1.32	31	590	<2	0.83	<5	42	92	<20	0.98	<10	<10
D1250873		2.58	2880	<1	1.83	33	650	<2	0.29	<5	47	121	<20	1.11	<10	<10
D1250874		2.83	2100	<1	1.63	38	620	5	0.16	<5	44	113	<20	1.02	<10	<10
D1250875		3.32	1975	<1	2.14	82	720	<2	0.04	<5	42	147	<20	0.84	<10	<10
D1250876		2.36	2250	<1	1.78	43	540	<2	0.17	<5	43	114	<20	0.93	<10	<10
D1250877		2.07	3310	<1	1.26	33	610	<2	0.10	<5	42	90	<20	1.01	<10	<10
D1250878		3.10	2210	<1	1.53	75	650	<2	0.01	<5	37	118	<20	0.82	<10	<10
D1250879		1.92	3610	<1	1.19	33	570	<2	0.13	<5	40	89	<20	0.94	<10	<10
D1250880		0.81	983	<1	0.46	10	2360	7	0.25	<5	5	499	<20	0.13	<10	<10
D1250881		2.26	2290	1	1.50	33	640	3	0.15	<5	45	121	<20	1.08	<10	<10
D1250882		2.12	2690	2	1.93	39	680	3	0.44	<5	48	111	<20	1.15	<10	<10
D1250883		1.91	2440	1	1.67	39	730	<2	0.18	<5	49	85	<20	1.19	<10	<10
D1250884		2.65	4820	<1	0.54	31	630	4	0.33	<5	45	87	<20	1.06	<10	<10
D1250885		2.66	2990	1	1.32	34	680	4	0.13	<5	48	108	<20	1.15	<10	<10
D1250886		2.70	4390	1	0.61	30	670	4	0.17	<5	46	76	<20	1.10	10	<10
D1250887		2.49	3480	1	0.60	32	700	4	0.11	<5	48	83	<20	1.15	<10	<10
D1250888		1.82	3260	1	0.79	47	600	3	0.31	<5	41	56	<20	0.98	<10	<10
D1250889		2.94	2480	2	1.26	63	770	2	0.10	<5	45	119	<20	1.09	<10	<10
D1250890		3.80	1415	6	2.23	144	1650	2	0.26	<5	19	429	<20	1.03	<10	<10
D1250891		1.93	3430	<1	0.85	54	550	<2	0.28	<5	41	75	<20	1.00	<10	<10
D1250892		1.75	2020	<1	1.61	40	660	<2	0.10	<5	44	145	<20	1.09	<10	<10
D1250893		1.87	1525	<1	1.30	27	540	<2	0.23	<5	38	117	<20	0.93	10	<10
D1250894		1.99	1945	<1	2.69	39	700	<2	0.14	<5	49	127	<20	1.18	<10	<10
D1250895		1.91	2490	1	2.05	37	670	<2	0.12	<5	47	115	<20	1.14	<10	<10
D1250896		2.74	2480	<1	2.03	83	420	3	0.23	<5	41	184	<20	0.74	<10	<10
D1250897		0.78	454	<1	2.01	17	500	5	0.06	<5	5	50	<20	0.21	<10	<10
D1250898		2.68	2680	1	1.55	104	350	<2	0.45	<5	36	183	<20	0.58	<10	<10
D1250899		2.39	2360	<1	1.56	116	320	<2	0.14	<5	39	135	<20	0.62	<10	<10
D1250900		0.70	1085	<1	0.42	8	3040	9	0.23	<5	4	478	<20	0.13	<10	<10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 2-JUL-2016
Account: DETGLD

Project: DGEX-688

CERTIFICATE OF ANALYSIS SD16102318

Sample Description	Method Analyte Units LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
D1250861		426	<10	210
D1250862		385	<10	170
D1250863		408	<10	158
D1250864		404	<10	136
D1250865		412	<10	151
D1250866		396	<10	136
D1250867		371	<10	190
D1250868		352	<10	103
D1250869		447	<10	175
D1250870		155	<10	127
D1250871		459	<10	168
D1250872		373	<10	147
D1250873		415	<10	173
D1250874		384	<10	133
D1250875		289	<10	97
D1250876		372	<10	115
D1250877		385	<10	107
D1250878		262	<10	103
D1250879		357	<10	122
D1250880		23	<10	17
D1250881		408	<10	133
D1250882		435	<10	198
D1250883		445	<10	133
D1250884		399	<10	160
D1250885		425	<10	159
D1250886		413	<10	153
D1250887		436	<10	188
D1250888		370	<10	204
D1250889		401	<10	163
D1250890		156	<10	117
D1250891		381	<10	285
D1250892		409	<10	174
D1250893		371	<10	133
D1250894		441	<10	266
D1250895		430	<10	148
D1250896		319	<10	132
D1250897		51	<10	66
D1250898		259	<10	105
D1250899		282	<10	105
D1250900		18	<10	14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 2-JUL-2016
Account: DETGLD

Project: DGEX-688

CERTIFICATE OF ANALYSIS SD16102318

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10
D1250901		<0.5	7.93	<5	90	<0.5	<2	6.76	<0.5	52	162	113	9.39	20	0.17	<10
D1250902		<0.5	8.13	<5	340	0.7	<2	5.33	<0.5	30	92	86	6.02	20	0.69	10
D1250903		<0.5	7.95	<5	60	<0.5	<2	6.99	0.5	52	161	115	9.22	20	0.16	<10
D1250904		<0.5	7.84	<5	60	<0.5	<2	7.01	<0.5	46	147	96	8.94	20	0.17	<10
D1250905		<0.5	8.17	<5	320	0.5	<2	6.20	<0.5	41	127	82	7.03	20	0.48	<10
D1250906		<0.5	8.21	<5	70	0.5	<2	7.06	<0.5	43	121	91	9.83	20	0.21	<10
D1250907		<0.5	8.20	<5	40	<0.5	<2	7.40	<0.5	55	162	150	10.30	20	0.15	<10
D1250908		<0.5	7.88	<5	60	<0.5	<2	6.96	<0.5	50	156	98	9.63	20	0.15	<10
D1250909		<0.5	7.95	<5	70	<0.5	<2	7.58	<0.5	52	159	150	10.45	20	0.19	<10
D1250910		5.4	4.39	14	270	0.8	<2	4.95	<0.5	7	26	63	2.47	10	1.98	10
D1250911		<0.5	7.88	<5	520	0.9	<2	3.59	<0.5	8	26	18	2.84	20	0.77	10
D1250912		<0.5	7.89	<5	110	<0.5	<2	7.98	<0.5	49	150	117	9.75	20	0.32	<10
D1250913		<0.5	7.52	<5	120	<0.5	<2	7.48	<0.5	48	148	102	10.20	20	0.27	<10
D1250914		<0.5	7.95	<5	70	<0.5	<2	7.68	<0.5	51	161	112	10.00	20	0.18	<10
D1250915		<0.5	7.56	<5	40	<0.5	<2	7.34	<0.5	48	146	86	9.68	20	0.14	<10
D1250916		<0.5	7.87	<5	70	<0.5	<2	7.27	<0.5	49	151	108	9.76	20	0.17	<10
D1250917		<0.5	7.80	<5	80	<0.5	<2	7.85	<0.5	50	161	106	10.95	20	0.21	<10
D1250918		<0.5	7.46	<5	40	<0.5	<2	7.61	<0.5	50	143	116	9.50	20	0.13	<10
D1250919		<0.5	7.66	<5	50	<0.5	<2	7.69	<0.5	48	152	111	9.23	20	0.14	<10
D1250920		<0.5	2.78	<5	240	0.5	<2	22.2	<0.5	2	23	7	1.35	10	1.48	20
D1250921		<0.5	7.66	<5	70	<0.5	<2	7.54	<0.5	49	173	102	10.90	20	0.18	<10
D1250922		<0.5	7.50	<5	50	<0.5	<2	6.59	<0.5	48	146	78	8.92	20	0.13	<10
D1250923		<0.5	7.05	<5	40	<0.5	<2	7.79	0.5	47	155	97	10.65	20	0.16	<10
D1250924		<0.5	7.78	<5	50	<0.5	<2	6.40	<0.5	50	158	67	8.30	20	0.08	<10
D1250925		<0.5	7.67	<5	30	<0.5	<2	7.92	<0.5	50	152	177	10.40	20	0.12	<10
D1250926		<0.5	7.85	<5	100	<0.5	<2	8.52	<0.5	50	155	129	9.46	20	0.22	<10
D1250927		<0.5	8.22	<5	110	<0.5	<2	7.99	<0.5	53	156	105	10.15	20	0.21	<10
D1250928		<0.5	7.66	<5	140	<0.5	<2	7.36	<0.5	51	138	87	9.66	20	0.18	<10
D1250929		<0.5	7.76	<5	50	<0.5	<2	7.76	<0.5	50	141	102	8.74	20	0.15	<10
D1250930		1.5	5.62	54	230	<0.5	<2	4.57	<0.5	32	368	124	5.14	10	0.62	<10
D1250931		<0.5	7.80	<5	50	<0.5	<2	7.73	0.5	48	146	72	10.50	20	0.13	<10
D1250932		<0.5	7.77	<5	60	<0.5	<2	7.41	<0.5	51	194	70	9.97	20	0.12	<10
D1250933		<0.5	7.45	<5	90	<0.5	<2	7.66	<0.5	49	198	94	9.82	20	0.13	<10
D1250934		<0.5	7.75	<5	50	<0.5	<2	7.59	<0.5	46	159	80	10.25	20	0.11	<10
D1250935		<0.5	7.62	<5	50	<0.5	<2	8.20	0.5	49	148	177	10.30	20	0.11	<10
D1250936		<0.5	7.82	<5	60	<0.5	<2	7.88	<0.5	55	151	152	9.89	20	0.12	<10
D1250937		<0.5	7.85	<5	70	<0.5	<2	7.78	0.6	46	153	145	10.05	20	0.14	<10
D1250938		<0.5	7.60	<5	60	<0.5	<2	7.65	<0.5	50	151	136	10.55	20	0.15	<10
D1250939		<0.5	7.65	<5	120	<0.5	<2	7.72	<0.5	47	138	112	9.92	20	0.19	<10
D1250940		<0.5	3.59	<5	420	0.6	<2	18.7	<0.5	3	28	9	1.60	10	1.91	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 2-JUL-2016
Account: DETGLD

Project: DGEX-688

CERTIFICATE OF ANALYSIS SD16102318

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01	10	10
D1250901		2.51	2640	<1	2.01	124	340	<2	0.14	7	40	124	<20	0.64	10	<10
D1250902		1.85	1300	<1	2.64	68	550	4	0.17	<5	22	412	<20	0.43	<10	<10
D1250903		2.41	2580	<1	1.88	123	360	<2	0.17	<5	40	148	<20	0.63	<10	<10
D1250904		2.43	2400	<1	1.80	108	390	<2	0.14	<5	37	172	<20	0.60	<10	<10
D1250905		2.11	1785	<1	2.35	94	530	<2	0.09	<5	30	362	<20	0.54	<10	<10
D1250906		2.44	2440	1	1.65	91	510	<2	0.20	<5	34	238	<20	0.57	<10	<10
D1250907		2.68	2550	<1	1.62	129	360	<2	0.23	5	42	132	<20	0.64	10	<10
D1250908		2.46	2480	<1	1.67	123	350	<2	0.08	<5	40	114	<20	0.62	<10	<10
D1250909		2.64	2610	<1	1.52	125	330	<2	0.18	<5	41	139	<20	0.62	<10	<10
D1250910		0.80	598	5	0.66	11	510	14	0.77	<5	10	241	<20	0.22	<10	<10
D1250911		0.89	506	<1	4.15	13	780	4	0.14	<5	4	565	<20	0.26	<10	10
D1250912		2.58	2340	1	1.63	122	340	<2	0.11	<5	40	213	<20	0.63	<10	<10
D1250913		2.42	2690	<1	1.52	118	320	3	0.18	<5	38	108	<20	0.60	<10	<10
D1250914		2.80	2430	<1	1.52	125	330	<2	0.14	<5	40	134	<20	0.63	<10	<10
D1250915		2.45	2420	<1	1.36	117	320	<2	0.10	<5	38	110	<20	0.60	<10	<10
D1250916		2.38	2450	<1	1.74	122	320	<2	0.15	<5	40	110	<20	0.63	10	<10
D1250917		2.57	2830	<1	1.47	120	320	<2	0.21	<5	40	96	<20	0.61	<10	<10
D1250918		2.34	2390	<1	1.45	117	310	<2	0.15	<5	38	102	<20	0.59	<10	<10
D1250919		3.11	1860	<1	1.71	116	350	<2	0.06	<5	39	154	<20	0.62	<10	<10
D1250920		0.65	1015	1	0.55	10	2370	7	0.22	<5	4	429	<20	0.16	<10	<10
D1250921		2.62	3090	<1	1.50	123	420	<2	0.18	<5	39	102	<20	0.59	<10	<10
D1250922		2.60	2530	<1	1.71	114	330	<2	0.08	<5	38	96	<20	0.59	<10	<10
D1250923		2.28	3170	<1	1.25	108	320	<2	0.22	<5	36	70	<20	0.55	<10	<10
D1250924		2.83	2330	<1	1.66	125	330	<2	0.05	<5	40	101	<20	0.62	<10	<10
D1250925		2.41	2910	<1	1.43	124	330	<2	0.25	5	39	92	<20	0.61	<10	<10
D1250926		2.33	2850	1	1.83	125	350	<2	0.34	<5	39	116	<20	0.62	<10	<10
D1250927		2.54	3600	<1	1.81	130	400	2	0.17	<5	42	85	<20	0.66	<10	<10
D1250928		2.50	3110	<1	1.46	120	330	<2	0.05	<5	39	100	<20	0.60	<10	<10
D1250929		2.59	2240	<1	1.71	120	340	<2	0.08	<5	39	143	<20	0.61	<10	<10
D1250930		4.37	836	4	1.40	170	310	29	0.74	<5	24	93	<20	0.30	<10	<10
D1250931		2.66	3040	<1	1.29	122	320	2	0.11	5	40	85	<20	0.62	<10	<10
D1250932		2.71	2970	<1	1.46	135	370	2	0.08	<5	39	94	<20	0.61	<10	<10
D1250933		2.59	2780	<1	1.45	129	380	2	0.23	<5	38	91	<20	0.59	<10	<10
D1250934		2.17	2760	<1	1.44	117	320	<2	0.25	<5	39	84	<20	0.62	<10	<10
D1250935		2.37	2760	<1	1.32	118	320	<2	0.19	<5	39	88	<20	0.61	<10	<10
D1250936		2.26	2680	<1	1.71	123	340	<2	0.29	<5	40	103	<20	0.62	<10	<10
D1250937		2.16	2960	<1	1.85	116	320	2	0.26	<5	40	92	<20	0.62	<10	<10
D1250938		2.15	3040	<1	1.57	118	310	<2	0.33	<5	39	86	<20	0.61	<10	<10
D1250939		2.13	2880	<1	1.69	108	380	<2	0.27	<5	37	99	<20	0.59	<10	<10
D1250940		0.75	875	<1	0.75	11	2930	8	0.23	<5	5	420	<20	0.22	<10	<10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 2-JUL-2016
Account: DETGLD

Project: DGEX-688

CERTIFICATE OF ANALYSIS SD16102318

Sample Description	Method Analyte Units LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
D1250901		293	<10	104
D1250902		162	<10	85
D1250903		293	<10	101
D1250904		276	<10	99
D1250905		233	<10	94
D1250906		259	<10	103
D1250907		298	<10	111
D1250908		288	<10	104
D1250909		287	<10	109
D1250910		84	<10	51
D1250911		52	<10	70
D1250912		286	<10	105
D1250913		280	<10	111
D1250914		294	<10	122
D1250915		273	<10	106
D1250916		287	<10	110
D1250917		285	<10	111
D1250918		274	<10	105
D1250919		286	<10	101
D1250920		21	<10	43
D1250921		275	<10	107
D1250922		276	<10	99
D1250923		264	<10	101
D1250924		286	<10	111
D1250925		287	<10	111
D1250926		287	<10	104
D1250927		302	<10	112
D1250928		276	<10	105
D1250929		283	<10	96
D1250930		167	10	80
D1250931		286	<10	109
D1250932		284	<10	108
D1250933		273	<10	114
D1250934		282	<10	109
D1250935		279	<10	110
D1250936		292	<10	106
D1250937		287	<10	110
D1250938		283	<10	114
D1250939		270	<10	109
D1250940		25	<10	16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 2-JUL-2016
Account: DETGLD

Project: DGEX-688

CERTIFICATE OF ANALYSIS SD16102318

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10
D1250941		<0.5	7.74	<5	100	<0.5	3	7.47	<0.5	46	138	110	9.89	20	0.20	<10
D1250942		<0.5	7.71	<5	110	<0.5	<2	7.36	<0.5	50	137	115	8.98	20	0.24	<10
D1250943		<0.5	7.37	<5	110	<0.5	<2	7.10	<0.5	47	145	121	9.83	20	0.22	<10
D1250944		<0.5	7.53	<5	20	<0.5	<2	7.62	<0.5	52	144	152	9.95	20	0.07	<10
D1250945		<0.5	7.88	<5	40	<0.5	2	8.13	<0.5	50	141	97	9.64	20	0.10	<10
D1250946		<0.5	8.02	<5	90	<0.5	<2	7.24	<0.5	54	151	127	9.03	20	0.13	<10
D1250947		<0.5	7.88	<5	40	<0.5	<2	6.89	<0.5	50	152	106	9.05	20	0.12	<10
D1250948		<0.5	7.79	<5	60	<0.5	<2	7.42	<0.5	48	141	91	8.74	20	0.15	<10
D1250949		<0.5	7.60	<5	70	<0.5	2	6.71	<0.5	49	129	95	10.15	20	0.16	<10
D1250950		<0.5	6.41	723	410	0.9	<2	5.02	<0.5	34	168	87	9.12	20	0.64	20
D1250951		<0.5	7.39	<5	70	<0.5	3	8.14	<0.5	46	141	148	10.90	20	0.18	<10
D1250952		<0.5	7.64	<5	80	<0.5	<2	7.04	<0.5	46	131	82	9.26	20	0.20	<10
D1250953		<0.5	7.79	<5	80	<0.5	2	7.13	<0.5	48	138	97	9.37	20	0.14	<10
D1250954		<0.5	7.54	<5	240	<0.5	2	5.96	<0.5	48	109	101	10.20	20	0.77	<10
D1250955		<0.5	6.72	<5	370	1.0	<2	3.71	<0.5	7	29	29	4.26	20	0.60	20
D1250956		<0.5	7.96	<5	300	<0.5	<2	6.30	<0.5	50	235	46	9.07	20	0.40	<10
D1250957		<0.5	8.19	<5	290	<0.5	<2	6.01	<0.5	52	231	27	9.05	20	0.39	<10
D1250958		<0.5	7.86	<5	530	<0.5	3	5.80	<0.5	46	183	90	9.22	20	0.69	<10
D1250959		<0.5	7.56	<5	110	<0.5	<2	5.69	<0.5	49	194	95	8.96	20	0.35	<10
D1250960		<0.5	3.93	<5	490	0.6	<2	17.4	<0.5	6	30	12	1.74	10	2.05	30
D1250961		<0.5	7.66	<5	160	<0.5	<2	6.43	<0.5	44	174	99	9.06	20	0.32	<10
D1250962		<0.5	6.52	<5	280	1.0	<2	3.47	1.0	5	20	33	4.63	20	1.82	20
D1250963		<0.5	7.26	<5	300	1.0	<2	5.09	<0.5	17	63	43	5.53	20	1.22	10
D1250964		<0.5	6.80	<5	240	1.0	<2	5.10	<0.5	15	71	37	7.76	20	1.10	10
D1250965		<0.5	7.18	<5	60	0.5	2	6.54	<0.5	44	73	107	11.05	20	0.21	<10
D1250966		<0.5	6.63	<5	30	0.5	4	6.63	<0.5	41	36	107	11.00	20	0.12	<10
D1250967		<0.5	6.93	<5	70	0.5	<2	7.80	<0.5	42	37	107	10.85	20	0.23	<10
D1250968		<0.5	6.59	<5	70	0.5	<2	7.20	<0.5	43	39	101	10.45	20	0.21	<10
D1250969		<0.5	7.18	<5	110	0.5	<2	6.84	<0.5	44	67	110	10.35	20	0.50	<10
D1250970		<0.5	7.47	194	350	1.1	<2	5.79	<0.5	38	188	111	7.99	20	0.80	20
D1250971		<0.5	8.04	<5	70	<0.5	<2	6.89	<0.5	52	129	116	10.70	20	0.34	<10
D1250972		<0.5	7.68	<5	70	<0.5	<2	6.84	<0.5	48	120	95	10.35	20	0.26	<10
D1250973		<0.5	7.80	<5	50	<0.5	<2	7.45	<0.5	50	125	118	9.73	20	0.21	<10
D1250974		<0.5	8.14	<5	90	<0.5	<2	7.05	<0.5	53	136	144	10.50	20	0.29	<10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 2-JUL-2016
Account: DETGLD

Project: DGEX-688

CERTIFICATE OF ANALYSIS SD16102318

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10	ME-ICP61 U ppm 10
D1250941		2.24	2700	<1	1.59	115	360	2	0.25	<5	38	124	<20	0.59	10	<10
D1250942		2.80	2090	<1	1.68	123	420	2	0.18	<5	38	152	<20	0.61	<10	<10
D1250943		2.52	2540	1	1.51	115	500	5	0.33	<5	37	164	<20	0.60	<10	<10
D1250944		2.27	2560	<1	1.13	121	320	3	0.21	<5	40	139	<20	0.60	<10	<10
D1250945		2.40	2640	<1	1.17	119	330	<2	0.17	<5	40	87	<20	0.61	<10	<10
D1250946		2.32	2570	<1	1.91	129	360	<2	0.35	<5	41	95	<20	0.63	<10	<10
D1250947		2.24	2510	<1	1.65	123	350	2	0.09	<5	41	117	<20	0.64	<10	<10
D1250948		2.17	2430	<1	1.53	118	330	2	0.19	<5	39	115	<20	0.60	<10	<10
D1250949		2.83	2980	<1	1.70	119	340	<2	0.14	<5	38	99	<20	0.58	<10	<10
D1250950		3.45	2420	3	1.79	127	1870	6	0.93	<5	16	356	<20	0.84	<10	<10
D1250951		2.26	3770	<1	1.30	118	310	2	0.41	<5	37	92	<20	0.55	<10	<10
D1250952		2.52	2750	<1	1.65	112	350	6	0.16	<5	38	110	<20	0.59	<10	<10
D1250953		2.06	2950	<1	1.75	118	340	6	0.11	<5	39	100	<20	0.61	<10	<10
D1250954		3.00	2620	<1	1.59	89	400	4	0.14	<5	41	119	<20	0.69	<10	<10
D1250955		0.82	731	1	2.14	14	310	5	0.11	<5	12	253	<20	0.26	10	10
D1250956		5.28	1490	<1	1.74	192	320	4	0.03	<5	35	162	<20	0.57	<10	<10
D1250957		5.58	1525	1	1.69	220	310	3	0.01	<5	32	158	<20	0.54	<10	<10
D1250958		4.74	1580	<1	1.99	122	370	<2	0.04	<5	37	197	<20	0.62	<10	<10
D1250959		5.18	1355	<1	1.91	165	320	<2	0.05	<5	34	158	<20	0.57	10	<10
D1250960		0.77	903	<1	0.80	14	3230	13	0.28	<5	7	414	<20	0.22	<10	<10
D1250961		4.18	1350	<1	1.96	96	370	2	0.14	<5	37	190	<20	0.62	<10	<10
D1250962		0.69	1155	1	0.93	8	340	14	0.24	<5	10	155	<20	0.23	<10	<10
D1250963		1.47	1690	1	1.81	35	540	5	0.22	<5	17	348	<20	0.38	<10	<10
D1250964		1.00	2700	1	1.52	45	310	14	0.46	<5	17	127	<20	0.33	<10	<10
D1250965		2.30	2030	<1	1.80	61	540	2	0.38	<5	39	154	<20	0.85	10	<10
D1250966		1.81	2560	<1	1.66	31	590	5	0.16	<5	41	101	<20	0.95	<10	<10
D1250967		1.43	2470	<1	1.79	34	590	4	0.22	<5	42	104	<20	0.97	<10	<10
D1250968		1.42	2300	<1	1.95	33	600	5	0.23	<5	42	107	<20	1.00	<10	<10
D1250969		2.35	1885	<1	1.86	47	560	<2	0.25	<5	45	119	<20	0.97	<10	<10
D1250970		3.79	1410	5	2.24	137	1620	3	0.27	<5	19	431	<20	1.01	<10	<10
D1250971		4.18	1410	<1	1.73	112	380	<2	0.10	<5	42	156	<20	0.67	<10	<10
D1250972		3.84	1460	<1	1.66	95	370	<2	0.10	<5	41	154	<20	0.65	<10	<10
D1250973		2.43	1805	1	1.73	96	370	<2	0.12	<5	42	132	<20	0.68	<10	<10
D1250974		2.89	1970	<1	1.59	96	410	<2	0.23	<5	44	158	<20	0.73	<10	<10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 2-JUL-2016
Account: DETGLD

Project: DGEX-688

CERTIFICATE OF ANALYSIS SD16102318

Sample Description	Method Analyte Units LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
D1250941		273	<10	107
D1250942		271	<10	104
D1250943		263	<10	95
D1250944		278	<10	96
D1250945		281	<10	103
D1250946		289	<10	102
D1250947		294	<10	105
D1250948		276	<10	99
D1250949		271	<10	102
D1250950		143	<10	118
D1250951		262	<10	91
D1250952		272	10	102
D1250953		276	<10	107
D1250954		302	<10	116
D1250955		38	<10	100
D1250956		248	<10	97
D1250957		236	<10	101
D1250958		271	<10	97
D1250959		251	<10	91
D1250960		28	<10	22
D1250961		278	<10	95
D1250962		31	<10	182
D1250963		119	<10	104
D1250964		89	<10	153
D1250965		323	<10	171
D1250966		358	<10	138
D1250967		364	<10	148
D1250968		372	<10	142
D1250969		383	<10	162
D1250970		157	<10	114
D1250971		305	<10	111
D1250972		298	<10	111
D1250973		313	<10	108
D1250974		318	<10	117

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **DETOUR GOLD CORPORATION**
86-2ND STREET PO BOX 1325
COCHRANE ON P0L 1C0

Finalized Date: 2-JUL-2016
Account: DETGLD

Project: DGEX-688

CERTIFICATE OF ANALYSIS SD16102318

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	FND-02	ME-ICP61