ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 25-AUG-2016
Account: RLH

QC CERTIFICATE SD16134754

Project: 618

P.O. No.: 535301

This report is for 10 Rock samples submitted to our lab in Sudbury, ON, Canada on 16-AUG-2016.

The following have access to data associated with this certificate:

PETER ANDERSEN ACCOUNTS PAYABLE	JOSHUA BAILEY	NATALIE MACLEAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP06	Whole Rock Package - ICP-AES	ICP-AES
OA-GRA05	Loss on Ignition at 1000C	WST-SEQ
ME-MS81	Lithium Borate Fusion ICP-MS	ICP-MS
TOT-ICP06	Total Calculation for ICP06	ICP-AES

To: **WALLBRIDGE MINING COMPANY LTD.**
ATTN: NATALIE MACLEAN
129 FIELDING RD
LIVELY ON P3Y 1L7

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 25-AUG-2016
Account: RLH

Project: 618

QC CERTIFICATE OF ANALYSIS SD16134754

Sample Description	Method / Analyte / Units / LOR	ME-ICP06 SiO2 % 0.01	ME-ICP06 Al2O3 % 0.01	ME-ICP06 Fe2O3 % 0.01	ME-ICP06 CaO % 0.01	ME-ICP06 MgO % 0.01	ME-ICP06 Na2O % 0.01	ME-ICP06 K2O % 0.01	ME-ICP06 Cr2O3 % 0.01	ME-ICP06 TiO2 % 0.01	ME-ICP06 MnO % 0.01	ME-ICP06 P2O5 % 0.01	ME-ICP06 SrO % 0.01	ME-ICP06 BaO % 0.01	OA-GRA05 LOI % 0.01	ME-MS81 Ag ppm 1
STANDARDS																
AMIS0167		91.5	2.40	3.30	0.12	0.23	0.09	0.47	0.06	0.14	0.02	0.03	<0.01	0.01		1
Target Range - Lower Bound		89.6	2.29	3.28	0.10	0.21	0.06	0.45	0.03	0.12	<0.01	<0.01	<0.01	<0.01		
Upper Bound		93.3	2.55	3.62	0.16	0.27	0.12	0.55	0.08	0.18	0.04	0.05	0.02	0.02		
AMIS0286															7.59	
Target Range - Lower Bound															7.25	
Upper Bound															8.03	
OREAS 146		19.60	3.01	27.8	17.30	6.93	0.31	1.25	0.03	1.37	2.40	0.51	0.37	1.47		<1
Target Range - Lower Bound		19.50	2.82	27.5	16.75	6.59	0.26	1.19	<0.01	1.35	2.30	0.49	0.33	1.39		<1
Upper Bound		20.7	3.12	29.1	17.85	7.15	0.34	1.37	0.05	1.53	2.56	0.59	0.41	1.59		3
SARM-43															47.7	
Target Range - Lower Bound															45.7	
Upper Bound															50.5	
SY-4		50.1	20.6	6.08	7.95	0.52	7.09	1.63	<0.01	0.27	0.10	0.12	0.14	0.04		<1
Target Range - Lower Bound		48.7	20.1	5.95	7.74	0.49	6.81	1.56	<0.01	0.25	0.08	0.10	0.11	<0.01		<1
Upper Bound		51.1	21.3	6.47	8.36	0.59	7.39	1.76	0.03	0.32	0.13	0.16	0.17	0.06		3
BLANKS																
BLANK		<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		<1
Target Range - Lower Bound		<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		<1
Upper Bound		0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02		2
BLANK															0.00	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
DUPLICATES																
ORIGINAL		96.8	0.52	3.02	0.02	0.03	0.01	<0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01		<1
DUP		95.5	0.53	3.06	0.02	0.03	0.01	<0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01		<1
Target Range - Lower Bound		93.7	0.50	2.95	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		<1
Upper Bound		98.6	0.55	3.13	0.03	0.04	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02		2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 25-AUG-2016
Account: RLH

Project: 618

QC CERTIFICATE OF ANALYSIS SD16134754

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Ba ppm 0.5	ME-MS81 Ce ppm 0.5	ME-MS81 Co ppm 0.5	ME-MS81 Cr ppm 10	ME-MS81 Cs ppm 0.01	ME-MS81 Cu ppm 5	ME-MS81 Dy ppm 0.05	ME-MS81 Er ppm 0.03	ME-MS81 Eu ppm 0.03	ME-MS81 Ga ppm 0.1	ME-MS81 Gd ppm 0.05	ME-MS81 Hf ppm 0.2	ME-MS81 Ho ppm 0.01	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.01
STANDARDS																
AMIS0167		83.9	43.9	36.6	400	1.10	58	5.66	3.15	0.74	3.3	4.63	2.6	1.14	22.9	0.29
Target Range - Lower Bound																
Upper Bound																
AMIS0286																
Target Range - Lower Bound																
Upper Bound																
OREAS 146		>10000	4740	32.1	180	0.53	35	228	83.5	124.5	31.8	345	4.3	37.8	2550	6.39
Target Range - Lower Bound		11450	4220	30.0	160	0.47	25	202	78.3	114.5	26.2	323	4.0	33.1	2260	5.66
Upper Bound		>10000	5160	37.8	220	0.59	49	246	95.7	139.5	32.2	395	5.4	40.5	2760	6.94
SARM-43																
Target Range - Lower Bound																
Upper Bound																
SY-4		325	117.0	2.3	10	1.41	<5	18.60	14.25	1.93	35.2	14.15	10.9	4.51	56.4	2.03
Target Range - Lower Bound		306	109.5	1.7	<10	1.34	<5	16.35	12.75	1.77	31.4	12.55	9.8	3.86	51.7	1.88
Upper Bound		375	134.5	3.9	30	1.66	17	20.1	15.65	2.23	38.6	15.45	12.4	4.74	64.3	2.32
BLANKS																
BLANK		<0.5	<0.5	<0.5	<10	<0.01	<5	<0.05	<0.03	<0.03	0.2	<0.05	<0.2	<0.01	<0.5	<0.01
Target Range - Lower Bound		<0.5	<0.5	<0.5	<10	<0.01	<5	<0.05	<0.03	<0.03	<0.1	<0.05	<0.2	<0.01	<0.5	<0.01
Upper Bound		1.0	1.0	1.0	20	0.02	10	0.10	0.06	0.06	0.2	0.10	0.4	0.02	1.0	0.02
BLANK																
Target Range - Lower Bound																
Upper Bound																
DUPLICATES																
ORIGINAL		24.5	1.4	2.7	10	0.09	25	0.24	0.20	0.08	0.7	0.27	<0.2	0.05	1.1	0.03
DUP		27.0	1.4	2.6	20	0.06	25	0.23	0.16	0.07	0.8	0.27	<0.2	0.06	1.2	0.02
Target Range - Lower Bound		24.0	0.8	2.0	<10	0.06	19	0.17	0.14	0.04	0.6	0.21	<0.2	0.04	0.6	<0.01
Upper Bound		27.5	2.0	3.3	20	0.09	31	0.30	0.22	0.11	0.9	0.33	0.4	0.07	1.7	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 25-AUG-2016
Account: RLH

Project: 618

QC CERTIFICATE OF ANALYSIS SD16134754

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 0.2	ME-MS81 Nd ppm 0.1	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5	ME-MS81 Pr ppm 0.03	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.03	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.1	ME-MS81 Tb ppm 0.01	ME-MS81 Th ppm 0.05	ME-MS81 Tl ppm 0.5	ME-MS81 Tm ppm 0.01
STANDARDS																
AMIS0167		4	4.3	17.9	100	198	4.96	16.7	4.73	2	18.6	1.5	0.95	43.4	<0.5	0.44
Target Range - Lower Bound																
Upper Bound																
AMIS0286																
Target Range - Lower Bound																
Upper Bound																
OREAS 146		56	384	2240	70	702	560	26.8	456	44	3240	4.0	46.2	942	<0.5	9.70
Target Range - Lower Bound		52	349	1965	68	607	493	23.7	397	40	2790	3.6	42.5	813	<0.5	8.90
Upper Bound		68	427	2400	96	753	603	29.5	485	52	3410	4.6	51.9	993	1.5	10.90
SARM-43																
Target Range - Lower Bound																
Upper Bound																
SY-4		<2	13.2	56.0	9	9	14.30	53.0	12.60	8	1225	0.8	2.69	1.15	<0.5	2.29
Target Range - Lower Bound		<2	11.5	51.2	<5	<5	13.45	49.3	11.40	6	1070	0.7	2.33	1.11	<0.5	2.06
Upper Bound		6	14.5	62.8	19	21	16.55	60.7	14.00	10	1310	1.1	2.87	1.47	1.5	2.54
BLANKS																
BLANK		<2	<0.2	<0.1	<5	<5	<0.03	<0.2	<0.03	<1	<0.1	<0.1	<0.01	<0.05	<0.5	<0.01
Target Range - Lower Bound		<2	<0.2	<0.1	<5	<5	<0.03	<0.2	<0.03	<1	<0.1	<0.1	<0.01	<0.05	<0.5	<0.01
Upper Bound		4	0.4	0.2	10	10	0.06	0.4	0.06	2	0.2	0.2	0.02	0.10	1.0	0.02
BLANK																
Target Range - Lower Bound																
Upper Bound																
DUPLICATES																
ORIGINAL		18	<0.2	1.2	15	<5	0.22	0.3	0.21	<1	2.3	<0.1	0.04	<0.05	<0.5	0.03
DUP		19	<0.2	1.1	17	<5	0.28	0.5	0.20	<1	2.1	<0.1	0.04	0.06	<0.5	0.03
Target Range - Lower Bound		16	<0.2	1.0	10	<5	0.21	<0.2	0.16	<1	2.0	<0.1	0.03	<0.05	<0.5	0.02
Upper Bound		21	0.4	1.3	22	10	0.29	0.6	0.25	2	2.4	0.2	0.05	0.10	1.0	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 25-AUG-2016
Account: RLH

Project: 618

QC CERTIFICATE OF ANALYSIS SD16134754

Sample Description	Method / Analyte / Units / LOR	ME-MS81 U ppm 0.05	ME-MS81 V ppm 5	ME-MS81 W ppm 1	ME-MS81 Y ppm 0.5	ME-MS81 Yb ppm 0.03	ME-MS81 Zn ppm 5	ME-MS81 Zr ppm 2
STANDARDS								
AMIS0167		441	60	1	22.6	2.61	148	98
Target Range - Lower Bound								
Upper Bound								
AMIS0286								
Target Range - Lower Bound								
Upper Bound								
OREAS 146		2.53	153	27	917	53.3	1440	228
Target Range - Lower Bound		2.37	140	25	814	48.1	1230	204
Upper Bound		3.01	182	33	996	58.9	1510	254
SARM-43								
Target Range - Lower Bound								
Upper Bound								
SY-4		0.84	6	<1	109.5	15.15	93	570
Target Range - Lower Bound		0.66	<5	<1	106.5	13.30	78	523
Upper Bound		0.94	18	3	131.5	16.30	108	643
BLANKS								
BLANK		<0.05	<5	<1	<0.5	<0.03	<5	<2
Target Range - Lower Bound		<0.05	<5	<1	<0.5	<0.03	<5	<2
Upper Bound		0.10	10	2	1.0	0.06	10	4
BLANK								
Target Range - Lower Bound								
Upper Bound								
DUPLICATES								
ORIGINAL		0.12	12	<1	1.5	0.19	66	3
DUP		0.08	14	<1	1.6	0.17	65	3
Target Range - Lower Bound		<0.05	7	<1	1.0	0.14	57	<2
Upper Bound		0.16	19	2	2.1	0.22	74	4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 25-AUG-2016
Account: RLH

Project: 618

QC CERTIFICATE OF ANALYSIS SD16134754

Sample Description	Method / Analyte / Units / LOR	ME-ICP06 SiO2 % 0.01	ME-ICP06 Al2O3 % 0.01	ME-ICP06 Fe2O3 % 0.01	ME-ICP06 CaO % 0.01	ME-ICP06 MgO % 0.01	ME-ICP06 Na2O % 0.01	ME-ICP06 K2O % 0.01	ME-ICP06 Cr2O3 % 0.01	ME-ICP06 TiO2 % 0.01	ME-ICP06 MnO % 0.01	ME-ICP06 P2O5 % 0.01	ME-ICP06 SrO % 0.01	ME-ICP06 BaO % 0.01	OA-GRA05 LOI % 0.01	ME-MS81 Ag ppm 1
DUPLICATES																
ORIGINAL															6.29	
DUP															6.45	
Target Range - Lower Bound															6.20	
Upper Bound															6.54	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 25-AUG-2016
Account: RLH

Project: 618

QC CERTIFICATE OF ANALYSIS SD16134754

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Ba ppm 0.5	ME-MS81 Ce ppm 0.5	ME-MS81 Co ppm 0.5	ME-MS81 Cr ppm 10	ME-MS81 Cs ppm 0.01	ME-MS81 Cu ppm 5	ME-MS81 Dy ppm 0.05	ME-MS81 Er ppm 0.03	ME-MS81 Eu ppm 0.03	ME-MS81 Ga ppm 0.1	ME-MS81 Gd ppm 0.05	ME-MS81 Hf ppm 0.2	ME-MS81 Ho ppm 0.01	ME-MS81 La ppm 0.5	ME-MS81 Lu ppm 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 25-AUG-2016
Account: RLH

Project: 618

QC CERTIFICATE OF ANALYSIS SD16134754

Sample Description	Method / Analyte / Units / LOR	ME-MS81 Mo ppm 2	ME-MS81 Nb ppm 0.2	ME-MS81 Nd ppm 0.1	ME-MS81 Ni ppm 5	ME-MS81 Pb ppm 5	ME-MS81 Pr ppm 0.03	ME-MS81 Rb ppm 0.2	ME-MS81 Sm ppm 0.03	ME-MS81 Sn ppm 1	ME-MS81 Sr ppm 0.1	ME-MS81 Ta ppm 0.1	ME-MS81 Tb ppm 0.01	ME-MS81 Th ppm 0.05	ME-MS81 Tl ppm 0.5	ME-MS81 Tm ppm 0.01
		DUPLICATES														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 25-AUG-2016
Account: RLH

Project: 618

QC CERTIFICATE OF ANALYSIS SD16134754

Sample Description	Method / Analyte / Units / LOR	ME-MS81 U ppm 0.05	ME-MS81 V ppm 5	ME-MS81 W ppm 1	ME-MS81 Y ppm 0.5	ME-MS81 Yb ppm 0.03	ME-MS81 Zn ppm 5	ME-MS81 Zr ppm 2
		DUPLICATES						
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **WALLBRIDGE MINING COMPANY LTD.**
129 FIELDING RD
LIVELY ON P3Y 1L7

Finalized Date: 25-AUG-2016
Account: RLH

Project: 618

QC CERTIFICATE OF ANALYSIS SD16134754

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	FND-02	ME-ICP06	ME-MS81	OA-GRA05
	TOT-ICP06			