ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **CANADIAN MALARTIC CORPORATION**
KIRKLAND LAKE PROJECT
72 UPPER CANADA DRIVE, P.O. BOX 996
KIRKLAND LAKE ON P2N 3L1

Finalized Date: 27-MAY-2017
Account: OSIKLI

QC CERTIFICATE TM17087496

Project: AK

P.O. No.: KL001640

This report is for 98 Drill Core samples submitted to our lab in Timmins, ON, Canada on 4-MAY-2017.

The following have access to data associated with this certificate:

MIKE FELL RAY ZALNIERIUNAS	CHRISTAL HANUSZCZAK	DAN MCCORMACK

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-23	Pulp Login - Rcvd with Barcode
SPL-34X	Pulp Split - For send out
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: **CANADIAN MALARTIC CORPORATION**
ATTN: MIKE FELL
KIRKLAND LAKE PROJECT
72 UPPER CANADA DRIVE, P.O. BOX 996
KIRKLAND LAKE ON P2N 3L1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: Nacera Amara

Nacera Amara, Laboratory Manager, Val d'Or

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **CANADIAN MALARTIC CORPORATION**
KIRKLAND LAKE PROJECT
72 UPPER CANADA DRIVE, P.O. BOX 996
KIRKLAND LAKE ON P2N 3L1

Finalized Date: 27-MAY-2017
Account: OSIKLI

Project: AK

QC CERTIFICATE OF ANALYSIS TM17087496

Sample Description	Method Analyte Units LOR	Au-AA24 Au g/t 0.005
		STANDARDS
LEA-16		0.508
LEA-16		0.478
LEA-16		0.488
LEA-16		0.504
LEA-16		0.479
LEA-16		0.483
LEA-16		0.495
Target Range - Lower Bound		0.466
Upper Bound		0.536
OxC109		0.206
OxC109		0.206
Target Range - Lower Bound		0.184
Upper Bound		0.218
OxJ120		2.32
OxJ120		2.36
OxJ120		2.37
OxJ120		2.42
OxJ120		2.35
OxJ120		2.34
OxJ120		2.33
Target Range - Lower Bound		2.22
Upper Bound		2.51
		BLANKS
BLANK		<0.005
BLANK		<0.005
BLANK		<0.005
BLANK		<0.005
BLANK		<0.005
BLANK		<0.005
BLANK		<0.005
BLANK		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **CANADIAN MALARTIC CORPORATION**
KIRKLAND LAKE PROJECT
72 UPPER CANADA DRIVE, P.O. BOX 996
KIRKLAND LAKE ON P2N 3L1

Finalized Date: 27-MAY-2017
Account: OSIKLI

Project: AK

QC CERTIFICATE OF ANALYSIS TM17087496

Sample Description	Method Analyte Units LOR	Au-AA24 Au g/t 0.005
		DUPLICATES
ORIGINAL		0.031
DUP		0.039
Target Range - Lower Bound		0.028
Upper Bound		0.042
ORIGINAL		<0.005
DUP		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
ORIGINAL		<0.005
DUP		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
V364200		<0.005
DUP		0.010
Target Range - Lower Bound		<0.005
Upper Bound		0.010
ORIGINAL		<0.005
DUP		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
ORIGINAL		0.363
DUP		0.370
Target Range - Lower Bound		0.343
Upper Bound		0.390
ORIGINAL		<0.005
DUP		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
ORIGINAL		1.150
DUP		1.290
Target Range - Lower Bound		1.155
Upper Bound		1.285

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANADIAN MALARTIC CORPORATION
KIRKLAND LAKE PROJECT
72 UPPER CANADA DRIVE, P.O. BOX 996
KIRKLAND LAKE ON P2N 3L1

Finalized Date: 27-MAY-2017
Account: OSIKLI

Project: AK

QC CERTIFICATE OF ANALYSIS TM17087496

Sample Description	Method Analyte Units LOR	Au-AA24 Au g/t 0.005
		DUPLICATES
ORIGINAL		0.466
DUP		0.424
Target Range - Lower Bound		0.418
Upper Bound		0.472
ORIGINAL		0.554
DUP		0.633
Target Range - Lower Bound		0.559
Upper Bound		0.628
ORIGINAL		<0.005
DUP		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
ORIGINAL		<0.005
DUP		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
ORIGINAL		<0.005
DUP		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
ORIGINAL		0.053
DUP		0.033
Target Range - Lower Bound		0.036
Upper Bound		0.050
ORIGINAL		<0.005
DUP		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
ORIGINAL		0.062
DUP		0.081
Target Range - Lower Bound		0.063
Upper Bound		0.080

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **CANADIAN MALARTIC CORPORATION**
KIRKLAND LAKE PROJECT
72 UPPER CANADA DRIVE, P.O. BOX 996
KIRKLAND LAKE ON P2N 3L1

Finalized Date: 27-MAY-2017
Account: OSIKLI

Project: AK

QC CERTIFICATE OF ANALYSIS TM17087496

Sample Description	Method Analyte Units LOR	Au-AA24 Au g/t 0.005
		DUPLICATES
ORIGINAL		0.109
DUP		0.107
Target Range - Lower Bound		0.098
Upper Bound		0.118
		PREP DUPLICATES
V364173		<0.005
V364173 PREP DUP		0.036

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **CANADIAN MALARTIC CORPORATION**
KIRKLAND LAKE PROJECT
72 UPPER CANADA DRIVE, P.O. BOX 996
KIRKLAND LAKE ON P2N 3L1

Finalized Date: 27-MAY-2017
Account: OSIKLI

Project: AK

QC CERTIFICATE OF ANALYSIS TM17087496

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Val d'Or located at 1324 Rue Turcotte, Val d'Or, QC, Canada.
Au-AA24

Applies to Method: Processed at ALS Timmins located at Unit 10 - 2090 Riverside Drive, Timmins, ON, Canada.

CRU-31	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-31	PUL-31d	PUL-QC
SPL-21	SPL-21d	SPL-34X	WEI-21