ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

CERTIFICATE SD15198095

Project: SUPERIOR PROJECT

This report is for 29 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 21-DEC-2015.

The following have access to data associated with this certificate:

TRACY ARMSTRONG JOHN TAIT	TRACY ARMSTRONG (2ND EMAIL)	MORGAN QUINN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-21d	Sample logging - ClientBarCode Dup
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61r	48 element four acid ICP-MS + REEs	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **SUPERIOR COPPER CORPORATION**
ATTN: MORGAN QUINN
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198095

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2
S122207 A		1.24	<5	<0.01	7.55	8.8	30	0.58	0.33	5.31	<0.02	17.10	44.8	231	2.24	5.4
S122207 B		<0.02	<5	0.01	7.72	8.9	30	0.55	0.35	5.42	0.02	17.65	45.3	238	2.27	4.9
S122208		2.65	<5	0.01	7.47	29.7	20	0.85	0.55	12.20	0.05	20.3	33.4	146	1.31	10.0
S122209		1.81	<5	0.01	8.37	31.6	30	0.76	1.07	7.80	<0.02	9.36	37.6	177	1.19	2.4
S122210		1.09	<5	0.01	7.62	8.2	60	0.77	0.33	6.09	0.02	6.01	43.2	211	3.47	5.2
S122211		0.82	<5	0.01	8.03	6.1	130	0.79	0.14	5.10	0.02	14.70	39.0	177	5.16	2.0
S122212		0.70	<5	<0.01	8.09	4.9	160	0.82	0.10	7.22	0.04	17.45	36.1	184	6.59	2.2
S122213		2.16	<5	0.01	7.68	6.3	170	0.74	0.16	5.44	<0.02	17.40	36.9	222	4.71	5.3
S122214		<0.02	424	9.91	0.39	226	10	0.07	5.32	0.11	13.60	3.50	475	38	0.26	>10000
S122215		2.03	<5	0.01	8.36	16.1	30	0.72	0.34	8.80	0.03	9.55	41.2	198	2.25	3.8
S122216		1.04	<5	0.01	7.79	10.1	120	0.51	0.07	6.10	0.03	16.10	31.5	170	4.12	2.8
S122217		1.66	<5	0.02	8.28	10.9	70	0.46	0.14	7.49	0.03	40.5	33.9	209	3.70	3.4
S122218		0.73	<5	0.02	7.54	12.5	70	0.41	0.04	8.33	0.04	6.17	30.6	154	3.94	2.6
S122219		1.75	<5	0.01	8.39	11.3	60	0.54	0.07	6.91	0.06	11.35	41.1	165	3.37	2.3
S122220		0.81	<5	0.01	7.58	8.4	70	1.35	0.04	3.65	0.04	24.8	64.9	174	3.73	3.7
S122221		0.70	<5	0.01	7.49	7.0	110	1.50	0.07	7.17	0.09	22.7	46.7	153	2.13	6.0
S122222		<0.02	431	10.35	0.39	226	10	0.10	5.54	0.11	14.15	3.72	480	38	0.27	>10000
S122223		1.21	<5	0.01	6.28	12.2	70	1.83	0.07	9.40	0.10	7.01	24.8	85	3.79	15.6
S122224		1.59	<5	0.02	7.96	8.9	130	1.11	0.07	5.58	0.08	26.2	34.7	160	11.25	6.7
S122225		0.72	<5	0.03	7.03	4.0	370	0.55	0.22	6.42	0.06	27.2	51.7	67	2.88	393
S122226		0.75	5	0.07	7.11	2.8	350	0.60	0.13	6.53	0.14	28.1	51.7	67	3.67	943
S122227		0.68	<5	0.19	5.82	3.4	130	1.06	0.06	6.43	0.32	21.7	44.0	58	3.37	68.0
S122228		1.19	<5	0.17	6.33	4.4	50	2.07	0.07	8.03	0.12	31.0	41.9	60	3.09	81.9
S122229		1.36	<5	0.16	6.57	4.8	90	1.80	0.09	8.35	0.09	28.7	48.4	59	3.43	112.0
S122230		1.54	<5	0.44	5.80	6.0	30	1.14	0.32	9.14	0.23	40.1	36.7	74	4.54	525
S122231		1.04	28	0.10	6.32	3.3	240	0.70	0.05	7.99	0.11	25.3	46.4	75	4.30	97.5
S122232		<0.02	440	10.35	0.38	223	10	0.07	5.46	0.11	14.10	3.68	477	37	0.27	>10000
S122233		0.26	<5	0.32	4.16	2.0	40	0.90	0.03	5.88	0.09	15.00	25.2	50	2.08	1070
S122234		0.27	<5	0.08	3.68	1.2	50	0.74	0.02	6.56	0.06	12.55	22.4	49	1.78	301

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198095

Sample Description	Method	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
S122207 A		7.00	14.00	0.08	1.3	0.118	0.66	9.1	42.6	4.79	526	0.69	3.33	4.8	194.0	350
S122207 B		7.23	14.40	0.09	1.3	0.127	0.68	9.4	42.4	4.84	541	0.55	3.43	4.9	195.0	370
S122208		6.96	19.90	0.08	1.3	0.171	0.93	11.8	41.1	3.03	990	0.40	0.53	4.8	155.5	400
S122209		7.38	17.75	0.07	1.4	0.128	0.61	4.6	27.3	3.95	983	0.37	2.30	4.7	155.5	500
S122210		6.90	13.90	0.08	1.3	0.095	1.83	2.8	57.4	5.11	568	0.28	2.32	4.4	172.0	490
S122211		6.98	12.40	0.09	1.7	0.107	1.19	7.2	33.6	4.73	568	0.29	2.96	5.3	171.0	470
S122212		7.31	12.50	0.09	1.5	0.089	1.47	9.1	31.9	4.20	623	0.31	2.73	4.6	155.5	500
S122213		6.78	12.45	0.10	1.3	0.101	1.56	8.6	33.0	4.76	544	0.29	2.57	4.4	161.0	460
S122214		34.5	2.16	0.24	0.1	1.300	0.02	1.8	2.0	0.18	98	29.2	0.07	0.4	35.8	160
S122215		8.73	19.30	0.09	1.3	0.092	1.88	4.5	67.5	4.44	858	0.32	0.48	4.9	134.0	580
S122216		6.99	12.05	0.09	1.4	0.057	1.12	7.7	23.8	4.16	557	0.25	2.63	4.7	145.0	420
S122217		7.47	15.85	0.11	1.3	0.119	0.65	21.6	23.2	4.23	734	0.24	2.53	5.4	158.0	440
S122218		7.14	12.40	0.08	1.4	0.037	0.96	3.1	33.5	3.60	503	0.20	2.17	4.2	133.5	380
S122219		8.12	17.45	0.07	2.0	0.044	0.68	5.1	47.7	5.00	690	0.26	2.09	6.0	164.5	450
S122220		7.92	17.80	0.11	1.6	0.046	1.02	13.9	115.5	8.37	802	0.12	1.74	6.1	191.5	430
S122221		5.85	15.85	0.10	1.4	0.064	0.92	13.0	58.6	5.77	717	0.19	2.53	5.4	174.0	410
S122222		35.0	2.20	0.24	0.1	1.325	0.02	1.9	2.4	0.18	94	30.1	0.07	0.4	36.4	150
S122223		4.23	13.40	0.08	1.2	0.044	1.33	3.8	49.5	2.98	494	0.58	0.88	4.4	93.4	330
S122224		6.68	17.35	0.11	2.0	0.062	0.91	14.3	39.2	4.36	594	0.40	2.32	6.4	134.5	370
S122225		9.44	19.65	0.10	2.4	0.098	0.88	14.2	12.7	4.05	1490	0.56	1.88	7.3	67.0	650
S122226		9.44	17.40	0.09	2.5	0.100	0.68	14.5	9.3	3.69	1460	8.25	2.05	7.8	60.0	690
S122227		7.83	13.65	0.07	2.0	0.070	0.36	10.9	18.2	3.47	1200	0.21	2.12	6.5	47.4	570
S122228		8.39	15.75	0.09	2.2	0.072	0.53	17.0	24.2	3.08	789	0.17	1.14	6.9	44.2	600
S122229		8.62	17.35	0.09	2.3	0.073	0.59	15.0	27.2	3.57	1010	0.14	1.46	7.8	44.0	630
S122230		6.35	14.20	0.10	3.2	0.050	0.88	19.4	63.2	2.30	650	0.42	0.20	18.6	75.0	1510
S122231		8.21	14.80	0.08	2.1	0.076	0.53	13.1	16.0	3.40	1330	0.16	2.16	6.7	44.3	600
S122232		34.9	2.18	0.24	0.1	1.380	0.01	1.9	2.4	0.18	95	30.3	0.07	0.4	36.2	150
S122233		4.88	11.35	0.05	1.2	0.039	0.24	7.2	53.9	2.76	455	0.31	0.86	3.7	24.6	320
S122234		4.32	9.56	0.05	1.0	0.031	0.21	6.0	49.7	2.40	436	0.39	0.84	3.2	21.5	290

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198095

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Pb ppm 0.5	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1
S122207 A		3.9	22.1	<0.002	<0.01	1.30	39.3	1	0.6	107.0	0.23	<0.05	0.87	0.446	0.12	0.9
S122207 B		3.8	22.5	<0.002	<0.01	1.34	39.9	1	0.6	110.5	0.24	<0.05	0.89	0.465	0.10	0.9
S122208		7.9	9.1	<0.002	<0.01	1.66	31.6	1	0.7	508	0.25	<0.05	0.95	0.439	<0.02	0.8
S122209		6.4	8.9	<0.002	<0.01	1.95	34.0	1	0.6	392	0.28	<0.05	0.98	0.575	0.05	0.6
S122210		4.0	33.3	<0.002	<0.01	1.17	32.5	1	0.6	126.0	0.23	<0.05	0.64	0.438	0.12	0.6
S122211		4.1	49.9	<0.002	<0.01	0.73	33.9	1	0.6	244	0.28	<0.05	0.95	0.505	0.18	0.6
S122212		5.4	67.4	<0.002	<0.01	0.56	33.8	1	0.5	252	0.26	<0.05	0.91	0.528	0.24	0.6
S122213		4.3	48.9	<0.002	0.01	0.71	35.1	1	0.6	188.0	0.24	<0.05	1.05	0.502	0.18	0.6
S122214		378	0.9	0.050	>10.0	19.10	0.6	61	4.1	7.0	<0.05	1.78	0.87	0.012	3.23	3.7
S122215		7.3	12.9	<0.002	0.01	1.53	34.7	1	0.5	512	0.26	<0.05	0.66	0.528	0.03	0.5
S122216		5.9	29.8	<0.002	<0.01	0.61	33.4	1	0.5	245	0.25	<0.05	1.24	0.451	0.12	0.6
S122217		21.7	22.3	<0.002	<0.01	0.93	35.6	1	0.6	306	0.26	<0.05	0.94	0.463	0.09	0.8
S122218		5.5	25.4	<0.002	<0.01	0.61	29.5	1	0.5	195.0	0.22	<0.05	0.79	0.416	0.09	0.6
S122219		9.5	19.8	<0.002	<0.01	0.68	34.2	1	0.5	267	0.31	<0.05	1.19	0.532	0.06	0.5
S122220		11.9	29.7	<0.002	<0.01	0.40	32.4	1	0.5	132.0	0.31	<0.05	1.06	0.485	0.10	0.5
S122221		6.3	24.7	<0.002	0.01	0.53	33.7	1	1.2	151.0	0.26	<0.05	1.03	0.468	0.09	1.1
S122222		372	0.9	0.048	>10.0	19.80	0.6	61	4.1	7.3	<0.05	1.86	0.92	0.011	3.33	4.0
S122223		6.9	18.5	<0.002	<0.01	0.60	21.4	1	0.8	152.0	0.23	<0.05	0.74	0.354	0.04	1.4
S122224		6.9	34.5	<0.002	<0.01	0.84	29.9	1	0.9	290	0.37	<0.05	1.52	0.538	0.34	1.1
S122225		3.2	40.1	0.002	0.04	0.61	46.5	2	0.8	226	0.43	0.06	2.37	0.618	0.19	0.6
S122226		10.1	29.7	0.009	0.10	0.28	48.1	2	1.3	222	0.47	0.05	2.49	0.655	0.15	0.7
S122227		3.3	18.8	<0.002	<0.01	0.19	39.9	1	0.9	180.5	0.38	<0.05	2.11	0.546	0.08	1.2
S122228		4.3	10.7	<0.002	<0.01	0.41	42.0	1	1.0	100.0	0.41	<0.05	2.26	0.578	0.03	2.3
S122229		5.0	16.8	<0.002	<0.01	0.39	42.6	2	0.9	132.5	0.46	<0.05	2.43	0.611	0.05	2.1
S122230		4.1	56.4	0.002	0.02	0.44	18.7	1	0.9	52.9	1.07	<0.05	1.52	0.894	0.23	0.7
S122231		3.6	26.3	<0.002	<0.01	0.19	42.2	2	0.8	173.0	0.39	<0.05	2.15	0.571	0.16	0.9
S122232		377	0.8	0.051	>10.0	19.95	0.6	59	4.0	7.0	<0.05	1.80	0.89	0.011	3.30	4.0
S122233		2.8	4.7	<0.002	0.05	0.16	23.2	1	0.8	68.5	0.21	<0.05	1.20	0.318	0.02	1.4
S122234		2.0	4.5	<0.002	0.01	0.14	21.1	1	0.7	66.8	0.19	<0.05	1.05	0.276	0.02	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198095

Sample Description	Method / Analyte / Units / LOR	ME-MS61r V ppm 1	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01
S122207 A		144	0.7	16.3	65	45.0	2.68	1.69	0.72	2.32	0.59	0.25	9.2	2.08	2.14	0.39
S122207 B		150	0.8	17.1	66	48.4	2.75	1.78	0.76	2.37	0.61	0.26	9.5	2.17	2.26	0.42
S122208		156	1.5	17.2	43	47.8	2.68	1.63	0.79	2.53	0.59	0.26	10.3	2.38	2.46	0.43
S122209		198	1.1	18.1	57	47.2	2.87	1.96	0.52	2.11	0.67	0.28	5.1	1.17	1.50	0.41
S122210		157	0.7	14.0	72	46.7	2.21	1.50	0.37	1.47	0.50	0.24	3.6	0.79	1.07	0.30
S122211		182	0.7	17.2	65	62.0	2.80	1.80	0.77	2.29	0.62	0.29	7.9	1.81	2.05	0.41
S122212		184	0.8	17.7	58	53.1	2.91	1.79	0.88	2.64	0.63	0.28	9.7	2.16	2.42	0.45
S122213		188	0.6	17.1	59	49.8	2.81	1.76	0.86	2.49	0.62	0.26	9.5	2.14	2.30	0.44
S122214		42	3.4	1.7	4180	5.2	0.32	0.16	0.10	0.35	0.06	0.02	1.7	0.44	0.38	0.05
S122215		201	1.0	16.2	69	43.5	2.56	1.70	0.54	1.96	0.59	0.26	5.6	1.21	1.50	0.37
S122216		170	0.6	16.4	43	56.2	2.67	1.73	0.71	2.26	0.59	0.26	8.8	1.97	2.11	0.40
S122217		192	0.9	23.8	46	46.8	4.54	2.42	2.28	4.87	0.92	0.32	21.8	4.98	5.06	0.78
S122218		168	0.6	13.6	43	49.6	2.13	1.45	0.42	1.46	0.49	0.23	3.8	0.82	1.11	0.29
S122219		190	0.9	18.8	67	72.4	3.06	2.00	0.64	2.25	0.70	0.32	6.4	1.42	1.79	0.43
S122220		187	0.7	16.8	72	64.3	3.02	1.68	0.87	2.96	0.63	0.26	12.8	2.90	2.98	0.49
S122221		150	1.2	18.6	103	52.9	3.19	1.95	0.77	2.73	0.70	0.28	10.2	2.51	2.55	0.48
S122222		42	3.4	1.7	4180	5.2	0.32	0.18	0.10	0.37	0.06	0.02	1.8	0.47	0.41	0.05
S122223		88	0.7	16.5	54	46.6	2.72	1.73	0.53	2.22	0.58	0.25	4.3	0.94	1.54	0.41
S122224		190	0.8	19.9	49	69.8	3.54	2.28	0.91	3.16	0.77	0.35	11.7	3.04	2.78	0.55
S122225		274	0.7	27.3	80	87.6	4.48	2.85	1.05	3.67	0.99	0.45	13.8	3.23	3.41	0.67
S122226		277	0.7	27.9	99	92.8	4.64	3.08	1.10	3.82	1.05	0.47	14.5	3.36	3.55	0.70
S122227		223	0.4	23.0	89	77.4	3.77	2.44	0.87	3.09	0.85	0.39	11.1	2.57	2.85	0.57
S122228		214	0.9	25.0	84	82.9	4.08	2.72	1.06	3.66	0.92	0.43	15.5	3.63	3.50	0.64
S122229		211	0.9	25.3	99	86.6	4.21	2.80	1.07	3.55	0.95	0.44	14.4	3.36	3.44	0.63
S122230		207	2.6	18.0	62	141.5	3.03	1.78	1.01	3.34	0.64	0.25	20.2	4.87	4.02	0.51
S122231		223	0.8	24.2	91	80.5	4.07	2.66	0.97	3.39	0.93	0.43	12.7	2.99	3.06	0.60
S122232		42	3.4	1.7	4180	5.1	0.33	0.17	0.10	0.36	0.06	0.02	1.8	0.46	0.42	0.06
S122233		169	0.4	13.3	53	44.0	2.34	1.43	0.54	1.91	0.51	0.21	7.2	1.71	1.79	0.35
S122234		141	0.3	11.8	43	38.5	2.02	1.28	0.45	1.73	0.44	0.18	6.1	1.46	1.51	0.30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198095

Sample Description	Method Analyte Units LOR	ME-MS61r Tm ppm 0.01	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
S122207 A		0.26	1.61	
S122207 B		0.27	1.70	
S122208		0.25	1.53	
S122209		0.30	1.83	
S122210		0.24	1.47	
S122211		0.27	1.76	
S122212		0.28	1.75	
S122213		0.27	1.69	
S122214		0.03	0.15	2.50
S122215		0.26	1.61	
S122216		0.26	1.62	
S122217		0.33	2.03	
S122218		0.23	1.39	
S122219		0.31	1.96	
S122220		0.25	1.58	
S122221		0.29	1.81	
S122222		0.03	0.15	2.52
S122223		0.27	1.73	
S122224		0.35	2.26	
S122225		0.45	2.82	
S122226		0.47	2.92	
S122227		0.38	2.41	
S122228		0.41	2.62	
S122229		0.42	2.69	
S122230		0.26	1.57	
S122231		0.41	2.55	
S122232		0.02	0.15	2.38
S122233		0.21	1.33	
S122234		0.19	1.19	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198095

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61r

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-31	PUL-QC	SPL-21
SPL-34	WEI-21		

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA23	Cu-OG62	ME-MS61r	ME-OG62