ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

CERTIFICATE SD15198089

Project: SUPERIOR PROJECT

This report is for 36 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 21-DEC-2015.

The following have access to data associated with this certificate:

TRACY ARMSTRONG JOHN TAIT	TRACY ARMSTRONG (2ND EMAIL)	MORGAN QUINN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-21d	Sample logging - ClientBarCode Dup
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61r	48 element four acid ICP-MS + REEs	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **SUPERIOR COPPER CORPORATION**
ATTN: MORGAN QUINN
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2
S122172 A		0.87	<5	0.01	8.16	47.0	40	0.70	0.14	9.34	0.04	23.4	35.5	163	5.52	4.5
S122172 B		<0.02	<5	0.01	7.88	46.1	50	0.69	0.13	8.52	0.04	22.6	34.3	161	5.10	3.9
S122173		0.75	<5	0.01	7.97	24.0	70	0.61	0.09	8.49	0.03	10.20	32.5	168	5.04	1.9
S122174		1.82	<5	0.01	7.34	26.7	240	1.69	0.25	8.71	0.04	90.9	40.5	175	14.30	36.6
S122175		0.68	<5	0.02	5.65	19.5	80	1.16	0.11	10.45	0.05	63.0	32.9	102	3.19	30.6
S122176		2.15	<5	0.08	6.69	29.1	150	1.20	0.16	10.45	0.04	88.4	38.5	176	5.87	9.6
S122177		1.81	<5	<0.01	8.00	14.8	30	0.86	0.30	8.72	0.04	50.8	38.0	194	2.35	2.0
S122178		1.17	<5	0.01	6.43	25.2	80	1.26	0.05	11.50	0.20	11.15	22.2	98	4.78	6.3
S122179		0.25	<5	0.03	3.21	2.0	250	0.52	0.04	1.31	0.06	20.1	5.8	53	0.57	17.5
S122180		1.82	<5	0.01	7.28	8.7	180	0.54	0.06	4.07	0.02	13.05	33.8	239	5.80	9.3
S122181		0.74	<5	0.02	7.69	10.7	160	1.02	0.04	7.18	0.16	6.71	29.8	119	6.06	4.3
S122182		1.82	<5	0.01	7.94	5.4	190	0.81	0.05	5.38	0.02	16.80	38.0	258	6.63	2.9
S122183		0.68	<5	0.02	7.17	9.7	170	1.77	0.18	5.58	0.11	8.81	22.8	124	5.08	15.5
S122184		1.94	<5	0.01	7.61	4.6	200	0.96	0.04	5.45	0.02	23.8	35.5	177	5.64	2.5
S122185		1.44	<5	0.04	6.00	5.8	260	1.91	0.21	5.11	0.26	36.8	32.0	82	7.05	79.6
S122186		1.82	<5	0.01	7.09	7.6	80	1.49	0.19	3.78	0.03	31.7	29.2	198	5.77	20.0
S122187		<0.02	424	10.50	0.39	219	10	0.10	5.38	0.10	14.05	3.78	477	39	0.27	>10000
S122188		1.53	<5	<0.01	6.84	10.5	30	0.97	0.22	6.51	0.06	20.1	32.9	160	1.65	8.7
S122189		1.63	<5	<0.01	7.35	16.8	20	0.76	0.39	6.80	0.04	15.50	33.3	135	1.33	7.2
S122190		1.61	<5	<0.01	7.87	15.4	20	0.95	0.45	7.27	0.06	47.0	34.6	206	0.53	7.1
S122191		0.55	<5	0.01	5.26	18.5	30	1.34	0.14	9.47	0.07	4.08	7.7	25	7.44	16.4
S122192		1.37	<5	0.04	5.40	7.5	50	1.80	0.15	2.92	0.03	9.57	36.7	238	6.20	34.2
S122193		0.90	<5	0.01	6.76	10.7	110	1.42	0.26	3.77	0.02	20.3	31.0	111	4.57	21.5
S122194		0.64	<5	0.01	7.15	10.2	160	1.88	0.07	3.58	<0.02	12.90	36.4	138	8.92	18.7
S122195		1.50	<5	0.01	6.98	9.8	60	1.12	0.29	4.37	0.03	24.0	38.4	224	3.96	23.0
S122196		1.57	<5	0.01	7.57	13.1	50	0.79	0.36	4.96	0.02	15.20	43.4	262	4.15	23.9
S122197		<0.02	434	9.90	0.39	235	10	0.10	5.34	0.11	14.00	3.61	472	40	0.27	>10000
S122198		1.78	<5	0.01	7.42	12.8	60	0.45	0.38	4.74	0.03	13.50	36.9	203	3.39	19.2
S122199		2.04	<5	0.01	7.37	21.1	30	0.38	0.49	6.02	0.02	7.76	37.5	243	2.19	3.9
S122200		0.81	<5	<0.01	7.04	24.6	20	0.40	0.54	10.45	0.04	12.70	33.0	196	1.28	8.5
S122201		1.44	<5	<0.01	7.49	20.2	30	0.32	0.37	7.89	0.02	7.02	37.1	187	1.10	4.1
S122202		2.47	<5	<0.01	7.52	18.3	40	0.40	0.42	7.03	0.03	11.70	40.7	275	1.99	4.9
S122203		1.50	<5	<0.01	8.18	23.6	20	0.47	0.50	6.86	<0.02	20.2	44.4	182	0.42	5.2
S122204		1.84	<5	0.01	7.22	20.6	40	0.61	0.36	10.60	0.03	11.95	39.1	152	2.63	14.3
S122205		0.91	<5	0.01	8.15	23.2	20	0.69	0.43	13.20	0.05	13.80	31.0	157	2.37	5.4
S122206		0.92	<5	<0.01	7.43	17.7	20	0.64	0.41	10.70	0.05	11.80	33.6	162	2.23	15.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
S122172 A		6.42	19.70	<0.05	2.2	0.076	0.64	12.6	46.3	2.97	924	0.52	1.75	6.7	149.5	590
S122172 B		6.29	17.70	0.09	2.0	0.074	0.63	12.6	41.7	2.98	924	0.70	1.73	6.1	151.5	610
S122173		5.94	14.95	0.09	2.5	0.044	0.60	4.9	34.8	3.49	611	0.38	2.51	6.0	133.0	620
S122174		7.92	19.25	0.19	5.2	0.099	2.45	47.6	51.0	3.79	811	0.52	0.32	35.5	147.5	2630
S122175		6.13	14.95	0.14	4.5	0.061	1.14	28.3	37.8	2.78	740	0.63	0.19	30.4	107.0	2250
S122176		7.24	17.65	0.18	6.3	0.068	2.13	39.5	36.1	3.07	699	0.71	0.32	40.7	133.5	3020
S122177		7.30	22.7	0.14	1.9	0.084	0.72	28.3	30.4	4.45	832	0.39	1.26	5.6	151.5	540
S122178		4.58	13.15	0.08	1.2	0.043	2.31	5.6	52.0	3.29	550	0.20	0.47	3.8	97.0	300
S122179		1.99	6.91	0.10	1.7	0.018	0.80	11.6	4.9	0.59	288	0.18	1.24	2.8	16.9	180
S122180		6.00	13.70	0.11	1.7	0.057	1.74	6.1	48.9	5.80	562	0.33	2.26	5.7	148.0	460
S122181		5.22	15.35	0.10	2.3	0.050	1.31	3.2	47.9	4.86	590	0.28	2.03	6.1	124.0	570
S122182		7.33	14.30	0.11	1.9	0.061	1.13	8.5	52.7	5.54	652	0.24	2.32	6.7	169.0	390
S122183		5.32	16.15	0.09	1.9	0.041	1.17	4.4	57.6	3.55	541	0.35	1.92	5.5	98.1	450
S122184		6.73	14.45	0.11	2.5	0.056	0.82	11.8	28.4	5.75	636	0.32	2.43	7.5	157.5	500
S122185		6.19	15.05	0.05	2.7	0.058	1.95	19.3	78.0	3.55	669	0.39	0.80	21.1	101.0	810
S122186		5.88	14.25	0.05	1.7	0.061	1.27	16.5	59.4	3.91	474	0.31	2.75	6.0	126.0	470
S122187		34.8	2.22	0.22	0.1	1.325	0.02	2.0	2.7	0.18	91	31.5	0.06	0.5	36.6	150
S122188		7.45	14.70	0.11	1.5	0.060	0.67	12.1	50.2	3.69	594	0.36	2.43	4.8	136.5	460
S122189		7.02	15.35	0.09	1.8	0.100	0.69	8.4	36.4	3.56	650	0.37	2.57	6.5	147.0	440
S122190		6.67	16.80	0.11	1.4	0.110	0.60	25.8	40.5	2.78	630	0.35	2.50	4.6	154.5	390
S122191		1.44	9.13	0.08	0.3	0.025	1.23	2.3	67.2	1.36	175	0.16	0.30	0.9	30.4	70
S122192		6.65	11.20	0.08	1.1	0.087	1.19	4.8	77.9	4.43	355	0.34	1.38	3.8	181.0	360
S122193		6.76	11.90	0.10	1.3	0.109	1.14	11.2	76.9	3.28	409	0.37	2.38	4.9	133.0	360
S122194		6.72	13.65	0.11	1.8	0.080	1.80	6.4	87.5	5.90	425	0.29	2.22	5.2	176.5	600
S122195		7.29	13.75	0.10	1.3	0.132	1.28	12.9	71.3	4.51	463	0.33	2.66	4.8	178.0	410
S122196		7.31	14.50	0.10	1.4	0.115	0.94	7.6	60.3	5.44	630	0.31	2.72	5.0	190.5	400
S122197		34.9	2.06	0.25	0.1	1.330	0.01	2.0	2.7	0.18	90	31.5	0.07	0.4	36.9	140
S122198		7.64	13.50	0.08	1.5	0.115	0.75	6.5	46.1	3.86	539	0.42	3.20	5.1	162.0	400
S122199		7.59	14.95	0.06	1.4	0.114	0.46	3.9	39.7	3.64	778	0.35	2.82	4.4	151.5	390
S122200		6.48	13.85	0.08	1.0	0.107	0.70	6.2	44.6	3.17	776	0.30	1.93	3.2	137.5	370
S122201		7.45	13.70	0.07	1.3	0.084	0.56	3.5	34.2	3.38	727	0.39	2.69	4.8	145.5	610
S122202		8.06	16.40	0.09	1.2	0.104	0.73	5.8	45.4	3.94	810	0.31	2.13	4.3	170.5	420
S122203		8.11	16.15	0.11	1.3	0.119	0.53	10.5	31.6	3.87	857	0.37	2.53	5.1	171.5	410
S122204		8.46	15.25	0.09	1.0	0.103	1.59	6.5	53.1	3.02	798	0.34	0.85	3.6	149.0	300
S122205		7.04	19.35	0.10	1.3	0.105	1.22	9.5	44.9	2.65	880	0.31	0.24	4.2	123.5	420
S122206		6.89	18.45	0.09	1.2	0.105	1.25	7.1	43.8	2.72	784	0.33	0.62	4.2	133.0	430

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Pb ppm 0.5	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1
S122172 A		6.8	11.0	<0.002	<0.01	1.73	31.9	1	0.7	335	0.38	<0.05	1.35	0.532	0.04	0.8
S122172 B		6.0	9.6	<0.002	<0.01	1.52	31.9	1	0.6	335	0.33	<0.05	1.14	0.523	0.03	0.7
S122173		4.3	31.8	<0.002	<0.01	1.10	31.0	1	0.6	337	0.34	<0.05	1.26	0.499	0.11	0.6
S122174		4.9	68.9	<0.002	<0.01	1.22	29.7	2	1.3	186.0	2.09	0.05	3.36	1.365	0.17	2.0
S122175		4.4	13.2	<0.002	<0.01	1.00	21.6	1	1.2	184.5	1.81	<0.05	2.89	1.155	0.03	1.5
S122176		4.2	31.3	<0.002	<0.01	0.99	26.4	2	1.4	139.5	2.51	0.07	3.81	1.520	0.09	2.0
S122177		8.4	12.0	<0.002	<0.01	1.49	34.7	1	0.9	489	0.32	<0.05	1.36	0.494	0.03	1.0
S122178		7.3	23.1	<0.002	<0.01	0.63	22.1	<1	0.4	171.0	0.22	<0.05	0.77	0.280	0.02	1.2
S122179		6.7	27.1	<0.002	0.01	0.18	7.2	1	0.5	172.0	0.21	<0.05	2.29	0.190	0.12	0.5
S122180		4.6	42.3	<0.002	0.01	0.54	32.9	1	0.6	191.5	0.31	<0.05	1.04	0.479	0.15	0.6
S122181		6.0	34.7	<0.002	<0.01	0.72	28.8	1	0.6	200	0.35	<0.05	1.52	0.502	0.11	0.9
S122182		4.9	42.8	<0.002	<0.01	0.72	38.5	1	0.5	234	0.38	<0.05	1.32	0.479	0.16	0.4
S122183		8.6	28.8	<0.002	<0.01	0.98	27.6	1	0.5	268	0.30	<0.05	1.26	0.423	0.10	1.2
S122184		3.3	39.4	<0.002	<0.01	0.43	35.1	1	0.7	224	0.44	<0.05	2.33	0.636	0.14	0.4
S122185		3.9	49.1	<0.002	<0.01	0.81	24.5	1	1.0	86.7	1.44	<0.05	2.52	0.736	0.17	1.5
S122186		3.7	36.8	<0.002	<0.01	0.90	29.0	<1	0.6	116.5	0.35	<0.05	1.82	0.526	0.20	1.6
S122187		369	0.9	0.051	>10.0	19.35	0.6	61	3.8	6.8	<0.05	1.89	0.95	0.013	3.32	4.0
S122188		6.9	14.8	<0.002	<0.01	1.12	29.8	1	0.5	242	0.26	<0.05	0.93	0.465	0.05	1.3
S122189		4.7	10.1	<0.002	<0.01	1.45	31.7	1	0.5	253	0.37	<0.05	1.23	0.511	0.03	1.1
S122190		8.7	5.6	<0.002	<0.01	1.62	35.7	1	0.5	365	0.25	<0.05	0.88	0.444	0.02	1.2
S122191		1.8	21.1	<0.002	<0.01	0.51	4.9	<1	0.2	106.0	0.05	<0.05	0.15	0.072	0.02	0.4
S122192		2.6	35.8	<0.002	<0.01	0.60	32.7	1	0.4	61.8	0.18	<0.05	0.42	0.396	0.12	1.8
S122193		4.7	31.8	<0.002	<0.01	1.08	29.8	1	0.4	176.5	0.25	<0.05	0.90	0.351	0.11	1.7
S122194		3.0	34.7	<0.002	<0.01	0.65	27.8	1	0.6	108.0	0.28	<0.05	0.64	0.491	0.17	1.4
S122195		3.6	21.3	<0.002	0.01	1.19	33.3	1	0.5	124.0	0.24	<0.05	0.93	0.445	0.09	1.5
S122196		4.1	22.7	<0.002	0.02	1.12	37.4	1	0.5	183.5	0.24	<0.05	0.82	0.494	0.11	0.8
S122197		375	0.8	0.053	>10.0	19.15	0.6	63	3.8	7.0	<0.05	1.91	0.89	0.011	3.18	3.9
S122198		5.3	14.8	<0.002	0.03	1.34	35.1	1	0.5	226	0.28	<0.05	1.02	0.461	0.10	0.8
S122199		6.0	6.2	<0.002	<0.01	1.31	30.0	1	0.4	314	0.23	<0.05	0.57	0.475	0.08	0.5
S122200		3.5	9.2	<0.002	<0.01	1.15	29.8	1	0.4	302	0.16	<0.05	0.55	0.341	0.02	0.6
S122201		4.6	7.9	<0.002	<0.01	1.13	32.5	1	0.5	287	0.26	<0.05	0.61	0.516	0.05	0.7
S122202		6.8	7.6	<0.002	<0.01	1.27	32.9	<1	0.7	395	0.21	<0.05	0.54	0.447	0.06	0.6
S122203		5.6	5.6	<0.002	<0.01	1.44	37.0	1	0.5	342	0.25	<0.05	0.89	0.506	0.02	0.8
S122204		4.8	15.4	<0.002	<0.01	1.10	30.4	1	0.5	454	0.19	<0.05	0.60	0.422	<0.02	1.0
S122205		7.6	13.5	<0.002	<0.01	1.42	30.2	1	0.7	801	0.23	<0.05	0.81	0.416	<0.02	0.7
S122206		7.3	13.4	<0.002	<0.01	1.45	28.5	1	0.6	646	0.22	<0.05	0.74	0.453	<0.02	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	ME-MS61r V ppm 1	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01
S122172 A		172	1.0	20.0	61	80.6	3.39	2.12	1.13	3.10	0.71	0.34	12.1	3.01	2.80	0.52
S122172 B		173	0.9	19.0	62	71.9	3.12	1.97	1.01	2.86	0.66	0.29	10.9	2.67	2.55	0.48
S122173		158	0.8	15.9	54	93.6	2.46	1.75	0.63	1.83	0.56	0.28	5.1	1.22	1.42	0.34
S122174		174	4.8	27.3	88	237	5.31	2.61	2.16	6.44	0.98	0.34	44.2	11.35	7.75	0.92
S122175		159	4.6	22.3	73	200	4.20	2.13	1.72	5.13	0.80	0.28	30.0	8.13	6.03	0.76
S122176		171	5.5	27.7	81	269	5.37	2.61	2.14	6.65	1.01	0.34	43.7	10.85	7.97	0.97
S122177		211	0.9	19.5	54	66.1	3.33	1.99	1.20	3.57	0.70	0.30	21.2	5.61	3.93	0.55
S122178		102	0.5	11.5	42	46.2	1.77	1.19	0.37	1.45	0.39	0.19	5.2	1.31	1.23	0.26
S122179		59	0.1	7.0	25	57.6	1.31	0.77	0.44	1.41	0.26	0.12	9.1	2.47	1.71	0.21
S122180		208	0.7	17.3	51	63.1	2.83	1.85	0.57	2.32	0.63	0.29	6.7	1.60	1.82	0.43
S122181		174	0.6	18.6	42	87.0	2.90	1.99	0.51	2.08	0.66	0.33	4.1	0.91	1.42	0.40
S122182		230	0.4	17.4	46	69.2	2.68	1.89	0.62	2.31	0.60	0.30	8.1	2.00	1.93	0.40
S122183		150	0.7	16.5	35	70.8	2.57	1.68	0.53	1.94	0.57	0.29	4.8	1.09	1.42	0.37
S122184		243	0.8	23.4	54	89.4	3.85	2.46	0.89	3.34	0.83	0.37	11.8	2.87	2.85	0.58
S122185		141	1.9	19.4	69	110.5	3.23	1.94	1.05	3.36	0.67	0.30	16.2	4.31	3.36	0.54
S122186		162	1.1	19.0	44	61.9	3.21	1.93	0.96	3.31	0.69	0.29	15.0	3.87	3.21	0.51
S122187		43	3.4	1.6	4170	4.9	0.29	0.16	0.11	0.36	0.06	0.02	1.7	0.46	0.38	0.05
S122188		160	0.9	18.6	54	54.4	2.95	1.78	0.74	2.65	0.62	0.27	8.5	2.23	2.16	0.45
S122189		176	0.7	20.3	33	64.9	3.35	2.07	0.81	2.72	0.71	0.31	7.4	1.81	2.03	0.50
S122190		166	0.9	20.5	40	49.1	3.71	2.00	1.49	4.27	0.73	0.28	21.2	5.43	4.39	0.65
S122191		20	0.2	3.1	12	9.5	0.51	0.33	0.16	0.48	0.11	0.05	1.9	0.49	0.45	0.08
S122192		128	0.8	14.2	45	39.8	2.25	1.46	0.54	1.85	0.49	0.22	5.0	1.14	1.34	0.33
S122193		114	0.9	18.3	34	45.3	2.86	1.79	0.66	2.61	0.62	0.26	8.9	2.27	2.16	0.43
S122194		157	0.9	18.3	42	68.5	2.93	1.96	0.64	2.52	0.66	0.30	7.2	1.64	1.95	0.44
S122195		155	0.9	17.7	44	47.9	2.89	1.84	0.83	2.84	0.62	0.27	11.6	2.85	2.67	0.45
S122196		186	0.8	17.7	54	49.2	2.77	1.79	0.68	2.35	0.62	0.27	7.6	1.81	1.93	0.41
S122197		44	3.4	1.7	4330	4.9	0.33	0.19	0.11	0.37	0.06	0.02	1.7	0.44	0.36	0.05
S122198		167	0.8	16.3	45	54.4	2.59	1.68	0.56	2.08	0.56	0.27	6.7	1.63	1.69	0.38
S122199		184	0.7	15.7	43	46.0	2.68	1.76	0.50	2.03	0.58	0.26	4.7	1.07	1.40	0.38
S122200		131	1.0	12.6	36	31.7	1.99	1.28	0.50	1.75	0.44	0.20	6.2	1.51	1.49	0.30
S122201		163	0.8	17.0	43	43.1	2.67	1.84	0.49	1.93	0.60	0.27	4.2	0.93	1.31	0.37
S122202		176	0.7	16.2	48	38.8	2.69	1.75	0.59	2.18	0.59	0.26	6.3	1.45	1.68	0.39
S122203		186	0.9	20.2	50	45.9	3.26	2.07	0.74	2.95	0.72	0.30	10.4	2.48	2.51	0.51
S122204		134	0.9	18.0	48	35.1	2.88	1.89	0.55	2.26	0.63	0.26	5.4	1.32	1.62	0.43
S122205		146	0.6	18.5	42	44.4	2.90	1.82	0.64	2.31	0.63	0.27	6.0	1.46	1.68	0.43
S122206		146	0.7	16.7	43	42.2	2.82	1.83	0.57	2.18	0.63	0.25	5.4	1.29	1.52	0.42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Tm ppm 0.01	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
S122172 A		0.34	2.16	
S122172 B		0.30	1.80	
S122173		0.28	1.78	
S122174		0.39	2.16	
S122175		0.30	1.79	
S122176		0.37	2.23	
S122177		0.30	1.84	
S122178		0.19	1.14	
S122179		0.12	0.75	
S122180		0.29	1.80	
S122181		0.32	2.05	
S122182		0.30	1.85	
S122183		0.26	1.65	
S122184		0.37	2.37	
S122185		0.30	1.89	
S122186		0.29	1.88	
S122187		0.02	0.14	2.49
S122188		0.27	1.69	
S122189		0.31	1.88	
S122190		0.29	1.71	
S122191		0.05	0.31	
S122192		0.23	1.41	
S122193		0.27	1.58	
S122194		0.29	1.80	
S122195		0.27	1.65	
S122196		0.28	1.73	
S122197		0.03	0.17	2.53
S122198		0.27	1.65	
S122199		0.27	1.66	
S122200		0.19	1.21	
S122201		0.28	1.72	
S122202		0.26	1.65	
S122203		0.32	1.92	
S122204		0.28	1.66	
S122205		0.28	1.73	
S122206		0.28	1.67	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198089

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61r

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	LOG-21d	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	SPL-34
WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA23	Cu-OG62	ME-MS61r	ME-OG62