ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

CERTIFICATE SD15198087

Project: SUPERIOR PROJECT

This report is for 36 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 21-DEC-2015.

The following have access to data associated with this certificate:

TRACY ARMSTRONG JOHN TAIT	TRACY ARMSTRONG (2ND EMAIL)	MORGAN QUINN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-21d	Sample logging - ClientBarCode Dup
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61r	48 element four acid ICP-MS + REEs	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **SUPERIOR COPPER CORPORATION**
ATTN: TRACY ARMSTRONG (2ND EMAIL)
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198087

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2
R319920 A		1.14	<5	0.03	4.73	4.4	530	2.33	0.05	1.57	<0.02	58.2	1.0	24	1.03	66.0
R319920 B		<0.02	<5	0.01	4.70	4.1	530	2.20	0.05	1.54	<0.02	58.2	0.9	27	1.02	66.3
R319921		1.05	<5	0.01	5.62	3.7	660	2.54	0.05	0.69	<0.02	75.1	0.6	21	0.71	5.9
R319922		1.42	<5	<0.01	5.69	3.5	1420	3.07	0.08	0.88	<0.02	66.0	0.9	18	1.11	8.4
R319923		1.91	<5	<0.01	5.94	3.5	1220	3.66	0.10	1.07	<0.02	42.8	1.0	16	1.83	11.7
R319924		0.60	5	<0.01	4.69	5.0	1130	2.45	0.09	1.88	<0.02	139.5	1.5	17	2.61	12.3
R319925		0.77	<5	<0.01	5.40	13.6	1490	2.60	0.11	0.96	0.02	146.0	1.3	15	2.54	10.7
R319926		0.49	<5	0.12	5.19	4.5	700	4.37	0.17	8.38	0.02	230	14.1	37	13.65	965
R319927		0.38	<5	0.03	3.51	2.1	280	0.61	0.04	1.41	0.08	22.6	6.3	53	0.62	27.4
R319928		0.99	<5	0.01	4.77	8.3	1680	2.21	0.07	2.45	<0.02	151.0	2.3	9	6.90	131.5
R319929		1.37	<5	<0.01	5.68	14.3	1710	2.89	0.10	2.26	<0.02	225	3.8	7	10.60	70.8
R319930		2.12	<5	<0.01	5.65	8.6	1450	3.30	0.07	1.37	<0.02	140.5	2.5	9	11.00	75.1
R319931		2.10	<5	<0.01	5.69	7.7	70	2.76	0.09	0.77	<0.02	196.0	1.1	16	1.79	8.2
R319932		0.67	<5	<0.01	6.22	4.5	120	2.86	0.09	0.74	<0.02	150.5	2.4	15	2.22	3.2
R319933		0.72	<5	0.01	5.31	9.4	160	2.38	0.09	1.08	<0.02	127.0	2.3	18	3.61	35.7
R319934		0.84	<5	0.05	1.56	4.1	100	1.67	0.04	0.89	0.02	24.9	0.8	21	1.60	142.0
R319935		<0.02	445	10.35	0.38	210	10	0.10	5.27	0.10	13.75	3.74	463	37	0.25	>10000
R319936		0.76	<5	0.03	4.43	3.6	220	5.00	0.06	0.18	<0.02	57.9	1.6	12	6.30	496
R319937		0.63	<5	0.05	4.13	3.4	190	4.46	0.07	0.13	<0.02	39.8	1.2	10	5.27	545
R319938		0.61	<5	0.03	4.03	2.8	190	3.59	0.06	0.09	<0.02	36.4	1.4	15	4.29	347
R319939		0.56	<5	0.07	2.88	1.7	150	2.90	0.10	1.24	<0.02	111.5	0.7	16	2.86	721
R319940		0.96	<5	0.25	4.63	9.9	210	3.07	0.13	1.98	<0.02	113.5	2.0	11	3.17	832
R319941		1.49	<5	0.04	6.01	7.7	250	3.72	0.07	1.42	0.07	146.0	1.8	9	2.91	11.3
R319942		0.65	<5	0.06	4.55	38.8	230	2.61	0.17	6.85	<0.02	207	1.4	11	7.01	246
R319943		0.71	7	0.03	6.14	5.1	170	1.80	0.16	5.67	0.07	37.1	42.5	66	3.62	98.7
R319944		1.20	<5	0.01	7.70	8.7	40	1.07	0.41	7.31	0.09	46.5	40.4	236	1.92	20.0
R319945		<0.02	452	10.70	0.39	227	10	0.08	5.38	0.10	14.15	3.97	477	38	0.26	>10000
R319946		0.70	<5	0.02	7.16	6.4	50	0.53	0.26	7.26	0.04	24.2	38.9	248	1.80	10.3
R319947		0.78	<5	0.01	7.81	6.8	60	2.65	0.20	6.83	0.04	90.0	34.6	183	8.99	22.4
R319948		1.02	<5	0.02	5.50	3.1	80	2.29	0.06	12.65	<0.02	137.5	31.0	97	5.76	60.6
R319949		1.29	<5	0.01	7.94	9.2	10	1.54	0.08	8.68	0.04	24.1	45.8	216	5.63	2.5
R319950		1.22	<5	<0.01	8.16	9.7	10	0.87	0.23	7.45	0.03	44.2	36.1	215	1.50	4.8
R319951		0.68	<5	0.01	8.39	8.8	160	0.60	0.06	6.40	0.05	12.45	31.9	214	8.92	3.7
R319952		0.64	<5	0.01	6.06	7.3	90	1.07	0.14	5.09	0.06	14.20	26.7	168	10.15	19.2
R319953		0.29	<5	0.01	6.33	6.9	140	0.94	0.16	5.08	0.03	15.15	26.1	111	4.37	14.2
R319954		0.28	<5	<0.01	6.53	8.0	160	1.02	0.18	4.28	0.02	16.20	25.7	153	5.36	14.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198087

Sample Description	Method	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
R319920 A		0.74	12.85	0.16	3.5	0.050	3.87	26.0	22.7	0.22	148	1.77	1.16	63.3	2.5	20
R319920 B		0.74	12.85	0.18	3.5	0.051	3.87	25.6	23.0	0.22	147	1.79	1.16	63.3	2.2	20
R319921		0.66	14.45	0.19	4.4	0.040	4.29	35.4	8.1	0.10	112	1.46	1.81	79.1	1.3	20
R319922		0.60	17.15	0.20	5.3	0.039	4.88	27.5	12.4	0.22	104	1.46	1.08	103.0	2.2	30
R319923		0.77	17.85	0.19	5.4	0.046	4.89	23.0	13.2	0.33	143	2.58	0.70	107.0	6.5	30
R319924		1.05	17.50	0.22	8.5	0.083	3.74	64.8	27.3	0.23	85	1.54	0.85	40.3	1.9	30
R319925		1.44	16.85	0.23	11.1	0.078	4.55	77.2	6.8	0.10	71	1.51	1.13	51.8	1.6	40
R319926		2.64	18.70	0.32	4.8	0.173	4.75	113.5	45.6	1.27	614	0.92	0.17	25.5	29.0	570
R319927		2.14	7.29	0.10	1.7	0.018	0.88	12.2	5.3	0.63	308	0.28	1.36	3.1	17.7	200
R319928		1.43	14.75	0.23	9.4	0.080	5.06	66.9	11.4	0.28	186	0.72	0.07	45.0	3.2	40
R319929		1.95	18.25	0.30	10.3	0.092	5.47	99.9	14.7	0.55	247	0.54	0.07	49.9	5.4	50
R319930		1.64	19.40	0.22	10.8	0.086	5.12	69.1	17.3	0.52	176	0.75	0.07	52.6	2.2	40
R319931		0.86	20.8	0.22	11.2	0.063	0.73	92.8	9.6	0.09	71	1.28	3.69	47.9	1.8	40
R319932		2.94	24.5	0.21	10.8	0.066	1.11	75.0	6.5	0.17	84	1.23	3.55	49.2	5.4	40
R319933		1.22	17.45	0.18	9.4	0.049	1.00	65.9	11.8	0.13	95	1.27	2.75	43.5	3.7	30
R319934		0.44	4.15	0.08	1.3	0.020	0.56	12.6	126.0	0.14	58	1.34	0.23	5.4	2.6	10
R319935		33.9	2.15	0.22	0.1	1.340	0.02	2.0	2.6	0.17	90	30.6	0.06	0.4	35.3	140
R319936		1.08	16.55	0.13	5.9	0.088	1.97	25.5	88.3	0.49	41	0.87	0.13	28.9	2.5	20
R319937		0.80	14.20	0.08	4.5	0.080	1.80	18.7	103.0	0.54	34	0.66	0.21	21.1	2.7	10
R319938		0.75	13.10	0.11	5.0	0.059	2.00	17.4	69.2	0.40	35	0.98	0.65	23.1	3.1	20
R319939		0.53	9.50	0.16	2.1	0.043	1.78	55.0	84.0	0.34	69	0.99	0.10	11.2	2.0	10
R319940		1.13	16.00	0.17	8.3	0.065	1.35	55.0	23.4	0.17	116	0.81	1.96	38.6	3.7	30
R319941		1.47	20.3	0.22	11.3	0.057	1.62	70.9	4.7	0.16	91	1.80	2.53	51.7	3.2	30
R319942		0.47	13.15	0.32	4.2	0.138	2.12	70.3	31.2	0.45	475	1.35	0.07	34.9	4.6	110
R319943		7.72	20.1	0.13	2.2	0.133	0.71	19.1	73.7	4.25	730	0.44	2.37	7.1	45.2	600
R319944		8.43	20.2	0.11	1.9	0.236	0.46	23.2	50.8	4.23	631	0.53	2.29	5.6	153.5	510
R319945		34.9	2.21	0.26	0.1	1.355	0.02	2.1	2.8	0.18	87	32.0	0.07	0.4	36.6	140
R319946		7.40	15.10	0.09	1.6	0.158	0.59	12.7	29.4	4.34	634	0.48	2.81	5.4	156.5	400
R319947		8.42	16.45	0.16	2.1	0.233	1.88	46.9	50.6	2.74	584	0.42	2.06	6.9	144.5	580
R319948		5.90	12.55	0.20	0.8	0.148	1.78	79.9	53.1	2.22	775	0.34	0.14	2.5	130.0	260
R319949		7.25	28.4	0.11	1.7	0.068	0.59	13.7	100.5	6.33	670	0.44	0.39	5.6	175.5	900
R319950		6.45	24.8	0.12	1.4	0.095	0.34	24.5	45.5	4.72	606	0.37	1.88	4.4	146.0	400
R319951		7.15	15.40	0.07	1.4	0.050	0.93	5.8	23.6	3.84	430	0.34	2.01	5.4	141.5	480
R319952		4.95	10.85	0.08	0.9	0.043	0.85	6.9	36.4	3.69	319	0.28	1.68	3.9	123.0	380
R319953		4.01	11.45	0.08	1.7	0.036	0.68	7.4	32.9	3.32	339	0.27	1.58	9.3	117.5	250
R319954		5.19	11.45	0.08	1.8	0.043	1.04	7.8	34.0	3.24	303	0.31	1.92	10.0	120.0	390

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198087

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Pb ppm 0.5	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1
R319920 A		3.3	113.0	<0.002	0.01	0.31	0.7	2	2.1	66.2	4.47	<0.05	18.30	0.032	0.40	4.6
R319920 B		3.3	112.0	<0.002	0.01	0.31	0.7	2	2.1	66.3	4.50	<0.05	18.30	0.031	0.41	4.6
R319921		3.6	131.0	<0.002	<0.01	0.33	0.9	2	2.4	77.1	5.57	<0.05	23.7	0.041	0.46	5.9
R319922		3.6	156.0	<0.002	<0.01	0.30	1.7	2	2.3	82.1	8.59	<0.05	39.7	0.044	0.48	9.6
R319923		6.9	179.0	0.002	<0.01	0.34	2.0	3	2.9	82.7	8.86	<0.05	40.3	0.045	0.53	11.2
R319924		2.9	118.5	<0.002	<0.01	0.25	1.2	2	3.4	47.2	2.22	<0.05	22.7	0.082	0.40	4.8
R319925		3.8	139.0	<0.002	0.01	0.23	1.3	2	4.0	49.3	2.78	<0.05	26.5	0.106	0.43	5.0
R319926		60.2	119.0	<0.002	0.09	0.47	14.1	4	4.3	47.9	1.45	<0.05	9.94	0.443	0.35	5.9
R319927		7.6	29.0	<0.002	0.03	0.20	7.4	1	0.5	184.5	0.21	<0.05	2.62	0.199	0.14	0.6
R319928		3.6	148.5	<0.002	0.02	0.37	1.5	3	3.5	41.5	2.55	<0.05	25.2	0.092	0.55	6.0
R319929		3.0	158.0	<0.002	0.01	0.34	1.9	3	3.9	42.6	2.81	<0.05	27.9	0.109	0.62	6.2
R319930		2.9	146.0	<0.002	0.01	0.31	1.5	3	4.5	35.8	2.98	<0.05	28.9	0.105	0.59	6.7
R319931		2.8	24.9	<0.002	0.01	0.29	1.4	3	3.3	37.8	2.60	<0.05	27.8	0.097	0.10	7.7
R319932		2.3	34.7	<0.002	<0.01	0.32	1.4	3	3.4	40.6	2.82	<0.05	30.3	0.098	0.15	5.5
R319933		3.7	40.9	<0.002	0.01	0.25	1.4	2	3.4	42.6	2.44	<0.05	27.8	0.085	0.17	4.8
R319934		3.9	16.0	<0.002	0.03	0.16	0.3	<1	0.8	20.8	0.32	<0.05	3.41	0.012	0.06	1.0
R319935		360	0.9	0.059	>10.0	19.10	0.6	59	3.9	7.0	<0.05	1.85	0.94	0.012	3.19	3.9
R319936		2.3	72.7	<0.002	0.09	0.25	1.0	1	3.2	22.5	1.58	<0.05	17.40	0.056	0.21	2.8
R319937		1.2	58.4	<0.002	0.07	0.19	0.9	1	2.4	24.6	1.17	<0.05	13.00	0.042	0.17	1.9
R319938		1.1	53.5	<0.002	0.04	0.18	1.1	1	1.9	22.6	1.29	<0.05	14.05	0.045	0.16	2.1
R319939		1.3	34.9	<0.002	0.07	0.15	0.8	1	1.4	19.5	0.61	<0.05	6.01	0.022	0.11	1.2
R319940		1.8	53.4	<0.002	0.04	0.25	1.3	2	2.6	31.4	2.19	<0.05	22.3	0.076	0.19	3.7
R319941		5.8	67.7	<0.002	0.01	0.30	1.5	3	3.3	38.1	2.91	<0.05	29.1	0.101	0.24	6.1
R319942		1.7	107.5	<0.002	0.01	0.70	1.6	2	2.0	32.7	2.30	<0.05	16.70	0.096	0.41	3.6
R319943		3.9	29.1	<0.002	<0.01	1.17	42.6	2	2.2	121.5	0.43	0.05	2.45	0.564	0.11	2.6
R319944		7.1	21.4	<0.002	0.02	2.86	35.3	1	2.6	230	0.31	<0.05	1.62	0.539	0.09	3.2
R319945		366	0.9	0.049	>10.0	19.45	0.6	64	3.9	7.1	<0.05	1.99	0.97	0.012	3.29	4.0
R319946		3.6	25.8	<0.002	0.03	2.04	34.9	1	1.7	193.0	0.27	<0.05	1.10	0.467	0.10	2.3
R319947		9.8	91.3	<0.002	0.01	2.64	34.4	3	1.6	187.0	0.36	<0.05	1.50	0.558	0.33	2.7
R319948		5.7	116.5	<0.002	<0.01	2.33	24.4	3	1.2	43.4	0.13	<0.05	0.56	0.257	0.46	1.5
R319949		8.1	9.1	<0.002	<0.01	1.52	30.2	1	3.0	267	0.31	<0.05	1.12	0.476	<0.02	2.2
R319950		9.4	3.8	<0.002	<0.01	2.01	31.9	1	3.3	519	0.25	<0.05	0.97	0.418	0.02	2.0
R319951		3.0	43.0	<0.002	<0.01	0.91	32.3	1	0.6	213	0.31	<0.05	1.01	0.452	0.23	0.6
R319952		1.9	32.8	<0.002	<0.01	0.71	25.9	1	1.0	109.0	0.19	<0.05	0.64	0.349	0.11	0.9
R319953		2.1	41.0	<0.002	<0.01	0.67	19.2	1	1.1	140.0	0.52	<0.05	2.80	0.250	0.14	1.4
R319954		2.3	51.3	<0.002	<0.01	0.65	22.4	1	1.0	155.0	0.53	<0.05	2.49	0.326	0.17	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198087

Sample Description	Method / Analyte / Units / LOR	ME-MS61r V ppm 1	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01
R319920 A		2	0.5	38.5	4	82.9	7.15	4.13	0.32	6.08	1.48	0.61	25.2	6.74	6.36	1.14
R319920 B		2	0.5	38.4	5	82.1	7.12	4.10	0.31	6.11	1.48	0.61	25.0	6.71	6.45	1.13
R319921		2	0.4	46.9	4	105.0	8.43	4.97	0.32	7.26	1.76	0.75	32.7	9.46	8.07	1.34
R319922		3	0.6	64.9	7	110.0	10.90	7.21	0.16	8.79	2.39	1.10	30.9	8.56	8.86	1.63
R319923		3	0.6	62.1	13	110.5	10.45	7.28	0.17	8.08	2.37	1.10	27.0	7.15	7.81	1.58
R319924		12	0.6	56.8	7	296	9.95	6.70	1.07	8.42	2.26	1.11	49.6	14.10	8.87	1.51
R319925		22	0.9	72.3	6	392	12.55	8.21	1.38	11.40	2.76	1.39	62.5	16.95	11.75	1.95
R319926		112	2.2	81.8	23	173.5	15.10	7.51	2.42	16.00	2.96	0.91	77.0	21.6	16.35	2.66
R319927		62	0.2	7.1	31	59.6	1.38	0.82	0.49	1.52	0.28	0.13	10.3	2.80	1.99	0.23
R319928		41	0.7	67.9	6	322	11.40	7.57	1.37	9.86	2.52	1.25	47.4	13.35	9.70	1.77
R319929		35	0.8	83.0	7	348	14.40	8.69	2.10	14.65	3.06	1.37	82.5	22.5	15.65	2.37
R319930		33	0.7	73.5	8	366	12.35	8.17	1.46	10.80	2.76	1.36	58.5	16.20	11.05	1.91
R319931		39	0.7	65.6	3	398	11.45	7.52	1.55	11.35	2.47	1.40	65.0	18.30	12.15	1.85
R319932		20	1.0	53.5	7	371	9.51	6.21	1.30	9.56	2.03	1.20	59.0	16.25	11.00	1.54
R319933		16	0.6	49.3	3	314	8.68	5.88	1.19	8.30	1.89	1.10	49.9	13.60	9.14	1.38
R319934		3	0.4	9.2	3	45.5	1.63	1.01	0.22	1.57	0.35	0.17	7.9	2.28	1.67	0.26
R319935		42	3.3	1.7	4070	5.0	0.33	0.18	0.11	0.36	0.07	0.02	1.8	0.45	0.39	0.06
R319936		21	0.8	29.0	8	206	5.14	3.54	0.51	4.08	1.14	0.68	17.9	5.01	3.83	0.76
R319937		14	0.5	21.7	6	157.0	3.79	2.66	0.38	2.99	0.86	0.50	13.1	3.70	2.92	0.57
R319938		18	0.5	20.6	5	167.5	3.62	2.56	0.38	2.86	0.82	0.50	12.3	3.49	2.76	0.54
R319939		20	0.3	19.8	4	75.7	3.94	1.80	1.03	6.14	0.69	0.28	39.9	11.55	7.76	0.81
R319940		15	0.7	45.2	4	285	8.45	5.53	1.06	7.70	1.82	1.01	43.4	12.05	8.20	1.36
R319941		13	0.7	64.4	7	382	11.25	7.45	1.33	9.99	2.47	1.35	56.6	15.75	10.60	1.74
R319942		13	1.0	44.5	9	140.0	7.79	3.92	0.83	9.58	1.50	0.50	56.6	15.70	11.45	1.44
R319943		235	2.7	25.7	51	83.9	4.49	2.82	1.09	4.03	1.01	0.45	16.1	4.20	3.70	0.68
R319944		240	1.4	25.2	64	68.7	4.61	2.69	1.56	4.64	0.98	0.38	20.5	5.39	4.69	0.74
R319945		44	3.4	1.6	4150	5.2	0.31	0.15	0.10	0.37	0.06	0.02	1.8	0.48	0.38	0.05
R319946		201	1.0	18.0	56	59.4	3.07	1.85	1.12	2.86	0.66	0.28	11.6	2.86	2.76	0.48
R319947		189	1.8	46.1	70	79.4	8.14	3.97	2.51	9.42	1.56	0.47	38.1	10.85	9.33	1.46
R319948		127	1.8	62.4	89	29.7	11.30	4.97	2.77	14.75	2.13	0.53	59.9	15.60	14.00	2.16
R319949		213	1.9	18.0	53	65.7	3.12	2.09	0.78	2.78	0.70	0.32	10.1	2.67	2.49	0.48
R319950		197	1.0	17.2	41	50.6	3.04	1.90	0.96	3.09	0.66	0.28	17.2	4.80	3.41	0.50
R319951		211	0.9	15.3	29	49.1	2.50	1.68	0.57	2.06	0.57	0.26	6.4	1.54	1.66	0.37
R319952		142	0.6	12.5	25	33.4	2.18	1.37	0.55	1.96	0.47	0.21	7.0	1.69	1.69	0.33
R319953		103	0.5	12.2	25	67.8	1.93	1.37	0.34	1.57	0.46	0.25	6.5	1.68	1.37	0.29
R319954		127	0.6	14.6	26	71.8	2.34	1.64	0.39	1.84	0.54	0.26	7.0	1.83	1.58	0.34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198087

Sample Description	Method Analyte Units LOR	ME-MS61r Tm ppm 0.01	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
R319920 A		0.65	3.97	
R319920 B		0.65	3.93	
R319921		0.79	4.77	
R319922		1.19	7.16	
R319923		1.17	7.19	
R319924		1.06	6.85	
R319925		1.32	8.48	
R319926		1.12	6.13	
R319927		0.13	0.78	
R319928		1.19	7.66	
R319929		1.32	8.45	
R319930		1.33	8.30	
R319931		1.24	8.24	
R319932		1.04	7.03	
R319933		0.99	6.62	
R319934		0.17	1.09	
R319935		0.02	0.15	2.49
R319936		0.61	4.02	
R319937		0.46	3.02	
R319938		0.44	2.97	
R319939		0.27	1.72	
R319940		0.93	6.16	
R319941		1.26	8.14	
R319942		0.58	3.43	
R319943		0.44	2.76	
R319944		0.40	2.37	
R319945		0.03	0.16	2.54
R319946		0.28	1.72	
R319947		0.54	2.99	
R319948		0.66	3.62	
R319949		0.31	1.99	
R319950		0.29	1.76	
R319951		0.25	1.63	
R319952		0.21	1.28	
R319953		0.22	1.42	
R319954		0.25	1.58	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 6-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198087

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61r

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-31	PUL-QC	SPL-21
SPL-34	WEI-21		

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA23	Cu-OG62	ME-MS61r	ME-OG62