ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

CERTIFICATE SD15194583

Project: SUPERIOR PROJECT

This report is for 36 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 15-DEC-2015.

The following have access to data associated with this certificate:

TRACY ARMSTRONG JOHN TAIT	TRACY ARMSTRONG (2ND EMAIL)	MORGAN QUINN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-21d	Sample logging - ClientBarCode Dup
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61r	48 element four acid ICP-MS + REEs	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **SUPERIOR COPPER CORPORATION**
ATTN: MORGAN QUINN
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194583

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2
Q203461A		0.66	<5	0.02	5.73	3.3	150	1.25	0.06	7.13	0.03	36.6	24.9	240	2.93	14.8
Q203461B		<0.02	<5	0.03	5.75	3.3	150	1.24	0.06	7.18	0.03	36.6	25.0	239	2.98	15.1
Q203462		0.66	<5	0.02	6.43	5.0	150	1.72	0.08	7.63	0.09	26.1	41.2	356	3.74	20.7
Q203463		1.12	<5	0.29	5.99	25.1	110	4.65	0.35	2.12	0.02	162.0	4.0	16	6.66	98.4
Q203464		1.06	50	0.61	6.50	4.8	190	2.76	0.14	5.09	<0.02	42.3	42.8	189	30.1	822
Q203465		0.63	19	0.11	3.91	3.5	310	0.80	0.06	11.80	0.14	25.8	31.5	118	3.15	92.3
Q203466		0.67	<5	0.03	6.05	5.4	230	1.18	0.06	6.46	<0.02	54.5	46.0	367	3.39	39.8
Q203467		0.67	<5	0.02	6.23	6.1	120	1.02	0.04	7.93	0.12	25.0	37.4	323	1.60	21.9
Q203468		0.47	<5	0.05	3.39	2.1	260	0.52	0.04	1.43	0.07	21.6	6.1	53	0.62	14.9
Q203469		0.64	<5	0.02	6.64	5.1	150	0.91	0.04	7.06	0.10	21.4	37.0	242	2.43	31.3
Q203470		0.94	<5	0.06	4.62	6.5	400	1.27	0.12	9.15	0.02	43.1	15.1	239	6.71	86.5
Q203471		0.69	<5	0.03	6.76	5.1	260	1.10	0.09	5.62	0.07	27.6	43.8	247	3.14	16.1
Q203472		1.09	<5	0.02	6.65	3.5	200	0.75	0.05	6.47	0.04	34.8	41.4	297	1.92	7.7
Q203473		0.67	<5	0.02	6.37	3.5	130	0.68	0.05	7.89	0.03	42.7	41.2	262	1.07	7.1
Q203474		1.23	8	0.05	5.83	2.7	150	0.57	0.07	8.84	0.03	47.0	27.6	120	0.68	5.9
Q203475		0.63	<5	0.03	7.03	11.6	90	0.87	0.06	4.66	0.02	32.0	39.1	241	0.97	15.0
Q203476		<0.02	440	9.79	0.41	215	10	0.10	6.05	0.12	14.90	4.13	482	40	0.27	>10000
Q203477		0.66	<5	0.03	5.47	9.1	100	0.71	0.05	11.05	0.03	54.3	25.0	220	3.93	27.5
Q203478		0.94	26	0.02	6.05	10.7	70	0.87	0.06	9.34	0.02	49.5	29.5	278	2.42	14.9
Q203479		0.63	<5	0.02	3.90	4.5	300	0.97	0.04	8.28	<0.02	39.5	18.3	159	4.59	24.7
Q203480		1.06	8	0.03	5.42	4.5	200	1.31	0.09	11.05	<0.02	63.8	41.2	108	8.05	46.1
Q203481		0.69	<5	0.03	4.34	3.3	250	1.24	0.09	4.65	<0.02	27.1	20.2	99	14.30	72.6
Q203482		0.87	<5	0.04	6.54	3.2	380	1.53	0.10	5.80	0.15	42.2	19.8	98	29.7	80.9
Q203483		0.62	<5	0.03	7.64	2.2	300	0.85	0.05	1.85	<0.02	29.5	11.2	22	2.38	3.9
Q203484		1.06	<5	0.02	5.96	9.5	550	2.52	0.15	3.57	0.04	129.5	13.2	53	3.82	10.9
Q203485		0.64	<5	0.03	6.04	23.0	820	1.88	0.11	4.81	0.04	176.5	11.4	16	1.60	10.0
Q203486		<0.02	441	9.70	0.39	213	10	0.09	6.09	0.11	14.95	3.94	472	39	0.28	>10000
Q203487		0.95	<5	0.02	6.67	22.4	1170	2.43	0.20	0.86	0.02	164.5	4.3	12	3.09	23.6
Q203488		2.04	<5	0.01	6.51	20.2	900	2.22	0.03	0.67	<0.02	261	1.6	11	2.13	9.0
Q203489		1.28	<5	<0.01	7.53	17.9	1080	3.31	0.03	0.70	<0.02	211	1.8	9	2.92	16.9
Q203490		1.06	<5	0.01	7.63	17.9	1270	3.07	0.04	1.54	0.02	316	1.5	6	2.24	6.1
Q203491		1.11	<5	0.01	6.55	13.4	1240	2.52	0.02	0.51	<0.02	184.0	1.1	7	1.89	5.2
Q203492		1.56	<5	0.02	6.22	19.8	930	2.13	0.03	2.10	<0.02	254	1.4	12	1.80	4.4
Q203493		0.88	<5	<0.01	6.60	21.4	990	2.20	0.02	0.79	<0.02	173.0	1.4	8	2.05	2.8
Q203494		0.72	<5	0.03	6.13	27.8	690	2.50	0.04	1.01	<0.02	290	1.6	8	2.85	4.3
Q203495		0.72	<5	<0.01	6.62	25.4	710	2.81	0.03	1.05	<0.02	261	1.8	9	3.29	4.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194583

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Fe % 0.01	ME-MS61r Ga ppm 0.05	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10
Q203461A		5.77	16.25	0.17	2.7	0.065	1.45	17.4	26.2	3.45	1400	1.09	0.84	8.0	139.0	660
Q203461B		5.76	16.35	0.16	2.6	0.066	1.46	17.1	25.2	3.47	1420	1.09	0.84	7.9	138.5	650
Q203462		7.00	18.80	0.13	2.9	0.063	1.51	12.8	41.2	4.27	1210	0.78	0.40	8.9	243	700
Q203463		1.69	26.0	0.28	10.7	0.110	1.71	66.9	14.0	0.39	293	1.50	2.23	216	5.7	90
Q203464		7.90	17.70	0.18	3.1	0.071	2.15	21.0	61.1	5.21	1570	0.54	0.35	21.8	134.0	1230
Q203465		3.67	9.96	0.12	1.8	0.035	0.69	13.5	41.6	3.23	1600	0.72	0.53	9.5	102.5	620
Q203466		7.34	17.25	0.17	2.5	0.067	1.08	28.0	45.2	4.47	1450	0.59	0.86	8.4	213	660
Q203467		6.88	16.75	0.13	2.5	0.052	0.66	11.8	42.0	3.01	846	0.41	1.77	8.1	206	650
Q203468		2.13	7.60	0.11	1.7	0.016	0.86	11.7	4.9	0.62	307	0.26	1.30	3.1	17.3	190
Q203469		6.24	15.80	0.12	2.5	0.047	0.85	10.1	43.2	2.80	920	0.46	2.04	7.3	183.5	610
Q203470		6.12	14.05	0.14	1.9	0.062	2.05	23.5	28.4	1.06	1300	1.01	0.04	6.7	85.7	470
Q203471		7.31	17.45	0.15	2.7	0.054	1.68	13.0	41.3	3.44	1360	0.71	1.13	8.4	160.5	650
Q203472		7.15	17.95	0.14	2.8	0.058	1.16	16.6	39.7	4.02	1340	0.51	1.57	9.1	193.0	690
Q203473		6.73	16.60	0.15	2.5	0.060	0.79	20.8	43.3	4.34	1560	0.42	1.89	9.2	178.0	680
Q203474		5.03	14.90	0.15	2.4	0.055	0.60	23.5	31.8	4.45	1720	0.51	2.12	7.9	109.0	520
Q203475		6.29	19.00	0.14	2.3	0.056	0.54	15.5	59.0	4.66	1240	0.80	1.75	7.9	160.5	620
Q203476		35.8	2.38	0.27	0.2	1.330	0.02	2.2	2.5	0.20	94	32.3	0.07	0.5	35.8	150
Q203477		5.59	15.00	0.17	2.2	0.071	1.22	28.0	48.5	3.41	1760	0.56	0.48	7.7	161.0	540
Q203478		6.83	17.70	0.15	2.4	0.067	0.73	24.8	51.6	3.59	1640	0.74	0.10	7.8	188.5	600
Q203479		3.28	10.05	0.15	1.7	0.049	1.60	20.2	43.0	3.05	1360	0.93	0.04	4.4	80.8	360
Q203480		4.42	14.35	0.15	2.8	0.066	1.21	33.0	49.1	4.94	1850	0.86	0.04	9.6	75.4	350
Q203481		3.82	11.60	0.12	2.4	0.048	1.60	13.9	32.6	2.55	914	1.25	0.05	7.4	53.2	290
Q203482		3.79	17.40	0.17	2.2	0.065	3.01	21.8	30.8	2.34	1090	0.90	0.07	6.6	61.3	400
Q203483		2.56	18.70	0.13	2.1	0.023	1.18	14.9	10.3	0.87	418	1.08	3.68	3.2	21.6	410
Q203484		3.17	19.55	0.24	7.0	0.103	2.59	65.0	11.9	1.07	679	1.39	0.42	47.0	25.1	180
Q203485		1.81	20.2	0.27	8.9	0.113	2.71	86.3	11.0	1.00	819	0.90	0.85	62.9	14.1	90
Q203486		35.7	2.31	0.25	0.2	1.300	0.02	2.0	2.4	0.18	83	32.5	0.07	0.5	36.6	150
Q203487		1.54	25.3	0.30	9.9	0.088	4.49	97.3	5.0	0.47	321	0.78	0.37	75.3	6.6	70
Q203488		1.53	23.7	0.34	9.7	0.178	4.81	98.9	3.5	0.30	312	0.93	0.09	72.7	2.6	50
Q203489		1.65	29.0	0.37	12.6	0.073	5.93	112.0	5.0	0.34	324	1.31	0.34	96.5	5.2	40
Q203490		1.67	29.1	0.43	11.9	0.088	6.02	143.0	3.9	0.29	529	0.92	0.40	89.9	4.0	60
Q203491		1.41	22.2	0.34	10.1	0.052	5.63	96.3	3.2	0.23	282	1.06	0.36	71.9	3.3	40
Q203492		1.44	24.0	0.40	9.3	0.046	4.85	109.5	3.9	0.26	591	1.20	0.12	69.7	3.9	40
Q203493		0.98	23.7	0.27	10.0	0.040	5.44	111.5	5.1	0.30	242	0.93	0.11	78.7	2.9	40
Q203494		1.32	24.0	0.28	8.6	0.066	4.26	170.5	3.4	0.31	555	0.71	0.10	65.1	2.5	40
Q203495		1.43	26.6	0.31	9.8	0.069	4.60	162.5	3.8	0.34	562	0.80	0.11	77.5	2.9	40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194583

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Pb ppm 0.5	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1
Q203461A		6.4	94.5	<0.002	0.01	0.52	21.5	1	1.0	58.0	0.52	<0.05	2.06	0.648	0.52	1.1
Q203461B		6.6	95.3	<0.002	0.01	0.51	21.6	1	1.2	58.1	0.53	<0.05	2.02	0.655	0.53	1.1
Q203462		9.5	118.0	<0.002	<0.01	0.66	25.4	1	1.0	57.0	0.57	<0.05	1.83	0.847	0.60	1.3
Q203463		20.5	146.0	<0.002	0.01	0.84	2.6	4	8.6	95.6	14.15	<0.05	38.3	0.100	0.70	10.5
Q203464		9.9	97.0	<0.002	0.02	0.75	25.9	1	0.9	57.4	1.36	<0.05	1.88	0.866	0.38	1.9
Q203465		5.8	37.4	<0.002	<0.01	0.63	14.5	1	0.5	49.2	0.61	<0.05	1.03	0.501	0.22	0.7
Q203466		5.8	52.0	<0.002	0.01	1.31	23.4	1	0.9	64.4	0.53	<0.05	1.85	0.792	0.35	1.1
Q203467		3.3	30.9	<0.002	0.01	0.60	23.9	1	0.9	123.0	0.51	<0.05	1.94	0.711	0.20	1.0
Q203468		7.4	26.7	<0.002	0.01	0.20	7.0	1	0.5	172.0	0.21	<0.05	2.61	0.209	0.15	0.6
Q203469		3.8	43.1	<0.002	<0.01	0.62	24.6	1	0.8	135.5	0.45	<0.05	1.67	0.598	0.25	0.8
Q203470		7.9	111.0	<0.002	0.01	2.12	16.9	1	0.8	34.2	0.44	<0.05	1.56	0.525	0.64	1.5
Q203471		7.2	92.3	<0.002	<0.01	0.81	24.2	1	0.9	149.0	0.52	<0.05	1.99	0.670	0.48	1.0
Q203472		5.5	58.6	<0.002	<0.01	0.54	25.4	1	1.0	147.5	0.57	<0.05	2.20	0.747	0.32	1.1
Q203473		4.9	36.3	<0.002	<0.01	0.46	25.3	1	1.0	152.5	0.58	<0.05	2.24	0.669	0.19	1.2
Q203474		3.4	23.4	<0.002	<0.01	0.33	16.0	1	0.8	190.5	0.52	<0.05	1.86	0.497	0.11	0.8
Q203475		5.5	6.1	<0.002	0.02	0.45	22.9	1	0.9	247	0.49	<0.05	2.45	0.589	0.04	1.4
Q203476		382	0.9	0.042	>10.0	20.9	0.6	54	7.4	7.3	<0.05	1.59	1.02	0.014	3.60	4.3
Q203477		10.1	17.7	<0.002	0.05	0.74	21.9	1	0.8	280	0.49	<0.05	1.77	0.616	0.07	1.2
Q203478		7.1	12.0	<0.002	0.01	0.72	24.6	1	0.9	361	0.50	<0.05	1.65	0.727	0.05	1.3
Q203479		3.9	51.6	<0.002	0.01	0.40	11.3	1	0.5	49.4	0.28	<0.05	1.41	0.407	0.23	1.2
Q203480		4.3	54.6	<0.002	0.02	0.48	14.5	1	0.9	89.0	0.58	<0.05	6.55	0.308	0.23	2.7
Q203481		4.2	68.3	<0.002	0.01	0.52	12.1	1	0.8	36.0	0.46	<0.05	5.08	0.339	0.32	2.2
Q203482		5.3	139.5	<0.002	0.01	0.52	18.7	1	0.8	42.8	0.39	<0.05	6.70	0.337	0.62	2.1
Q203483		3.2	39.4	<0.002	<0.01	0.21	3.8	<1	0.7	187.5	0.23	<0.05	3.04	0.187	0.19	0.7
Q203484		14.7	97.2	<0.002	<0.01	0.35	8.6	2	3.3	131.5	2.85	<0.05	18.05	0.381	0.43	6.7
Q203485		9.7	89.4	<0.002	0.01	0.37	3.3	3	4.2	213	4.11	<0.05	24.6	0.112	0.44	7.1
Q203486		380	0.9	0.042	>10.0	21.2	0.6	52	4.4	7.4	<0.05	1.70	0.98	0.012	3.64	4.3
Q203487		9.9	161.5	<0.002	0.06	0.48	2.1	4	3.4	82.5	4.58	<0.05	28.4	0.119	0.76	12.3
Q203488		8.3	167.5	<0.002	0.02	0.50	1.4	4	15.7	55.4	4.65	<0.05	28.7	0.078	0.76	5.7
Q203489		14.4	204	<0.002	0.01	0.67	1.6	4	3.2	73.8	5.75	<0.05	36.7	0.093	0.99	5.4
Q203490		17.1	197.0	<0.002	<0.01	0.41	2.3	5	3.6	127.0	5.65	<0.05	33.8	0.092	0.96	4.4
Q203491		12.9	184.5	<0.002	<0.01	0.31	1.0	3	2.2	73.8	4.66	<0.05	29.5	0.078	0.87	4.6
Q203492		10.6	155.0	<0.002	<0.01	0.38	1.7	4	1.9	98.3	4.38	<0.05	26.7	0.072	0.77	3.8
Q203493		6.9	185.5	<0.002	<0.01	0.32	1.5	3	2.5	48.6	4.79	<0.05	30.1	0.076	0.86	3.7
Q203494		10.2	171.0	<0.002	<0.01	0.48	1.5	4	2.3	77.1	4.22	<0.05	25.6	0.069	0.68	6.2
Q203495		11.1	193.0	<0.002	0.01	0.51	1.5	4	2.6	75.7	4.84	<0.05	29.5	0.076	0.76	6.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194583

Sample Description	Method / Analyte / Units / LOR	ME-MS61r V ppm 1	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01
Q203461A		185	0.9	22.1	123	84.7	4.07	2.01	1.33	4.88	0.69	0.26	19.8	4.61	4.93	0.71
Q203461B		186	0.9	21.6	124	84.7	3.98	2.07	1.34	4.90	0.68	0.25	19.9	4.60	4.99	0.71
Q203462		211	1.4	18.5	197	88.1	3.56	2.03	0.97	3.65	0.66	0.27	14.7	3.40	3.44	0.57
Q203463		51	2.4	111.5	72	241	23.7	13.30	0.53	20.4	4.21	1.71	82.1	20.5	21.2	3.74
Q203464		239	1.8	21.5	182	122.5	4.02	2.12	1.25	4.73	0.69	0.28	22.7	5.42	4.93	0.69
Q203465		122	0.9	14.9	120	65.8	2.80	1.48	0.84	3.00	0.50	0.18	13.3	3.22	3.01	0.47
Q203466		205	1.2	29.3	157	83.4	5.49	2.54	2.04	6.71	0.89	0.28	28.5	6.75	6.72	0.99
Q203467		185	0.6	17.2	97	83.7	3.34	1.90	1.05	4.06	0.61	0.24	14.1	3.30	3.36	0.57
Q203468		60	0.2	7.1	31	51.4	1.42	0.84	0.52	1.57	0.25	0.14	10.5	2.75	2.02	0.23
Q203469		177	0.5	14.5	95	79.8	2.69	1.59	0.77	2.71	0.52	0.24	12.0	2.81	2.76	0.44
Q203470		138	2.4	21.0	64	64.9	3.99	2.18	1.09	4.27	0.73	0.29	20.2	5.14	4.67	0.68
Q203471		190	1.3	18.4	129	88.9	3.67	2.09	1.01	3.65	0.67	0.27	15.0	3.50	3.50	0.58
Q203472		199	0.6	18.7	121	94.8	3.89	2.07	1.40	4.22	0.67	0.28	19.4	4.48	4.56	0.66
Q203473		184	0.5	22.5	126	89.6	4.62	2.38	1.72	5.15	0.81	0.31	23.5	5.45	5.31	0.79
Q203474		136	0.4	21.5	93	78.8	4.19	2.11	1.78	5.07	0.71	0.24	24.8	5.83	5.41	0.74
Q203475		146	0.6	18.9	182	77.3	3.63	1.85	1.27	3.94	0.63	0.24	17.0	3.93	4.00	0.62
Q203476		45	3.7	1.9	4250	6.0	0.37	0.20	0.11	0.41	0.07	0.03	2.0	0.50	0.44	0.06
Q203477		148	0.6	22.7	117	75.1	4.33	2.15	1.62	5.04	0.73	0.27	26.8	6.53	5.44	0.74
Q203478		165	0.7	23.2	138	124.5	4.65	2.28	1.64	5.11	0.79	0.27	25.0	6.12	5.45	0.78
Q203479		70	0.6	18.4	62	57.0	3.40	1.74	1.07	3.89	0.59	0.20	20.3	4.90	4.33	0.58
Q203480		103	1.4	26.1	132	90.6	4.67	2.64	1.19	5.20	0.86	0.36	29.5	7.54	5.94	0.78
Q203481		94	1.5	14.7	70	81.6	2.71	1.60	0.59	2.61	0.50	0.24	13.2	3.34	2.91	0.43
Q203482		116	1.6	18.7	68	75.2	3.48	1.92	0.85	3.78	0.64	0.26	19.9	4.92	4.12	0.58
Q203483		42	1.1	6.8	46	76.1	1.36	0.66	0.56	1.74	0.23	0.09	12.9	3.27	2.34	0.24
Q203484		158	2.6	58.2	78	177.5	11.00	7.02	1.25	9.71	2.09	1.10	51.4	14.30	10.15	1.67
Q203485		45	0.7	87.7	57	212	15.80	10.45	1.62	13.90	3.08	1.60	72.9	20.3	14.80	2.41
Q203486		44	3.9	2.0	4180	4.9	0.37	0.19	0.12	0.39	0.07	0.03	1.9	0.48	0.45	0.06
Q203487		50	0.8	93.1	55	239	17.40	11.15	1.59	15.20	3.34	1.79	77.8	21.3	15.55	2.64
Q203488		26	1.1	104.0	39	233	18.45	12.00	1.67	16.55	3.56	1.81	83.6	22.1	16.75	2.81
Q203489		30	1.2	114.0	43	298	20.9	13.95	1.80	17.60	4.11	2.26	88.0	24.3	17.70	3.14
Q203490		35	0.9	150.5	39	286	26.5	16.90	2.53	23.9	5.11	2.53	123.0	33.0	24.7	4.06
Q203491		28	1.0	90.2	36	242	16.15	10.50	1.44	14.05	3.10	1.69	74.4	20.5	14.55	2.43
Q203492		22	0.7	121.0	31	224	22.0	13.90	2.01	19.75	4.17	2.06	94.0	25.2	19.65	3.35
Q203493		27	0.5	89.7	33	253	16.05	10.55	1.57	14.50	3.43	1.74	86.9	23.8	15.45	2.49
Q203494		47	0.8	120.5	41	221	20.5	12.95	2.02	18.70	4.35	1.95	121.5	34.4	21.1	3.13
Q203495		50	0.9	121.5	45	250	21.5	13.70	2.14	19.35	4.57	2.14	119.5	33.5	20.8	3.29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194583

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Tm ppm 0.01	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
Q203461A		0.28	1.78	
Q203461B		0.30	1.76	
Q203462		0.28	1.83	
Q203463		1.96	12.15	
Q203464		0.29	1.88	
Q203465		0.21	1.25	
Q203466		0.34	1.95	
Q203467		0.28	1.75	
Q203468		0.13	0.92	
Q203469		0.25	1.55	
Q203470		0.32	1.94	
Q203471		0.29	1.83	
Q203472		0.30	1.85	
Q203473		0.34	2.10	
Q203474		0.28	1.68	
Q203475		0.26	1.61	
Q203476		0.03	0.18	2.51
Q203477		0.30	1.85	
Q203478		0.33	2.01	
Q203479		0.24	1.41	
Q203480		0.39	2.47	
Q203481		0.25	1.54	
Q203482		0.28	1.74	
Q203483		0.10	0.59	
Q203484		1.11	7.29	
Q203485		1.66	10.85	
Q203486		0.03	0.20	2.49
Q203487		1.78	11.85	
Q203488		1.85	12.00	
Q203489		2.24	14.85	
Q203490		2.65	17.00	
Q203491		1.66	11.15	
Q203492		2.13	13.70	
Q203493		1.66	11.10	
Q203494		1.98	12.95	
Q203495		2.14	14.15	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15194583

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61r

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-31	PUL-QC	SPL-21
SPL-34	WEI-21		

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA23	Cu-OG62	ME-MS61r	ME-OG62