ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

QC CERTIFICATE SD15191990

Project: SUPERIOR PROJECT

This report is for 36 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 10-DEC-2015.

The following have access to data associated with this certificate:

TRACY ARMSTRONG JOHN TAIT	TRACY ARMSTRONG (2ND EMAIL)	MORGAN QUINN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-21d	Sample logging - ClientBarCode Dup
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61r	48 element four acid ICP-MS + REEs	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **SUPERIOR COPPER CORPORATION**
ATTN: MORGAN QUINN
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191990

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2	ME-MS61r Fe % 0.01
STANDARDS																
CDN-CM-34			3.77	6.67	117.0	500	1.11	3.78	2.10	1.04	40.0	44.2	253	3.90	5970	4.86
Target Range - Lower Bound																
Upper Bound																
CDN-GS-P8C		800														
Target Range - Lower Bound		732														
Upper Bound		836														
GBM909-14																
Target Range - Lower Bound																
Upper Bound																
MRGeo08			4.57	7.35	35.5	1120	3.58	0.68	2.60	2.27	71.7	20.9	95	13.05	640	4.03
Target Range - Lower Bound			4.00	6.64	29.5	920	2.98	0.60	2.35	2.00	66.2	17.7	81	11.20	587	3.55
Upper Bound			4.92	8.14	36.5	1270	3.76	0.76	2.90	2.48	81.0	21.9	102	13.80	675	4.37
OGGeo08																
Target Range - Lower Bound																
Upper Bound																
OGGeo08			20.2	6.82	126.5	880	2.86	10.80	2.20	20.4	72.5	99.4	89	11.50	8490	5.37
OGGeo08			20.1	6.27	119.0	810	3.04	10.25	2.10	19.35	56.3	96.5	85	10.65	7820	5.16
Target Range - Lower Bound			18.15	6.07	107.0	700	2.59	9.44	1.98	16.70	64.8	87.2	78	9.85	7800	4.81
Upper Bound			22.2	7.44	131.0	980	3.27	11.55	2.44	20.5	79.2	107.0	98	12.15	8980	5.91
OREAS 19a		5550														
Target Range - Lower Bound		5160														
Upper Bound		5820														
OREAS 621																
Target Range - Lower Bound																
Upper Bound																
OREAS-104			0.11	7.38	3.5	1340	3.57	0.46	1.06	0.28	100.5	3.2	38	3.88	73.3	2.02
Target Range - Lower Bound			0.08	6.51	2.7	1100	3.11	0.40	0.92	0.19	91.8	2.9	33	3.26	67.3	1.74
Upper Bound			0.14	7.98	3.8	1520	3.91	0.52	1.14	0.30	112.0	3.7	43	4.09	77.9	2.15
OREAS-105			0.11	7.10	2.5	680	3.53	0.48	1.01	0.17	125.0	4.7	42	2.18	106.0	1.95
OREAS-105			0.10	7.02	2.5	700	3.99	0.48	1.02	0.13	124.0	4.8	41	2.18	116.5	1.98
Target Range - Lower Bound			0.06	6.36	2.1	580	3.38	0.42	0.90	0.09	106.0	3.9	37	1.78	97.2	1.71
Upper Bound			0.10	7.80	3.2	800	4.24	0.54	1.13	0.19	130.0	5.0	47	2.28	112.5	2.11
OREAS-45d			0.16	8.21	13.4	180	0.66	0.33	0.19	0.03	39.4	31.1	559	4.16	386	14.55
OREAS-45d			0.15	8.25	14.7	190	0.71	0.34	0.18	0.04	38.0	31.5	562	4.09	374	14.35
OREAS-45d			0.16	8.17	13.9	190	0.68	0.31	0.18	0.02	38.2	31.0	561	3.95	364	14.10
Target Range - Lower Bound			0.17	7.33	12.2	140	0.65	0.27	0.16	<0.02	33.5	26.5	493	3.47	345	13.05
Upper Bound			0.23	8.98	15.4	220	0.93	0.35	0.21	0.09	40.9	32.6	605	4.35	397	16.00

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191990

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Ga ppm 0.05	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10	ME-MS61r Pb ppm 0.5
STANDARDS																
CDN-CM-34		16.75	0.12	0.6	0.141	2.90	19.0	9.7	3.73	452	297	0.75	5.6	255	1310	24.1
Target Range - Lower Bound																
Upper Bound																
CDN-GS-P8C																
Target Range - Lower Bound																
Upper Bound																
GBM909-14																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		19.20	0.13	3.3	0.176	3.21	35.4	32.7	1.32	559	14.55	1.96	22.5	715	1100	1105
Target Range - Lower Bound		17.50	<0.05	2.8	0.155	2.79	31.1	29.5	1.17	497	13.65	1.76	19.0	622	930	971
Upper Bound		21.5	0.27	3.6	0.201	3.43	39.1	36.5	1.45	619	16.75	2.18	23.4	760	1160	1185
OGGeo08																
Target Range - Lower Bound																
Upper Bound																
OGGeo08		17.35	0.18	3.0	1.510	3.02	35.6	34.5	1.25	511	915	1.84	18.3	9050	900	7580
OGGeo08		16.80	0.18	2.7	1.460	2.84	27.0	32.2	1.17	496	882	1.77	18.0	9170	850	7260
Target Range - Lower Bound		16.05	0.25	2.5	1.320	2.59	31.0	29.7	1.11	447	841	1.62	15.4	8000	760	6520
Upper Bound		19.75	0.49	3.3	1.620	3.19	39.0	36.7	1.38	557	1030	2.00	19.0	9770	950	7970
OREAS 19a																
Target Range - Lower Bound																
Upper Bound																
OREAS 621																
Target Range - Lower Bound																
Upper Bound																
OREAS-104		24.5	0.17	5.6	0.080	2.43	46.4	16.7	0.36	226	8.28	3.34	24.8	8.7	1310	48.4
Target Range - Lower Bound		24.0	0.07	5.0	0.068	2.08	43.4	15.7	0.31	193	7.99	2.97	22.0	8.2	1090	42.3
Upper Bound		29.5	0.28	6.4	0.096	2.56	54.2	19.7	0.40	247	9.87	3.65	27.1	10.4	1360	52.8
OREAS-105		26.2	0.23	5.1	0.062	1.98	50.7	12.8	0.44	178	8.41	3.73	32.2	11.1	1630	151.0
OREAS-105		26.6	0.23	4.9	0.070	1.92	51.8	13.5	0.45	177	8.89	3.70	34.2	11.1	1620	149.5
Target Range - Lower Bound		25.0	0.12	4.4	0.054	1.67	43.2	12.0	0.38	148	7.56	3.28	28.9	9.4	1390	140.0
Upper Bound		30.6	0.34	5.7	0.080	2.06	54.0	15.1	0.48	192	9.36	4.03	35.5	11.9	1730	172.0
OREAS-45d		21.4	0.10	4.2	0.097	0.43	18.4	20.8	0.22	467	2.39	0.10	15.2	236	430	21.2
OREAS-45d		21.8	0.09	4.1	0.089	0.43	18.4	20.3	0.23	473	2.44	0.10	15.8	235	430	20.7
OREAS-45d		21.5	0.14	4.3	0.094	0.41	18.1	22.1	0.22	476	2.56	0.10	15.7	242	420	20.4
Target Range - Lower Bound		19.05	0.09	3.3	0.081	0.36	14.7	19.2	0.21	436	2.20	0.08	13.0	208	370	19.1
Upper Bound		23.4	0.31	4.3	0.111	0.46	19.1	23.9	0.28	544	2.80	0.13	16.1	254	470	24.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191990

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1	ME-MS61r V ppm 1
STANDARDS																
CDN-CM-34		87.0	0.309	3.15	6.43	17.4	6	1.9	234	0.37	0.68	2.35	0.524	1.37	0.8	170
Target Range - Lower Bound																
Upper Bound																
CDN-GS-P8C																
Target Range - Lower Bound																
Upper Bound																
GBM909-14																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		190.0	0.009	0.31	4.65	11.7	2	3.9	316	1.57	<0.05	19.70	0.494	1.06	5.5	110
Target Range - Lower Bound		173.5	0.005	0.27	3.89	11.1	<1	3.5	277	1.39	<0.05	17.90	0.443	0.89	4.9	97
Upper Bound		212	0.013	0.35	5.39	13.7	4	4.7	339	1.81	0.14	21.9	0.553	1.25	6.2	121
OGGeo08																
Target Range - Lower Bound																
Upper Bound																
OGGeo08		200	1.420	2.84	26.2	10.0	11	13.6	260	1.35	0.16	19.55	0.404	1.79	5.2	90
OGGeo08		156.5	1.400	2.65	25.6	9.1	12	13.3	247	1.35	0.15	14.95	0.379	1.68	4.2	85
Target Range - Lower Bound		164.5	1.285	2.51	22.8	9.2	8	12.5	224	1.19	0.09	16.90	0.353	1.43	4.5	77
Upper Bound		201	1.575	3.09	31.0	11.4	14	15.7	274	1.57	0.31	20.7	0.443	1.98	5.8	97
OREAS 19a																
Target Range - Lower Bound																
Upper Bound																
OREAS 621																
Target Range - Lower Bound																
Upper Bound																
OREAS-104		125.0	<0.002	0.02	0.75	4.2	2	6.1	118.5	2.33	<0.05	155.0	0.159	0.55	122.0	18
Target Range - Lower Bound		117.5	<0.002	<0.01	0.53	4.0	<1	5.6	106.0	2.14	<0.05	137.0	0.135	0.44	104.0	15
Upper Bound		143.5	0.006	0.04	0.88	5.1	3	7.3	130.0	2.73	0.13	167.0	0.176	0.65	127.0	20
OREAS-105		115.5	0.002	0.03	0.49	4.9	3	6.9	93.7	3.47	<0.05	368	0.219	0.40	543	28
OREAS-105		116.0	0.002	0.05	0.54	5.0	2	7.1	95.5	3.53	<0.05	367	0.225	0.41	542	28
Target Range - Lower Bound		100.5	<0.002	<0.01	0.28	4.7	<1	6.1	83.9	3.12	<0.05	324	0.191	0.33	462	23
Upper Bound		123.0	0.006	0.05	0.57	5.9	4	7.9	103.0	3.93	0.13	396	0.244	0.49	565	30
OREAS-45d		46.2	<0.002	0.06	0.91	52.5	4	2.6	33.4	1.14	0.09	15.90	0.762	0.27	2.8	232
OREAS-45d		44.4	<0.002	0.05	0.90	53.6	3	2.5	33.7	1.09	0.12	15.45	0.759	0.24	2.7	231
OREAS-45d		45.5	<0.002	0.05	0.91	53.7	3	2.6	33.7	1.12	0.11	15.20	0.758	0.24	2.9	232
Target Range - Lower Bound		37.8	<0.002	0.03	0.64	44.3	<1	2.2	28.0	0.87	<0.05	13.50	0.691	0.20	2.3	211
Upper Bound		46.4	0.007	0.07	1.00	54.3	5	3.2	34.6	1.17	0.23	16.50	0.855	0.34	3.0	260

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191990

Sample Description	Method / Analyte / Units / LOR	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01	ME-MS61r Tm ppm 0.01
STANDARDS																
CDN-CM-34		27.3	14.8	201	13.6	3.26	1.42	1.51	4.26	0.58	0.16	21.9	5.24	5.05	0.60	0.19
Target Range - Lower Bound																
Upper Bound																
CDN-GS-P8C																
Target Range - Lower Bound																
Upper Bound																
GBM909-14																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		4.8	26.7	820	107.0	4.97	2.83	1.33	5.43	1.00	0.40	30.4	8.34	6.36	0.86	0.41
Target Range - Lower Bound		4.1	23.8	722	92.2	3.99	2.25	1.12	4.60	0.79	0.32	26.5	7.02	5.24	0.67	0.32
Upper Bound		5.8	29.3	886	126.0	5.51	3.11	1.59	6.34	1.09	0.46	36.1	9.56	7.16	0.93	0.46
OGGeo08																
Target Range - Lower Bound																
Upper Bound																
OGGeo08		4.7	23.5	7290	95.8	4.52	2.47	1.22	5.27	0.92	0.34	30.7	8.36	6.18	0.82	0.36
OGGeo08		4.6	21.3	6970	93.3	4.05	2.30	1.02	4.40	0.81	0.33	24.9	6.59	5.11	0.70	0.34
Target Range - Lower Bound		3.9	21.1	6500	78.6	3.65	2.03	0.99	4.19	0.70	0.27	24.7	6.61	4.89	0.64	0.28
Upper Bound		5.4	26.0	7950	107.5	5.05	2.81	1.41	5.79	0.98	0.39	33.7	9.01	6.69	0.90	0.40
OREAS 19a																
Target Range - Lower Bound																
Upper Bound																
OREAS 621																
Target Range - Lower Bound																
Upper Bound																
OREAS-104		2.2	29.1	78	190.5	6.13	2.84	1.16	8.17	1.11	0.34	48.6	12.70	10.65	1.19	0.42
Target Range - Lower Bound		1.8	25.2	67	166.5	5.14	2.42	0.96	7.18	0.91	0.31	42.3	10.55	8.90	0.92	0.34
Upper Bound		2.7	31.0	86	227	7.07	3.34	1.38	9.83	1.26	0.44	57.5	14.35	12.10	1.27	0.48
OREAS-105		2.3	53.5	51	173.5	11.20	6.50	1.50	12.40	2.28	0.86	70.6	16.75	15.90	1.95	0.96
OREAS-105		2.4	55.9	55	175.5	11.15	6.49	1.46	12.00	2.20	0.87	71.0	16.50	15.55	1.94	0.97
Target Range - Lower Bound		2.0	50.7	43	145.0	9.06	5.17	1.27	10.10	1.75	0.72	56.9	13.50	13.00	1.54	0.81
Upper Bound		2.9	62.2	57	197.5	12.35	7.07	1.80	13.80	2.39	1.00	77.2	18.30	17.70	2.11	1.12
OREAS-45d		1.7	12.6	45	152.5	2.37	1.34	0.64	2.48	0.46	0.22	15.0	4.15	3.16	0.39	0.21
OREAS-45d		1.6	11.0	44	156.5	2.31	1.32	0.61	2.47	0.46	0.21	14.3	3.96	3.11	0.44	0.21
OREAS-45d		1.7	11.0	44	155.5	2.40	1.30	0.59	2.38	0.43	0.20	14.9	3.99	3.09	0.42	0.21
Target Range - Lower Bound		1.3	8.5	39	119.5											
Upper Bound		2.0	10.6	52	162.5											

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191990

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
STANDARDS			
CDN-CM-34		1.08	
Target Range - Lower Bound			
Upper Bound			
CDN-GS-P8C			
Target Range - Lower Bound			
Upper Bound			
GBM909-14			2.21
Target Range - Lower Bound			2.11
Upper Bound			2.27
MRGeo08		2.60	
Target Range - Lower Bound		2.13	
Upper Bound		2.95	
OGGeo08			0.865
Target Range - Lower Bound			0.809
Upper Bound			0.869
OGGeo08		2.32	
OGGeo08		2.11	
Target Range - Lower Bound		1.83	
Upper Bound		2.55	
OREAS 19a			
Target Range - Lower Bound			
Upper Bound			
OREAS 621			0.371
Target Range - Lower Bound			
Upper Bound			
OREAS-104		2.44	
Target Range - Lower Bound		2.10	
Upper Bound		2.92	
OREAS-105		6.05	
OREAS-105		6.04	
Target Range - Lower Bound		5.08	
Upper Bound		6.95	
OREAS-45d		1.36	
OREAS-45d		1.46	
OREAS-45d		1.44	
Target Range - Lower Bound			
Upper Bound			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191990

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2	ME-MS61r Fe % 0.01
BLANKS																
BLANK		<5														
Target Range - Lower Bound		<5														
Upper Bound		10														
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK			<0.01	<0.01	0.3	<10	<0.05	0.01	0.01	<0.02	0.01	<0.1	<1	<0.05	<0.2	<0.01
BLANK			<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05	0.3	<0.01
BLANK			<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05	0.2	<0.01
Target Range - Lower Bound			<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01
Upper Bound			0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10	0.4	0.02
DUPLICATES																
Q203259			0.10	6.40	9.2	100	1.90	0.27	7.60	0.23	63.5	47.0	58	3.99	109.5	7.56
DUP			0.11	6.51	10.0	110	2.06	0.27	7.73	0.22	64.0	48.3	62	4.02	116.5	7.71
Target Range - Lower Bound			0.09	6.12	8.9	90	1.83	0.25	7.27	0.19	60.6	45.2	56	3.75	109.0	7.24
Upper Bound			0.12	6.79	10.3	120	2.13	0.29	8.06	0.26	66.9	50.1	64	4.26	117.0	8.03
Q203263		<5														
DUP		<5														
Target Range - Lower Bound		<5														
Upper Bound		10														
Q203276			10.50	0.38	229	10	0.09	5.71	0.10	14.90	3.87	466	38	0.27	>10000	34.1
DUP			10.00	0.38	219	10	0.08	5.58	0.10	14.45	3.63	456	38	0.26	>10000	33.7
Target Range - Lower Bound			9.73	0.35	213	<10	<0.05	5.35	0.09	13.90	3.55	438	35	0.20	9650	32.2
Upper Bound			10.75	0.41	235	20	0.10	5.94	0.12	15.45	3.95	484	41	0.33	>10000	35.6
Q203283		<5														
DUP		<5														
Target Range - Lower Bound		<5														
Upper Bound		10														
Q203285			0.36	7.11	6.2	270	1.23	0.15	4.12	2.13	87.4	54.9	107	4.09	2820	9.80
DUP			0.36	6.87	6.3	260	1.34	0.14	4.01	2.73	86.6	53.9	106	4.05	2760	9.48
Target Range - Lower Bound			0.33	6.63	5.7	240	1.17	0.13	3.85	2.29	82.6	51.6	100	3.82	2690	9.15
Upper Bound			0.39	7.35	6.8	290	1.40	0.16	4.28	2.57	91.4	57.2	113	4.32	2890	10.15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191990

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Ga ppm 0.05	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10	ME-MS61r Pb ppm 0.5
BLANKS																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<0.05	0.14	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	0.10	<0.01	<0.1	<0.2	<10	<0.5
BLANK		<0.05	0.07	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5
BLANK		<0.05	0.11	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	0.06	<0.01	<0.1	<0.2	<10	<0.5
Target Range - Lower Bound		<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5
Upper Bound		0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4	20	1.0
DUPLICATES																
Q203259		18.75	0.13	4.0	0.095	0.46	35.2	40.5	3.18	1060	1.21	0.53	30.5	126.5	2000	12.1
DUP		19.00	0.14	4.0	0.100	0.47	35.0	48.9	3.25	1080	1.33	0.54	30.5	128.5	2060	12.7
Target Range - Lower Bound		17.90	0.08	3.7	0.088	0.43	32.8	42.3	3.04	1010	1.16	0.50	28.9	121.0	1920	11.3
Upper Bound		19.85	0.19	4.3	0.107	0.50	37.4	47.1	3.39	1130	1.38	0.57	32.1	134.0	2140	13.5
Q203263																
DUP																
Target Range - Lower Bound																
Upper Bound																
Q203276		2.18	0.24	0.3	1.345	0.02	2.0	2.1	0.17	93	31.4	0.06	0.5	37.4	140	362
DUP		2.06	0.26	0.1	1.280	0.02	1.9	2.3	0.17	89	30.0	0.06	0.5	35.7	150	357
Target Range - Lower Bound		1.96	0.19	<0.1	1.240	<0.01	1.4	1.9	0.15	81	29.1	0.05	0.4	34.5	130	341
Upper Bound		2.28	0.31	0.3	1.385	0.03	2.5	2.5	0.19	101	32.3	0.07	0.6	38.6	160	378
Q203283																
DUP																
Target Range - Lower Bound																
Upper Bound																
Q203285		18.75	0.14	5.9	0.046	1.53	39.2	23.2	3.77	764	5.47	1.82	26.0	124.0	3150	449
DUP		18.45	0.15	5.9	0.046	1.49	39.5	23.6	3.66	748	4.69	1.76	25.3	119.5	3040	425
Target Range - Lower Bound		17.60	0.09	5.5	0.039	1.42	36.9	22.0	3.52	713	4.78	1.69	24.3	115.5	2930	415
Upper Bound		19.60	0.20	6.3	0.053	1.60	41.8	24.8	3.91	799	5.38	1.89	27.0	128.0	3260	459

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191990

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1	ME-MS61r V ppm 1
BLANKS																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<0.1	<0.002	<0.01	0.07	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1
BLANK		<0.1	<0.002	<0.01	0.07	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1
BLANK		<0.1	<0.002	<0.01	0.07	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1
Target Range - Lower Bound		<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1
Upper Bound		0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.02	0.010	0.04	0.2	2
DUPLICATES																
Q203259		25.4	<0.002	<0.01	0.83	22.9	1	1.2	181.5	2.01	0.05	1.62	1.275	0.10	1.4	209
DUP		26.3	<0.002	<0.01	0.83	23.3	1	1.2	185.5	2.00	0.05	1.65	1.305	0.10	1.4	214
Target Range - Lower Bound		24.5	<0.002	<0.01	0.72	21.8	<1	0.9	174.0	1.85	<0.05	1.54	1.220	0.07	1.2	200
Upper Bound		27.2	0.004	0.02	0.94	24.4	2	1.5	193.0	2.16	0.10	1.73	1.360	0.13	1.6	223
Q203263																
DUP																
Target Range - Lower Bound																
Upper Bound																
Q203276		0.9	0.054	>10.0	19.80	0.6	63	4.3	7.2	<0.05	1.97	0.89	0.012	3.30	4.0	43
DUP		0.9	0.046	>10.0	18.90	0.6	61	4.2	6.7	<0.05	1.70	0.90	0.013	3.18	3.9	42
Target Range - Lower Bound		0.8	0.046	9.49	17.85	0.5	58	3.8	6.4	<0.05	1.69	0.84	0.007	2.98	3.7	39
Upper Bound		1.0	0.055	10.00	20.9	0.7	66	4.7	7.5	0.10	1.98	0.95	0.018	3.50	4.2	46
Q203283																
DUP																
Target Range - Lower Bound																
Upper Bound																
Q203285		98.4	0.006	0.20	0.27	30.0	4	1.7	210	1.45	<0.05	3.15	1.450	0.39	0.8	296
DUP		97.6	0.004	0.19	0.26	30.1	4	1.7	202	1.45	<0.05	3.26	1.400	0.37	0.8	287
Target Range - Lower Bound		93.0	0.003	0.18	0.20	28.4	3	1.4	195.5	1.33	<0.05	3.03	1.350	0.33	0.7	276
Upper Bound		103.0	0.007	0.21	0.33	31.7	5	2.0	217	1.57	0.10	3.38	1.500	0.43	0.9	307

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191990

Sample Description	Method / Analyte / Units / LOR	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01	ME-MS61r Tm ppm 0.01
BLANKS																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01	<0.01
BLANK		<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01	<0.01
BLANK		<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01	<0.01
Target Range - Lower Bound		<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01	<0.01
Upper Bound		0.2	0.2	4	1.0	0.10	0.06	0.06	0.10	0.02	0.02	0.2	0.06	0.06	0.02	0.02
DUPLICATES																
Q203259		4.3	23.3	113	170.0	4.55	2.33	1.85	5.46	0.89	0.29	33.9	8.75	6.83	0.83	0.32
DUP		4.3	23.7	116	172.0	4.68	2.41	1.89	5.64	0.92	0.28	34.1	8.81	6.76	0.84	0.32
Target Range - Lower Bound		3.9	22.2	107	162.0	4.22	2.16	1.70	5.08	0.83	0.25	31.4	8.09	6.26	0.76	0.29
Upper Bound		4.7	24.8	122	180.0	5.01	2.58	2.04	6.02	0.98	0.32	36.7	9.47	7.33	0.91	0.35
Q203263																
DUP																
Target Range - Lower Bound																
Upper Bound																
Q203276		3.5	1.8	4170	5.1	0.33	0.17	0.11	0.38	0.06	0.02	1.9	0.48	0.44	0.06	0.03
DUP		3.3	1.8	4080	4.9	0.32	0.18	0.10	0.37	0.06	0.03	1.8	0.46	0.39	0.06	0.03
Target Range - Lower Bound		3.0	1.6	3920	4.3	0.25	0.13	0.07	0.30	0.05	<0.01	1.6	0.40	0.35	0.05	0.02
Upper Bound		3.8	2.0	4330	5.8	0.40	0.22	0.14	0.45	0.07	0.04	2.1	0.54	0.48	0.07	0.04
Q203283																
DUP																
Target Range - Lower Bound																
Upper Bound																
Q203285		1.7	31.9	108	246	6.21	3.23	2.36	7.82	1.22	0.40	44.3	11.35	9.29	1.15	0.45
DUP		1.7	31.5	103	242	6.35	3.16	2.40	7.90	1.23	0.40	43.9	11.50	9.06	1.15	0.45
Target Range - Lower Bound		1.5	30.0	98	231	5.76	2.93	2.17	7.22	1.12	0.36	40.7	10.55	8.46	1.05	0.41
Upper Bound		1.9	33.4	113	257	6.80	3.46	2.59	8.50	1.33	0.44	47.5	12.30	9.89	1.25	0.49

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191990

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
BLANKS			
BLANK			
Target Range - Lower Bound			
Upper Bound			
BLANK			<0.001
Target Range - Lower Bound			<0.001
Upper Bound			0.002
BLANK		<0.03	
BLANK		<0.03	
BLANK		<0.03	
Target Range - Lower Bound		<0.03	
Upper Bound		0.06	
DUPLICATES			
Q203259		1.90	
DUP		1.90	
Target Range - Lower Bound		1.73	
Upper Bound		2.07	
Q203263			
DUP			
Target Range - Lower Bound			
Upper Bound			
Q203276		0.16	2.47
DUP		0.18	2.50
Target Range - Lower Bound		0.13	2.42
Upper Bound		0.21	2.55
Q203283			
DUP			
Target Range - Lower Bound			
Upper Bound			
Q203285		2.68	
DUP		2.68	
Target Range - Lower Bound		2.45	
Upper Bound		2.91	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191990

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2	ME-MS61r Fe % 0.01
DUPLICATES																
ORIGINAL		8														
DUP		7														
Target Range - Lower Bound		<5														
Upper Bound		10														

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191990

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Ga ppm 0.05	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10	ME-MS61r Pb ppm 0.5
		DUPLICATES														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191990

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1	ME-MS61r V ppm 1
		DUPLICATES														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191990

Sample Description	Method / Analyte / Units / LOR	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01	ME-MS61r Tm ppm 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191990

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
		DUPLICATES	
ORIGINAL			
DUP			
Target Range - Lower Bound			
Upper Bound			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15191990

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61r

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-31	PUL-QC	SPL-21
SPL-34	WEI-21		

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA23	Cu-OG62	ME-MS61r	ME-OG62