ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

CERTIFICATE SD15191967

Project: SUPERIOR PROJECT

This report is for 36 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 10-DEC-2015.

The following have access to data associated with this certificate:

TRACY ARMSTRONG JOHN TAIT	TRACY ARMSTRONG (2ND EMAIL)	MORGAN QUINN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-21d	Sample logging - ClientBarCode Dup
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61r	48 element four acid ICP-MS + REEs	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **SUPERIOR COPPER CORPORATION**
ATTN: MORGAN QUINN
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191967

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2
Q203426A		0.58	<5	0.05	6.98	4.3	340	3.28	0.17	1.12	0.20	97.1	2.8	9	4.54	47.2
Q203426B		<0.02	<5	0.05	7.25	4.7	350	3.22	0.19	1.15	0.18	104.0	2.8	10	4.44	47.3
Q203427		0.73	<5	0.14	5.63	4.8	200	2.48	0.20	1.87	1.92	52.0	2.2	11	3.64	92.3
Q203428		1.14	<5	0.08	5.95	5.0	170	3.36	0.16	2.56	7.15	67.4	2.9	7	6.67	66.3
Q203429		2.16	<5	0.05	5.54	6.7	140	2.62	0.13	2.97	1.35	93.3	2.0	7	4.79	48.2
Q203430		2.03	<5	0.07	4.84	10.0	140	2.68	0.11	2.50	0.27	159.0	1.9	9	4.75	46.3
Q203431		0.87	<5	0.08	6.25	4.6	250	3.48	0.14	2.33	0.35	50.2	2.2	7	5.82	65.6
Q203432		0.63	<5	0.07	6.26	3.7	690	2.02	0.11	1.11	0.09	29.8	1.2	9	2.32	35.2
Q203433		0.38	<5	0.03	3.30	1.8	250	0.59	0.05	1.34	0.06	20.7	6.2	46	0.60	12.6
Q203434		0.55	<5	0.04	6.06	5.0	660	2.34	0.08	0.98	0.06	107.5	1.4	11	2.93	24.3
Q203435		2.06	<5	0.05	5.93	19.4	640	2.43	0.10	1.17	0.04	83.8	1.2	12	3.06	30.1
Q203436		2.03	<5	0.02	5.96	4.5	670	1.84	0.14	1.21	0.04	105.5	1.1	12	2.53	18.8
Q203437		1.45	<5	0.01	6.02	4.4	700	1.98	0.14	0.93	0.02	66.1	1.2	12	1.73	9.7
Q203438		0.62	<5	0.01	6.17	4.7	720	2.03	0.10	0.82	0.02	80.1	1.0	13	1.67	6.5
Q203439		1.49	<5	<0.01	6.09	5.9	690	2.03	0.07	1.12	<0.02	133.0	1.0	12	1.87	5.7
Q203440		0.58	<5	<0.01	5.87	5.4	630	1.71	0.05	1.17	0.03	92.7	1.0	11	1.87	15.6
Q203441		<0.02	426	10.40	0.38	214	10	0.08	5.47	0.10	14.40	3.83	449	38	0.25	>10000
Q203442		1.96	<5	0.05	5.77	6.1	640	2.18	0.09	1.54	0.05	87.2	1.5	8	4.04	44.5
Q203443		2.22	<5	0.04	4.88	5.1	620	2.30	0.10	3.62	0.12	52.9	2.0	14	4.94	26.8
Q203444		0.70	<5	0.02	6.70	3.0	260	0.96	0.03	7.95	0.13	26.9	42.3	340	1.59	12.1
Q203445		0.64	<5	0.16	6.43	25.2	350	1.14	0.26	7.96	0.10	44.3	38.2	325	2.09	554
Q203446		0.70	<5	0.01	6.38	3.1	360	1.09	0.04	6.43	0.12	28.3	41.8	404	2.21	11.7
Q203447		0.67	<5	0.02	7.25	4.5	410	1.32	0.04	5.70	0.11	29.5	42.0	340	3.23	22.1
Q203448		0.67	<5	0.01	6.41	4.1	400	1.31	0.04	6.21	0.12	28.5	40.8	424	2.58	30.5
Q203449		0.64	<5	0.02	7.06	4.6	400	1.32	0.05	6.79	0.13	31.1	36.7	365	2.61	21.6
Q203450		0.66	<5	0.01	4.16	3.1	140	0.79	0.04	14.90	0.32	31.4	20.8	137	1.71	29.4
Q203451		<0.02	415	10.90	0.40	229	10	0.11	5.62	0.11	15.15	4.07	477	38	0.29	>10000
Q203452		0.68	<5	0.02	6.79	3.7	370	1.24	0.04	6.97	0.08	41.8	36.0	361	1.96	44.5
Q203453		0.70	<5	0.04	6.15	3.2	410	1.04	0.04	8.09	0.19	26.5	40.8	412	2.06	40.4
Q203454		0.66	<5	0.02	6.25	3.7	340	0.76	0.04	8.23	0.12	37.8	34.1	310	1.45	22.7
Q203455		0.69	<5	0.01	5.97	4.2	290	0.77	0.06	6.87	0.04	35.6	35.0	342	1.27	17.5
Q203456		1.26	14	0.07	6.92	7.2	350	1.44	0.12	5.73	0.11	51.5	40.1	197	6.72	74.7
Q203457		0.74	<5	0.02	7.51	3.5	150	0.99	0.04	5.76	0.05	35.5	40.4	235	2.21	6.6
Q203458		0.66	<5	0.02	6.14	4.3	250	1.12	0.06	6.08	0.16	29.0	40.4	343	1.32	14.1
Q203459		0.30	<5	<0.01	6.32	2.4	100	1.21	0.05	6.31	0.06	36.3	44.4	380	0.96	6.2
Q203460		0.31	12	0.02	5.90	2.3	80	0.99	0.05	7.38	0.11	33.0	42.8	377	0.82	9.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191967

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Fe % 0.01	ME-MS61r Ga ppm 0.05	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10
Q203426A		1.45	22.1	0.19	7.9	0.040	3.86	52.0	4.7	0.25	151	0.77	0.08	56.9	4.7	50
Q203426B		1.50	22.1	0.19	7.9	0.042	3.96	56.6	4.6	0.26	155	0.78	0.08	58.7	5.0	50
Q203427		1.03	13.25	0.13	6.0	0.021	3.01	28.5	4.7	0.18	129	0.94	0.07	40.5	6.4	40
Q203428		1.01	13.90	0.12	6.6	0.013	3.04	26.7	9.9	0.17	149	0.57	0.06	45.6	2.6	40
Q203429		0.81	13.80	0.19	5.8	0.016	2.82	52.9	16.5	0.15	127	0.51	0.06	38.1	4.3	50
Q203430		0.78	14.50	0.24	5.6	0.017	2.44	94.0	13.0	0.13	127	0.74	0.05	32.4	4.2	50
Q203431		0.96	14.35	0.12	6.6	0.011	3.39	27.8	16.0	0.16	150	0.57	0.07	46.8	3.1	40
Q203432		0.97	12.20	0.13	6.6	0.010	4.12	21.7	1.5	0.06	92	0.86	1.92	48.8	2.4	30
Q203433		2.04	7.77	0.09	1.6	0.020	0.83	11.0	5.4	0.58	293	0.18	1.24	3.0	18.5	190
Q203434		1.14	16.10	0.21	6.3	0.014	4.39	81.7	2.4	0.09	105	1.26	1.24	44.8	2.7	30
Q203435		1.16	15.10	0.19	6.6	0.015	4.43	46.3	3.5	0.10	118	1.25	1.03	47.1	2.1	40
Q203436		1.09	13.65	0.20	6.8	0.016	4.81	58.7	1.7	0.08	99	1.33	1.18	47.2	1.9	40
Q203437		1.15	14.05	0.15	6.6	0.012	4.72	30.1	1.9	0.07	85	1.18	1.17	46.9	3.2	50
Q203438		1.24	15.35	0.18	6.9	0.011	4.94	42.0	1.8	0.08	87	1.34	1.10	50.1	2.2	40
Q203439		1.28	16.05	0.19	6.8	0.017	4.93	49.7	1.9	0.08	113	1.30	1.02	47.8	2.3	40
Q203440		1.13	13.05	0.14	6.1	0.010	4.58	36.0	4.2	0.08	83	1.29	1.08	45.8	1.8	40
Q203441		33.6	2.30	0.22	0.1	1.290	0.02	2.0	2.5	0.17	95	31.2	0.06	0.5	36.5	150
Q203442		1.05	13.85	0.13	6.4	0.018	4.34	36.1	4.2	0.11	106	0.80	0.73	44.0	2.2	40
Q203443		1.09	13.80	0.14	6.0	0.014	4.45	30.4	9.5	0.14	128	1.04	0.41	41.5	4.7	70
Q203444		7.24	16.90	0.09	2.4	0.053	0.87	12.4	37.9	3.70	1230	0.42	1.81	8.0	210	640
Q203445		7.04	17.50	0.10	2.1	0.060	1.12	22.2	38.6	4.05	1380	0.45	1.34	7.8	199.0	650
Q203446		7.41	17.55	0.08	2.1	0.058	1.19	12.8	40.1	4.11	1250	0.39	0.91	8.0	198.0	680
Q203447		7.55	19.40	0.09	2.7	0.055	1.45	13.4	45.6	4.41	1160	0.42	1.05	8.2	205	760
Q203448		7.61	17.75	0.09	2.1	0.051	1.37	13.0	44.2	4.48	1160	0.37	0.51	7.3	196.5	710
Q203449		7.50	18.25	0.08	2.6	0.050	1.32	14.7	39.8	3.91	1050	0.47	1.41	10.1	185.0	730
Q203450		3.40	10.40	0.09	1.7	0.049	0.62	15.0	34.5	2.31	1040	0.31	0.90	4.4	89.8	380
Q203451		36.0	2.25	0.24	0.1	1.345	0.02	2.1	2.4	0.18	96	33.1	0.07	0.5	36.4	160
Q203452		7.18	17.30	0.10	2.3	0.059	1.05	20.0	41.4	4.40	1410	0.47	1.45	7.6	189.5	690
Q203453		7.40	17.25	0.06	2.1	0.062	1.07	12.4	43.3	4.71	1360	0.46	0.67	7.5	198.5	670
Q203454		7.15	17.20	0.08	2.4	0.109	0.87	17.5	31.2	3.58	1240	0.40	1.44	8.1	168.5	660
Q203455		6.72	16.05	0.08	2.1	0.065	0.71	17.1	43.7	4.98	1480	0.52	1.13	7.0	170.0	650
Q203456		8.05	19.60	0.09	3.1	0.078	1.69	24.4	50.0	4.40	1320	0.63	0.53	14.4	148.5	1260
Q203457		6.42	19.40	0.08	2.4	0.078	0.70	16.4	53.9	5.12	1420	0.32	1.47	6.0	176.5	510
Q203458		7.25	16.40	0.09	2.4	0.056	0.80	13.4	49.9	4.46	1050	0.83	1.27	8.1	212	680
Q203459		8.55	16.70	0.09	2.3	0.060	0.53	16.7	45.1	5.37	1360	0.54	1.53	7.1	223	690
Q203460		7.91	15.50	0.08	2.1	0.052	0.44	15.2	43.3	4.91	1240	0.51	1.42	6.4	218	630

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191967

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Pb ppm 0.5	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1
Q203426A		2.9	222	<0.002	<0.01	0.37	2.5	1	5.6	12.6	4.13	<0.05	51.1	0.094	0.83	5.3
Q203426B		2.8	227	<0.002	<0.01	0.37	2.6	1	5.6	12.5	4.33	<0.05	52.8	0.098	0.83	5.3
Q203427		5.1	141.0	<0.002	0.01	0.39	1.8	1	4.1	12.4	3.08	<0.05	36.1	0.073	0.52	4.4
Q203428		7.1	102.0	<0.002	<0.01	0.33	1.8	3	3.4	21.2	3.19	<0.05	32.8	0.073	0.50	4.2
Q203429		4.9	99.6	<0.002	<0.01	0.35	2.4	1	3.4	15.5	2.73	<0.05	33.9	0.064	0.47	3.8
Q203430		2.6	91.3	<0.002	<0.01	0.28	2.1	2	3.3	15.3	2.26	<0.05	30.2	0.052	0.42	3.7
Q203431		4.5	115.0	<0.002	<0.01	0.32	1.7	1	4.1	21.0	3.24	0.05	33.6	0.076	0.50	4.7
Q203432		5.4	126.5	<0.002	0.01	0.27	1.6	1	3.7	40.0	3.34	<0.05	41.2	0.075	0.56	5.5
Q203433		7.3	26.0	<0.002	<0.01	0.20	7.5	1	0.5	170.0	0.21	<0.05	2.26	0.192	0.13	0.5
Q203434		5.6	159.5	<0.002	<0.01	0.24	2.4	1	4.2	37.4	3.31	<0.05	41.3	0.076	0.63	8.1
Q203435		6.6	151.5	<0.002	<0.01	0.32	2.1	1	4.8	35.6	3.46	<0.05	39.8	0.079	0.61	18.2
Q203436		4.2	160.0	<0.002	<0.01	0.26	1.9	2	4.1	34.9	3.29	<0.05	41.0	0.082	0.63	6.5
Q203437		7.0	161.0	<0.002	<0.01	0.30	2.0	2	5.0	36.0	3.34	<0.05	41.7	0.077	0.65	3.7
Q203438		5.2	166.5	<0.002	<0.01	0.28	2.3	1	5.0	35.9	3.53	<0.05	46.3	0.081	0.66	3.2
Q203439		11.7	167.0	<0.002	<0.01	0.26	2.3	2	4.9	35.0	3.39	<0.05	41.4	0.079	0.64	3.5
Q203440		7.7	151.0	<0.002	0.01	0.27	1.8	1	4.2	31.6	3.20	<0.05	41.6	0.075	0.58	3.1
Q203441		360	1.0	0.049	>10.0	19.10	0.6	53	4.4	6.9	<0.05	1.65	0.97	0.011	3.56	3.9
Q203442		3.7	138.5	<0.002	0.02	0.27	1.8	1	4.2	28.2	3.12	<0.05	35.6	0.071	0.60	3.3
Q203443		3.7	134.0	<0.002	<0.01	0.28	2.1	1	4.6	34.1	3.02	<0.05	29.2	0.092	0.62	3.1
Q203444		6.4	36.8	<0.002	<0.01	0.30	24.7	1	1.0	302	0.50	<0.05	2.03	0.720	0.20	0.7
Q203445		7.4	43.7	<0.002	0.06	0.69	24.4	1	1.0	144.5	0.49	<0.05	1.79	0.736	0.72	1.0
Q203446		9.6	45.8	<0.002	<0.01	0.41	24.2	1	1.0	261	0.51	<0.05	1.97	0.774	0.28	0.8
Q203447		8.7	56.8	<0.002	<0.01	0.61	26.4	1	1.0	163.5	0.54	<0.05	2.44	0.707	0.37	1.4
Q203448		8.1	48.6	<0.002	<0.01	0.56	23.4	1	1.0	96.1	0.48	<0.05	1.79	0.782	0.32	1.1
Q203449		8.0	53.3	<0.002	<0.01	0.67	26.0	1	1.1	164.0	0.67	<0.05	2.68	0.701	0.34	1.2
Q203450		3.4	26.0	<0.002	<0.01	0.54	11.7	<1	0.6	118.0	0.28	<0.05	1.82	0.347	0.15	0.6
Q203451		375	0.9	0.047	>10.0	20.2	0.6	52	4.6	7.2	<0.05	1.78	0.99	0.013	3.65	4.0
Q203452		7.3	40.6	<0.002	0.02	0.51	23.6	1	1.0	226	0.49	<0.05	1.96	0.723	0.24	0.9
Q203453		8.0	41.7	<0.002	<0.01	0.41	22.7	1	1.1	174.0	0.49	<0.05	1.85	0.780	0.23	0.9
Q203454		6.8	33.1	<0.002	<0.01	0.38	24.2	1	1.1	229	0.51	<0.05	2.28	0.760	0.20	0.8
Q203455		6.8	31.0	<0.002	<0.01	0.59	20.6	1	0.9	148.0	0.46	<0.05	1.71	0.706	0.18	0.9
Q203456		9.9	84.2	<0.002	<0.01	1.20	23.5	2	1.1	76.7	0.91	<0.05	2.16	0.809	0.50	1.3
Q203457		5.6	39.2	<0.002	<0.01	0.55	32.7	1	0.8	139.0	0.36	<0.05	1.39	0.616	0.22	0.6
Q203458		8.2	45.9	<0.002	<0.01	0.62	22.1	1	1.0	98.9	0.49	<0.05	1.64	0.756	0.22	0.8
Q203459		6.3	28.7	<0.002	<0.01	0.37	21.6	<1	0.9	120.0	0.44	<0.05	1.61	0.701	0.17	1.0
Q203460		6.2	24.4	<0.002	<0.01	0.39	21.2	1	1.0	115.5	0.41	<0.05	1.41	0.695	0.13	0.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191967

Sample Description	Method / Analyte / Units / LOR	ME-MS61r V ppm 1	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01
Q203426A		13	1.9	41.0	11	207	7.63	5.41	0.40	6.81	1.68	0.94	43.6	11.95	8.60	1.12
Q203426B		14	1.9	43.0	11	205	8.03	5.59	0.43	7.26	1.74	0.94	46.5	12.90	9.13	1.19
Q203427		13	1.7	27.8	8	158.0	4.50	3.55	0.23	3.79	1.05	0.66	22.3	6.29	4.45	0.64
Q203428		14	1.7	28.6	10	169.0	5.03	3.95	0.20	4.17	1.15	0.70	22.2	6.36	4.38	0.72
Q203429		17	1.2	29.0	9	151.5	5.31	3.63	0.31	5.33	1.12	0.63	40.0	11.70	6.77	0.83
Q203430		32	0.9	30.8	8	139.5	6.77	3.92	0.45	7.32	1.32	0.59	64.3	19.65	10.10	1.11
Q203431		13	1.8	27.0	11	175.0	4.74	3.75	0.20	3.90	1.11	0.70	22.9	6.53	4.33	0.67
Q203432		10	2.3	29.3	6	172.0	4.61	3.95	0.17	3.48	1.14	0.74	17.5	4.83	3.21	0.62
Q203433		58	0.2	6.8	24	52.0	1.35	0.83	0.48	1.59	0.28	0.13	10.1	2.57	1.95	0.23
Q203434		22	2.8	34.1	13	164.0	6.27	4.43	0.32	5.86	1.38	0.80	55.5	16.80	7.94	0.93
Q203435		23	2.4	37.7	11	171.0	6.71	4.94	0.30	5.63	1.54	0.83	33.5	9.65	6.14	0.96
Q203436		15	2.0	36.2	8	173.0	6.02	4.27	0.30	5.42	1.32	0.81	42.9	12.65	6.75	0.90
Q203437		7	2.1	34.7	8	176.5	5.45	4.57	0.21	4.25	1.35	0.82	23.9	6.63	4.44	0.74
Q203438		6	2.3	37.3	6	180.5	5.69	4.66	0.24	4.64	1.37	0.84	31.2	9.11	5.24	0.80
Q203439		9	2.1	41.6	7	181.0	6.61	5.11	0.31	5.94	1.56	0.88	39.1	11.25	6.92	0.97
Q203440		7	2.1	35.6	7	162.5	5.69	4.44	0.24	4.78	1.35	0.81	28.8	7.95	5.29	0.79
Q203441		42	3.8	1.9	4050	5.1	0.35	0.20	0.11	0.41	0.07	0.03	1.9	0.47	0.40	0.06
Q203442		11	1.8	32.0	10	165.5	5.37	4.09	0.25	4.65	1.23	0.74	29.2	8.18	5.33	0.75
Q203443		13	1.7	24.7	10	157.0	4.43	3.64	0.22	3.55	1.05	0.67	24.4	7.01	4.29	0.62
Q203444		233	0.7	17.2	91	82.4	3.62	2.00	1.03	3.69	0.72	0.25	14.9	3.41	3.71	0.58
Q203445		218	1.1	20.5	92	82.3	4.20	2.11	1.62	4.87	0.80	0.24	23.6	5.47	5.30	0.69
Q203446		227	0.8	16.9	112	79.3	3.61	2.00	1.16	3.92	0.72	0.24	15.8	3.58	3.91	0.61
Q203447		230	0.9	16.6	113	105.0	3.56	2.00	1.03	3.74	1.07	0.26	16.1	3.70	3.67	0.58
Q203448		229	0.9	14.9	117	80.7	3.34	1.88	1.04	3.54	0.64	0.23	15.9	3.65	3.74	0.56
Q203449		223	0.9	17.5	97	99.4	3.64	2.20	1.07	3.83	0.76	0.27	16.8	3.91	3.93	0.59
Q203450		100	0.7	12.5	55	70.9	2.42	1.27	1.21	3.24	0.47	0.16	17.5	3.98	3.81	0.43
Q203451		43	3.8	1.9	4300	5.2	0.38	0.22	0.12	0.43	0.08	0.03	2.0	0.50	0.42	0.07
Q203452		228	0.7	19.5	108	81.8	4.26	2.18	1.75	5.16	0.81	0.26	23.8	5.37	5.43	0.73
Q203453		220	0.8	15.7	121	81.7	3.47	1.95	1.04	3.56	0.69	0.25	15.3	3.50	3.75	0.55
Q203454		232	0.8	19.3	95	94.0	4.05	2.16	1.41	4.40	0.81	0.27	21.1	4.76	4.79	0.65
Q203455		187	1.0	17.2	130	79.3	3.65	1.87	1.35	4.17	0.70	0.24	19.8	4.54	4.54	0.61
Q203456		232	2.0	23.5	172	128.5	4.71	2.58	1.56	5.40	0.93	0.30	27.8	6.46	6.28	0.79
Q203457		237	0.8	16.6	143	65.5	3.38	1.90	1.47	3.92	0.69	0.26	19.8	4.50	4.54	0.56
Q203458		199	1.3	16.5	162	78.5	3.51	1.87	1.16	3.81	0.68	0.23	16.5	3.77	3.97	0.57
Q203459		238	1.0	17.6	195	80.0	3.58	1.74	1.33	4.48	0.69	0.20	20.2	4.70	5.00	0.65
Q203460		220	1.0	16.6	186	75.9	3.51	1.76	1.21	4.09	0.65	0.21	18.6	4.37	4.56	0.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191967

Sample Description	Method Analyte Units LOR	ME-MS61r Tm ppm 0.01	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
Q203426A		0.88	6.06	
Q203426B		0.90	6.21	
Q203427		0.60	4.22	
Q203428		0.64	4.61	
Q203429		0.61	4.21	
Q203430		0.61	4.09	
Q203431		0.63	4.61	
Q203432		0.66	4.71	
Q203433		0.13	0.87	
Q203434		0.72	5.10	
Q203435		0.81	5.51	
Q203436		0.73	5.11	
Q203437		0.75	5.25	
Q203438		0.78	5.53	
Q203439		0.82	5.66	
Q203440		0.75	5.10	
Q203441		0.03	0.18	2.48
Q203442		0.67	4.69	
Q203443		0.64	4.37	
Q203444		0.28	1.85	
Q203445		0.28	1.72	
Q203446		0.28	1.69	
Q203447		0.28	1.90	
Q203448		0.27	1.56	
Q203449		0.30	1.88	
Q203450		0.18	1.13	
Q203451		0.03	0.21	2.50
Q203452		0.30	1.84	
Q203453		0.27	1.68	
Q203454		0.31	1.94	
Q203455		0.26	1.59	
Q203456		0.35	2.20	
Q203457		0.28	1.78	
Q203458		0.27	1.57	
Q203459		0.24	1.44	
Q203460		0.24	1.43	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191967

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61r

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-31	PUL-QC	SPL-21
SPL-34	WEI-21		

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA23	Cu-OG62	ME-MS61r	ME-OG62