ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 24-DEC-2015
Account: SUPCOP

QC CERTIFICATE SD15196290

Project: SUPCOP_SD15191941

This report is for 6 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 17-DEC-2015.

The following have access to data associated with this certificate:

TRACY ARMSTRONG JOHN TAIT	TRACY ARMSTRONG (2ND EMAIL)	MORGAN QUINN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61r	48 element four acid ICP-MS + REEs

To: **SUPERIOR COPPER CORPORATION**
ATTN: MORGAN QUINN
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: ***Re-analysis for samples originally reported on certificate SD15191941.***

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 24-DEC-2015
Account: SUPCOP

Project: SUPCOP_SD15191941

QC CERTIFICATE OF ANALYSIS SD15196290

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2	ME-MS61r Fe % 0.01	ME-MS61r Ga ppm 0.05
STANDARDS																
CDN-CM-34		3.78	6.57	111.0	510	1.09	3.79	2.07	1.04	39.4	42.2	235	3.75	5600	4.79	16.65
Target Range - Lower Bound																
Upper Bound																
MRGeo08		4.51	7.54	34.4	1120	3.52	0.68	2.63	2.30	72.1	19.7	92	12.75	613	3.94	19.55
Target Range - Lower Bound		4.00	6.64	29.5	920	2.98	0.60	2.35	2.00	66.2	17.7	81	11.20	587	3.55	17.50
Upper Bound		4.92	8.14	36.5	1270	3.76	0.76	2.90	2.48	81.0	21.9	102	13.80	675	4.37	21.5
OREAS-104		0.12	7.30	3.7	1330	3.84	0.54	1.05	0.26	104.5	3.2	36	3.93	75.0	2.01	25.7
Target Range - Lower Bound		0.08	6.51	2.7	1100	3.11	0.40	0.92	0.19	91.8	2.9	33	3.26	67.3	1.74	24.0
Upper Bound		0.14	7.98	3.8	1520	3.91	0.52	1.14	0.30	112.0	3.7	43	4.09	77.9	2.15	29.5
OREAS-45d		0.17	8.27	14.5	190	0.83	0.33	0.18	0.02	39.1	30.4	557	4.03	359	14.35	22.3
Target Range - Lower Bound		0.17	7.33	12.2	140	0.65	0.27	0.16	<0.02	33.5	26.5	493	3.47	345	13.05	19.05
Upper Bound		0.23	8.98	15.4	220	0.93	0.35	0.21	0.09	40.9	32.6	605	4.35	397	16.00	23.4
BLANKS																
BLANK		<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	1.3	<0.01	<0.05
Target Range - Lower Bound		<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01	<0.05
Upper Bound		0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10	0.4	0.02	0.10
DUPLICATES																
Q203410		0.05	5.43	1.3	360	2.43	0.24	1.90	0.13	47.5	1.7	9	1.86	3530	0.75	13.65
DUP		0.05	5.33	1.7	350	2.34	0.21	1.84	0.11	47.6	1.7	8	1.81	3450	0.73	13.25
Target Range - Lower Bound		0.04	5.10	1.2	320	2.22	0.20	1.77	0.09	45.2	1.5	7	1.69	3370	0.69	12.75
Upper Bound		0.06	5.66	1.8	390	2.55	0.25	1.97	0.15	49.9	1.9	10	1.98	3610	0.79	14.15

Comments: ***Re-analysis for samples originally reported on certificate SD15191941.***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 24-DEC-2015
Account: SUPCOP

Project: SUPCOP_SD15191941

QC CERTIFICATE OF ANALYSIS SD15196290

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10	ME-MS61r Pb ppm 0.5	ME-MS61r Rb ppm 0.1
STANDARDS																
CDN-CM-34		0.11	1.3	0.137	2.84	18.3	9.6	3.66	449	296	0.74	4.8	265	1280	23.0	84.7
Target Range - Lower Bound																
Upper Bound																
MRGeo08		0.14	3.1	0.176	3.18	35.4	32.8	1.33	563	14.95	1.98	22.6	752	1090	1105	192.5
Target Range - Lower Bound		<0.05	2.8	0.155	2.79	31.1	29.5	1.17	497	13.65	1.76	19.0	622	930	971	173.5
Upper Bound		0.27	3.6	0.201	3.43	39.1	36.5	1.45	619	16.75	2.18	23.4	760	1160	1185	212
OREAS-104		0.16	5.6	0.082	2.42	47.6	17.5	0.35	230	8.82	3.33	25.3	8.7	1270	49.5	126.5
Target Range - Lower Bound		0.07	5.0	0.068	2.08	43.4	15.7	0.31	193	7.99	2.97	22.0	8.2	1090	42.3	117.5
Upper Bound		0.28	6.4	0.096	2.56	54.2	19.7	0.40	247	9.87	3.65	27.1	10.4	1360	52.8	143.5
OREAS-45d		0.09	4.2	0.094	0.42	18.4	21.1	0.22	476	2.51	0.10	15.4	246	420	20.7	44.1
Target Range - Lower Bound		0.09	3.3	0.081	0.36	14.7	19.2	0.21	436	2.20	0.08	13.0	208	370	19.1	37.8
Upper Bound		0.31	4.3	0.111	0.46	19.1	23.9	0.28	544	2.80	0.13	16.1	254	470	24.5	46.4
BLANKS																
BLANK		0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	0.10	<0.01	<0.1	<0.2	<10	<0.5	<0.1
Target Range - Lower Bound		<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5	<0.1
Upper Bound		0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4	20	1.0	0.2
DUPLICATES																
Q203410		0.11	6.2	0.012	3.07	23.9	3.0	0.10	111	1.50	1.07	46.0	1.6	40	4.4	116.5
DUP		0.13	6.2	0.015	2.97	24.0	3.0	0.10	108	1.42	1.04	44.5	1.6	30	4.1	115.0
Target Range - Lower Bound		0.06	5.8	0.008	2.86	22.3	2.7	0.09	99	1.34	0.99	42.9	1.3	20	3.5	110.0
Upper Bound		0.18	6.6	0.019	3.18	25.6	3.4	0.12	120	1.58	1.12	47.6	1.9	50	5.0	121.5

Comments: ***Re-analysis for samples originally reported on certificate SD15191941.***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 24-DEC-2015
Account: SUPCOP

Project: SUPCOP_SD15191941

QC CERTIFICATE OF ANALYSIS SD15196290

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1	ME-MS61r V ppm 1	ME-MS61r W ppm 0.1
STANDARDS																
CDN-CM-34		0.306	2.95	6.15	17.4	5	1.8	232	0.32	0.76	2.19	0.483	1.38	0.7	167	26.1
Target Range -	Lower Bound															
	Upper Bound															
MRGeo08		0.008	0.29	4.56	11.8	2	4.0	318	1.62	<0.05	19.60	0.492	1.11	5.6	111	5.0
Target Range -	Lower Bound	0.005	0.27	3.89	11.1	<1	3.5	277	1.39	<0.05	17.90	0.443	0.89	4.9	97	4.1
	Upper Bound	0.013	0.35	5.39	13.7	4	4.7	339	1.81	0.14	21.9	0.553	1.25	6.2	121	5.8
OREAS-104		0.002	0.01	0.81	4.3	1	6.7	118.5	2.43	<0.05	156.5	0.157	0.58	125.5	18	2.3
Target Range -	Lower Bound	<0.002	<0.01	0.53	4.0	<1	5.6	106.0	2.14	<0.05	137.0	0.135	0.44	104.0	15	1.8
	Upper Bound	0.006	0.04	0.88	5.1	3	7.3	130.0	2.73	0.13	167.0	0.176	0.65	127.0	20	2.7
OREAS-45d		<0.002	0.04	0.92	54.3	3	2.6	33.0	1.13	0.10	15.80	0.750	0.27	2.7	233	1.7
Target Range -	Lower Bound	<0.002	0.03	0.64	44.3	<1	2.2	28.0	0.87	<0.05	13.50	0.691	0.20	2.3	211	1.3
	Upper Bound	0.007	0.07	1.00	54.3	5	3.2	34.6	1.17	0.23	16.50	0.855	0.34	3.0	260	2.0
BLANKS																
BLANK		<0.002	<0.01	0.09	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1	<0.1
Target Range -	Lower Bound	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1	<0.1
	Upper Bound	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.02	0.010	0.04	0.2	2	0.2
DUPLICATES																
Q203410		0.014	0.08	0.26	2.3	1	5.0	22.8	3.24	0.05	34.9	0.076	0.52	3.3	15	1.5
DUP		0.011	0.07	0.26	2.2	2	4.9	21.9	3.12	0.07	33.8	0.073	0.49	3.1	15	1.4
Target Range -	Lower Bound	0.010	0.06	0.19	2.0	<1	4.5	21.0	2.97	<0.05	32.6	0.066	0.45	2.9	13	1.2
	Upper Bound	0.015	0.09	0.33	2.5	2	5.4	23.7	3.39	0.10	36.1	0.083	0.56	3.5	17	1.7

Comments: ***Re-analysis for samples originally reported on certificate SD15191941.***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 24-DEC-2015
Account: SUPCOP

Project: SUPCOP_SD15191941

QC CERTIFICATE OF ANALYSIS SD15196290

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01	ME-MS61r Tm ppm 0.01	ME-MS61r Yb ppm 0.03
STANDARDS																
CDN-CM-34		14.4	199	14.6	3.18	1.37	1.47	4.16	0.57	0.15	21.4	5.17	4.79	0.59	0.19	1.08
Target Range - Lower Bound																
Upper Bound																
MRGeo08		26.1	824	108.0	4.94	2.80	1.33	5.34	1.01	0.40	31.2	8.35	6.21	0.85	0.42	2.59
Target Range - Lower Bound		23.8	722	92.2	3.99	2.25	1.12	4.60	0.79	0.32	26.5	7.02	5.24	0.67	0.32	2.13
Upper Bound		29.3	886	126.0	5.51	3.11	1.59	6.34	1.09	0.46	36.1	9.56	7.16	0.93	0.46	2.95
OREAS-104		29.4	79	197.5	6.30	2.93	1.22	8.39	1.15	0.36	50.0	13.45	10.80	1.22	0.41	2.50
Target Range - Lower Bound		25.2	67	166.5	5.14	2.42	0.96	7.18	0.91	0.31	42.3	10.55	8.90	0.92	0.34	2.10
Upper Bound		31.0	86	227	7.07	3.34	1.38	9.83	1.26	0.44	57.5	14.35	12.10	1.27	0.48	2.92
OREAS-45d		10.8	43	153.5	2.27	1.29	0.61	2.51	0.45	0.23	14.9	4.14	3.11	0.42	0.22	1.43
Target Range - Lower Bound		8.5	39	119.5												
Upper Bound		10.6	52	162.5												
BLANKS																
BLANK		<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01	<0.01	<0.03
Target Range - Lower Bound		<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01	<0.01	<0.03
Upper Bound		0.2	4	1.0	0.10	0.06	0.06	0.10	0.02	0.02	0.2	0.06	0.06	0.02	0.02	0.06
DUPLICATES																
Q203410		36.0	8	171.5	5.32	4.21	0.20	3.98	1.30	0.74	18.2	5.38	3.67	0.75	0.70	4.61
DUP		35.9	7	167.5	5.19	3.99	0.20	3.93	1.26	0.73	18.2	5.36	3.63	0.74	0.69	4.51
Target Range - Lower Bound		34.1	5	160.5	4.81	3.76	0.16	3.61	1.17	0.67	16.7	4.94	3.35	0.68	0.63	4.19
Upper Bound		37.8	10	178.5	5.70	4.44	0.25	4.30	1.39	0.80	19.7	5.80	3.95	0.81	0.76	4.93

Comments: ***Re-analysis for samples originally reported on certificate SD15191941.***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 24-DEC-2015
Account: SUPCOP

Project: SUPCOP_SD15191941

QC CERTIFICATE OF ANALYSIS SD15196290

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61r

LABORATORY ADDRESSES

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method: FND-02 ME-MS61r