ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

CERTIFICATE SD15191990

Project: SUPERIOR PROJECT

This report is for 36 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 10-DEC-2015.

The following have access to data associated with this certificate:

TRACY ARMSTRONG JOHN TAIT	TRACY ARMSTRONG (2ND EMAIL)	MORGAN QUINN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-21d	Sample logging - ClientBarCode Dup
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61r	48 element four acid ICP-MS + REEs	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **SUPERIOR COPPER CORPORATION**
ATTN: TRACY ARMSTRONG (2ND EMAIL)
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191990

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2
Q203251A		0.68	<5	0.09	1.53	1.7	230	0.76	0.04	25.4	1.80	29.8	1.6	11	2.65	30.3
Q203251B		<0.02	<5	0.10	1.54	1.8	240	0.77	0.04	25.5	1.84	29.2	1.6	9	2.65	28.7
Q203252		0.64	<5	0.04	7.77	4.7	1720	1.95	0.15	6.25	0.16	131.0	19.1	12	4.76	16.0
Q203253		0.58	<5	0.10	7.68	10.1	1320	2.34	0.17	5.32	0.14	137.0	17.0	11	12.30	34.1
Q203254		0.58	<5	0.08	3.60	4.1	860	0.98	0.08	18.10	0.93	69.3	7.4	7	7.54	19.0
Q203255		0.65	<5	0.34	2.94	3.0	230	1.30	0.18	11.15	0.74	44.8	6.0	12	8.30	112.0
Q203256		0.55	<5	0.43	6.05	6.1	180	2.31	0.17	8.34	0.42	82.6	42.0	43	7.00	541
Q203257		1.96	<5	0.11	7.44	8.3	110	2.39	0.17	5.73	0.08	74.5	57.7	63	6.16	155.0
Q203258		0.40	<5	0.04	3.10	1.5	230	0.46	0.04	1.30	0.08	22.8	5.9	49	0.56	12.4
Q203259		1.28	<5	0.10	6.40	9.2	100	1.90	0.27	7.60	0.23	63.5	47.0	58	3.99	109.5
Q203260		0.98	<5	0.05	3.66	8.1	230	2.15	0.29	10.25	0.34	30.5	13.3	40	8.22	91.1
Q203261		0.69	<5	0.01	0.92	2.0	70	0.69	0.05	9.95	0.61	2.95	1.4	27	3.08	28.3
Q203262		1.01	<5	6.17	6.61	19.7	30	1.11	1.22	9.56	0.32	79.5	47.4	51	0.63	475
Q203263		0.74	<5	0.04	7.91	4.6	250	0.29	0.13	6.88	0.05	12.00	53.5	100	8.60	142.0
Q203264		0.63	17	0.06	7.96	5.9	130	0.31	0.17	7.95	0.08	15.00	55.9	98	2.65	216
Q203265		0.68	8	0.03	8.32	7.1	400	0.34	0.19	7.15	0.04	14.65	56.4	104	9.04	235
Q203266		<0.02	435	10.15	0.37	221	10	0.07	5.56	0.10	14.50	3.61	456	37	0.27	>10000
Q203267		0.59	15	0.16	7.71	3.7	160	0.34	0.10	6.60	0.05	14.75	60.0	101	3.80	230
Q203268		2.07	<5	0.04	6.03	8.3	10	0.68	0.13	10.70	0.04	9.31	24.1	85	0.21	26.5
Q203269		1.00	<5	0.02	5.33	9.1	20	0.68	0.12	10.65	0.04	10.15	25.9	70	0.20	12.0
Q203270		1.03	<5	0.01	6.86	14.5	40	0.41	0.10	11.85	0.13	9.51	23.7	63	1.44	4.1
Q203271		1.58	<5	<0.01	7.64	18.7	20	0.22	0.24	13.15	0.09	12.70	16.7	71	0.32	2.0
Q203272		1.84	<5	<0.01	7.69	19.7	130	0.27	0.28	7.96	0.02	10.55	47.8	87	0.25	1.7
Q203273		1.14	40	0.01	7.37	20.1	370	0.40	0.42	6.35	0.04	9.72	56.2	87	4.38	17.1
Q203274		1.85	<5	0.10	5.13	9.1	50	1.14	1.38	14.35	0.67	13.15	25.5	47	1.45	65.2
Q203275		0.58	<5	0.05	6.86	3.3	180	0.49	0.07	6.74	0.04	20.3	47.8	81	9.14	248
Q203276		0.02	431	10.50	0.38	229	10	0.09	5.71	0.10	14.90	3.87	466	38	0.27	>10000
Q203277		1.90	<5	0.10	7.14	2.8	90	0.43	0.36	6.16	0.03	15.00	53.4	93	4.82	208
Q203278		1.86	<5	0.05	7.16	3.0	100	0.21	0.32	6.12	0.02	13.65	62.9	87	3.97	98.8
Q203279		0.70	24	0.47	8.27	8.9	70	0.21	1.97	8.18	0.02	10.50	50.5	81	4.34	1305
Q203280		0.68	59	0.12	6.55	1.8	70	0.28	0.20	5.15	0.02	9.53	70.4	77	2.96	2070
Q203281		2.01	19	0.11	8.33	3.2	90	0.29	0.61	7.30	0.04	11.20	57.6	94	7.01	328
Q203282		0.63	<5	0.11	7.71	7.0	390	0.74	0.15	5.25	<0.02	24.0	50.2	88	5.34	779
Q203283		1.72	<5	0.13	6.83	5.7	300	1.23	0.12	4.05	0.17	83.2	52.3	111	4.76	730
Q203284		0.39	<5	0.43	6.97	6.1	260	1.34	0.14	4.10	1.94	84.8	53.2	109	4.32	2760
Q203285		0.41	<5	0.36	7.11	6.2	270	1.23	0.15	4.12	2.13	87.4	54.9	107	4.09	2820

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191990

Sample Description	Method	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
Q203251A		0.46	4.41	0.16	1.9	0.010	0.77	19.8	19.6	0.29	140	0.64	0.01	8.9	1.8	80
Q203251B		0.46	4.42	0.20	1.8	0.008	0.77	19.7	20.4	0.29	142	0.57	0.01	8.8	1.7	80
Q203252		3.97	24.0	0.22	13.3	0.066	3.84	60.8	29.0	1.71	749	0.57	1.09	62.0	19.1	490
Q203253		3.30	23.7	0.21	10.2	0.058	3.68	75.3	53.6	1.97	578	0.50	0.23	48.1	10.6	400
Q203254		1.42	9.95	0.17	4.8	0.025	2.16	39.5	18.4	0.82	251	0.41	0.03	22.5	4.8	200
Q203255		1.66	8.45	0.14	3.4	0.024	0.85	22.3	48.2	0.77	243	0.66	0.02	16.1	6.7	180
Q203256		7.11	20.3	0.14	4.5	0.069	0.76	47.5	62.0	3.59	1210	0.76	0.35	32.4	102.0	1800
Q203257		9.04	23.2	0.14	4.7	0.085	0.78	40.3	59.3	4.33	1260	0.84	0.79	35.5	149.0	2400
Q203258		1.99	6.80	0.11	1.5	0.018	0.79	11.9	4.6	0.57	288	0.22	1.21	2.8	16.2	180
Q203259		7.56	18.75	0.13	4.0	0.095	0.46	35.2	40.5	3.18	1060	1.21	0.53	30.5	126.5	2000
Q203260		3.30	11.35	0.10	1.9	0.073	0.87	20.1	46.0	1.02	528	0.81	0.02	12.2	43.7	730
Q203261		0.62	3.09	0.09	0.2	0.014	0.36	3.7	58.8	0.16	94	1.19	0.01	1.9	4.3	110
Q203262		7.37	18.80	0.14	4.5	0.153	0.14	36.6	33.7	3.51	1520	0.70	0.37	32.5	119.5	2110
Q203263		8.70	14.75	0.08	1.2	0.076	0.68	5.4	22.2	4.85	1540	0.27	1.63	2.8	151.5	330
Q203264		8.33	17.35	0.10	1.3	0.066	0.46	6.8	14.9	4.23	1420	0.53	1.50	3.7	139.5	350
Q203265		8.57	15.85	0.09	1.4	0.057	1.05	6.6	17.7	4.16	1360	0.47	1.87	3.7	148.0	370
Q203266		33.6	2.06	0.24	0.1	1.295	0.02	1.9	1.9	0.17	89	31.0	0.06	0.5	39.9	140
Q203267		8.15	15.70	0.10	1.4	0.058	0.38	6.7	24.7	4.81	1620	0.36	1.74	3.6	146.5	360
Q203268		8.95	15.40	0.07	0.9	0.173	0.01	4.4	36.7	1.38	765	1.66	0.04	1.9	107.0	240
Q203269		8.10	14.60	0.08	0.8	0.156	0.01	5.0	50.7	1.60	773	2.79	0.04	1.8	109.5	230
Q203270		5.83	18.25	0.07	0.7	0.074	0.11	4.6	22.1	2.41	1040	0.62	0.17	1.3	68.6	170
Q203271		7.50	21.4	0.12	0.9	0.082	0.04	5.7	11.2	1.91	1100	0.52	0.12	1.8	48.0	290
Q203272		7.02	15.95	0.08	1.0	0.082	0.42	4.7	15.0	4.26	1360	0.27	2.20	2.1	138.5	280
Q203273		8.04	14.30	0.08	1.1	0.073	0.95	4.4	25.6	4.75	1380	0.43	1.99	2.4	161.0	340
Q203274		4.63	14.20	0.08	0.9	0.092	0.12	6.2	21.1	1.42	886	0.38	0.67	2.6	49.5	280
Q203275		9.17	16.65	0.08	2.0	0.069	0.47	9.8	23.2	3.91	1370	0.28	1.47	5.4	61.3	500
Q203276		34.1	2.18	0.24	0.3	1.345	0.02	2.0	2.1	0.17	93	31.4	0.06	0.5	37.4	140
Q203277		8.32	14.85	0.09	1.4	0.059	0.47	6.4	20.9	4.51	1040	0.32	1.64	3.0	157.5	360
Q203278		8.68	15.30	0.09	1.1	0.062	0.44	6.0	22.6	5.37	1360	0.39	1.77	2.4	180.0	340
Q203279		8.76	21.2	0.09	1.1	0.070	0.33	5.0	15.7	4.30	1300	0.30	1.50	2.3	151.0	310
Q203280		9.58	14.60	0.10	1.1	0.068	0.31	4.2	30.8	7.40	1490	0.21	1.32	2.3	157.0	310
Q203281		8.86	16.75	0.09	1.2	0.070	0.34	5.1	19.5	4.68	1300	0.46	1.41	2.6	172.0	370
Q203282		7.39	15.45	0.10	2.1	0.071	1.57	11.9	24.3	4.52	1280	0.38	2.31	7.6	119.0	340
Q203283		9.50	17.70	0.16	5.6	0.043	1.57	37.8	23.5	3.52	767	2.20	1.85	24.4	116.5	3070
Q203284		9.76	18.25	0.15	5.8	0.043	1.50	36.6	25.2	3.62	753	4.37	1.82	25.6	117.5	3130
Q203285		9.80	18.75	0.14	5.9	0.046	1.53	39.2	23.2	3.77	764	5.47	1.82	26.0	124.0	3150

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191990

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Pb ppm 0.5	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1
Q203251A		2.1	43.2	<0.002	<0.01	0.14	1.6	1	0.8	94.9	0.57	<0.05	6.74	0.056	0.20	1.5
Q203251B		1.4	43.2	<0.002	<0.01	0.16	1.6	1	0.9	96.2	0.58	<0.05	6.81	0.056	0.21	1.5
Q203252		9.4	102.5	<0.002	<0.01	0.37	9.0	3	5.8	153.0	4.22	<0.05	42.4	0.374	0.61	6.6
Q203253		7.8	113.5	<0.002	<0.01	0.54	7.3	2	4.9	86.5	3.25	<0.05	34.7	0.295	0.72	6.6
Q203254		4.0	72.1	<0.002	<0.01	0.38	3.5	1	2.1	59.7	1.49	<0.05	17.95	0.144	0.38	3.4
Q203255		6.0	41.4	<0.002	<0.01	0.31	3.0	1	1.5	68.2	1.09	<0.05	12.55	0.124	0.18	2.6
Q203256		12.1	23.1	<0.002	<0.01	0.52	19.7	1	2.3	118.5	2.10	0.07	5.31	1.115	0.09	2.2
Q203257		11.5	24.6	<0.002	<0.01	0.67	26.2	1	2.1	155.0	2.44	<0.05	1.91	1.525	0.09	1.5
Q203258		6.8	26.6	<0.002	<0.01	0.17	6.7	1	0.5	167.0	0.20	<0.05	2.81	0.198	0.13	0.5
Q203259		12.1	25.4	<0.002	<0.01	0.83	22.9	1	1.2	181.5	2.01	0.05	1.62	1.275	0.10	1.4
Q203260		8.6	55.9	<0.002	<0.01	0.89	11.5	1	1.1	115.5	0.78	<0.05	1.88	0.474	0.26	1.9
Q203261		1.2	15.7	<0.002	<0.01	0.25	1.9	<1	0.3	35.1	0.10	<0.05	0.16	0.072	0.06	0.4
Q203262		6.6	2.7	<0.002	<0.01	0.74	24.0	2	1.4	385	2.13	<0.05	1.76	1.295	<0.02	2.5
Q203263		5.8	30.7	<0.002	0.02	0.22	34.2	1	0.5	276	0.19	<0.05	0.83	0.420	0.16	0.4
Q203264		6.2	16.7	<0.002	<0.01	0.12	37.8	2	0.5	245	0.23	<0.05	1.44	0.440	0.10	1.0
Q203265		4.4	55.8	<0.002	0.01	0.14	39.0	1	0.5	323	0.23	<0.05	1.32	0.461	0.31	0.7
Q203266		357	0.9	0.049	>10.0	19.10	0.6	61	5.0	6.9	<0.05	1.83	0.87	0.012	3.27	3.8
Q203267		3.1	13.8	<0.002	0.04	0.15	42.1	1	0.5	207	0.22	<0.05	1.35	0.437	0.11	0.5
Q203268		8.7	0.9	<0.002	<0.01	1.15	26.5	1	1.7	265	0.12	<0.05	0.52	0.335	<0.02	1.9
Q203269		5.2	1.1	<0.002	<0.01	1.08	25.0	1	1.3	244	0.11	<0.05	0.49	0.305	<0.02	1.4
Q203270		9.7	2.0	<0.002	<0.01	0.55	21.0	1	0.4	638	0.08	<0.05	0.30	0.241	<0.02	4.0
Q203271		19.1	0.6	<0.002	<0.01	1.01	27.7	1	0.4	1005	0.11	<0.05	0.36	0.320	<0.02	4.3
Q203272		6.8	13.7	<0.002	<0.01	0.57	33.2	1	0.4	315	0.13	<0.05	0.42	0.392	0.06	4.1
Q203273		6.0	40.7	<0.002	<0.01	0.65	34.3	2	0.4	349	0.14	<0.05	0.41	0.425	0.25	2.4
Q203274		6.6	2.1	<0.002	<0.01	0.78	20.5	1	0.6	326	0.15	<0.05	0.76	0.274	<0.02	2.0
Q203275		3.7	32.7	<0.002	0.01	0.18	41.8	1	0.6	174.5	0.33	<0.05	1.76	0.560	0.19	0.7
Q203276		362	0.9	0.054	>10.0	19.80	0.6	63	4.3	7.2	<0.05	1.97	0.89	0.012	3.30	4.0
Q203277		2.0	19.6	<0.002	0.01	0.15	39.2	1	0.6	193.0	0.18	<0.05	0.83	0.441	0.14	0.6
Q203278		1.7	17.5	<0.002	<0.01	0.14	34.4	1	0.4	210	0.15	<0.05	0.44	0.422	0.13	0.3
Q203279		5.6	16.8	<0.002	0.03	0.22	33.2	1	0.4	384	0.14	<0.05	0.49	0.397	0.09	0.3
Q203280		1.1	15.0	<0.002	0.05	0.11	32.0	6	0.9	109.0	0.14	<0.05	0.48	0.379	0.09	0.4
Q203281		1.5	21.3	<0.002	0.01	0.17	39.1	2	0.5	194.0	0.16	<0.05	0.46	0.459	0.11	0.2
Q203282		6.5	71.7	<0.002	0.05	0.38	35.9	2	1.3	242	0.53	<0.05	4.84	0.433	0.38	1.4
Q203283		44.7	104.5	0.003	0.05	0.27	28.9	2	1.3	217	1.39	<0.05	3.03	1.425	0.42	0.8
Q203284		382	102.5	0.004	0.16	0.26	29.8	4	1.6	208	1.45	<0.05	3.16	1.450	0.36	0.8
Q203285		449	98.4	0.006	0.20	0.27	30.0	4	1.7	210	1.45	<0.05	3.15	1.450	0.39	0.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191990

Sample Description	Method / Analyte / Units / LOR	ME-MS61r V ppm 1	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01
Q203251A		9	0.2	13.3	12	68.4	2.02	1.39	0.24	1.83	0.46	0.23	12.3	3.63	2.16	0.31
Q203251B		9	0.2	13.1	12	64.2	2.00	1.38	0.23	1.80	0.46	0.23	12.2	3.58	2.14	0.31
Q203252		38	0.9	76.4	72	425	12.55	7.98	1.57	12.15	2.75	1.25	54.7	15.65	12.85	2.00
Q203253		34	0.7	62.8	75	342	10.85	7.09	1.27	9.74	2.40	1.04	51.9	16.35	9.91	1.65
Q203254		15	0.3	31.8	34	167.0	4.94	3.30	0.60	4.57	1.12	0.51	26.5	8.11	4.85	0.78
Q203255		22	0.7	19.2	29	117.5	3.05	2.11	0.45	2.84	0.69	0.34	15.6	4.49	3.07	0.48
Q203256		182	2.3	28.4	168	189.5	5.19	2.94	1.82	6.08	1.05	0.38	39.9	11.50	7.42	0.92
Q203257		260	3.5	26.5	142	203	5.38	2.66	2.10	6.32	1.03	0.33	39.1	10.60	7.75	0.93
Q203258		58	0.1	6.7	24	51.9	1.28	0.76	0.46	1.46	0.27	0.12	10.2	2.77	1.93	0.23
Q203259		209	4.3	23.3	113	170.0	4.55	2.33	1.85	5.46	0.89	0.29	33.9	8.75	6.83	0.83
Q203260		91	2.2	15.4	67	76.1	2.59	1.48	0.74	3.03	0.53	0.19	16.1	4.33	3.25	0.45
Q203261		14	0.4	3.5	8	10.0	0.57	0.32	0.13	0.56	0.12	0.05	2.6	0.69	0.54	0.09
Q203262		247	2.0	26.7	152	192.5	5.27	2.73	2.32	6.55	1.05	0.33	39.0	10.20	8.02	0.95
Q203263		213	0.4	16.9	100	40.3	2.87	1.94	0.78	2.45	0.66	0.30	6.7	1.54	1.94	0.42
Q203264		223	0.5	18.9	73	47.8	3.23	2.20	0.82	2.71	0.73	0.32	7.8	1.83	2.13	0.47
Q203265		232	0.6	19.2	69	49.5	3.17	2.14	0.78	2.71	0.71	0.33	7.8	1.81	2.12	0.48
Q203266		42	3.4	1.8	4100	5.0	0.32	0.19	0.10	0.38	0.06	0.02	1.8	0.45	0.41	0.05
Q203267		223	0.3	19.1	86	48.7	3.21	2.17	0.79	2.77	0.75	0.34	7.7	1.80	2.21	0.49
Q203268		147	39.9	13.2	41	30.1	2.35	1.52	0.59	1.99	0.53	0.23	5.4	1.22	1.56	0.35
Q203269		120	54.7	13.2	48	27.9	2.18	1.46	0.57	2.01	0.51	0.22	5.7	1.30	1.59	0.34
Q203270		145	0.6	12.1	26	22.5	2.11	1.34	0.73	2.03	0.47	0.20	5.7	1.27	1.64	0.33
Q203271		237	0.8	16.2	24	29.8	2.70	1.76	0.86	2.43	0.61	0.26	7.2	1.66	2.03	0.42
Q203272		198	1.0	17.0	75	35.2	2.95	1.99	0.83	2.47	0.68	0.31	6.4	1.45	1.89	0.44
Q203273		240	1.7	17.3	78	38.3	2.90	1.94	0.77	2.44	0.65	0.31	6.0	1.34	1.77	0.43
Q203274		105	1.2	14.2	55	34.0	2.31	1.60	0.60	2.04	0.54	0.24	6.8	1.61	1.72	0.35
Q203275		284	0.5	25.0	105	67.2	4.32	2.94	0.97	3.63	1.00	0.46	10.6	2.56	2.87	0.64
Q203276		43	3.5	1.8	4170	5.1	0.33	0.17	0.11	0.38	0.06	0.02	1.9	0.48	0.44	0.06
Q203277		227	0.5	18.4	67	46.8	3.20	2.15	0.73	2.75	0.72	0.33	8.0	1.83	2.22	0.48
Q203278		233	0.2	16.8	79	38.3	2.93	1.93	0.95	2.60	0.67	0.31	7.6	1.73	2.11	0.44
Q203279		227	0.3	16.6	59	38.1	2.88	1.89	0.88	2.36	0.64	0.29	6.3	1.39	1.83	0.42
Q203280		221	0.2	15.8	86	36.9	2.78	1.91	0.66	2.26	0.64	0.28	5.7	1.27	1.64	0.41
Q203281		239	0.2	18.8	74	42.8	3.20	2.13	0.81	2.58	0.70	0.32	6.6	1.49	2.00	0.47
Q203282		225	2.3	23.1	80	70.2	3.97	2.71	0.78	3.22	0.91	0.42	10.6	2.74	2.57	0.58
Q203283		295	1.2	30.2	101	240	6.15	3.11	2.30	7.35	1.21	0.39	41.3	10.85	8.57	1.09
Q203284		302	1.7	31.4	104	245	6.28	3.23	2.36	7.92	1.24	0.41	43.4	11.05	9.14	1.15
Q203285		296	1.7	31.9	108	246	6.21	3.23	2.36	7.82	1.22	0.40	44.3	11.35	9.29	1.15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191990

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Tm ppm 0.01	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
Q203251A		0.22	1.48	
Q203251B		0.22	1.44	
Q203252		1.22	7.97	
Q203253		1.06	6.74	
Q203254		0.50	3.32	
Q203255		0.34	2.12	
Q203256		0.42	2.51	
Q203257		0.37	2.20	
Q203258		0.11	0.74	
Q203259		0.32	1.90	
Q203260		0.21	1.28	
Q203261		0.05	0.31	
Q203262		0.36	2.20	
Q203263		0.30	1.89	
Q203264		0.32	2.06	
Q203265		0.32	2.05	
Q203266		0.03	0.14	2.53
Q203267		0.33	2.04	
Q203268		0.23	1.50	
Q203269		0.22	1.35	
Q203270		0.19	1.24	
Q203271		0.25	1.65	
Q203272		0.30	1.91	
Q203273		0.30	1.92	
Q203274		0.23	1.58	
Q203275		0.44	2.84	
Q203276		0.03	0.16	2.47
Q203277		0.32	2.11	
Q203278		0.29	1.92	
Q203279		0.28	1.81	
Q203280		0.28	1.74	
Q203281		0.31	1.99	
Q203282		0.40	2.72	
Q203283		0.41	2.58	
Q203284		0.45	2.65	
Q203285		0.45	2.68	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 22-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191990

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61r

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-31	PUL-QC	SPL-21
SPL-34	WEI-21		

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA23	Cu-OG62	ME-MS61r	ME-OG62