ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

QC CERTIFICATE SD15194583

Project: SUPERIOR PROJECT

This report is for 36 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 15-DEC-2015.

The following have access to data associated with this certificate:

TRACY ARMSTRONG JOHN TAIT	TRACY ARMSTRONG (2ND EMAIL)	MORGAN QUINN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-21d	Sample logging - ClientBarCode Dup
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61r	48 element four acid ICP-MS + REEs	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **SUPERIOR COPPER CORPORATION**
ATTN: MORGAN QUINN
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15194583

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2	ME-MS61r Fe % 0.01
STANDARDS																
BP-13		370														
Target Range - Lower Bound		332														
Upper Bound		384														
GBM903-13																
Target Range - Lower Bound																
Upper Bound																
OGGeo08			19.40	6.95	114.0	570	2.91	11.00	2.27	20.1	70.7	97.8	82	11.80	8590	5.50
OGGeo08			20.7	6.90	123.5	830	3.11	10.65	2.21	19.00	74.0	98.1	86	11.70	8640	5.53
Target Range - Lower Bound			18.15	6.07	107.0	700	2.59	9.44	1.98	16.70	64.8	87.2	78	9.85	7800	4.81
Upper Bound			22.2	7.44	131.0	980	3.27	11.55	2.44	20.5	79.2	107.0	98	12.15	8980	5.91
OREAS 932																
Target Range - Lower Bound																
Upper Bound																
OREAS-105			0.09	7.17	2.8	690	3.91	0.49	1.07	0.16	122.0	4.5	40	2.23	104.0	2.00
OREAS-105			0.09	7.40	2.8	730	4.22	0.50	1.05	0.15	125.5	4.7	41	2.27	105.5	2.08
Target Range - Lower Bound			0.06	6.36	2.1	580	3.38	0.42	0.90	0.09	106.0	3.9	37	1.78	97.2	1.71
Upper Bound			0.10	7.80	3.2	800	4.24	0.54	1.13	0.19	130.0	5.0	47	2.28	112.5	2.11
OREAS-133b																
Target Range - Lower Bound																
Upper Bound																
OREAS-45d			0.16	8.46	14.2	190	0.72	0.33	0.20	0.03	39.0	30.5	559	4.19	393	14.95
OREAS-45d			0.15	8.19	13.9	190	0.70	0.34	0.18	0.03	39.3	31.4	551	4.16	389	14.50
Target Range - Lower Bound			0.17	7.33	12.2	140	0.65	0.27	0.16	<0.02	33.5	26.5	493	3.47	345	13.05
Upper Bound			0.23	8.98	15.4	220	0.93	0.35	0.21	0.09	40.9	32.6	605	4.35	397	16.00
OxJ111		2210														
Target Range - Lower Bound		2030														
Upper Bound		2300														
BLANKS																
BLANK		<5														
Target Range - Lower Bound		<5														
Upper Bound		10														
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK			0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	0.02	<0.1	<1	<0.05	0.5	<0.01
BLANK			<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	0.3	<0.01
Target Range - Lower Bound			<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01
Upper Bound			0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10	0.4	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15194583

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Ga ppm 0.05	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10	ME-MS61r Pb ppm 0.5
STANDARDS																
BP-13																
Target Range - Lower Bound																
Upper Bound																
GBM903-13																
Target Range - Lower Bound																
Upper Bound																
OGGeo08		18.55	0.25	3.0	1.495	3.06	35.1	30.7	1.29	513	922	1.86	18.8	9120	890	7580
OGGeo08		18.10	0.18	2.9	1.450	3.06	37.3	32.4	1.25	517	920	1.83	18.0	8970	880	7470
Target Range - Lower Bound		16.05	0.25	2.5	1.320	2.59	31.0	29.7	1.11	447	841	1.62	15.4	8000	760	6520
Upper Bound		19.75	0.49	3.3	1.620	3.19	39.0	36.7	1.38	557	1030	2.00	19.0	9770	950	7970
OREAS 932																
Target Range - Lower Bound																
Upper Bound																
OREAS-105		27.6	0.26	5.3	0.065	2.00	50.8	13.2	0.45	178	8.89	3.73	30.6	11.0	1620	150.5
OREAS-105		27.9	0.22	5.2	0.067	2.06	52.2	14.6	0.46	185	8.85	3.74	32.4	10.4	1690	156.0
Target Range - Lower Bound		25.0	0.12	4.4	0.054	1.67	43.2	12.0	0.38	148	7.56	3.28	28.9	9.4	1390	140.0
Upper Bound		30.6	0.34	5.7	0.080	2.06	54.0	15.1	0.48	192	9.36	4.03	35.5	11.9	1730	172.0
OREAS-133b																
Target Range - Lower Bound																
Upper Bound																
OREAS-45d		22.7	0.14	4.3	0.091	0.45	18.1	21.4	0.24	494	2.55	0.10	15.3	242	440	21.6
OREAS-45d		22.0	0.48	3.9	0.098	0.43	18.4	21.4	0.22	492	2.30	0.10	14.8	240	420	21.5
Target Range - Lower Bound		19.05	0.09	3.3	0.081	0.36	14.7	19.2	0.21	436	2.20	0.08	13.0	208	370	19.1
Upper Bound		23.4	0.31	4.3	0.111	0.46	19.1	23.9	0.28	544	2.80	0.13	16.1	254	470	24.5
OxJ111																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<0.05	0.07	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5
BLANK		<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	0.2	<10	0.8
Target Range - Lower Bound		<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5
Upper Bound		0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4	20	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15194583

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1	ME-MS61r V ppm 1
STANDARDS																
BP-13																
Target Range - Lower Bound																
Upper Bound																
GBM903-13																
Target Range - Lower Bound																
Upper Bound																
OGGeo08		192.0	1.390	2.90	28.6	10.0	12	14.7	255	1.41	0.14	18.75	0.411	1.86	5.3	87
OGGeo08		200	1.410	2.79	27.5	10.4	12	14.0	257	1.40	0.15	18.45	0.400	1.85	5.2	89
Target Range - Lower Bound		164.5	1.285	2.51	22.8	9.2	8	12.5	224	1.19	0.09	16.90	0.353	1.43	4.5	77
Upper Bound		201	1.575	3.09	31.0	11.4	14	15.7	274	1.57	0.31	20.7	0.443	1.98	5.8	97
OREAS 932																
Target Range - Lower Bound																
Upper Bound																
OREAS-105		111.0	0.003	0.03	0.54	4.9	3	7.2	93.0	3.29	<0.05	374	0.219	0.42	542	27
OREAS-105		113.0	0.002	0.03	0.53	5.3	2	7.2	95.7	3.58	<0.05	381	0.224	0.45	541	29
Target Range - Lower Bound		100.5	<0.002	<0.01	0.28	4.7	<1	6.1	83.9	3.12	<0.05	324	0.191	0.33	462	23
Upper Bound		123.0	0.006	0.05	0.57	5.9	4	7.9	103.0	3.93	0.13	396	0.244	0.49	565	30
OREAS-133b																
Target Range - Lower Bound																
Upper Bound																
OREAS-45d		43.9	<0.002	0.06	0.95	52.7	3	2.7	33.1	1.14	0.09	15.60	0.799	0.28	2.8	238
OREAS-45d		43.4	<0.002	0.05	0.95	53.9	4	2.7	32.8	1.14	0.10	15.05	0.741	0.26	2.8	227
Target Range - Lower Bound		37.8	<0.002	0.03	0.64	44.3	<1	2.2	28.0	0.87	<0.05	13.50	0.691	0.20	2.3	211
Upper Bound		46.4	0.007	0.07	1.00	54.3	5	3.2	34.6	1.17	0.23	16.50	0.855	0.34	3.0	260
OxJ111																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		0.1	<0.002	<0.01	0.07	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1
BLANK		0.1	<0.002	<0.01	0.07	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1
Target Range - Lower Bound		<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1
Upper Bound		0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.02	0.010	0.04	0.2	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15194583

Sample Description	Method / Analyte / Units / LOR	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01	ME-MS61r Tm ppm 0.01
STANDARDS																
BP-13																
Target Range - Lower Bound																
Upper Bound																
GBM903-13																
Target Range - Lower Bound																
Upper Bound																
OGGeo08		4.9	23.4	7240	89.4	4.72	2.54	1.28	5.25	0.83	0.37	31.3	8.26	6.20	0.81	0.39
OGGeo08		4.7	24.6	7280	107.0	4.63	2.52	1.27	5.15	0.89	0.36	31.6	8.42	6.16	0.80	0.37
Target Range - Lower Bound		3.9	21.1	6500	78.6	3.65	2.03	0.99	4.19	0.70	0.27	24.7	6.61	4.89	0.64	0.28
Upper Bound		5.4	26.0	7950	107.5	5.05	2.81	1.41	5.79	0.98	0.39	33.7	9.01	6.69	0.90	0.40
OREAS 932																
Target Range - Lower Bound																
Upper Bound																
OREAS-105		2.4	53.0	51	164.0	11.70	6.54	1.54	12.60	2.42	0.94	68.9	16.30	16.05	1.98	1.02
OREAS-105		2.5	56.8	55	174.5	12.00	6.74	1.59	12.75	2.35	0.91	69.3	16.50	15.80	2.00	1.02
Target Range - Lower Bound		2.0	50.7	43	145.0	9.06	5.17	1.27	10.10	1.75	0.72	56.9	13.50	13.00	1.54	0.81
Upper Bound		2.9	62.2	57	197.5	12.35	7.07	1.80	13.80	2.39	1.00	77.2	18.30	17.70	2.11	1.12
OREAS-133b																
Target Range - Lower Bound																
Upper Bound																
OREAS-45d		1.7	10.9	45	161.5	3.29	1.37	0.64	2.51	0.42	0.23	15.4	4.10	3.23	0.41	0.21
OREAS-45d		1.7	10.4	45	139.0	2.31	1.39	0.65	2.47	0.45	0.21	15.2	4.10	3.16	0.38	0.20
Target Range - Lower Bound		1.3	8.5	39	119.5											
Upper Bound		2.0	10.6	52	162.5											
OxJ111																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01	<0.01
BLANK		<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01	<0.01
Target Range - Lower Bound		<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01	<0.01
Upper Bound		0.2	0.2	4	1.0	0.10	0.06	0.06	0.10	0.02	0.02	0.2	0.06	0.06	0.02	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15194583

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
STANDARDS			
BP-13			
Target Range - Lower Bound			
Upper Bound			
GBM903-13			2.93
Target Range - Lower Bound			2.79
Upper Bound			3.00
OGGeo08		2.45	
OGGeo08		2.36	
Target Range - Lower Bound		1.83	
Upper Bound		2.55	
OREAS 932			6.03
Target Range - Lower Bound			5.91
Upper Bound			6.35
OREAS-105		6.54	
OREAS-105		6.44	
Target Range - Lower Bound		5.08	
Upper Bound		6.95	
OREAS-133b			0.033
Target Range - Lower Bound			0.030
Upper Bound			0.034
OREAS-45d		1.42	
OREAS-45d		1.35	
Target Range - Lower Bound			
Upper Bound			
OxJ111			
Target Range - Lower Bound			
Upper Bound			
BLANKS			
BLANK			
Target Range - Lower Bound			
Upper Bound			
BLANK			<0.001
Target Range - Lower Bound			<0.001
Upper Bound			0.002
BLANK		<0.03	
BLANK		<0.03	
Target Range - Lower Bound		<0.03	
Upper Bound		0.06	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15194583

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2	ME-MS61r Fe % 0.01
DUPLICATES																
ORIGINAL		<5														
DUP		<5														
Target Range - Lower Bound		<5														
Upper Bound		10														
Q203467			0.02	6.23	6.1	120	1.02	0.04	7.93	0.12	25.0	37.4	323	1.60	21.9	6.88
DUP			0.01	6.21	5.9	120	0.82	0.04	7.88	0.11	25.0	36.8	327	1.61	17.1	6.83
Target Range - Lower Bound			<0.01	5.90	5.5	100	0.82	0.03	7.50	0.09	23.7	35.1	308	1.47	18.6	6.50
Upper Bound			0.02	6.54	6.5	140	1.02	0.05	8.31	0.14	26.3	39.1	342	1.74	20.4	7.21
Q203486																
DUP																
Target Range - Lower Bound																
Upper Bound																
Q203495			<0.01	6.62	25.4	710	2.81	0.03	1.05	<0.02	261	1.8	9	3.29	4.1	1.43
DUP			<0.01	6.72	25.2	720	2.82	0.04	1.07	<0.02	257	1.8	8	3.25	4.3	1.46
Target Range - Lower Bound			<0.01	6.33	23.8	650	2.62	0.02	1.00	<0.02	246	1.6	7	3.06	3.9	1.36
Upper Bound			0.02	7.01	26.8	780	3.01	0.05	1.12	0.04	272	2.0	10	3.48	4.5	1.53
ORIGINAL		31														
DUP		32														
Target Range - Lower Bound		25														
Upper Bound		38														

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15194583

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Ga ppm 0.05	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10	ME-MS61r Pb ppm 0.5
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
Q203467		16.75	0.13	2.5	0.052	0.66	11.8	42.0	3.01	846	0.41	1.77	8.1	206	650	3.3
DUP		16.55	0.13	2.5	0.051	0.65	11.8	39.5	3.00	847	0.41	1.75	8.4	205	640	3.3
Target Range - Lower Bound		15.75	0.07	2.3	0.044	0.61	10.7	38.5	2.84	799	0.34	1.66	7.7	195.0	600	2.6
Upper Bound		17.55	0.19	2.7	0.059	0.70	12.9	43.0	3.17	894	0.48	1.86	8.8	216	690	4.0
Q203486																
DUP																
Target Range - Lower Bound																
Upper Bound																
Q203495		26.6	0.31	9.8	0.069	4.60	162.5	3.8	0.34	562	0.80	0.11	77.5	2.9	40	11.1
DUP		26.5	0.32	9.7	0.070	4.70	160.5	3.8	0.34	554	0.80	0.11	76.1	2.9	40	10.9
Target Range - Lower Bound		25.2	0.25	9.2	0.061	4.41	153.0	3.4	0.31	525	0.71	0.09	72.9	2.6	30	10.0
Upper Bound		27.9	0.38	10.3	0.078	4.89	170.0	4.2	0.37	591	0.89	0.13	80.7	3.2	50	12.1
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15194583

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1	ME-MS61r V ppm 1
		DUPLICATES														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
Q203467		30.9	<0.002	0.01	0.60	23.9	1	0.9	123.0	0.51	<0.05	1.94	0.711	0.20	1.0	185
DUP		30.8	<0.002	<0.01	0.59	23.6	1	0.9	122.0	0.53	<0.05	2.07	0.733	0.20	1.0	186
Target Range - Lower Bound		29.2	<0.002	<0.01	0.50	22.5	<1	0.7	116.0	0.44	<0.05	1.89	0.681	0.17	0.9	175
Upper Bound		32.5	0.004	0.02	0.69	25.0	2	1.1	129.0	0.60	0.10	2.12	0.763	0.24	1.2	196
Q203486																
DUP																
Target Range - Lower Bound																
Upper Bound																
Q203495		193.0	<0.002	0.01	0.51	1.5	4	2.6	75.7	4.84	<0.05	29.5	0.076	0.76	6.5	50
DUP		187.5	<0.002	0.01	0.52	1.5	4	2.7	74.9	4.81	<0.05	29.1	0.077	0.75	6.2	50
Target Range - Lower Bound		180.5	<0.002	<0.01	0.43	1.3	3	2.3	71.3	4.53	<0.05	27.8	0.068	0.68	5.9	47
Upper Bound		200.0	0.004	0.02	0.60	1.7	5	3.0	79.3	5.12	0.10	30.8	0.085	0.83	6.8	54
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15194583

Sample Description	Method / Analyte / Units / LOR	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01	ME-MS61r Tm ppm 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
Q203467		0.6	17.2	97	83.7	3.34	1.90	1.05	4.06	0.61	0.24	14.1	3.30	3.36	0.57	0.28
DUP		0.6	17.5	97	89.1	3.38	1.90	1.03	3.42	0.62	0.25	14.0	3.30	3.42	0.55	0.27
Target Range - Lower Bound		0.5	16.4	90	81.6	3.06	1.73	0.93	3.41	0.56	0.22	12.9	3.02	3.11	0.51	0.24
Upper Bound		0.7	18.3	104	91.2	3.66	2.07	1.15	4.07	0.67	0.27	15.2	3.58	3.67	0.61	0.31
Q203486																
DUP																
Target Range - Lower Bound																
Upper Bound																
Q203495		0.9	121.5	45	250	21.5	13.70	2.14	19.35	4.57	2.14	119.5	33.5	20.8	3.29	2.14
DUP		0.8	121.5	46	250	21.5	13.70	2.06	19.20	4.53	2.11	115.5	32.4	20.5	3.27	2.16
Target Range - Lower Bound		0.7	115.5	41	237	19.85	12.65	1.91	17.80	4.20	1.96	108.5	30.4	19.05	3.02	1.98
Upper Bound		1.0	127.5	50	263	23.2	14.75	2.29	20.8	4.90	2.29	126.5	35.5	22.2	3.54	2.32
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15194583

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
		DUPLICATES	
ORIGINAL			
DUP			
Target Range - Lower Bound			
Upper Bound			
Q203467		1.75	
DUP		1.68	
Target Range - Lower Bound		1.56	
Upper Bound		1.87	
Q203486			2.49
DUP			2.45
Target Range - Lower Bound			2.41
Upper Bound			2.53
Q203495		14.15	
DUP		14.15	
Target Range - Lower Bound		13.05	
Upper Bound		15.25	
ORIGINAL			
DUP			
Target Range - Lower Bound			
Upper Bound			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 31-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15194583

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61r

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-31	PUL-QC	SPL-21
SPL-34	WEI-21		

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA23	Cu-OG62	ME-MS61r	ME-OG62