ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

CERTIFICATE SD15198082

Project: SUPERIOR PROJECT

This report is for 36 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 21-DEC-2015.

The following have access to data associated with this certificate:

TRACY ARMSTRONG JOHN TAIT	TRACY ARMSTRONG (2ND EMAIL)	MORGAN QUINN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-21d	Sample logging - ClientBarCode Dup
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61r	48 element four acid ICP-MS + REEs	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **SUPERIOR COPPER CORPORATION**
ATTN: MORGAN QUINN
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198082

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2
S122102 A		1.70	<5	0.01	7.89	5.9	40	1.91	0.24	4.93	<0.02	33.8	47.5	187	0.37	4.0
S122102 B		<0.02	<5	0.01	7.51	5.9	40	1.68	0.22	4.77	0.02	31.8	45.8	184	0.33	4.1
S122103		1.87	<5	0.01	6.12	4.5	320	2.60	0.13	1.81	<0.02	149.0	1.8	14	1.32	2.7
S122104		2.74	<5	<0.01	5.72	4.4	330	2.77	0.10	1.43	0.02	106.0	2.2	18	1.53	3.8
S122105		0.53	<5	0.06	4.41	4.8	750	2.05	0.13	3.44	0.12	91.8	1.5	15	3.64	16.2
S122106		1.10	<5	0.06	5.50	5.7	1160	1.99	0.12	1.70	0.02	137.5	3.3	25	3.19	11.6
S122107		1.88	<5	0.03	5.65	4.9	240	2.39	0.08	1.23	<0.02	108.5	0.9	14	2.09	3.9
S122108		2.18	<5	0.01	5.68	3.8	210	2.51	0.09	1.52	<0.02	111.5	1.2	17	2.03	3.5
S122109		0.42	<5	0.04	3.05	1.3	240	0.48	0.03	1.26	0.07	20.3	5.8	48	0.53	9.6
S122110		1.91	<5	0.01	5.62	2.7	220	2.65	0.09	1.50	<0.02	113.0	1.5	10	1.95	4.2
S122111		2.06	<5	<0.01	5.76	3.8	200	2.58	0.11	2.22	0.02	119.0	1.5	10	1.43	3.0
S122112		0.57	<5	0.01	7.09	8.1	60	2.04	0.37	4.88	<0.02	88.0	30.4	96	0.71	2.3
S122113		1.70	<5	0.01	7.12	6.6	190	1.27	0.27	4.52	0.02	26.2	44.7	180	0.57	1.9
S122114		0.67	<5	<0.01	7.02	7.3	260	1.36	0.24	5.63	0.02	26.0	50.5	267	1.16	3.2
S122115		0.70	<5	0.01	7.38	7.1	150	1.08	0.33	5.75	0.02	22.7	42.8	230	0.26	1.8
S122116		0.66	<5	0.01	6.11	8.1	140	2.09	0.19	4.58	0.04	22.0	47.5	56	2.32	10.8
S122117		<0.02	415	9.99	0.39	231	10	0.07	5.36	0.11	14.10	3.66	480	37	0.26	>10000
S122118		0.67	<5	0.02	5.09	5.4	120	1.51	0.15	4.43	0.07	15.75	32.5	92	1.51	26.1
S122119		2.28	<5	0.03	6.90	6.3	360	1.19	0.22	6.57	0.07	20.1	41.0	224	1.10	6.7
S122120		2.26	<5	0.01	7.55	7.1	130	0.93	0.25	5.12	<0.02	21.8	43.2	236	1.04	1.7
S122121		0.68	<5	0.02	6.49	14.3	110	2.62	0.23	8.92	0.05	31.4	25.6	153	7.57	7.9
S122122		1.15	<5	0.02	6.55	9.8	20	1.05	0.17	6.15	<0.02	22.6	28.1	147	0.45	2.9
S122123		1.10	<5	0.01	5.14	29.7	30	1.35	0.12	17.20	0.08	14.75	21.1	91	4.25	3.6
S122124		1.32	<5	0.01	7.65	18.2	220	0.91	0.26	4.41	0.03	18.10	36.6	146	0.32	2.2
S122125		2.51	<5	0.01	6.59	9.6	100	1.23	0.26	9.30	0.11	28.6	36.9	150	1.78	7.7
S122126		0.94	<5	0.01	6.05	7.1	180	2.01	0.21	4.01	0.06	43.5	37.9	243	6.00	42.5
S122127		<0.02	402	9.95	0.39	227	10	0.08	5.33	0.11	14.15	3.65	474	37	0.27	>10000
S122128		2.16	<5	0.02	6.00	7.5	120	2.65	0.21	9.04	0.26	32.1	37.0	135	10.40	45.4
S122129		0.83	<5	0.01	5.18	7.7	150	2.20	0.21	14.05	0.54	49.8	25.4	101	7.87	39.9
S122130		2.05	<5	0.05	6.31	8.1	330	2.37	0.31	6.44	0.41	70.5	31.6	40	10.10	209
S122131		2.27	<5	0.07	5.37	13.4	70	1.87	0.31	4.15	0.44	68.8	3.1	11	11.50	34.3
S122132		2.21	<5	0.06	5.62	4.1	80	2.12	0.12	2.34	0.41	59.4	2.1	10	11.60	34.7
S122133		2.24	<5	0.07	5.07	3.2	70	2.10	0.12	2.74	0.49	61.8	1.8	12	9.89	27.5
S122134		0.85	<5	0.07	6.14	3.6	100	1.83	0.06	1.96	0.05	124.5	2.6	12	8.11	30.4
S122135		0.31	<5	0.08	5.98	3.6	120	1.95	0.12	5.11	0.15	46.9	13.6	23	10.55	97.9
S122136		0.30	<5	0.08	6.01	3.7	120	1.90	0.14	6.10	0.16	49.0	14.3	25	10.75	94.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198082

Sample Description	Method	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
S122102 A		6.89	19.25	0.08	2.0	0.108	0.19	19.0	31.6	4.73	1220	0.48	2.84	10.6	141.5	530
S122102 B		6.67	18.50	0.09	1.9	0.105	0.18	17.8	30.1	4.58	1200	0.46	2.75	10.4	138.0	520
S122103		1.05	16.90	0.25	4.8	0.082	2.15	69.5	2.7	0.21	257	1.09	2.31	69.5	3.9	50
S122104		0.87	13.95	0.19	4.6	0.063	2.11	48.2	3.9	0.26	225	1.66	2.00	69.5	4.2	50
S122105		0.74	13.30	0.22	3.2	0.047	3.18	46.1	29.0	0.41	371	0.98	0.17	46.3	3.1	50
S122106		1.17	17.55	0.21	4.3	0.058	4.50	52.3	12.6	0.37	371	1.66	0.33	62.3	8.5	110
S122107		0.64	15.20	0.17	4.5	0.054	1.70	39.3	5.7	0.17	333	0.94	2.50	67.7	2.2	40
S122108		0.73	16.35	0.17	4.7	0.063	1.80	41.6	3.1	0.17	215	1.13	2.34	69.9	2.7	40
S122109		1.94	6.94	0.11	1.5	0.020	0.77	11.0	4.8	0.55	278	0.17	1.18	2.8	16.5	180
S122110		0.70	15.45	0.16	4.4	0.062	2.04	43.4	4.7	0.22	192	0.87	1.92	67.0	3.3	40
S122111		1.04	18.25	0.18	4.6	0.097	1.71	52.8	2.1	0.15	268	0.78	2.48	71.6	3.2	50
S122112		4.65	22.3	0.18	4.1	0.151	0.45	45.9	29.1	2.88	809	0.69	2.47	36.2	98.1	600
S122113		7.73	18.15	0.10	2.1	0.114	0.65	13.1	24.1	4.10	1120	0.36	2.51	7.6	133.5	530
S122114		7.47	18.60	0.11	2.2	0.093	0.82	12.9	42.2	5.34	1150	0.29	1.98	7.2	153.5	610
S122115		7.68	16.50	0.09	1.3	0.121	0.45	12.3	25.0	3.95	1050	0.25	2.94	4.7	137.0	330
S122116		6.83	16.15	0.10	2.6	0.044	0.77	11.5	75.6	4.96	828	0.37	1.81	8.3	137.5	650
S122117		34.9	2.18	0.22	0.1	1.350	0.02	1.9	1.9	0.18	90	29.6	0.07	0.4	36.1	150
S122118		5.37	11.90	0.06	1.4	0.039	0.61	8.5	83.0	3.55	606	0.46	1.60	4.8	102.0	350
S122119		7.37	16.40	0.07	1.5	0.081	1.30	10.5	56.6	3.94	989	0.34	1.84	5.4	137.0	420
S122120		7.67	17.30	0.09	1.8	0.126	0.67	10.9	18.0	4.09	1200	0.36	2.74	5.8	146.5	560
S122121		5.47	19.30	0.08	1.6	0.101	1.15	16.4	56.2	2.55	959	0.35	0.81	5.3	70.7	410
S122122		5.15	20.3	0.07	1.9	0.085	0.08	11.9	33.1	3.23	907	0.52	1.41	19.8	78.0	530
S122123		3.68	11.00	0.06	0.8	0.051	0.69	7.1	56.0	2.06	485	0.16	0.38	2.8	68.1	250
S122124		7.23	16.70	0.08	1.9	0.084	0.90	8.7	29.3	4.18	829	0.34	3.34	6.2	122.0	620
S122125		6.46	16.45	0.07	1.5	0.067	0.72	18.1	52.4	3.41	1020	0.30	1.70	5.7	116.5	520
S122126		6.21	16.10	0.11	1.1	0.073	1.69	30.4	84.1	2.89	560	0.24	1.02	4.3	129.0	290
S122127		34.5	2.20	0.25	0.1	1.320	0.02	1.9	2.1	0.18	95	29.5	0.07	0.4	35.8	140
S122128		6.87	16.60	0.10	2.0	0.069	2.32	30.4	116.5	3.42	911	0.29	0.43	7.6	105.0	660
S122129		5.35	13.20	0.12	1.6	0.061	2.10	47.8	83.2	2.50	889	0.27	0.19	13.1	64.5	710
S122130		6.47	15.95	0.15	3.8	0.043	2.73	46.8	67.9	2.71	906	0.54	0.08	44.9	68.9	2110
S122131		1.30	14.25	0.16	3.6	0.012	2.76	35.4	15.3	0.32	144	0.57	0.07	30.4	3.1	120
S122132		1.20	14.45	0.17	3.6	0.014	2.95	24.0	14.1	0.26	132	0.60	0.07	28.8	2.6	120
S122133		0.94	13.10	0.12	3.6	0.010	2.67	19.5	13.4	0.20	156	0.76	0.08	31.6	2.0	80
S122134		1.14	15.75	0.15	3.7	0.012	2.84	19.3	14.7	0.42	247	0.74	0.46	31.0	2.9	130
S122135		3.69	14.95	0.14	3.5	0.030	2.64	38.4	32.2	1.17	477	0.82	0.09	34.7	29.3	820
S122136		3.85	15.05	0.16	3.6	0.030	2.59	41.0	33.1	1.26	525	0.69	0.08	35.3	32.1	920

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198082

Sample Description	Method	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
S122102 A		4.0	6.1	<0.002	<0.01	0.84	34.0	1	2.4	184.5	0.59	<0.05	2.46	0.525	0.04	2.0
S122102 B		3.9	5.0	<0.002	<0.01	0.85	31.9	1	2.4	179.0	0.57	<0.05	2.28	0.510	0.04	1.9
S122103		6.9	116.5	<0.002	<0.01	0.34	1.3	2	2.7	87.5	4.75	<0.05	21.8	0.068	0.43	4.8
S122104		5.2	117.5	<0.002	<0.01	0.32	1.1	2	2.4	65.8	4.55	<0.05	21.7	0.063	0.44	5.0
S122105		4.2	136.0	<0.002	<0.01	0.32	1.0	1	2.3	72.6	3.16	<0.05	15.15	0.047	0.55	3.7
S122106		5.8	178.5	<0.002	<0.01	0.45	2.7	2	3.1	87.8	4.18	<0.05	19.65	0.128	0.82	4.4
S122107		3.3	98.3	<0.002	<0.01	0.36	1.1	2	2.2	81.7	4.48	<0.05	21.9	0.064	0.36	3.8
S122108		3.4	107.5	<0.002	<0.01	0.36	1.1	2	2.3	74.4	4.60	<0.05	20.9	0.066	0.39	3.5
S122109		6.4	25.5	<0.002	<0.01	0.18	6.9	1	0.5	163.0	0.20	<0.05	2.27	0.190	0.13	0.5
S122110		4.4	129.0	<0.002	<0.01	0.31	1.0	2	2.4	59.7	4.40	<0.05	21.0	0.063	0.49	4.4
S122111		5.4	94.8	<0.002	<0.01	0.33	1.2	2	2.5	91.2	4.70	<0.05	18.85	0.068	0.38	3.7
S122112		6.0	29.0	<0.002	<0.01	0.78	26.8	3	3.6	176.5	2.20	<0.05	11.40	0.618	0.11	4.7
S122113		4.4	26.2	<0.002	<0.01	1.02	32.7	1	2.2	202	0.42	<0.05	1.90	0.539	0.13	2.2
S122114		3.9	42.3	<0.002	<0.01	1.08	38.7	1	1.8	159.0	0.39	<0.05	2.16	0.585	0.20	2.1
S122115		3.5	19.5	<0.002	<0.01	1.47	34.7	1	1.5	193.0	0.24	<0.05	0.95	0.450	0.07	1.6
S122116		3.4	37.1	<0.002	0.01	1.04	30.6	1	1.7	86.2	0.49	<0.05	2.90	0.626	0.13	2.1
S122117		385	0.9	0.052	>10.0	19.15	0.6	61	3.8	6.9	<0.05	1.76	0.90	0.011	3.26	3.9
S122118		2.8	28.8	<0.002	<0.01	0.74	20.6	<1	1.1	62.3	0.27	<0.05	1.46	0.347	0.12	1.6
S122119		4.4	56.3	<0.002	<0.01	1.29	30.8	1	1.3	152.0	0.29	<0.05	1.25	0.420	0.26	1.6
S122120		3.3	33.3	<0.002	<0.01	1.12	35.0	1	1.8	222	0.29	<0.05	1.28	0.535	0.15	1.1
S122121		5.5	72.9	<0.002	<0.01	1.88	28.0	1	3.1	204	0.28	<0.05	1.29	0.438	0.25	2.2
S122122		5.7	4.2	<0.002	<0.01	1.35	29.8	1	5.6	187.5	0.47	<0.05	1.23	0.511	0.02	1.9
S122123		3.4	24.0	<0.002	<0.01	1.86	12.8	<1	0.5	113.0	0.16	<0.05	0.60	0.223	0.06	1.1
S122124		4.8	25.3	<0.002	<0.01	1.49	30.3	1	1.3	240	0.34	<0.05	0.97	0.578	0.19	0.8
S122125		4.6	23.2	<0.002	<0.01	1.52	28.3	1	1.5	264	0.31	<0.05	1.15	0.466	0.08	1.0
S122126		3.4	55.6	<0.002	0.01	0.98	28.1	1	1.8	106.5	0.22	<0.05	1.12	0.324	0.18	2.0
S122127		374	0.9	0.054	>10.0	18.80	0.6	62	3.9	6.9	<0.05	1.72	0.89	0.011	3.25	3.9
S122128		3.6	77.3	<0.002	<0.01	0.96	25.7	1	3.3	95.3	0.37	<0.05	2.48	0.468	0.20	2.4
S122129		3.5	61.3	<0.002	<0.01	0.97	18.9	1	2.9	118.0	0.76	<0.05	1.86	0.482	0.16	1.6
S122130		8.1	115.5	<0.002	<0.01	1.02	15.5	1	1.2	48.7	2.79	<0.05	6.48	1.165	0.43	2.9
S122131		2.1	155.0	<0.002	<0.01	0.84	2.0	1	1.3	19.0	2.99	<0.05	23.2	0.095	0.66	4.8
S122132		2.2	149.5	<0.002	<0.01	0.89	1.9	1	1.2	17.5	2.74	<0.05	21.5	0.091	0.67	3.9
S122133		2.7	131.5	<0.002	<0.01	0.90	1.6	1	1.2	17.3	3.24	<0.05	23.3	0.075	0.55	4.3
S122134		2.0	155.0	<0.002	0.01	0.60	2.2	1	1.2	27.6	2.94	<0.05	24.3	0.106	0.63	4.1
S122135		4.4	156.5	<0.002	0.01	0.77	7.0	1	2.3	35.3	2.80	<0.05	18.05	0.469	0.58	3.8
S122136		4.6	156.5	<0.002	<0.01	0.78	7.4	1	2.5	35.6	2.84	<0.05	16.60	0.514	0.57	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198082

Sample Description	Method / Analyte / Units / LOR	ME-MS61r V ppm 1	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01
S122102 A		207	1.5	24.1	134	72.5	4.13	2.63	0.94	3.57	0.92	0.37	17.2	4.26	3.83	0.63
S122102 B		202	1.5	22.8	130	70.7	3.97	2.55	0.87	3.42	0.87	0.36	16.0	3.99	3.54	0.59
S122103		8	0.5	46.6	13	128.0	9.09	4.84	0.60	8.62	1.81	0.64	59.3	16.90	11.05	1.51
S122104		8	0.4	40.3	14	127.0	7.50	4.36	0.40	6.73	1.56	0.63	39.0	11.60	8.17	1.21
S122105		7	0.4	31.1	9	84.5	5.65	3.26	0.34	5.05	1.16	0.48	34.1	10.95	6.45	0.92
S122106		19	0.9	45.2	18	118.0	8.33	4.79	0.54	7.39	1.71	0.67	43.4	13.00	8.87	1.35
S122107		5	0.6	42.9	8	123.5	7.52	4.48	0.37	6.30	1.60	0.66	31.1	9.59	6.77	1.18
S122108		6	0.5	37.9	9	127.0	7.01	4.12	0.39	6.14	1.46	0.64	34.3	10.35	7.25	1.14
S122109		56	0.1	6.7	23	54.3	1.29	0.75	0.44	1.39	0.26	0.13	9.4	2.46	1.83	0.23
S122110		7	0.4	41.2	11	119.0	7.61	4.33	0.39	6.97	1.53	0.65	35.7	10.75	8.00	1.23
S122111		10	0.4	43.0	12	127.5	8.39	4.65	0.55	7.76	1.68	0.64	47.3	13.10	9.22	1.37
S122112		159	1.5	49.1	91	134.0	8.62	5.27	1.42	7.92	1.84	0.70	39.1	10.95	8.41	1.36
S122113		202	1.8	22.7	127	79.0	3.79	2.46	0.97	3.29	0.84	0.39	13.2	3.13	3.11	0.57
S122114		213	1.5	26.1	141	85.4	4.27	2.74	1.11	3.81	0.95	0.43	13.8	3.17	3.52	0.66
S122115		182	1.6	19.0	103	50.3	3.23	1.96	0.98	2.99	0.69	0.29	12.2	2.84	2.83	0.50
S122116		165	1.7	23.3	117	106.0	3.70	2.35	0.81	3.22	0.82	0.38	11.9	2.77	3.00	0.57
S122117		43	3.4	1.7	4210	5.0	0.31	0.17	0.11	0.37	0.06	0.02	1.8	0.44	0.40	0.05
S122118		116	1.2	13.7	86	54.6	2.29	1.45	0.58	2.17	0.49	0.24	8.2	2.06	1.94	0.35
S122119		161	1.6	17.8	124	56.4	3.01	1.97	0.89	2.79	0.66	0.30	10.5	2.60	2.59	0.47
S122120		210	1.3	19.9	104	64.8	3.28	2.10	0.92	2.87	0.72	0.33	11.3	2.57	2.67	0.49
S122121		160	2.2	26.6	124	61.3	4.21	2.85	0.94	3.60	0.98	0.39	15.5	3.60	3.59	0.62
S122122		165	0.9	37.7	94	72.7	5.21	4.67	0.72	3.19	1.38	0.71	10.8	2.56	2.58	0.64
S122123		68	1.5	7.0	46	32.2	1.30	0.84	0.41	1.19	0.29	0.13	6.9	1.69	1.38	0.20
S122124		190	1.0	19.1	71	69.0	3.12	2.10	0.71	2.51	0.71	0.31	9.2	2.15	2.23	0.46
S122125		165	1.1	19.2	95	63.9	3.00	2.02	0.77	2.73	0.68	0.31	13.5	3.26	2.81	0.46
S122126		121	1.7	18.2	84	41.0	3.07	1.92	0.84	3.06	0.66	0.29	19.8	5.57	3.54	0.49
S122127		42	3.3	1.7	4150	4.9	0.30	0.17	0.11	0.36	0.06	0.03	1.8	0.44	0.40	0.05
S122128		126	2.1	26.1	82	75.0	3.81	2.98	0.76	2.88	0.94	0.45	15.7	4.46	2.77	0.52
S122129		113	1.6	19.8	69	64.6	3.06	2.08	0.98	3.00	0.69	0.30	24.2	7.22	3.77	0.47
S122130		152	1.6	23.6	113	163.5	3.77	1.94	1.54	4.72	0.75	0.26	36.2	10.25	6.40	0.68
S122131		23	0.9	15.5	15	109.5	2.71	1.64	0.40	2.65	0.57	0.30	24.8	7.87	3.77	0.44
S122132		20	1.0	14.9	14	109.5	2.52	1.59	0.35	2.50	0.53	0.29	21.1	6.18	3.50	0.41
S122133		16	0.8	15.2	12	101.5	2.59	1.64	0.28	2.56	0.53	0.31	18.4	5.17	3.35	0.43
S122134		16	1.0	18.4	15	116.5	2.89	1.78	0.51	3.17	0.60	0.31	21.1	5.30	4.34	0.49
S122135		64	1.7	17.9	45	124.0	3.04	1.70	0.87	3.36	0.61	0.28	24.7	6.80	4.43	0.51
S122136		69	2.0	18.3	47	128.0	3.18	1.77	0.95	3.56	0.64	0.29	25.9	7.26	4.57	0.54

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198082

Sample Description	Method Analyte Units LOR	ME-MS61r Tm ppm 0.01	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
S122102 A		0.40	2.41	
S122102 B		0.39	2.37	
S122103		0.72	4.22	
S122104		0.66	4.09	
S122105		0.51	3.08	
S122106		0.75	4.30	
S122107		0.71	4.28	
S122108		0.68	4.08	
S122109		0.12	0.76	
S122110		0.69	4.16	
S122111		0.70	4.20	
S122112		0.81	4.84	
S122113		0.40	2.46	
S122114		0.43	2.72	
S122115		0.30	1.86	
S122116		0.38	2.38	
S122117		0.02	0.15	2.47
S122118		0.23	1.56	
S122119		0.29	1.94	
S122120		0.35	2.10	
S122121		0.47	2.67	
S122122		0.82	4.98	
S122123		0.14	0.84	
S122124		0.34	2.05	
S122125		0.33	2.03	
S122126		0.31	1.83	
S122127		0.03	0.15	2.48
S122128		0.50	3.11	
S122129		0.33	1.97	
S122130		0.28	1.65	
S122131		0.29	1.84	
S122132		0.29	1.80	
S122133		0.29	1.87	
S122134		0.30	1.96	
S122135		0.28	1.76	
S122136		0.28	1.73	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15198082

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61r

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-31	PUL-QC	SPL-21
SPL-34	WEI-21		

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA23	Cu-OG62	ME-MS61r	ME-OG62