ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

CERTIFICATE SD15191971

Project: SUPERIOR PROJECT

This report is for 36 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 10-DEC-2015.

The following have access to data associated with this certificate:

TRACY ARMSTRONG JOHN TAIT	TRACY ARMSTRONG (2ND EMAIL)	MORGAN QUINN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-21d	Sample logging - ClientBarCode Dup
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61r	48 element four acid ICP-MS + REEs	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **SUPERIOR COPPER CORPORATION**
ATTN: MORGAN QUINN
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191971

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2
Q203321A		3.08	<5	0.03	5.59	6.7	210	2.34	0.03	2.00	<0.02	192.5	0.9	8	1.97	6.4
Q203321B		<0.02	<5	0.03	5.55	6.7	210	2.19	0.03	1.96	<0.02	191.0	0.9	8	1.95	6.2
Q203322		3.07	<5	0.03	5.83	7.1	250	2.55	0.04	1.92	0.03	140.5	1.2	6	3.32	12.6
Q203323		2.13	<5	0.03	5.92	12.8	440	2.56	0.05	1.40	0.03	109.0	0.9	16	2.37	11.4
Q203324		2.50	<5	0.02	5.66	11.4	420	2.60	0.04	1.44	0.02	108.0	0.9	7	2.31	9.7
Q203325		1.68	<5	0.02	6.02	11.0	560	2.54	0.03	1.52	0.03	106.5	1.0	8	2.23	9.8
Q203326		1.18	<5	0.02	5.61	11.6	390	2.58	0.04	1.60	0.02	137.0	1.0	6	2.07	11.9
Q203327		0.73	<5	0.02	5.34	5.2	250	2.50	0.05	2.13	0.02	115.5	1.0	10	1.46	9.2
Q203328		0.52	<5	0.03	3.32	1.5	250	0.53	0.05	1.37	0.08	21.2	6.1	53	0.58	12.7
Q203329		0.76	<5	0.02	6.31	6.1	370	3.26	0.04	1.68	<0.02	113.5	1.0	6	2.93	8.8
Q203330		0.75	<5	0.01	5.88	4.8	260	2.70	0.03	1.87	<0.02	67.1	0.8	8	1.84	6.1
Q203331		0.77	<5	0.04	5.58	53.2	190	3.20	0.03	3.24	0.11	108.0	1.2	6	9.03	15.8
Q203332		1.31	<5	0.04	4.92	45.9	160	2.40	0.09	2.42	0.06	140.5	1.2	6	6.16	16.0
Q203333		1.52	<5	0.09	5.71	7.7	150	2.69	0.03	1.81	0.05	78.5	1.4	5	5.87	14.1
Q203334		1.30	<5	0.05	5.19	3.6	140	2.03	0.04	5.00	0.18	73.8	1.4	5	4.32	14.7
Q203335		1.21	<5	0.05	5.19	8.1	170	2.96	0.05	4.27	0.19	160.0	1.5	5	5.19	19.0
Q203336		<0.02	438	10.30	0.39	217	10	0.05	5.60	0.11	14.25	3.84	454	40	0.27	>10000
Q203337		0.82	<5	0.04	5.22	8.5	150	2.27	0.05	7.12	0.30	55.6	1.6	6	6.56	123.5
Q203338		2.31	<5	0.04	5.69	5.3	130	2.13	0.04	2.01	0.12	57.1	1.2	6	5.07	16.2
Q203339		1.41	<5	0.06	5.31	7.1	140	2.69	0.05	4.18	0.24	41.0	1.3	4	9.20	13.0
Q203340		0.77	<5	0.06	5.87	12.6	150	2.23	0.04	2.23	0.06	45.4	1.2	5	3.40	11.0
Q203341		0.78	<5	0.07	5.78	16.3	140	2.08	0.06	2.36	0.09	75.2	1.2	6	4.18	12.9
Q203342		0.92	<5	0.07	5.34	13.4	140	1.87	0.06	2.49	0.13	68.2	1.1	5	3.53	16.0
Q203343		1.33	<5	0.07	5.36	9.2	110	1.84	0.10	2.14	0.13	45.6	1.0	5	3.57	12.1
Q203344		1.21	<5	0.04	5.70	32.0	120	2.25	0.06	2.34	0.09	51.8	1.5	5	4.69	11.5
Q203345		1.20	<5	0.14	5.31	17.0	130	2.08	0.06	2.20	0.19	56.5	1.7	7	4.50	27.8
Q203346		<0.02	416	11.05	0.40	221	10	0.11	5.90	0.11	15.25	3.95	464	41	0.30	>10000
Q203347		1.04	<5	0.12	5.02	10.4	130	1.90	0.06	2.96	0.23	32.2	1.5	5	6.41	33.1
Q203348		1.45	<5	0.09	5.18	3.7	130	2.55	0.04	2.29	0.20	27.3	1.5	5	7.24	30.7
Q203349		1.56	<5	0.15	4.88	8.4	130	2.08	0.08	2.08	0.10	36.8	1.1	5	4.35	43.6
Q203350		4.10	<5	0.29	5.77	9.1	130	2.20	0.12	2.37	0.16	45.6	1.2	5	5.70	262
Q203351		2.55	<5	0.73	5.17	8.3	140	2.42	0.43	2.82	0.36	52.3	1.2	6	6.03	980
Q203352		2.63	<5	1.00	6.04	10.2	150	2.44	0.31	1.98	1.17	34.8	1.3	4	7.08	881
Q203353		1.81	<5	1.61	6.05	8.3	200	2.45	0.47	1.58	1.41	27.1	1.4	7	4.88	2480
Q203354		0.59	<5	0.91	5.67	1.1	110	1.67	0.20	1.55	0.15	19.20	0.9	4	2.70	7640
Q203355		0.54	<5	0.62	5.43	1.2	110	1.64	0.22	1.33	0.17	16.50	0.9	7	2.63	7930

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191971

Sample Description	Method	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
Q203321A		0.56	15.15	0.23	6.4	0.023	2.16	100.5	2.6	0.13	107	0.22	1.42	42.7	2.1	50
Q203321B		0.54	15.20	0.23	6.2	0.026	2.14	98.5	2.6	0.12	105	0.21	1.42	43.7	2.0	50
Q203322		0.90	17.65	0.17	6.8	0.017	3.07	55.8	3.8	0.19	113	0.42	0.47	46.7	3.5	40
Q203323		0.79	17.05	0.17	6.4	0.013	3.20	65.1	3.0	0.15	97	0.39	1.09	45.5	1.5	40
Q203324		0.81	15.85	0.18	6.1	0.009	2.98	65.3	2.6	0.14	104	0.32	1.05	40.1	1.4	40
Q203325		0.79	16.25	0.18	6.4	0.011	3.58	49.6	2.3	0.15	109	0.31	0.91	43.2	1.3	40
Q203326		0.72	15.30	0.19	5.9	0.014	2.80	69.1	2.9	0.15	112	0.29	1.02	41.4	1.8	40
Q203327		0.62	16.70	0.18	5.6	0.027	1.99	70.0	2.5	0.11	140	0.22	1.40	33.5	2.0	40
Q203328		2.18	7.51	0.08	1.6	0.016	0.82	11.1	5.4	0.59	308	0.24	1.25	3.0	17.6	190
Q203329		0.72	19.50	0.17	6.9	0.025	3.09	57.5	3.8	0.18	108	0.36	0.87	49.9	1.1	50
Q203330		0.61	14.35	0.14	6.2	0.013	2.37	26.1	4.2	0.13	122	0.30	1.22	43.1	0.8	40
Q203331		0.56	14.60	0.16	5.7	0.016	2.67	46.4	15.9	0.19	240	0.26	0.10	37.2	2.7	20
Q203332		0.64	13.90	0.19	4.9	0.013	2.39	75.0	18.8	0.14	181	0.41	0.08	35.5	2.9	20
Q203333		0.64	13.75	0.13	6.0	0.016	2.69	37.3	18.8	0.14	117	0.29	0.09	39.7	4.9	30
Q203334		0.64	13.50	0.16	5.4	0.015	2.59	33.4	15.1	0.13	132	0.27	0.08	35.7	7.0	30
Q203335		0.67	16.05	0.25	5.8	0.015	2.72	99.0	13.9	0.14	153	0.22	0.07	39.1	3.2	40
Q203336		34.4	2.18	0.19	0.1	1.260	0.02	2.0	2.6	0.18	98	30.4	0.07	0.5	35.3	150
Q203337		0.69	12.25	0.11	5.3	0.013	2.11	29.0	12.1	0.14	211	0.57	0.80	37.4	2.2	30
Q203338		0.55	13.70	0.10	6.2	0.010	1.91	23.3	6.0	0.12	172	0.19	1.72	35.3	2.0	40
Q203339		0.60	14.45	0.12	6.7	0.008	2.86	16.2	25.2	0.17	213	0.19	0.09	40.4	4.0	30
Q203340		0.74	13.65	0.11	6.0	0.013	2.79	22.8	9.1	0.13	143	0.25	0.09	36.9	5.9	30
Q203341		0.71	14.90	0.14	6.0	0.013	2.72	32.3	12.4	0.13	161	0.20	0.09	39.7	5.4	40
Q203342		0.74	15.25	0.13	5.5	0.017	2.56	32.7	7.6	0.12	183	0.15	0.09	33.1	6.2	40
Q203343		0.64	14.10	0.12	5.4	0.019	2.40	21.1	17.4	0.11	122	0.15	0.08	32.5	8.7	30
Q203344		0.72	13.90	0.10	6.0	0.014	2.67	26.3	16.1	0.14	171	0.18	0.08	37.4	4.8	40
Q203345		0.71	13.95	0.12	5.6	0.010	2.51	30.7	17.3	0.14	143	0.23	0.07	33.8	4.2	40
Q203346		35.4	2.33	0.22	0.2	1.355	0.02	2.1	2.5	0.18	91	32.4	0.07	0.5	36.1	150
Q203347		0.66	11.95	0.07	5.4	0.011	2.53	17.3	20.5	0.15	149	0.31	0.06	34.9	3.7	30
Q203348		0.61	13.70	0.08	5.7	0.009	2.66	11.4	19.2	0.15	187	0.23	0.08	38.4	4.2	30
Q203349		0.68	12.70	0.08	4.9	0.015	2.30	17.9	14.1	0.12	133	0.18	0.09	28.5	6.1	30
Q203350		0.61	13.65	0.08	6.2	0.012	2.61	13.7	19.8	0.15	211	0.25	0.22	35.5	3.6	40
Q203351		0.74	14.65	0.10	6.4	0.016	2.82	17.2	14.9	0.14	205	0.12	0.15	36.9	3.7	40
Q203352		0.93	14.65	0.13	6.4	0.015	2.92	17.3	14.1	0.18	158	1.11	0.13	42.3	8.8	40
Q203353		1.09	15.00	0.13	6.6	0.020	3.11	14.9	10.4	0.18	101	0.84	0.16	42.8	3.4	40
Q203354		0.61	11.60	0.11	6.3	0.010	1.28	9.2	3.2	0.06	87	9.58	2.96	42.8	2.3	40
Q203355		0.59	11.35	0.10	5.8	0.014	1.27	7.6	3.2	0.06	80	10.55	2.77	38.0	1.7	40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191971

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Pb ppm 0.5	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1
Q203321A		4.4	85.6	<0.002	<0.01	0.26	2.0	2	8.2	32.7	3.10	<0.05	37.0	0.072	0.39	15.6
Q203321B		4.2	86.4	<0.002	<0.01	0.27	2.1	2	8.4	33.1	3.09	<0.05	36.8	0.071	0.37	15.4
Q203322		3.0	135.5	<0.002	<0.01	0.28	2.0	2	3.4	21.7	3.39	<0.05	37.9	0.076	0.51	6.8
Q203323		3.6	120.5	<0.002	<0.01	0.25	2.0	1	3.4	36.7	3.25	<0.05	39.8	0.077	0.47	9.8
Q203324		3.0	113.0	<0.002	<0.01	0.25	2.0	1	2.9	34.9	3.08	<0.05	38.6	0.072	0.46	6.7
Q203325		3.1	122.5	<0.002	<0.01	0.26	2.1	1	3.1	31.7	3.21	<0.05	37.9	0.076	0.53	7.4
Q203326		3.4	104.0	<0.002	0.01	0.24	2.0	2	2.8	34.5	2.97	<0.05	38.4	0.070	0.45	11.3
Q203327		3.0	85.0	<0.002	0.01	0.21	2.4	2	3.4	35.6	2.45	<0.05	32.8	0.059	0.34	8.3
Q203328		7.0	25.8	<0.002	<0.01	0.21	7.5	<1	0.5	170.0	0.22	<0.05	2.51	0.195	0.16	0.6
Q203329		3.9	135.0	<0.002	<0.01	0.26	2.1	2	5.0	32.2	3.48	<0.05	40.5	0.085	0.52	9.9
Q203330		3.0	96.5	<0.002	<0.01	0.27	1.9	1	4.5	40.4	3.18	<0.05	39.2	0.076	0.37	6.9
Q203331		2.8	105.0	<0.002	<0.01	0.38	1.5	2	3.1	28.0	2.61	<0.05	30.3	0.065	0.48	4.3
Q203332		2.9	94.3	<0.002	0.01	0.42	2.1	1	2.8	20.2	2.32	<0.05	33.8	0.063	0.44	6.0
Q203333		2.3	112.0	<0.002	<0.01	0.47	1.5	1	2.5	14.8	2.76	<0.05	29.5	0.065	0.48	4.0
Q203334		2.2	118.0	<0.002	<0.01	0.63	1.2	1	2.4	14.4	2.50	<0.05	29.6	0.058	0.49	3.8
Q203335		2.7	109.5	<0.002	0.01	0.38	1.9	1	2.8	16.2	2.70	<0.05	33.9	0.066	0.48	4.7
Q203336		361	1.0	0.037	>10.0	19.10	0.6	51	4.0	6.7	<0.05	1.56	0.99	0.012	3.43	4.0
Q203337		2.4	99.1	<0.002	0.06	0.30	1.5	1	2.9	27.7	2.54	<0.05	36.1	0.061	0.44	4.9
Q203338		2.3	81.4	<0.002	0.02	0.38	1.5	1	2.6	31.1	2.51	<0.05	36.0	0.059	0.35	3.5
Q203339		2.9	103.5	<0.002	<0.01	0.40	1.2	1	2.8	20.2	2.87	<0.05	31.9	0.064	0.55	3.3
Q203340		2.7	124.0	0.002	<0.01	0.56	1.0	1	2.7	16.1	2.71	<0.05	30.3	0.063	0.51	3.1
Q203341		2.4	113.5	0.002	<0.01	0.54	1.3	<1	3.5	17.7	2.73	<0.05	30.9	0.066	0.53	3.1
Q203342		2.3	114.5	<0.002	<0.01	0.62	1.7	1	3.9	14.9	2.40	<0.05	30.9	0.057	0.48	3.7
Q203343		2.5	110.0	<0.002	<0.01	1.39	1.2	1	2.8	13.3	2.25	<0.05	30.0	0.052	0.38	3.6
Q203344		2.8	106.0	<0.002	<0.01	0.68	1.2	1	2.8	19.6	2.48	<0.05	29.7	0.058	0.48	3.2
Q203345		2.6	112.0	0.002	0.02	0.57	1.3	1	2.8	16.5	2.38	<0.05	32.8	0.057	0.46	3.2
Q203346		371	1.0	0.041	>10.0	20.7	0.6	54	4.3	7.0	<0.05	1.74	0.98	0.012	3.56	4.2
Q203347		2.5	96.7	<0.002	0.03	0.50	0.9	1	2.7	16.7	2.38	<0.05	28.2	0.062	0.44	2.7
Q203348		3.3	100.0	<0.002	0.01	0.47	1.0	1	3.2	19.5	2.57	<0.05	27.9	0.064	0.48	2.8
Q203349		2.2	105.0	<0.002	0.02	0.86	1.1	1	3.1	13.0	2.10	<0.05	26.9	0.051	0.42	3.2
Q203350		3.1	107.5	<0.002	<0.01	0.45	1.5	1	3.0	19.8	2.70	<0.05	34.0	0.064	0.50	3.7
Q203351		3.3	111.5	<0.002	<0.01	0.50	1.7	1	3.3	18.9	2.78	<0.05	29.0	0.065	0.51	3.4
Q203352		8.3	132.5	0.002	0.01	0.53	1.5	1	3.3	16.9	2.81	<0.05	31.9	0.069	0.53	4.0
Q203353		4.2	155.5	<0.002	0.06	0.29	1.6	1	3.4	11.2	2.95	<0.05	35.2	0.073	0.58	5.2
Q203354		10.6	64.8	<0.002	0.18	0.13	1.3	2	2.7	38.3	2.72	<0.05	36.1	0.067	0.25	5.0
Q203355		10.4	63.8	0.002	0.20	0.11	1.3	1	2.7	34.9	2.49	<0.05	33.6	0.060	0.27	4.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191971

Sample Description	Method / Analyte / Units / LOR	ME-MS61r V ppm 1	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01
Q203321A		18	1.5	44.1	6	163.5	8.92	5.55	0.46	9.18	1.79	0.88	68.1	21.7	12.00	1.43
Q203321B		18	1.4	45.1	6	162.5	8.79	5.49	0.49	9.04	1.79	0.86	68.4	20.9	12.20	1.44
Q203322		18	2.6	44.7	7	175.5	7.95	5.38	0.42	7.46	1.69	0.90	43.6	12.60	8.75	1.22
Q203323		20	2.4	41.4	7	171.0	7.40	5.15	0.36	6.65	1.59	0.89	44.2	13.20	7.97	1.11
Q203324		17	2.4	38.7	6	156.5	6.80	4.55	0.34	6.42	1.44	0.78	44.9	13.25	7.98	1.05
Q203325		18	2.9	39.0	7	171.0	6.77	4.81	0.36	6.25	1.46	0.82	36.7	10.75	7.29	1.04
Q203326		18	2.4	40.4	7	156.5	7.16	4.86	0.37	7.03	1.53	0.80	46.8	14.00	8.47	1.11
Q203327		17	1.1	34.6	8	146.5	6.49	4.34	0.35	6.01	1.36	0.72	43.9	13.35	7.47	0.99
Q203328		59	0.2	7.1	25	58.4	1.40	0.84	0.48	1.58	0.28	0.13	10.3	2.70	2.08	0.23
Q203329		19	2.2	43.1	9	183.0	7.77	5.50	0.37	7.06	1.68	0.93	43.4	12.60	8.53	1.15
Q203330		12	3.5	31.0	7	162.5	5.05	3.82	0.21	4.49	1.14	0.73	23.9	6.70	4.95	0.73
Q203331		12	0.7	37.5	10	152.0	6.64	4.51	0.32	5.98	1.40	0.77	33.6	9.74	6.83	1.02
Q203332		28	0.8	36.7	9	132.5	7.00	4.35	0.40	6.91	1.43	0.67	50.4	15.75	8.72	1.12
Q203333		16	1.0	28.1	8	154.5	5.01	3.55	0.27	4.76	1.08	0.66	29.2	8.46	5.84	0.79
Q203334		18	1.0	26.9	6	143.5	4.87	3.38	0.28	4.67	1.03	0.66	26.9	7.79	5.37	0.77
Q203335		25	1.4	31.3	12	155.5	5.71	3.75	0.47	6.75	1.16	0.68	63.7	19.75	10.25	0.98
Q203336		43	3.6	1.7	4120	5.1	0.35	0.21	0.11	0.39	0.07	0.03	1.9	0.48	0.43	0.06
Q203337		12	1.1	29.7	13	141.5	4.87	3.71	0.26	3.96	1.08	0.72	20.6	6.02	4.33	0.71
Q203338		6	0.6	27.3	9	163.0	4.37	3.50	0.17	3.47	1.02	0.67	19.1	5.44	3.88	0.63
Q203339		7	0.8	22.0	12	169.0	3.57	3.19	0.13	2.60	0.86	0.69	14.2	3.98	2.70	0.49
Q203340		6	1.0	22.4	7	159.5	3.62	2.95	0.15	2.77	0.86	0.61	16.9	4.90	3.28	0.49
Q203341		9	0.9	27.0	7	158.5	4.59	3.57	0.18	3.55	1.05	0.63	24.0	7.06	4.33	0.65
Q203342		12	0.8	27.3	6	145.0	4.69	3.60	0.19	3.65	1.09	0.60	24.0	7.24	4.47	0.68
Q203343		17	0.7	22.2	5	144.0	3.64	2.89	0.19	3.05	0.83	0.53	17.0	4.93	3.38	0.51
Q203344		7	0.8	26.3	8	159.0	4.33	3.45	0.17	3.30	1.00	0.61	18.3	5.39	3.78	0.60
Q203345		7	0.8	23.5	9	151.5	3.68	3.13	0.14	2.84	0.87	0.58	20.2	6.00	3.45	0.50
Q203346		43	3.8	1.7	4210	5.4	0.35	0.19	0.11	0.40	0.06	0.03	1.9	0.51	0.46	0.06
Q203347		7	0.6	20.2	12	142.0	3.22	2.94	0.11	2.17	0.82	0.59	11.9	3.50	2.30	0.41
Q203348		6	0.7	23.0	9	155.0	3.67	3.20	0.11	2.35	0.89	0.63	10.8	2.96	2.21	0.46
Q203349		9	0.6	20.8	6	129.0	3.72	2.75	0.15	2.52	0.84	0.46	13.5	3.89	2.72	0.48
Q203350		7	0.8	26.7	7	160.0	4.13	3.52	0.13	2.82	0.97	0.59	12.1	3.32	2.64	0.54
Q203351		10	1.1	25.4	8	165.5	4.07	3.18	0.17	3.29	0.96	0.58	15.8	4.40	3.43	0.57
Q203352		11	1.4	26.5	17	176.0	3.88	3.19	0.14	2.77	0.96	0.65	12.3	3.52	2.49	0.54
Q203353		13	1.4	26.4	10	177.0	3.98	3.24	0.12	2.67	0.97	0.67	10.7	3.00	2.40	0.53
Q203354		12	1.3	26.6	6	176.0	3.88	3.18	0.14	2.46	0.94	0.63	8.2	2.25	2.09	0.51
Q203355		12	1.2	23.3	6	158.0	3.49	2.81	0.12	2.26	0.85	0.56	7.2	1.97	1.79	0.47

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191971

Sample Description	Method Analyte Units LOR	ME-MS61r Tm ppm 0.01	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
Q203321A		0.89	6.07	
Q203321B		0.86	5.90	
Q203322		0.87	5.90	
Q203323		0.84	5.97	
Q203324		0.75	5.17	
Q203325		0.78	5.50	
Q203326		0.77	5.46	
Q203327		0.69	4.73	
Q203328		0.13	0.83	
Q203329		0.89	6.10	
Q203330		0.63	4.66	
Q203331		0.76	5.12	
Q203332		0.69	4.67	
Q203333		0.60	4.26	
Q203334		0.58	4.23	
Q203335		0.61	4.34	
Q203336		0.03	0.18	2.45
Q203337		0.64	4.68	
Q203338		0.59	4.39	
Q203339		0.57	4.25	
Q203340		0.55	3.93	
Q203341		0.63	4.40	
Q203342		0.62	4.28	
Q203343		0.49	3.50	
Q203344		0.58	4.24	
Q203345		0.54	3.97	
Q203346		0.03	0.20	2.46
Q203347		0.54	3.92	
Q203348		0.56	4.11	
Q203349		0.47	3.25	
Q203350		0.57	4.03	
Q203351		0.52	3.82	
Q203352		0.57	4.12	
Q203353		0.58	4.12	
Q203354		0.55	3.96	
Q203355		0.49	3.51	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 15-DEC-2015
Account: SUPCOP

Project: SUPERIOR PROJECT

CERTIFICATE OF ANALYSIS SD15191971

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61r

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-21d	LOG-22
LOG-23	PUL-31	PUL-QC	SPL-21
SPL-34	WEI-21		

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Au-AA23	Cu-OG62	ME-MS61r	ME-OG62