ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

QC CERTIFICATE SD15198089

Project: SUPERIOR PROJECT

This report is for 36 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 21-DEC-2015.

The following have access to data associated with this certificate:

TRACY ARMSTRONG JOHN TAIT	TRACY ARMSTRONG (2ND EMAIL)	MORGAN QUINN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-34	Pulp Splitting Charge
LOG-21d	Sample logging - ClientBarCode Dup
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61r	48 element four acid ICP-MS + REEs	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE

To: **SUPERIOR COPPER CORPORATION**
ATTN: MORGAN QUINN
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2	ME-MS61r Fe % 0.01
STANDARDS																
AMIS0160																
Target Range - Lower Bound																
Upper Bound																
BP-13		355														
Target Range - Lower Bound		332														
Upper Bound		384														
CDN-CM-34			3.52	6.41	104.5	490	1.06	3.33	2.00	0.95	38.3	41.5	263	3.59	5750	4.71
CDN-CM-34			3.52	6.49	108.5	500	1.12	3.42	2.02	0.95	37.8	41.5	254	3.68	5770	4.74
CDN-CM-34			3.68	6.47	113.5	500	1.01	3.17	2.04	0.92	39.6	41.9	246	3.66	5670	4.65
CDN-CM-34			3.55	6.56	112.0	480	0.89	3.56	2.06	1.00	38.0	41.3	238	3.79	5700	4.72
Target Range - Lower Bound																
Upper Bound																
CDN-GS-P8C		803														
CDN-GS-P8C		767														
Target Range - Lower Bound		732														
Upper Bound		836														
G307-7		7740														
G307-7		7680														
Target Range - Lower Bound		7390														
Upper Bound		8350														
GBM909-14																
GBM909-14																
Target Range - Lower Bound																
Upper Bound																
MRGeo08			4.39	7.36	32.0	1110	3.27	0.63	2.56	2.06	67.9	20.1	96	12.65	660	4.00
MRGeo08			4.44	7.20	33.3	1070	3.21	0.62	2.51	2.09	68.9	19.6	93	12.90	621	3.86
MRGeo08			4.75	7.30	35.9	1120	3.60	0.62	2.63	2.19	67.5	21.0	94	13.35	646	3.92
MRGeo08			4.68	7.75	36.4	1140	3.52	0.73	2.81	2.40	67.6	21.4	100	13.15	678	4.18
Target Range - Lower Bound			4.00	6.64	29.5	920	2.98	0.60	2.35	2.00	66.2	17.7	81	11.20	587	3.55
Upper Bound			4.92	8.14	36.5	1270	3.76	0.76	2.90	2.48	81.0	21.9	102	13.80	675	4.37
OGGeo08																
OGGeo08																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Ga ppm 0.05	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10	ME-MS61r Pb ppm 0.5
STANDARDS																
AMIS0160																
Target Range - Lower Bound																
Upper Bound																
BP-13																
Target Range - Lower Bound																
Upper Bound																
CDN-CM-34		15.45	0.14	0.5	0.139	2.76	18.8	10.0	3.63	441	287	0.72	4.2	244	1240	22.5
CDN-CM-34		16.25	0.11	0.5	0.130	2.78	17.8	10.1	3.63	441	287	0.72	4.9	245	1250	22.2
CDN-CM-34		16.20	0.12	0.5	0.132	2.77	18.8	10.4	3.59	439	291	0.73	4.8	246	1260	22.4
CDN-CM-34		17.05	0.06	0.6	0.136	2.83	17.9	9.5	3.63	449	291	0.73	4.8	249	1250	25.9
Target Range - Lower Bound																
Upper Bound																
CDN-GS-P8C																
CDN-GS-P8C																
Target Range - Lower Bound																
Upper Bound																
G307-7																
G307-7																
Target Range - Lower Bound																
Upper Bound																
GBM909-14																
GBM909-14																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		18.25	0.16	3.2	0.168	3.18	33.9	31.8	1.31	559	14.25	1.97	21.1	708	1080	1090
MRGeo08		18.95	0.19	3.1	0.172	3.02	33.1	31.7	1.28	543	14.05	1.93	20.4	688	1050	1060
MRGeo08		19.60	0.14	3.1	0.182	3.17	32.9	34.6	1.30	563	14.60	1.98	22.4	716	1090	1090
MRGeo08		20.8	0.18	3.4	0.190	3.42	32.4	39.8	1.39	607	15.30	2.10	23.4	760	1150	1175
Target Range - Lower Bound		17.50	<0.05	2.8	0.155	2.79	31.1	29.5	1.17	497	13.65	1.76	19.0	622	930	971
Upper Bound		21.5	0.27	3.6	0.201	3.43	39.1	36.5	1.45	619	16.75	2.18	23.4	760	1160	1185
OGGeo08																
OGGeo08																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1	ME-MS61r V ppm 1
STANDARDS																
AMIS0160																
Target Range - Lower Bound																
Upper Bound																
BP-13																
Target Range - Lower Bound																
Upper Bound																
CDN-CM-34		83.8	0.304	2.98	5.73	17.1	5	1.7	222	0.29	0.61	2.12	0.464	1.25	0.7	165
CDN-CM-34		83.5	0.295	3.05	6.00	16.1	6	1.8	222	0.32	0.64	2.18	0.505	1.28	0.7	167
CDN-CM-34		85.2	0.297	3.08	5.76	17.6	5	1.7	223	0.33	0.60	2.36	0.507	1.28	0.7	164
CDN-CM-34		83.9	0.293	3.00	6.43	16.9	5	1.9	227	0.34	0.64	2.31	0.499	1.46	0.8	166
Target Range - Lower Bound																
Upper Bound																
CDN-GS-P8C																
CDN-GS-P8C																
Target Range - Lower Bound																
Upper Bound																
G307-7																
G307-7																
Target Range - Lower Bound																
Upper Bound																
GBM909-14																
GBM909-14																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		187.5	0.007	0.34	4.43	11.6	2	3.8	309	1.50	<0.05	18.20	0.494	0.98	4.9	112
MRGeo08		184.0	0.008	0.30	4.40	11.5	2	3.7	300	1.41	<0.05	18.85	0.479	1.02	5.1	109
MRGeo08		179.5	0.008	0.32	4.51	11.7	2	3.8	313	1.53	<0.05	18.40	0.501	1.01	5.0	111
MRGeo08		185.0	0.008	0.32	5.17	12.5	2	4.3	335	1.74	<0.05	18.85	0.537	1.22	5.9	117
Target Range - Lower Bound		173.5	0.005	0.27	3.89	11.1	<1	3.5	277	1.39	<0.05	17.90	0.443	0.89	4.9	97
Upper Bound		212	0.013	0.35	5.39	13.7	4	4.7	339	1.81	0.14	21.9	0.553	1.25	6.2	121
OGGeo08																
OGGeo08																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01	ME-MS61r Tm ppm 0.01
STANDARDS																
AMIS0160																
Target Range - Lower Bound																
Upper Bound																
BP-13																
Target Range - Lower Bound																
Upper Bound																
CDN-CM-34		24.1	14.1	197	14.6	2.98	1.32	1.39	3.89	0.52	0.15	19.8	4.76	4.41	0.55	0.18
CDN-CM-34		24.8	13.2	204	11.6	2.92	1.26	1.39	3.81	0.53	0.14	20.1	4.80	4.50	0.55	0.18
CDN-CM-34		24.6	13.8	198	12.2	2.95	1.29	1.41	3.83	0.52	0.14	20.5	4.79	4.44	0.56	0.17
CDN-CM-34		27.6	14.2	198	16.3	3.03	1.37	1.52	4.00	0.53	0.15	20.7	5.10	4.67	0.57	0.19
Target Range - Lower Bound																
Upper Bound																
CDN-GS-P8C																
CDN-GS-P8C																
Target Range - Lower Bound																
Upper Bound																
G307-7																
G307-7																
Target Range - Lower Bound																
Upper Bound																
GBM909-14																
GBM909-14																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		4.6	25.6	816	108.0	4.69	2.72	1.24	4.97	0.95	0.40	27.6	8.12	5.58	0.79	0.41
MRGeo08		4.4	23.9	796	104.0	4.52	2.58	1.20	4.76	0.93	0.37	28.9	8.28	5.76	0.76	0.39
MRGeo08		4.7	24.4	822	109.0	4.49	2.59	1.25	4.72	0.91	0.38	27.5	8.22	5.62	0.75	0.38
MRGeo08		5.5	25.7	879	112.0	4.96	2.90	1.41	5.29	1.01	0.44	29.5	8.20	5.98	0.86	0.45
Target Range - Lower Bound		4.1	23.8	722	92.2	3.99	2.25	1.12	4.60	0.79	0.32	26.5	7.02	5.24	0.67	0.32
Upper Bound		5.8	29.3	886	126.0	5.51	3.11	1.59	6.34	1.09	0.46	36.1	9.56	7.16	0.93	0.46
OGGeo08																
OGGeo08																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
STANDARDS			
AMIS0160			2.05
Target Range - Lower Bound			1.970
Upper Bound			2.11
BP-13			
Target Range - Lower Bound			
Upper Bound			
CDN-CM-34		0.99	
CDN-CM-34		1.01	
CDN-CM-34		0.95	
CDN-CM-34		1.07	
Target Range - Lower Bound			
Upper Bound			
CDN-GS-P8C			
CDN-GS-P8C			
Target Range - Lower Bound			
Upper Bound			
G307-7			
G307-7			
Target Range - Lower Bound			
Upper Bound			
GBM909-14			2.17
GBM909-14			2.17
Target Range - Lower Bound			2.11
Upper Bound			2.27
MRGeo08		2.53	
MRGeo08		2.44	
MRGeo08		2.34	
MRGeo08		2.91	
Target Range - Lower Bound		2.13	
Upper Bound		2.95	
OGGeo08			0.852
OGGeo08			0.859
Target Range - Lower Bound			0.809
Upper Bound			0.869

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2	ME-MS61r Fe % 0.01
STANDARDS																
OREAS 604																
Target Range - Lower Bound																
Upper Bound																
OREAS 621																
OREAS 621																
Target Range - Lower Bound																
Upper Bound																
OREAS-104			0.13	7.20	3.6	1290	3.32	0.44	0.98	0.23	104.0	3.1	38	3.81	72.1	1.93
OREAS-104			0.15	7.18	3.8	1310	3.53	0.44	1.04	0.26	98.9	3.2	39	3.71	86.7	1.99
OREAS-104			0.11	6.85	3.6	1220	3.17	0.46	0.98	0.22	95.9	3.0	35	3.73	69.9	1.87
Target Range - Lower Bound			0.08	6.51	2.7	1100	3.11	0.40	0.92	0.19	91.8	2.9	33	3.26	67.3	1.74
Upper Bound			0.14	7.98	3.8	1520	3.91	0.52	1.14	0.30	112.0	3.7	43	4.09	77.9	2.15
OREAS-45d			0.15	7.99	13.4	180	0.76	0.28	0.18	0.04	37.1	28.8	542	3.78	375	13.80
OREAS-45d			0.13	7.91	13.8	180	0.67	0.29	0.18	<0.02	38.5	29.2	540	3.91	364	13.60
OREAS-45d			0.17	8.15	13.7	190	0.74	0.28	0.18	0.04	38.1	30.5	541	3.86	387	14.05
OREAS-45d			0.14	8.23	13.8	180	0.67	0.32	0.19	0.03	36.9	29.2	545	3.97	364	14.10
Target Range - Lower Bound			0.17	7.33	12.2	140	0.65	0.27	0.16	<0.02	33.5	26.5	493	3.47	345	13.05
Upper Bound			0.23	8.98	15.4	220	0.93	0.35	0.21	0.09	40.9	32.6	605	4.35	397	16.00
OxJ111		2170														
Target Range - Lower Bound		2030														
Upper Bound		2300														
BLANKS																
BLANK		<5														
BLANK		<5														
BLANK		<5														
Target Range - Lower Bound		<5														
Upper Bound		10														
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK			<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	1	<0.05	<0.2	<0.01
BLANK			<0.01	<0.01	<0.2	<10	<0.05	<0.01	0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01
BLANK			<0.01	<0.01	0.2	<10	<0.05	<0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05	1.9	<0.01
BLANK			<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	0.3	<0.01
Target Range - Lower Bound			<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01
Upper Bound			0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10	0.4	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Ga ppm 0.05	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10	ME-MS61r Pb ppm 0.5
STANDARDS																
OREAS 604																
Target Range - Lower Bound																
Upper Bound																
OREAS 621																
OREAS 621																
Target Range - Lower Bound																
Upper Bound																
OREAS-104		24.9	0.25	5.4	0.077	2.36	48.0	17.7	0.35	226	8.37	3.24	23.9	8.4	1220	46.6
OREAS-104		24.2	0.16	5.1	0.074	2.32	45.5	17.4	0.34	224	8.15	3.24	23.0	8.9	1240	47.3
OREAS-104		24.4	0.20	5.3	0.078	2.25	44.5	15.8	0.33	213	7.99	3.12	22.6	8.3	1180	44.5
Target Range - Lower Bound		24.0	0.07	5.0	0.068	2.08	43.4	15.7	0.31	193	7.99	2.97	22.0	8.2	1090	42.3
Upper Bound		29.5	0.28	6.4	0.096	2.56	54.2	19.7	0.40	247	9.87	3.65	27.1	10.4	1360	52.8
OREAS-45d		19.85	0.11	3.8	0.084	0.40	18.5	21.2	0.22	474	2.24	0.09	13.3	226	420	19.9
OREAS-45d		21.0	0.11	3.9	0.091	0.40	18.3	21.0	0.22	465	2.32	0.09	14.4	223	400	19.3
OREAS-45d		21.0	0.08	3.8	0.087	0.42	18.5	22.6	0.22	473	2.30	0.10	14.9	230	420	23.7
OREAS-45d		22.3	<0.05	4.2	0.086	0.41	17.2	19.1	0.22	465	2.35	0.09	15.0	228	420	20.7
Target Range - Lower Bound		19.05	0.09	3.3	0.081	0.36	14.7	19.2	0.21	436	2.20	0.08	13.0	208	370	19.1
Upper Bound		23.4	0.31	4.3	0.111	0.46	19.1	23.9	0.28	544	2.80	0.13	16.1	254	470	24.5
OxJ111																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<0.05	0.06	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5
BLANK		<0.05	0.05	<0.1	<0.005	<0.01	<0.5	0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5
BLANK		<0.05	0.09	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5
BLANK		0.06	0.13	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5
Target Range - Lower Bound		<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5
Upper Bound		0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4	20	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1	ME-MS61r V ppm 1
STANDARDS																
OREAS 604																
Target Range - Lower Bound																
Upper Bound																
OREAS 621																
OREAS 621																
Target Range - Lower Bound																
Upper Bound																
OREAS-104		126.0	0.002	0.02	0.75	4.2	1	6.1	114.0	2.19	<0.05	154.0	0.155	0.52	122.0	18
OREAS-104		124.0	0.002	0.05	0.72	4.2	1	5.9	115.0	2.15	<0.05	160.0	0.152	0.52	122.5	18
OREAS-104		118.0	<0.002	0.02	0.78	3.9	1	6.3	108.5	2.30	<0.05	143.0	0.149	0.60	113.5	17
Target Range - Lower Bound		117.5	<0.002	<0.01	0.53	4.0	<1	5.6	106.0	2.14	<0.05	137.0	0.135	0.44	104.0	15
Upper Bound		143.5	0.006	0.04	0.88	5.1	3	7.3	130.0	2.73	0.13	167.0	0.176	0.65	127.0	20
OREAS-45d		42.9	<0.002	0.06	0.82	51.0	3	2.2	33.1	0.94	0.11	14.10	0.703	0.21	2.4	228
OREAS-45d		42.1	<0.002	0.05	0.86	51.1	3	2.4	31.9	1.00	0.09	15.10	0.731	0.22	2.6	223
OREAS-45d		42.3	<0.002	0.08	0.83	53.1	3	2.3	32.8	1.03	0.10	15.90	0.756	0.23	2.6	225
OREAS-45d		42.4	<0.002	0.05	0.93	50.4	4	2.6	32.1	1.15	0.09	14.80	0.764	0.26	2.7	226
Target Range - Lower Bound		37.8	<0.002	0.03	0.64	44.3	<1	2.2	28.0	0.87	<0.05	13.50	0.691	0.20	2.3	211
Upper Bound		46.4	0.007	0.07	1.00	54.3	5	3.2	34.6	1.17	0.23	16.50	0.855	0.34	3.0	260
OxJ111																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<0.1	<0.002	<0.01	0.06	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1
BLANK		<0.1	<0.002	<0.01	0.07	<0.1	<1	<0.2	0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1
BLANK		<0.1	<0.002	<0.01	0.07	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1
BLANK		<0.1	<0.002	<0.01	0.08	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1
Target Range - Lower Bound		<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1
Upper Bound		0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.02	0.010	0.04	0.2	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01	ME-MS61r Tm ppm 0.01
STANDARDS																
OREAS 604																
Target Range - Lower Bound																
Upper Bound																
OREAS 621																
OREAS 621																
Target Range - Lower Bound																
Upper Bound																
OREAS-104		2.1	27.1	75	190.5	5.91	2.76	1.13	7.54	1.08	0.33	51.9	13.15	10.25	1.11	0.40
OREAS-104		2.0	27.3	81	186.0	5.94	2.75	1.15	7.61	1.07	0.33	49.5	12.45	9.74	1.09	0.38
OREAS-104		2.3	26.9	73	181.5	5.81	2.67	1.16	7.60	1.04	0.34	45.9	12.05	9.88	1.12	0.41
Target Range - Lower Bound		1.8	25.2	67	166.5	5.14	2.42	0.96	7.18	0.91	0.31	42.3	10.55	8.90	0.92	0.34
Upper Bound		2.7	31.0	86	227	7.07	3.34	1.38	9.83	1.26	0.44	57.5	14.35	12.10	1.27	0.48
OREAS-45d		1.4	10.6	43	138.5	2.08	1.18	0.56	2.20	0.41	0.19	13.3	3.74	2.75	0.36	0.19
OREAS-45d		1.5	10.1	42	147.5	2.30	1.22	0.57	2.20	0.43	0.21	14.1	3.95	2.88	0.36	0.19
OREAS-45d		1.5	10.8	45	146.0	2.16	1.21	0.59	2.24	0.44	0.21	13.6	3.77	2.76	0.36	0.27
OREAS-45d		1.7	10.9	43	152.0	2.29	1.29	0.63	2.32	0.44	0.22	14.2	3.98	3.01	0.41	0.23
Target Range - Lower Bound		1.3	8.5	39	119.5											
Upper Bound		2.0	10.6	52	162.5											
OxJ111																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01	<0.01
BLANK		<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01	<0.01
BLANK		<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01	<0.01
BLANK		<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01	<0.01
Target Range - Lower Bound		<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01	<0.01
Upper Bound		0.2	0.2	4	1.0	0.10	0.06	0.06	0.10	0.02	0.02	0.2	0.06	0.06	0.02	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
STANDARDS			
OREAS 604			2.20
Target Range - Lower Bound			
Upper Bound			
OREAS 621			0.369
OREAS 621			0.371
Target Range - Lower Bound			
Upper Bound			
OREAS-104		2.35	
OREAS-104		2.29	
OREAS-104		2.50	
Target Range - Lower Bound		2.10	
Upper Bound		2.92	
OREAS-45d		1.27	
OREAS-45d		1.28	
OREAS-45d		1.25	
OREAS-45d		1.45	
Target Range - Lower Bound			
Upper Bound			
OxJ111			
Target Range - Lower Bound			
Upper Bound			
BLANKS			
BLANK			
BLANK			
BLANK			
Target Range - Lower Bound			
Upper Bound			
BLANK			<0.001
BLANK			<0.001
Target Range - Lower Bound			<0.001
Upper Bound			0.002
BLANK		<0.03	
BLANK		<0.03	
BLANK		<0.03	
BLANK		<0.03	
Target Range - Lower Bound		<0.03	
Upper Bound		0.06	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2	ME-MS61r Fe % 0.01
DUPLICATES																
ORIGINAL		92														
DUP		91														
Target Range - Lower Bound		82														
Upper Bound		101														
ORIGINAL		5390														
DUP		5560														
Target Range - Lower Bound		5200														
Upper Bound		5750														
ORIGINAL			0.08	0.21	53.5	10	0.11	0.05	17.90	0.02	3.20	3.3	6	0.84	5.5	0.21
DUP			0.08	0.20	50.5	10	0.10	0.06	17.30	<0.02	2.96	3.1	6	0.77	5.2	0.19
Target Range - Lower Bound			0.07	0.18	49.2	<10	<0.05	0.04	16.70	<0.02	2.92	2.9	5	0.71	5.0	0.18
Upper Bound			0.09	0.23	54.8	20	0.16	0.07	18.50	0.04	3.24	3.5	7	0.90	5.7	0.22
R319989			0.04	4.21	3.9	10	0.94	0.22	16.10	0.21	4.47	14.7	26	1.68	21.2	3.89
DUP			0.05	4.37	3.7	10	0.94	0.20	16.20	0.21	4.35	14.3	27	1.66	21.9	4.04
Target Range - Lower Bound			0.03	4.07	3.4	<10	0.84	0.19	15.35	0.18	4.18	13.7	24	1.54	20.6	3.76
Upper Bound			0.06	4.51	4.2	20	1.04	0.23	16.95	0.24	4.64	15.3	29	1.80	22.5	4.17
S122181			0.02	7.69	10.7	160	1.02	0.04	7.18	0.16	6.71	29.8	119	6.06	4.3	5.22
DUP			0.02	7.40	13.7	160	0.96	0.05	7.34	0.17	6.08	29.6	128	5.72	5.5	5.39
Target Range - Lower Bound			<0.01	7.16	11.4	140	0.89	0.03	6.89	0.14	6.07	28.1	116	5.55	4.5	5.03
Upper Bound			0.03	7.93	13.0	180	1.09	0.06	7.63	0.19	6.72	31.3	131	6.23	5.3	5.58
S122187			10.50	0.39	219	10	0.10	5.38	0.10	14.05	3.78	477	39	0.27	>10000	34.8
DUP			10.70	0.39	227	10	0.11	5.38	0.10	14.05	3.89	473	37	0.28	>10000	34.8
Target Range - Lower Bound			10.05	0.36	212	<10	<0.05	5.10	0.09	13.35	3.63	451	35	0.21	9650	33.1
Upper Bound			11.15	0.42	234	20	0.16	5.66	0.12	14.75	4.04	499	41	0.34	>10000	36.6
S122197																
DUP																
Target Range - Lower Bound																
Upper Bound																
S122206		<5														
DUP		<5														
Target Range - Lower Bound		<5														
Upper Bound		10														

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Ga ppm 0.05	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10	ME-MS61r Pb ppm 0.5
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		0.99	0.20	0.1	0.017	0.03	4.3	9.0	14.40	102	1.03	0.02	0.3	10.3	90	1.4
DUP		0.92	0.16	0.1	0.016	0.03	4.1	8.2	13.90	98	1.02	0.02	0.3	9.5	90	1.7
Target Range - Lower Bound		0.86	0.12	<0.1	0.011	0.02	3.5	8.0	13.45	90	0.92	<0.01	0.2	9.2	80	1.0
Upper Bound		1.05	0.24	0.2	0.022	0.04	4.9	9.2	14.85	110	1.13	0.03	0.4	10.6	100	2.1
R319989		8.93	<0.05	0.9	0.027	0.09	1.9	22.0	1.19	198	0.28	0.32	2.3	37.8	200	1.9
DUP		8.84	<0.05	0.9	0.026	0.09	1.8	22.6	1.21	203	0.23	0.32	2.2	37.6	200	1.9
Target Range - Lower Bound		8.39	<0.05	0.8	0.020	0.08	1.3	21.0	1.13	185	0.19	0.29	2.0	35.6	180	1.3
Upper Bound		9.38	0.10	1.0	0.033	0.10	2.4	23.6	1.27	216	0.32	0.35	2.5	39.8	220	2.5
S122181		15.35	0.10	2.3	0.050	1.31	3.2	47.9	4.86	590	0.28	2.03	6.1	124.0	570	6.0
DUP		15.35	0.09	2.2	0.054	1.28	2.8	49.0	4.87	606	0.30	2.04	6.1	127.0	560	5.9
Target Range - Lower Bound		14.55	<0.05	2.0	0.044	1.22	2.4	45.8	4.61	563	0.23	1.92	5.7	119.0	530	5.2
Upper Bound		16.15	0.10	2.5	0.060	1.37	3.7	51.1	5.12	633	0.35	2.15	6.5	132.0	600	6.7
S122187		2.22	0.22	0.1	1.325	0.02	2.0	2.7	0.18	91	31.5	0.06	0.5	36.6	150	369
DUP		2.26	0.23	0.1	1.340	0.02	2.1	2.9	0.18	89	31.8	0.07	0.5	37.6	160	365
Target Range - Lower Bound		2.08	0.16	<0.1	1.260	<0.01	1.4	2.5	0.16	81	30.0	0.05	0.4	35.0	140	348
Upper Bound		2.40	0.29	0.2	1.405	0.03	2.7	3.1	0.20	100	33.3	0.08	0.6	39.2	170	386
S122197																
DUP																
Target Range - Lower Bound																
Upper Bound																
S122206																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1	ME-MS61r V ppm 1
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		1.3	<0.002	0.01	1.78	0.3	<1	0.5	121.5	<0.05	<0.05	0.38	0.006	<0.02	4.3	15
DUP		1.3	<0.002	0.01	1.68	0.2	<1	0.5	115.5	<0.05	<0.05	0.36	0.006	0.02	4.0	15
Target Range - Lower Bound		1.1	<0.002	<0.01	1.55	<0.1	<1	0.3	112.5	<0.05	<0.05	0.34	<0.005	<0.02	3.8	13
Upper Bound		1.5	0.004	0.02	1.91	0.4	2	0.7	124.5	0.10	0.10	0.40	0.010	0.04	4.5	17
R319989		5.9	<0.002	<0.01	0.56	7.7	1	2.4	104.0	0.13	<0.05	0.39	0.180	0.02	2.3	47
DUP		5.8	<0.002	<0.01	0.57	7.6	<1	2.4	103.5	0.12	<0.05	0.41	0.184	0.02	2.3	48
Target Range - Lower Bound		5.5	<0.002	<0.01	0.47	7.2	<1	2.1	98.4	0.07	<0.05	0.37	0.168	<0.02	2.1	44
Upper Bound		6.2	0.004	0.02	0.66	8.1	2	2.7	109.0	0.18	0.10	0.43	0.196	0.04	2.5	51
S122181		34.7	<0.002	<0.01	0.72	28.8	1	0.6	200	0.35	<0.05	1.52	0.502	0.11	0.9	174
DUP		23.8	<0.002	<0.01	0.72	27.5	1	0.6	202	0.35	<0.05	1.28	0.503	0.12	0.9	173
Target Range - Lower Bound		27.7	<0.002	<0.01	0.62	26.6	<1	0.4	191.0	0.28	<0.05	1.32	0.472	0.09	0.8	164
Upper Bound		30.8	0.004	0.02	0.82	29.7	2	0.8	211	0.42	0.10	1.48	0.533	0.14	1.0	183
S122187		0.9	0.051	>10.0	19.35	0.6	61	3.8	6.8	<0.05	1.89	0.95	0.013	3.32	4.0	43
DUP		0.9	0.056	>10.0	19.45	0.6	62	4.6	6.9	<0.05	2.12	1.02	0.013	3.25	4.0	44
Target Range - Lower Bound		0.8	0.049	9.49	17.90	0.5	57	3.8	6.3	<0.05	1.85	0.93	0.007	3.02	3.7	40
Upper Bound		1.0	0.058	10.00	20.9	0.7	66	4.6	7.4	0.10	2.16	1.04	0.019	3.55	4.3	47
S122197																
DUP																
Target Range - Lower Bound																
Upper Bound																
S122206																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01	ME-MS61r Tm ppm 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		0.4	7.9	25	3.7	0.57	0.36	0.10	0.56	0.14	0.04	2.4	0.66	0.45	0.09	0.06
DUP		0.4	7.4	25	3.4	0.53	0.38	0.09	0.52	0.13	0.04	2.3	0.62	0.41	0.08	0.05
Target Range - Lower Bound		0.3	7.2	22	2.9	0.46	0.31	0.06	0.45	0.11	0.03	2.1	0.56	0.37	0.07	0.04
Upper Bound		0.5	8.1	28	4.2	0.64	0.43	0.13	0.63	0.16	0.05	2.6	0.72	0.49	0.10	0.07
R319989		0.6	6.7	18	34.8	1.17	0.75	0.27	0.99	0.25	0.11	2.9	0.64	0.82	0.17	0.12
DUP		0.5	6.6	18	34.2	1.09	0.74	0.27	0.98	0.25	0.11	2.8	0.63	0.79	0.17	0.11
Target Range - Lower Bound		0.4	6.2	15	32.3	1.00	0.66	0.22	0.86	0.22	0.09	2.5	0.56	0.71	0.15	0.10
Upper Bound		0.7	7.1	21	36.7	1.26	0.83	0.32	1.11	0.28	0.13	3.2	0.71	0.90	0.19	0.13
S122181		0.6	18.6	42	87.0	2.90	1.99	0.51	2.08	0.66	0.33	4.1	0.91	1.42	0.40	0.32
DUP		0.6	17.8	43	78.8	2.73	1.88	0.47	1.93	0.61	0.31	3.8	0.83	1.37	0.37	0.31
Target Range - Lower Bound		0.5	17.2	38	78.3	2.55	1.76	0.42	1.80	0.58	0.29	3.6	0.77	1.26	0.35	0.28
Upper Bound		0.7	19.2	47	87.5	3.08	2.11	0.56	2.21	0.69	0.35	4.3	0.97	1.53	0.42	0.35
S122187		3.4	1.6	4170	4.9	0.29	0.16	0.11	0.36	0.06	0.02	1.7	0.46	0.38	0.05	0.02
DUP		3.4	1.8	4150	5.1	0.33	0.18	0.11	0.36	0.06	0.03	1.8	0.47	0.42	0.06	0.03
Target Range - Lower Bound		3.0	1.5	3950	4.3	0.24	0.13	0.07	0.28	0.05	<0.01	1.5	0.40	0.34	0.04	<0.01
Upper Bound		3.8	1.9	4370	5.8	0.38	0.21	0.15	0.44	0.07	0.04	2.0	0.53	0.46	0.07	0.04
S122197																
DUP																
Target Range - Lower Bound																
Upper Bound																
S122206																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
DUPLICATES			
ORIGINAL			
DUP			
Target Range - Lower Bound			
Upper Bound			
ORIGINAL			
DUP			
Target Range - Lower Bound			
Upper Bound			
ORIGINAL		0.30	
DUP		0.27	
Target Range - Lower Bound		0.23	
Upper Bound		0.34	
R319989		0.77	
DUP		0.77	
Target Range - Lower Bound		0.68	
Upper Bound		0.86	
S122181		2.05	
DUP		1.90	
Target Range - Lower Bound		1.80	
Upper Bound		2.15	
S122187		0.14	2.49
DUP		0.16	2.45
Target Range - Lower Bound		0.11	2.41
Upper Bound		0.19	2.53
S122197			2.53
DUP			2.46
Target Range - Lower Bound			2.43
Upper Bound			2.56
S122206			
DUP			
Target Range - Lower Bound			
Upper Bound			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppb 5	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2	ME-MS61r Fe % 0.01
		DUPLICATES														
S122210		<5														
DUP		<5														
Target Range - Lower Bound		<5														
Upper Bound		10														
S122230		<5														
DUP		<5														
Target Range - Lower Bound		<5														
Upper Bound		10														
ORIGINAL		1075														
DUP		1105														
Target Range - Lower Bound		1030														
Upper Bound		1150														
ORIGINAL		364														
DUP		359														
Target Range - Lower Bound		338														
Upper Bound		385														
ORIGINAL		773														
DUP		752														
Target Range - Lower Bound		719														
Upper Bound		806														

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Ga ppm 0.05	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10	ME-MS61r Pb ppm 0.5
		DUPLICATES														
S122210	DUP															
	Target Range - Lower Bound															
	Upper Bound															
S122230	DUP															
	Target Range - Lower Bound															
	Upper Bound															
ORIGINAL	DUP															
	Target Range - Lower Bound															
	Upper Bound															
ORIGINAL	DUP															
	Target Range - Lower Bound															
	Upper Bound															
ORIGINAL	DUP															
	Target Range - Lower Bound															
	Upper Bound															

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1	ME-MS61r V ppm 1
		DUPLICATES														
S122210	DUP															
	Target Range - Lower Bound															
	Upper Bound															
S122230	DUP															
	Target Range - Lower Bound															
	Upper Bound															
ORIGINAL	DUP															
	Target Range - Lower Bound															
	Upper Bound															
ORIGINAL	DUP															
	Target Range - Lower Bound															
	Upper Bound															
ORIGINAL	DUP															
	Target Range - Lower Bound															
	Upper Bound															

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01	ME-MS61r Tm ppm 0.01
		DUPLICATES														
S122210 DUP																
Target Range - Lower Bound																
Upper Bound																
S122230 DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198089

Sample Description	Method / Analyte / Units / LOR	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
		DUPLICATES	
S122210 DUP			
Target Range - Lower Bound			
Upper Bound			
S122230 DUP			
Target Range - Lower Bound			
Upper Bound			
ORIGINAL DUP			
Target Range - Lower Bound			
Upper Bound			
ORIGINAL DUP			
Target Range - Lower Bound			
Upper Bound			
ORIGINAL DUP			
Target Range - Lower Bound			
Upper Bound			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **SUPERIOR COPPER CORPORATION**
141 ADELAIDE STREET WEST
SUITE 301
TORONTO ON M5H 3L5

Finalized Date: 7-JAN-2016
Account: SUPCOP

Project: SUPERIOR PROJECT

QC CERTIFICATE OF ANALYSIS SD15198089

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61r

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-31	LOG-21d	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	SPL-34
WEI-21			

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-AA23	Cu-OG62	ME-MS61r	ME-OG62